








Min emission bandwidth (6dB)

Min emission bandwidth (6dB)											
TestMode	Antenna	Frequency[MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict				
11A	Ant1	5745	15.08	5737.40	5752.48	0.5	PASS				
	Ant2	5745	15.08	5737.40	5752.48	0.5	PASS				
	Ant3	5745	15.04	5737.44	5752.48	0.5	PASS				
	Ant4	5745	15.08	5737.40	5752.48	0.5	PASS				
	Ant1	5785	13.84	5777.40	5791.24	0.5	PASS				
	Ant2	5785	14.08	5778.40	5792.48	0.5	PASS				
	Ant3	5785	15.08	5777.40	5792.48	0.5	PASS				
	Ant4	5785	15.08	5777.40	5792.48	0.5	PASS				
	Ant1	5825	15.16	5817.36	5832.52	0.5	PASS				
	Ant2	5825	15.08	5817.40	5832.48	0.5	PASS				
	Ant3	5825	15.04	5817.44	5832.48	0.5	PASS				
	Ant4	5825	15.08	5817.40	5832.48	0.5	PASS				
	Ant1	5745	15.12	5737.36	5752.48	0.5	PASS				
	Ant2	5745	15.12	5737.36	5752.48	0.5	PASS				
	Ant3	5745	15.08	5737.36	5752.44	0.5	PASS				
	Ant4	5745	15.12	5737.36	5752.48	0.5	PASS				
	Ant1	5785	15.12	5777.36	5792.48	0.5	PASS				
441100141140	Ant2	5785	15.12	5777.36	5792.48	0.5	PASS				
11N20MIMO	Ant3	5785	15.08	5777.36	5792.44	0.5	PASS				
	Ant4	5785	15.12	5777.36	5792.48	0.5	PASS				
	Ant1	5825	13.84	5817.40	5831.24	0.5	PASS				
	Ant2	5825	15.12	5817.36	5832.48	0.5	PASS				
	Ant3	5825	15.12	5817.36	5832.48	0.5	PASS				
	Ant4	5825	15.12	5817.36	5832.48	0.5	PASS				
	Ant1	5755	35.12	5737.40	5772.52	0.5	PASS				
11N40MIMO	Ant2	5755	35.12	5737.40	5772.52	0.5	PASS				
	Ant3	5755	33.84	5737.40	5771.24	0.5	PASS				
	Ant4	5755	35.12	5737.40	5772.52	0.5	PASS				
	Ant1	5795	35.12	5777.40	5812.52	0.5	PASS				
	Ant2	5795	35.04	5777.48	5812.52	0.5	PASS				
	Ant3	5795	35.12	5777.40	5812.52	0.5	PASS				
	Ant4	5795	35.04	5777.48	5812.52	0.5	PASS				
11AC20MIMO	Ant1	5745	15.12	5737.36	5752.48	0.5	PASS				
	Ant2	5745	15.12	5737.36	5752.48	0.5	PASS				
	Ant3	5745	15.12	5737.36	5752.48	0.5	PASS				
	Ant4	5745	15.12	5737.36	5752.48	0.5	PASS				
	Ant1	5785	15.12	5777.36	5792.48	0.5	PASS				
	Ant2	5785	15.08	5777.36	5792.44	0.5	PASS				
	Ant3	5785	15.12	5777.36	5792.48	0.5	PASS				
	Ant4	5785	15.12	5777.36	5792.48	0.5	PASS				
	Ant1	5825	15.12	5817.36	5832.48	0.5	PASS				
	Ant2	5825	13.84	5818.60	5832.44	0.5	PASS				
	Ant3	5825	15.12	5817.36	5832.48	0.5	PASS				
	Ant4	5825	15.12	5817.36	5832.48	0.5	PASS				
11AC40MIMO	Ant1	5755	35.12	5737.40	5772.52	0.5	PASS				
	Ant2	5755	35.12	5737.40	5772.52	0.5	PASS				
	Ant3	5755	35.12	5737.40	5772.52	0.5	PASS				
	Ant4	5755	33.84	5738.68	5772.52	0.5	PASS				
	Ant1	5795	35.12	5777.40	5812.52	0.5	PASS				
	Ant2	5795	35.12	5777.40	5812.52	0.5	PASS				
	Ant3	5795	35.12	5777.40	5812.52	0.5	PASS				
	Ant4	5795	35.12	5777.40	5812.52	0.5	PASS				
	71114	1 3133	JJ. 1Z	0111.40	0012.02	U.J	1 700				




11AC80MIMO	Ant1	5775	75.20	5737.40	5812.60	0.5	PASS
	Ant2	5775	75.20	5737.40	5812.60	0.5	PASS
	Ant3	5775	75.20	5737.40	5812.60	0.5	PASS
	Ant4	5775	75.20	5737.40	5812.60	0.5	PASS
	Ant1	5745	16.36	5737.36	5753.72	0.5	PASS
	Ant2	5745	16.92	5736.12	5753.04	0.5	PASS
	Ant3	5745	17.56	5736.12	5753.68	0.5	PASS
	Ant4	5745	17.52	5736.40	5753.92	0.5	PASS
	Ant1	5785	15.12	5777.36	5792.48	0.5	PASS
	Ant2	5785	16.84	5775.64	5792.48	0.5	PASS
11AX20MIMO	Ant3	5785	17.56	5776.12	5793.68	0.5	PASS
-	Ant4	5785	17.56	5776.12	5793.68	0.5	PASS
	Ant1	5825	16.40	5816.64	5833.04	0.5	PASS
	Ant2	5825	16.80	5816.40	5833.20	0.5	PASS
	Ant3	5825	15.12	5817.36	5832.48	0.5	PASS
	Ant4	5825	17.32	5816.40	5833.72	0.5	PASS
11AX40MIMO	Ant1	5755	35.12	5737.40	5772.52	0.5	PASS
	Ant2	5755	35.12	5737.40	5772.52	0.5	PASS
	Ant3	5755	36.08	5737.16	5773.24	0.5	PASS
	Ant4	5755	35.12	5737.40	5772.52	0.5	PASS
	Ant1	5795	35.12	5777.40	5812.52	0.5	PASS
	Ant2	5795	36.08	5776.44	5812.52	0.5	PASS
	Ant3	5795	35.12	5777.40	5812.52	0.5	PASS
	Ant4	5795	36.32	5776.20	5812.52	0.5	PASS
11AX80MIMO	Ant1	5775	75.20	5737.40	5812.60	0.5	PASS
	Ant2	5775	75.20	5737.40	5812.60	0.5	PASS
	Ant3	5775	75.20	5737.40	5812.60	0.5	PASS
	Ant4	5775	75.52	5736.92	5812.44	0.5	PASS

































































































































Ver. 1. 0

8.2 MAXIMUM CONDUCTED OUTPUT POWER

8.2.1 Applicable Standard

According to FCC Part 15.407(a)(1) for UNII Band I
According to FCC Part 15.407(a)(2) for UNII Band II-A and UNII Band II-C
According to FCC Part 15.407(a)(3) for UNII Band III
According to 789033 D02 Section II(E)

8.2.2 Conformance Limit

■ For the band 5.15-5.25 GHz,

(a) (1) (i) For an outdoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi. The maximum e.i.r.p. at any elevation angle above 30 degrees as measured from the horizon must not exceed 125 mW (21 dBm). (a) (1) (ii) For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

(a) (1) (iii) For fixed point-to-point access points operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W. Fixed point-to-point U-NII devices may employ antennas with directional gain up to 23 dBi without any corresponding reduction in the maximum conducted output power or maximum power spectral density. For fixed point-to-point transmitters that employ a directional antenna gain greater than 23 dBi, a 1 dB reduction in maximum conducted output power and maximum power spectral density is required for each 1 dB of antenna gain in excess of 23 dBi. Fixed, point-to-point operations exclude the use of point-to-multipoint systems, omnidirectional applications, and multiple collocated transmitters transmitting the same information. The operator of the U-NII device, or if the equipment is professionally installed, the installer, is responsible for ensuring that systems employing high gain directional antennas are used exclusively for fixed, point-to-point operations.

(a) (1) (iv) For mobile and portable client devices in the 5.15-5.25 GHz band, the maximum conducted output power over the frequency band of operation shall not exceed 250 mW provided the maximum antenna gain does not exceed 6 dBi. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

■ For the 5.25-5.35 GHz and 5.47-5.725 GHz bands

(a) (2) the maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10 log B, where B is the 26 dB emission bandwidth in megahertz. In addition, the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

■ For the band 5.725-5.85 GHz

(a) (3)For the band 5.725-5.85 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W. In addition, the maximum power spectral density shall not exceed 30 dBm in any 500-kHz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

8.2.3 Test Configuration

Test according to clause 6.1 radio frequency test setup 1.

Report No. ENS2310300205W00202R Page 292 of 643



8.2.4 Test Procedure

The maximum average conducted output power can be measured using Method PM-G (Measurement using a gated RF average power meter):

Measurements may be performed using a wideband gated RF power meter provided that the gate parameters are adjusted such that the power is measured only when the EUT is transmitting at its maximum power control level. Since the measurement is made only during the ON time of the transmitter, no duty cycle correction factor is required.

- a. The Transmitter output (antenna port) was connected to the power meter.
- b. Turn on the EUT and power meter and then record the power value.
- c. Repeat above procedures on all channels needed to be tested.

8.2.5 Test Results

Temperature : 25° C ATM Pressure: 1011 mbar Humidity : 60° % Test Engineer: XXH

- .		_		.			FIDD	EIRP	
Test	Antenna	Frequency	Set	Result	Limit	Gain	EIRP	Limit	Verdict
Mode		[MHz]	Power	[dBm]	[dBm]	[dBi]	[dBm]	[dBm]	
	Ant1	5180	NA	19.55	≤30.00	5.13	24.68		PASS
	Ant2	5180	NA	18.36	≤30.00	5.19	23.55		PASS
	Ant3	5180	NA	20.09	≤30.00	5.37	25.46		PASS
	Ant4	5180	NA	18.97	≤30.00	5.35	24.32		PASS
	Ant1	5200	NA	19.13	≤30.00	5.13	24.26		PASS
	Ant2	5200	NA	17.87	≤30.00	5.19	23.06		PASS
	Ant3	5200	NA	17.82	≤30.00	5.37	23.19		PASS
	Ant4	5200	NA	18.54	≤30.00	5.35	23.89		PASS
	Ant1	5240	NA	18.58	≤30.00	5.13	23.71		PASS
	Ant2	5240	NA	17.67	≤30.00	5.19	22.86		PASS
	Ant3	5240	NA	17.54	≤30.00	5.37	22.91		PASS
	Ant4	5240	NA	17.84	≤30.00	5.35	23.19		PASS
	Ant1	5260	TPC_L	14.48	≤23.98	5.13	19.61		PASS
	Anti	5260	TPC_H	18.71	≤23.98	5.13	23.84		PASS
	Ant2	5260	TPC_L	14.39	≤23.98	5.19	19.58		PASS
	AIILZ	3200	TPC_H	18.19	≤23.98	5.19	23.38		PASS
	Ant3	5260	TPC_L	13.99	≤23.97	5.37	19.36		PASS
	Anto		TPC_H	18.05	≤23.97	5.37	23.42		PASS
	Ant4	5260	TPC_L	13.79	≤23.96	5.35	19.14		PASS
11A	AIII4	3200	TPC_H	18.83	≤23.96	5.35	24.18		PASS
	Ant1	5280	TPC_L	14.28	≤23.97	5.13	19.41		PASS
	Anti	3280	TPC_H	18.36	≤23.97	5.13	23.49		PASS
	Ant2	5280	TPC_L	14.02	≤23.98	5.19	19.21		PASS
	AIILZ	3200	TPC_H	17.77	≤23.98	5.19	22.96		PASS
	Ant3	5280	TPC_L	13.45	≤23.98	5.37	18.82		PASS
	Anto	3200	TPC_H	17.60	≤23.98	5.37	22.97		PASS
	Ant4	5280	TPC_L	13.67	≤23.96	5.35	19.02		PASS
	AIII	3200	TPC_H	18.68	≤23.96	5.35	24.03		PASS
	Ant1	5320	TPC_L	14.68	≤23.94	5.13	19.81		PASS
	Allei	3320	TPC_H	18.55	≤23.94	5.13	23.68		PASS
	Ant2	5320	TPC_L	14.64	≤23.98	5.19	19.83		PASS
	AIILE	3320	TPC_H	18.40	≤23.98	5.19	23.59		PASS
	Ant3	5320	TPC_L	13.31	≤23.98	5.37	18.68		PASS
	Ant3	0020	TPC_H	17.78	≤23.98	5.37	23.15		PASS
	Ant4	5320	TPC_L	12.61	≤23.96	5.35	17.96		PASS
	7 (11)	0020	TPC_H	18.40	≤23.96	5.35	23.75		PASS
	Ant1	5500	TPC_L	14.87	≤23.98	5.13	20		PASS
			TPC_H	19.22	≤23.98	5.13	24.35		PASS
L	Ant2	5500	TPC_L	13.44	≤23.98	5.19	18.63		PASS



Anti									
Ant4 5500 TPC H 20.01 \$23.98 5.35 25.97 — PASS PASS PTC L 13.76 \$23.98 5.36 5.97 — PASS PASS PASS PASS PASS PASS PASS PA				TPC H	19.54	≤23.98	5.19	24.73	 PASS
Ant1 5500 TPC H 20.01 \$23.98 5.35 25.38 PASS 7PC L 13.71 5.58 5.36 25.97 PASS 7PC L 13.71 5.00 \$23.94 5.35 25.97 PASS 7PC L 15.00 \$23.94 5.35 25.97 PASS 7PC L 13.71 5.00 \$23.94 5.13 20.13 PASS 7PC L 13.71 \$23.98 5.19 25.93 PASS 7PC L 12.70 \$23.98 5.35 24.77 PASS 7PC L 12.70 \$23.98 5.35 24.77 PASS 7PC L 12.70 \$23.98 5.35 24.77 PASS 7PC L 14.22 \$23.98 5.35 24.77 PASS 7PC L 13.71 \$23.98 5.19 18.9 PASS 7PC L 13.71 \$23.98 5.19 18.9 PASS 7PC L 13.71 \$23.98 5.19 18.9 PASS 7PC L 14.68 \$23.96 5.37 20.05 PASS 7PC L 14.68 \$23.96 5.35 25.44 PASS 7PC L 14.68 \$24.7					14.72	≤23.98	5.37	20.09	
Ant4		Ant3	5500	TPC H	20.01		5.37		
Ant1 5580 TPC L 10.50 253.94 5.13 22.013 PASS TPC L 10.50 253.94 5.13 22.013 PASS Ant2 5580 TPC L 13.71 253.98 5.19 25.33 PASS TPC L 13.71 253.98 5.19 25.33 PASS TPC L 14.03 253.97 5.37 19.4 PASS TPC L 14.03 253.97 5.37 19.4 PASS Ant4 5580 TPC L 14.03 253.97 5.37 19.4 PASS TPC L 12.70 253.98 5.35 18.05 PASS TPC L 12.70 253.98 5.35 18.05 PASS TPC L 12.70 253.98 5.35 18.05 PASS TPC L 14.42 253.98 5.35 18.05 PASS TPC L 14.42 253.98 5.35 18.05 PASS TPC L 14.42 253.98 5.35 18.05 PASS TPC L 13.71 253.98 5.35 24.47 PASS TPC L 13.71 253.98 5.19 18.9 PASS TPC L 13.71 253.98 5.19 24.93 PASS TPC L 14.68 253.96 5.37 20.06 PASS TPC L 14.68 253.96 5.37 20.06 PASS Ant3 5700 TPC L 14.68 223.96 5.37 20.06 PASS Ant4 5700 TPC L 14.68 223.96 5.37 20.06 PASS Ant3 5745 NA 19.87 530.00 5.13 24.66 PASS Ant3 5745 NA 19.87 530.00 5.13 24.66 PASS Ant4 5745 NA 19.87 530.00 5.13 24.66 PASS Ant4 5745 NA 19.87 530.00 5.17 25.06 PASS Ant4 5785 NA 19.87 530.00 5.17 25.06 PASS Ant4 5785 NA 19.87 530.00 5.13 24.66 PASS Ant4 5785 NA 19.80 530.00 5.13 24.66 PASS Ant4 5785 NA 19.87 530.00 5.13 24.66 PASS Ant4 5785 NA 19.80 530.00 5.13 24.66 PASS Ant4 5785 NA 19.									
Ant1 5580 TPC L 15.00 223.94 5.13 20.13 PASS PASS Ant2 5580 TPC L 13.71 223.98 5.19 18.9 PASS PASS TPC L 14.03 523.97 5.37 19.4 PASS PASS TPC L 14.03 523.97 5.37 19.4 PASS PASS PASS TPC L 14.03 523.97 5.37 19.4 PASS PASS PASS PASS PASS PASS PASS		Ant4	5500						
Anti									
Ant2 5580 TPC L 13.71 \$22.98 5.19 18.9 PASS FORD TPC H 10.01 \$23.98 5.19 25.33 PASS PASS Ant3 5580 TPC L 14.03 \$23.97 5.37 19.4 PASS PASS PASS PASS PASS PASS PASS		Ant1	5580						
Ant2									
Ant3 5580 TPC L 14.03 \$23.97 5.37 19.4 PASS TPC H 19.29 \$23.97 5.37 24.66 PASS TPC L 12.70 \$23.98 5.35 18.05 PASS TPC L 19.12 \$23.98 5.13 19.55 PASS TPC L 19.03 \$23.95 5.13 24.16 PASS TPC L 19.03 \$23.95 5.13 24.16 PASS TPC L 19.03 \$23.98 5.19 18.95 PASS TPC L 19.74 \$23.98 5.19 24.93 PASS TPC L 14.68 \$23.96 5.37 24.73 PASS TPC L 14.68 \$23.96 5.37 24.73 PASS TPC L 14.68 \$23.96 5.37 24.73 PASS ANT TPC L 14.68 \$23.96 5.35 19.81 PASS ANT TPC L 14.68 \$23.96 5.35 19.81 PASS ANT TPC L 14.68 \$23.96 5.35 19.81 PASS ANT TPC L 14.46 \$23.90 5.37 19.50 PASS ANT TPC L 14.46 \$23.90 5.37 19.50 PASS ANT TPC L 14.46 \$23.90 5.37 19.40 PASS ANT TPC L 14.46 \$23.90 5.37 19.40 PASS ANT TPC L 14.46 \$23.90 5.37 19.40 PASS ANT TPC L 14.46 \$24.00 5.30 00 5.37 19.40 PASS ANT TPC L 14.40		Ant2	5580						
Ant4									
Ant4		Ant3	5580						
Ant1									
Ant1		Ant4	5580						
Ant1									
Ant2 5700 TPC L 13.71		Ant1	5700						
Anta		,	0.00						
Ant3 5700 TPC L 14,68 \$23,98 5.19 24,93 PASS		Ant2	5700						
Ant4 5700 TPC H 19.36 \$23.96 5.37 24.73 PASS TPC H 20.19 \$23.96 5.35 19.81 PASS Ant1 5745 NA 19.53 \$30.00 5.13 24.66 PASS Ant2 5745 NA 19.53 \$30.00 5.19 25.06 PASS Ant3 5745 NA 19.68 \$30.00 5.19 25.06 PASS Ant4 5745 NA 19.68 \$30.00 5.19 24.69 PASS Ant3 5785 NA 19.15 \$30.00 5.13 24.68 PASS Ant2 5785 NA 19.50 \$30.00 5.13 24.68 PASS Ant3 5785 NA 19.50 \$30.00 5.13 24.69 PASS Ant4 5785 NA 19.50 \$30.00 5.13 24.69 PASS Ant4 5785 NA 19.50 \$30.00 5.13 24.69 PASS Ant4 5785 NA 19.50 \$30.00 5.37 24.67 PASS Ant4 5785 NA 19.50 \$30.00 5.37 24.67 PASS Ant4 5785 NA 19.50 \$30.00 5.37 24.67 PASS Ant4 5785 NA 18.52 \$30.00 5.35 25.8 PASS Ant4 5825 NA 18.82 \$30.00 5.37 24.67 PASS Ant4 5825 NA 18.83 \$30.00 5.19 24.02 PASS Ant4 5825 NA 18.81 \$30.00 5.19 24.02 PASS Ant4 5820 NA 18.51 \$30.00 5.19 24.02 PASS Ant4 5820 NA 11.50 \$24.78 5.13 17.24 PASS Ant4 5820 NA 11.50 \$24.78 5.13 17.24 PASS Ant4 5180 NA 11.50 \$24.78 5.13 17.27 PASS Ant4 5180 NA 11.50 \$24.78 5.37 16.5 PASS Ant4 5200 NA 11.50 \$24.78 5.37 16.5 PASS Ant4 5240 NA 11.28 \$24.78 5.19 16.47 PASS Ant4 5240 NA 11.28 \$24.78 5.19 16.47 PASS Ant4 5240 NA 11.28 \$24.78 5.19 16.47 PASS Ant4 5240 NA 11.28 \$24.78 5.1		711112	0700		19.74	≤23.98	5.19	24.93	 PASS
PC H 19.56 \$23.96 \$5.35 \$1.981 PASS PA		A n+2	5700	TPC_L	14.68	≤23.96	5.37	20.05	 PASS
Ant1 5745 NA 19.50 5.35 25.54 PASS Ant2 5745 NA 19.53 30.00 5.13 24.66 PASS Ant3 5745 NA 19.67 \$30.00 5.19 25.06 PASS Ant3 5745 NA 19.68 \$30.00 5.37 25.06 PASS Ant3 5745 NA 19.68 \$30.00 5.37 25.05 PASS Ant3 5745 NA 19.68 \$30.00 5.37 25.05 PASS Ant3 5745 NA 19.68 \$30.00 5.35 25.73 PASS Ant1 5785 NA 19.50 \$30.00 5.35 25.73 PASS Ant2 5785 NA 19.50 \$30.00 5.19 24.69 PASS Ant2 5785 NA 19.50 \$30.00 5.19 24.69 PASS Ant3 5785 NA 19.50 \$30.00 5.37 24.67 PASS Ant4 5785 NA 19.50 \$30.00 5.37 24.67 PASS Ant4 5785 NA 19.50 \$30.00 5.37 24.67 PASS Ant2 5825 NA 18.83 \$30.00 5.37 24.67 PASS Ant2 5825 NA 18.83 \$30.00 5.37 24.67 PASS Ant2 5825 NA 18.83 \$30.00 5.37 23.9 PASS Ant4 5825 NA 18.83 \$30.00 5.19 24.02 PASS Ant3 5825 NA 18.83 \$30.00 5.35 25.14 PASS Ant3 5825 NA 18.83 \$30.00 5.35 25.14 PASS Ant4 5825 NA 19.79 \$30.00 5.35 25.14 PASS Ant3 5825 NA 18.83 \$30.00 5.35 25.14 PASS Ant4 5825 NA 19.79 \$30.00 5.35 25.14 PASS Ant4 5820 NA 19.79 \$30.00 5.35 25.14 PASS Ant4 5820 NA 19.79 \$30.00 5.35 25.14 PASS Ant4 5180 NA 11.50 \$24.78 5.13 18.24 PASS Ant4 5180 NA 11.50 \$24.78 5.37 16.87 PASS Ant4 5180 NA 11.50 \$24.78 5.37 16.87 PASS Ant4 5180 NA 11.50 \$24.78 5.37 16.87 PASS Ant4 5200 NA 11.04 \$24.78 5.35 16.85 PASS Ant4 5200 NA 11.04 \$24.78 5.35 16.85 PASS Ant4 5200 NA 11.50 \$24.78 5.37 16.5 PASS Ant4 5200 NA 11.50 \$24.78 5.35 16.85 PASS Ant4 5200 NA 11.28 \$24.78 5.37 16.5 PASS Ant4 5200 NA 11.80 \$24.78 5.37 17.17 PASS Ant4 5200 NA 11.80 \$24.78 5.37 16.5 PASS Ant4 5200 NA 11.80 \$24.78 5.37 17.17 PASS Ant4 5200 NA 11.76 \$24.78 5.35 16.60 PASS Ant4 5200 NA 11.81 \$24.78 5.35 16.		Anio	3700	TPC_H	19.36	≤23.96	5.37	24.73	 PASS
Ant1		A 4 4	5700	TPC L	14.46	≤23.96	5.35	19.81	 PASS
Ant1 5745 NA 19.53 \$30.00 5.13 24.66 PASS Ant2 5745 NA 19.87 \$30.00 5.19 25.06 PASS Ant3 5745 NA 19.88 \$30.00 5.37 25.05 PASS Ant4 5745 NA 20.38 \$30.00 5.37 25.05 PASS Ant4 5745 NA 20.38 \$30.00 5.35 25.73 PASS Ant2 5785 NA 19.50 \$30.00 5.13 24.28 PASS Ant2 5785 NA 19.50 \$30.00 5.13 24.28 PASS Ant2 5785 NA 19.50 \$30.00 5.13 24.69 PASS Ant2 5785 NA 19.50 \$30.00 5.13 24.69 PASS Ant4 5785 NA 19.50 \$30.00 5.37 24.67 PASS Ant4 5785 NA 19.50 \$30.00 5.37 24.67 PASS Ant4 5785 NA 19.50 \$30.00 5.35 25.8 PASS Ant4 5825 NA 18.52 \$30.00 5.35 25.8 PASS Ant1 5825 NA 18.52 \$30.00 5.37 24.67 PASS Ant2 5825 NA 18.53 \$30.00 5.37 24.67 PASS Ant2 5825 NA 18.53 \$30.00 5.37 24.67 PASS Ant4 5825 NA 18.52 \$30.00 5.37 24.67 PASS Ant4 5825 NA 18.52 \$30.00 5.37 24.67 PASS Ant4 5825 NA 18.52 \$30.00 5.37 24.67 PASS Ant4 5820 NA 11.50 \$24.78 5.13 18.24 PASS Ant4 5180 NA 11.50 \$24.78 5.37 16.87 PASS Ant4 5180 NA 11.50 \$24.78 5.35 17.35 PASS Ant4 5200 NA 11.04 \$24.78 5.35 17.35 PASS Ant4 5200 NA 11.50 \$24.78 5.35 17.35 PASS Ant4 5200 NA 11.50 \$24.78 5.37 16.5 PASS Ant4 5200 NA 11.50 \$24.78 5.37 16.5 PASS Ant4 5200 NA 11.50 \$24.78 5.37 16.5 PASS Ant4 5240 NA 11.50 \$24.78 5.37 16.5 PASS Ant4 5240 NA 11.28 \$24.78 5.37 16.65 PASS Ant4 5240 NA 11.28 \$24.78 5.37 10.48 PASS Ant4 5240 NA 11.28 \$24.78 5.		Ant4	5700	TPC H	20.19	≤23.96	5.35	25.54	 PASS
Ant2 5745 NA 19.87 \$30.00 5.19 25.06 PASS Ant3 5745 NA 19.68 \$30.00 5.37 25.05 PASS Ant4 5745 NA 20.38 \$30.00 5.37 25.05 PASS Ant4 5745 NA 20.38 \$30.00 5.35 25.73 PASS Ant2 5785 NA 19.15 \$30.00 5.13 24.28 PASS Ant2 5785 NA 19.50 \$30.00 5.13 24.28 PASS Ant2 5785 NA 19.50 \$30.00 5.19 24.69 PASS Ant3 5785 NA 19.30 \$30.00 5.37 24.67 PASS Ant3 5785 NA 19.30 \$30.00 5.37 24.67 PASS Ant4 5785 NA 20.45 \$30.00 5.35 25.8 PASS Ant4 5825 NA 18.52 \$30.00 5.35 25.8 PASS Ant4 5825 NA 18.52 \$30.00 5.13 24.62 PASS Ant4 5825 NA 18.53 \$30.00 5.19 24.02 PASS Ant4 5825 NA 18.53 \$30.00 5.19 24.02 PASS Ant4 5825 NA 18.53 \$30.00 5.37 23.9 PASS Ant4 5825 NA 18.53 \$30.00 5.37 23.9 PASS Ant4 5825 NA 18.53 \$30.00 5.37 23.9 PASS Ant4 5825 NA 19.79 \$30.00 5.37 23.9 PASS Ant4 5825 NA 19.79 \$30.00 5.35 25.14 PASS Ant4 5825 NA 19.79 \$30.00 5.37 23.9 PASS Ant4 5826 NA 11.30 \$24.78 5.13 18.24 PASS Ant4 5826 NA 11.30 \$24.78 5.13 18.24 PASS Ant4 5180 NA 11.30 \$24.78 5.13 18.24 PASS Ant4 5180 NA 11.50 \$24.78 5.17 16.49 PASS Ant4 5180 NA 12.00 \$24.78 5.35 17.35 PASS Ant4 5180 NA 12.00 \$24.78 5.35 17.35 PASS Ant4 5200 NA 12.09 \$24.78 5.35 17.35 PASS Ant4 5200 NA 11.50 \$24.78 5.35 17.35 PASS Ant4 5200 NA 11.50 \$24.78 5.35 17.35 PASS Ant4 5200 NA 11.50 \$24.78 5.35 16.59 PASS Ant4 5200 NA 11.50 \$24.78 5.35 16.5 PASS Ant4 5200 NA 11.50 \$24.78 5.35 16.5 PASS Ant4 5200 NA 11.80 \$24.78 5.35 16.09 PASS Ant4 5200 NA 11.80 \$24.78 5.35 16.09 PASS Ant4 5240 NA 12.22 28.78 5.35 16.95 PASS Ant4 5240 NA 11.28 \$24.78 5.35 16.09 PASS Ant4 5240 NA 11.80 \$24.78 5.37 17.17 PASS Ant4 5240 NA 11.80 \$24.78 5.37 17.0		Ant1	5745			≤30.00			
Ant3 5745 NA 19.68 ≤30.00 5.37 25.05 PASS Ant4 5745 NA 19.15 ≤30.00 5.35 25.73 PASS Ant4 5785 NA 19.15 ≤30.00 5.13 24.28 PASS Ant3 5785 NA 19.50 ≤30.00 5.19 24.69 PASS Ant3 5785 NA 19.50 ≤30.00 5.37 24.67 PASS Ant4 5785 NA 19.30 ≤30.00 5.37 24.67 PASS Ant4 5785 NA 18.52 ≤30.00 5.37 24.67 PASS Ant2 5825 NA 18.52 ≤30.00 5.13 23.65 PASS Ant2 5825 NA 18.83 ≤30.00 5.13 23.65 PASS Ant3 5825 NA 18.83 ≤30.00 5.17 24.02 PASS Ant4 5825 NA 18.53 ≤30.00 5.37 24.02 PASS Ant4 5825 NA 18.53 ≤30.00 5.37 24.02 PASS Ant4 5825 NA 18.53 ≤30.00 5.17 23.9 PASS Ant4 5825 NA 19.79 ≤30.00 5.37 23.9 PASS Ant4 5180 NA 13.11 ≤24.78 5.13 18.24 PASS Ant4 5180 NA 11.30 ≤24.78 5.35 18.24 PASS Ant4 5180 NA 11.50 ≤24.78 5.35 18.24 PASS Ant4 5180 NA 11.50 ≤24.78 5.35 17.35 PASS 16.81 5180 NA 18.06 ≤24.78 5.35 17.35 PASS 16.81 5180 NA 12.00 ≤24.78 5.35 17.35 PASS 16.81 5180 NA 12.00 ≤24.78 5.35 17.35 PASS 16.81 5200 NA 11.04 ≤24.78 5.19 16.23 PASS Ant4 5200 NA 11.04 ≤24.78 5.37 16.87 PASS Ant4 5200 NA 11.50 ≤24.78 5.35 16.85 PASS Ant4 5200 NA 11.50 ≤24.78 5.35 16.55 PASS 16.81 5200 NA 11.50 ≤24.78 5.35 16.85 PASS 16.81 5200 NA 11.50 ≤24.78 5.35 16.85 PASS Ant4 5240 NA 11.22 22.885 PASS Ant4 5240 NA 11.28 ≤24.78 5.35 16.85 PASS Ant4 5240 NA 11.80 ≤24.78 5.35 16.85 PASS Ant4 5240 NA 11.80 ≤24.78 5.35 16.90 PASS Ant4 5240 NA 11.80 ≤24.78 5.35 16.90 PASS Ant4 5240 NA 11.80 ≤24.78 5.35 10.90 PASS Ant4 5240 NA 11.80 ≤24.78 5.37 10.40 PASS Ant4 5240 NA 11.80 ≤34.78 5.									
Ant4 5745 NA 20.38 \$30.00 5.35 25.73 PASS Ant1 5785 NA 19.50 \$30.00 5.13 24.28 PASS Ant2 5785 NA 19.50 \$30.00 5.13 24.28 PASS Ant2 5785 NA 19.50 \$30.00 5.19 24.69 PASS Ant3 5785 NA 19.50 \$30.00 5.37 24.67 PASS Ant3 5785 NA 19.30 \$30.00 5.37 24.67 PASS Ant4 5825 NA 18.52 \$30.00 5.35 25.8 PASS Ant4 5825 NA 18.52 \$30.00 5.35 25.8 PASS Ant4 5825 NA 18.53 \$30.00 5.19 24.02 PASS Ant4 5825 NA 18.53 \$30.00 5.19 24.02 PASS Ant4 5825 NA 19.79 \$30.00 5.37 23.9 PASS Ant4 5820 NA 11.30 \$24.78 5.13 18.24 PASS Ant2 5180 NA 11.30 \$24.78 5.13 18.24 PASS Ant2 5180 NA 11.50 \$24.78 5.13 18.24 PASS Ant4 5180 NA 11.50 \$24.78 5.13 18.24 PASS Ant4 5180 NA 12.50 \$24.78 5.35 17.35 PASS Ant4 5200 NA 12.59 \$24.78 5.35 17.35 PASS Ant4 5200 NA 11.04 \$24.78 5.19 16.23 PASS Ant4 5200 NA 11.04 \$24.78 5.19 16.23 PASS Ant4 5200 NA 11.50 \$24.78 5.37 16.5 PASS Ant4 5200 NA 11.22 \$24.78 5.19 16.27 PASS Ant4 5240 NA 11.22 \$24.78 5.19 16.47 PASS Ant4 5240 NA 11.80 \$24.78 5.35 16.85 PASS Ant4 5240 NA 11.80 \$24.78 5.37 17.17 PASS Ant4 5240 NA 11.80 \$44.78 5.37 17.17									
Ant1 5785 NA 19.15 \$30.00 5.13 24.28 PASS Ant2 5785 NA 19.50 \$30.00 5.19 24.69 PASS Ant3 5785 NA 19.30 \$30.00 5.79 24.69 PASS Ant3 5785 NA 19.30 \$30.00 5.77 24.67 PASS Ant4 5785 NA 19.30 \$30.00 5.37 24.67 PASS Ant4 5785 NA 19.30 \$30.00 5.37 24.67 PASS Ant4 5785 NA 18.52 \$30.00 5.35 25.8 PASS Ant2 5825 NA 18.83 \$30.00 5.13 23.65 PASS Ant2 5825 NA 18.83 \$30.00 5.13 23.65 PASS Ant3 5825 NA 18.53 \$30.00 5.37 23.9 PASS Ant4 5825 NA 19.79 \$30.00 5.37 23.9 PASS Ant4 5825 NA 19.79 \$30.00 5.35 25.14 PASS Ant4 5825 NA 19.79 \$30.00 5.35 25.14 PASS Ant4 5825 NA 11.30 \$24.78 5.19 16.49 PASS Ant4 5180 NA 11.30 \$24.78 5.19 16.49 PASS Ant4 5180 NA 11.30 \$24.78 5.37 16.87 PASS 1041 5180 NA 12.00 \$24.78 5.37 16.87 PASS 1041 5180 NA 12.00 \$24.78 5.37 16.87 PASS NA 11.20 \$24.78 5.35 PASS NA 11.20 \$22.88 PASS NA 11.20 \$22.88 PASS NA 11.20 \$22.88 PASS NA 11.30 \$24.78 5.37 16.23 PASS NA 11.30 \$24.78 5.37 16.5 PASS NA 11.30 \$24.78 5.37 17.77 PASS NA 11.20 \$24.78 5.35 11.96 PASS NA 11.2									
Ant2 5785 NA 19.50 ≤30.00 5.19 24.69 PASS Ant3 5785 NA 19.30 ≤30.00 5.37 24.67 PASS Ant4 5785 NA 20.45 ≤30.00 5.37 24.67 PASS Ant4 5785 NA 20.45 ≤30.00 5.35 25.8 PASS Ant1 5825 NA 18.52 ≤30.00 5.13 23.65 PASS Ant2 5825 NA 18.83 ≤30.00 5.19 24.02 PASS Ant3 5825 NA 18.83 ≤30.00 5.19 24.02 PASS Ant3 5825 NA 18.83 ≤30.00 5.19 24.02 PASS Ant4 5825 NA 18.83 ≤30.00 5.19 24.02 PASS Ant4 5825 NA 19.79 ≤30.00 5.35 25.14 PASS Ant4 5825 NA 19.79 ≤30.00 5.35 25.14 PASS Ant2 5180 NA 13.11 ≤24.78 5.13 18.24 PASS Ant2 5180 NA 13.11 ≤24.78 5.13 18.24 PASS Ant2 5180 NA 11.50 ≤24.78 5.37 16.87 PASS Ant3 5180 NA 11.50 ≤24.78 5.37 16.87 PASS Ant4 5180 NA 12.00 ≤24.78 5.35 17.35 PASS Ant4 5180 NA 12.00 ≤24.78 5.35 17.35 PASS Ant4 5200 NA 12.59 ≤24.78 5.13 17.72 PASS Ant3 5200 NA 11.04 ≤24.78 5.19 16.23 PASS Ant4 5200 NA 11.04 ≤24.78 11.2 29.28 PASS Ant4 5200 NA 11.03 ≤24.78 5.19 16.23 PASS Ant4 5200 NA 11.63 ≤24.78 11.22 29.28 PASS Ant4 5200 NA 11.63 ≤24.78 5.19 16.23 PASS Ant4 5200 NA 11.63 ≤24.78 5.19 16.23 PASS Ant4 5200 NA 11.63 ≤24.78 5.19 16.47 PASS Ant4 5200 NA 11.60 ≤24.78 5.35 16.85 PASS Ant4 5200 NA 11.80 ≤24.78 5.19 16.47 PASS Ant4 5200 NA 11.80 ≤24.78 5.19 16.47 PASS Ant4 5240 NA 11.20 ≤24.78 5.19 16.47 PASS Ant4 5240 NA 11.80 ≤44.78 11.22 28.79 PASS Ant4 5240 NA 11.80 ≤44.78 11.22 28.79 PASS Ant4 5240 NA 11.80									
Ant3 5785 NA 19.30 \$30.00 5.37 24.67 PASS Ant4 5785 NA 20.45 \$30.00 5.35 25.8 PASS Ant1 5825 NA 18.52 \$30.00 5.13 23.65 PASS Ant2 5825 NA 18.83 \$30.00 5.19 24.02 PASS Ant3 5825 NA 18.83 \$30.00 5.19 24.02 PASS Ant4 5825 NA 18.53 \$30.00 5.37 23.9 PASS Ant4 5825 NA 18.53 \$30.00 5.37 23.9 PASS Ant4 5825 NA 19.79 \$30.00 5.35 25.14 PASS Ant4 5825 NA 19.79 \$30.00 5.35 25.14 PASS Ant4 5825 NA 19.79 \$30.00 5.37 23.9 PASS Ant4 5825 NA 19.79 \$30.00 5.37 23.9 PASS Ant4 5180 NA 13.11 \$24.78 5.13 18.24 PASS Ant2 5180 NA 11.30 \$24.78 5.13 18.24 PASS Ant3 5180 NA 11.30 \$24.78 5.13 18.24 PASS Ant4 5180 NA 11.50 \$24.78 5.35 17.35 PASS Ant4 5180 NA 12.00 \$24.78 5.35 17.35 PASS Ant4 5180 NA 12.00 \$24.78 5.35 17.35 PASS Ant4 5180 NA 12.59 \$24.78 5.37 16.87 PASS Ant4 5180 NA 12.59 \$24.78 5.37 16.57 PASS Ant2 5200 NA 11.04 \$24.78 5.19 16.23 PASS Ant2 5200 NA 11.04 \$24.78 5.19 16.23 PASS Ant4 5200 NA 11.50 \$24.78 5.37 16.5 PASS Ant4 5200 NA 11.50 \$24.78 5.35 16.65 PASS Ant4 5200 NA 11.22 \$24.78 5.37 16.5 PASS Ant4 5200 NA 11.28 \$24.78 5.37 16.5 PASS Ant4 5200 NA 11.28 \$24.78 5.37 16.5 PASS Ant4 5240 NA 11.28 \$24.78 5.37 17.17 PASS Ant4 5240 NA 11.80 \$24.78 5.35 11.57 PASS Ant4 5240 NA 11.80 \$24.78 5.37 17.17 PASS Ant4 5240 NA 11.80 \$24.78 5.37 17.17 PASS Ant4 5240 NA 11.80 \$24.78 5.37 17.17 PASS Ant4 5240 NA 11.80 \$24.78 5.37 17.									
Ant4 5785 NA 20.45 \$30.00 5.35 25.8 PASS Ant1 5825 NA 18.52 \$30.00 5.13 23.65 PASS Ant2 5825 NA 18.83 \$30.00 5.13 23.65 PASS Ant3 5825 NA 18.83 \$30.00 5.17 23.9 PASS Ant3 5825 NA 18.53 \$30.00 5.37 23.9 PASS Ant4 5825 NA 18.53 \$30.00 5.37 23.9 PASS Ant4 5825 NA 19.79 \$30.00 5.35 25.14 PASS Ant2 5180 NA 13.11 \$24.78 5.13 18.24 PASS Ant2 5180 NA 13.11 \$24.78 5.13 18.24 PASS Ant3 5180 NA 11.30 \$24.78 5.19 16.49 PASS Ant4 5180 NA 11.50 \$24.78 5.37 16.87 PASS Ant4 5180 NA 12.00 \$24.78 5.37 16.87 PASS Ant4 5180 NA 12.00 \$24.78 5.35 17.35 PASS Ant4 5180 NA 18.06 \$24.78 11.22 29.28 PASS Ant1 5200 NA 12.59 \$24.78 5.31 17.72 PASS Ant1 5200 NA 11.04 \$24.78 5.13 17.72 PASS Ant2 5200 NA 11.04 \$24.78 5.35 16.55 PASS Ant4 5200 NA 11.04 \$24.78 5.37 16.5 PASS Ant4 5200 NA 11.13 \$24.78 5.37 16.5 PASS Ant4 5200 NA 11.50 \$24.78 5.35 16.85 PASS Ant4 5200 NA 11.50 \$24.78 5.35 16.5 PASS Ant4 5200 NA 17.63 \$24.78 5.37 16.5 PASS Ant2 5240 NA 17.63 \$24.78 5.37 17.17 PASS Ant3 5240 NA 17.63 \$24.78 5.37 17.17 PASS Ant3 5240 NA 17.57 \$24.78 11.22 28.87 PASS Ant3 5240 NA 17.63 \$24.78 5.37 17.17 PASS Ant4 5240 NA 17.63 \$18.76 5.13 11.96 PASS Ant5 5240 NA 17.63 \$18.76 5.13 11									
Ant1 5825 NA 18.52									
Ant2 5825 NA 18.83 \$30.00 5.19 24.02 PASS Ant3 5825 NA 18.53 \$30.00 5.37 23.9 PASS Ant4 5825 NA 19.79 \$30.00 5.35 25.14 PASS Ant4 5825 NA 19.79 \$30.00 5.35 25.14 PASS Ant5 5180 NA 13.11 \$24.78 5.13 18.24 PASS Ant2 5180 NA 11.30 \$24.78 5.13 18.24 PASS Ant2 5180 NA 11.30 \$24.78 5.19 16.49 PASS Ant3 5180 NA 11.50 \$24.78 5.37 16.87 PASS total 5180 NA 12.00 \$24.78 5.35 17.35 PASS Ant4 5180 NA 12.00 \$24.78 5.35 17.35 PASS Ant4 5180 NA 12.00 \$24.78 5.35 17.35 PASS Ant1 5200 NA 12.59 \$24.78 5.13 17.72 PASS Ant2 5200 NA 11.04 \$24.78 5.19 16.23 PASS Ant3 5200 NA 11.104 \$24.78 5.37 16.5 PASS Ant4 5200 NA 11.50 \$24.78 5.37 16.5 PASS Ant4 5200 NA 11.50 \$24.78 5.35 16.85 PASS Ant4 5200 NA 11.50 \$24.78 5.35 16.85 PASS Ant4 5200 NA 11.63 \$24.78 5.35 16.85 PASS Ant4 5200 NA 11.80 \$24.78 5.35 16.85 PASS Ant4 5200 NA 11.22 \$24.78 5.35 16.85 PASS Ant4 5240 NA 11.28 \$24.78 5.35 16.85 PASS Ant5 5240 NA 11.28 \$24.78 5.35 16.90 PASS Ant5 5240 NA 11.80 \$24.78 5.35 16.09 PASS ANT5 5240 NA 11.80 \$24.78 5.35 16.09 PASS ANT5 5240 NA 17.57 \$24.78 11.22 \$28.79 PASS ANT5 5260 TPC H 6.83 \$18.76 5.13 11.96 PASS ANT5 TPC H 6.83 \$18.76 5.13 11.96 PASS ANT5 TPC H 6.83 \$18.76 5.13 11.96 PASS ANT5 TPC H 6.23 \$18.76 5.37 10.48 PASS ANT5 TPC H 6.23 \$18.76 5.37 10.48 PASS ANT5 TPC H 6.23 \$18.76 5.35 11.57 PASS ANT5 TPC H 6.23 \$18.76 5.35 11.57 PASS ANT5 TPC H 6.24 \$18.76 5.35 11.57 PASS ANT5 TPC H 6.25 \$18.76 5.35 11.57 PASS ANT5 TPC H 6.26 \$18.76 5.35 11.99 PASS ANT5 TPC H 6.26 \$18.76 5.35 11.99 PASS ANT5 TPC H 6.27 \$18.76 5.35 11.48 PASS ANT5 TPC H 6.28 \$18.76 5.35 11.57 PASS ANT5 TPC H 6.28 \$18.76 5.35 11.57 PASS ANT5 TPC H 6.26 \$18.76 5.35 11.57 PASS ANT5 TPC H 6.26 \$18.76 5.35 11.57 PASS ANT5 TPC H 6.26 \$									
Ant3									
Ant4 5825 NA 19.79 \$30.00 5.35 25.14 PASS Ant1 5180 NA 13.11 \$24.78 5.13 18.24 PASS Ant2 5180 NA 11.30 \$24.78 5.19 16.49 PASS Ant3 5180 NA 11.50 \$24.78 5.37 16.87 PASS Ant4 5180 NA 11.50 \$24.78 5.37 16.87 PASS 10tal 5180 NA 12.00 \$24.78 5.35 17.35 PASS Ant4 5180 NA 12.00 \$24.78 5.35 17.35 PASS Ant4 5200 NA 12.59 \$24.78 5.35 17.35 PASS Ant2 5200 NA 11.04 \$24.78 5.13 17.72 PASS Ant2 5200 NA 11.04 \$24.78 5.19 16.23 PASS Ant3 5200 NA 11.04 \$24.78 5.19 16.23 PASS Ant4 5200 NA 11.50 \$24.78 5.37 16.5 PASS Ant4 5200 NA 11.50 \$24.78 5.37 16.5 PASS Ant4 5200 NA 17.63 \$24.78 5.35 16.85 PASS Ant1 5240 NA 12.22 \$24.78 5.13 17.35 PASS Ant2 5240 NA 11.22 \$24.78 5.13 17.35 PASS Ant2 5240 NA 11.22 \$24.78 5.13 17.35 PASS Ant3 5240 NA 11.28 \$24.78 5.13 17.35 PASS Ant3 5240 NA 11.28 \$24.78 5.13 17.35 PASS Ant4 5240 NA 11.28 \$24.78 5.13 17.35 PASS Ant4 5240 NA 11.757 \$24.78 11.22 \$28.79 PASS Ant3 5260 NA 17.57 \$24.78 11.22 \$28.79 PASS Ant3 5260 NA 17.57 \$24.78 11.22 \$28.79 PASS NA FIPC H 6.83 \$18.76 5.13 11.96 PASS NA FIPC H 6.23 \$18.76 5.13 11.96 PASS NA FIPC H 6.23 \$18.76 5.13 11.96 PASS NA FIPC H 6.23 \$18.76 5.19 7.05 PASS NA FIPC H 6.23 \$18.76 5.13 11.96 PASS NA FIPC H 6.23 \$18.76 5.35 7.56 PASS NA FIPC H 6.22 \$18.76 5.13 7.99 PASS NA FIPC H 6.27 \$18.76 5.13 7.99 PASS NA FIPC H 6.67 \$18.76 5.13 7.99 PASS NA FIPC H 6.67 \$18.76 5.13 7.99 PASS NA FIPC H 6.67 \$18.76 5.13 7.99									
Ant1 5180 NA 13.11 ≤24.78 5.13 18.24 PASS Ant2 5180 NA 11.30 ≤24.78 5.19 16.49 PASS Ant3 5180 NA 11.50 ≤24.78 5.37 16.87 PASS total 5180 NA 12.00 ≤24.78 5.35 17.35 PASS total 5180 NA 12.00 ≤24.78 5.35 17.35 PASS Ant4 5180 NA 12.00 ≤24.78 5.35 17.35 PASS Ant1 5200 NA 12.59 ≤24.78 5.13 17.72 PASS Ant2 5200 NA 11.04 ≤24.78 5.19 16.23 PASS Ant3 5200 NA 11.04 ≤24.78 5.37 16.5 PASS Ant4 5200 NA 11.50 ≤24.78 5.37 16.5 PASS Ant4 5200 NA 11.50 ≤24.78 5.35 16.85 PASS Ant4 5200 NA 11.50 ≤24.78 5.35 16.85 PASS Ant4 5200 NA 17.63 ≤24.78 11.22 28.85 PASS Ant4 5200 NA 17.63 ≤24.78 5.35 16.85 PASS Ant4 5200 NA 11.28 ≤24.78 5.37 16.47 PASS Ant4 5240 NA 12.22 ≤24.78 5.13 17.35 PASS Ant4 5240 NA 11.28 ≤24.78 5.13 17.35 PASS Ant4 5240 NA 11.28 ≤24.78 5.37 17.17 PASS Ant4 5240 NA 11.28 ≤24.78 5.37 17.17 PASS Ant4 5240 NA 11.80 ≤24.78 5.35 16.09 PASS Ant4 5240 NA 11.80 ≤24.78 5.37 17.17 PASS Ant4 5240 NA 17.57 ≤24.78 11.22 28.79 PASS Ant4 5240 NA 18.86 ≤18.76 5.13 11.96 PASS Ant4 5260 TPC_H 6.83 ≤18.76 5.13 11.96 PASS ANT4 TPC_H 6.23 ≤18.76 5.37 7.2 PASS ANT4 TPC_H 6.23 ≤18.76 5.37 7.2 PASS ANT4 TPC_H 6.22 ≤18.76 5.37 10.48 PASS ANT4 TPC_H 6.22 ≤18.76 5.33 11.57 PASS ANT4 TPC_H 6.22 ≤18.76									
Ant2 5180 NA 11.30 ≤24.78 5.19 16.49 PASS Ant3 5180 NA 11.50 ≤24.78 5.37 16.87 PASS total 5180 NA 12.00 ≤24.78 5.35 17.35 PASS total 5180 NA 12.00 ≤24.78 5.35 17.35 PASS Ant4 5180 NA 12.00 ≤24.78 5.35 17.35 PASS Ant1 5200 NA 12.59 ≤24.78 5.13 17.72 PASS Ant2 5200 NA 11.04 ≤24.78 5.13 17.72 PASS Ant2 5200 NA 11.04 ≤24.78 5.19 16.23 PASS Ant3 5200 NA 11.04 ≤24.78 5.37 16.5 PASS total 5200 NA 11.13 ≤24.78 5.37 16.5 PASS total 5200 NA 11.63 ≤24.78 5.35 16.85 PASS Ant4 5200 NA 17.63 ≤24.78 5.35 16.85 PASS Ant4 5200 NA 17.63 ≤24.78 5.35 16.85 PASS Ant2 5240 NA 12.22 ≤24.78 5.13 17.35 PASS Ant2 5240 NA 11.28 ≤24.78 5.13 17.35 PASS Ant3 5240 NA 11.28 ≤24.78 5.13 17.35 PASS Ant4 5240 NA 11.80 ≤24.78 5.37 17.17 PASS Ant4 5240 NA 11.80 ≤24.78 5.37 17.17 PASS Ant4 5240 NA 17.57 ≤24.78 5.35 16.09 PASS TOTAL 5240 NA 17.57 ≤24.78 5.35 16.09 PASS Ant4 5240 NA 17.57 ≤24.78 5.13 11.96 PASS ANT4 5260 TPC_H 6.83 ≤18.76 5.13 11.96 PASS ANT4 5260 TPC_H 6.83 ≤18.76 5.13 11.96 PASS ANT4 5260 TPC_L 1.86 ≤18.76 5.37 7.2 PASS ANT4 5260 TPC_L 1.86 ≤18.76 5.37 7.2 PASS ANT4 5260 TPC_L 1.83 ≤18.76 5.37 7.2 PASS ANT4 5260 TPC_L 2.21 ≤18.76 5.35 7.56 PASS ANT4 5260 TPC_L 2.28 ≤18.76 5.33 7.99 PASS ANT4 5280 TPC_L 2.286 ≤18.76 5.13 7.99 PASS ANT4 5280 TPC_H 12.16 ≤18.76 11.22 19.6 PASS ANT4 5280 TPC_H 12.16 ≤18.76 11.22 19.6 PASS ANT4 5280 TPC_H 12.16 ≤18.76 11.22 12.338 PASS ANT4 5280 TPC_H 12.16 ≤18.76 11.22 12.338 PASS ANT4 5280 TPC_H 12.16 ≤18.76 5.13 11.8 PASS ANT4 5280 TPC_H 12.16 ≤18.76 5.13 11.8 PASS ANT4 5280 TPC_H 12.16 ≤18.76 5.13 11.8 PASS ANT4 5280 TPC_H 12.16 ≤18.76 5									
Ant3 5180 NA 11.50 ≤24.78 5.37 16.87 PASS Ant4 5180 NA 12.00 ≤24.78 5.35 17.35 PASS total 5180 NA 18.06 ≤24.78 11.22 29.28 PASS Ant1 5200 NA 18.06 ≤24.78 5.13 17.72 PASS Ant2 5200 NA 11.04 ≤24.78 5.19 16.23 PASS Ant3 5200 NA 11.04 ≤24.78 5.19 16.23 PASS Ant4 5200 NA 11.13 ≤24.78 5.37 16.5 PASS Ant4 5200 NA 11.50 ≤24.78 5.35 16.85 PASS total 5200 NA 11.50 ≤24.78 5.35 16.85 PASS Ant4 5200 NA 11.50 ≤24.78 5.35 16.85 PASS Ant4 5200 NA 11.28 ≤24.78 5.13 17.35 PASS Ant1 5240 NA 12.22 ≤24.78 5.13 17.35 PASS Ant2 5240 NA 11.28 ≤24.78 5.19 16.47 PASS Ant3 5240 NA 11.28 ≤24.78 5.19 16.47 PASS Ant3 5240 NA 11.80 ≤24.78 5.37 17.17 PASS Ant4 5240 NA 11.80 ≤24.78 5.35 16.09 PASS Ant4 5240 NA 17.57 ≤24.78 11.22 28.79 PASS Ant4 5240 NA 17.57 ≤24.78 11.22 28.79 PASS TPC_L 3.35 ≤18.76 5.13 11.96 PASS Ant2 5260 TPC_L 1.86 ≤18.76 5.13 11.96 PASS Ant3 5260 TPC_L 1.86 ≤18.76 5.13 11.96 PASS TPC_L 1.83 ≤18.76 5.37 7.2 PASS TPC_L 1.83 ≤18.76 5.37 7.2 PASS TPC_L 1.83 ≤18.76 5.37 10.48 PASS TPC_L 1.83 ≤18.76 5.35 11.57 PASS TPC_L 1.84 ≤18.76 5.35 11.57 PASS TPC_L 1.85 ≤18.76 5.33 7.99 PASS TPC_L 1.86 ≤18.76 5.13 7.99 PASS TPC_L 1.86 ≤18.76 5.13 7.99 PASS TPC_L 1.216 ≤18.76 5.13 7.99 PASS TPC_L 1.216 ≤18.76 5.13 7.99 PASS TPC_L 2.86 ≤18.76 5.13 7.99 PASS TPC_L 1.216 ≤18.76 5.13 7.99 PASS TPC_L									
Ant4 5180 NA 12.00 ≤24.78 5.35 17.35		Ant2							
total 5180 NA 18.06 ≤24.78 11.22 29.28 PASS Ant1 5200 NA 12.59 ≤24.78 5.13 17.72 PASS Ant2 5200 NA 11.04 ≤24.78 5.19 16.23 PASS Ant3 5200 NA 11.13 ≤24.78 5.37 16.5 PASS Ant4 5200 NA 11.50 ≤24.78 5.35 16.85 PASS Ant1 5240 NA 17.63 ≤24.78 5.13 17.35 PASS Ant3 5240 NA 11.28 ≤24.78 5.13 17.35 PASS Ant4 5240 NA 11.28 ≤24.78 5.13 17.17 PASS Ant4 5240 NA 17.57 ≤24.78 5.35 16.09 PASS Ant3 5260 TPC_L<		Ant3	5180	NA					
Ant1 5200 NA 12.59 ≤24.78 5.13 17.72 PASS Ant2 5200 NA 11.04 ≤24.78 5.19 16.23 PASS Ant3 5200 NA 11.13 ≤24.78 5.37 16.5 PASS Ant4 5200 NA 11.50 ≤24.78 5.35 16.85 PASS Ant1 5200 NA 17.63 ≤24.78 5.35 16.85 PASS Ant1 5240 NA 17.63 ≤24.78 5.13 17.35 PASS Ant2 5240 NA 11.28 ≤24.78 5.13 17.17 PASS Ant4 5240 NA 11.80 ≤24.78 5.35 16.09 PASS Ant4 5240 NA 17.57 ≤24.78 5.35 16.09 PASS Ant1 5260 TPC_L <td></td> <td>Ant4</td> <td>5180</td> <td>NA</td> <td>12.00</td> <td>≤24.78</td> <td>5.35</td> <td>17.35</td> <td> PASS</td>		Ant4	5180	NA	12.00	≤24.78	5.35	17.35	 PASS
Ant2 5200 NA 11.04 ≤24.78 5.19 16.23 PASS Ant3 5200 NA 11.13 ≤24.78 5.37 16.5 PASS Ant4 5200 NA 11.13 ≤24.78 5.37 16.5 PASS total 5200 NA 17.63 ≤24.78 5.35 16.85 PASS Ant1 5240 NA 17.63 ≤24.78 11.22 28.85 PASS Ant2 5240 NA 12.22 ≤24.78 5.13 17.35 PASS Ant2 5240 NA 11.28 ≤24.78 5.19 16.47 PASS Ant3 5240 NA 11.80 ≤24.78 5.37 17.17 PASS Ant4 5240 NA 11.80 ≤24.78 5.37 17.17 PASS total 5240 NA 10.74 ≤24.78 5.35 16.09 PASS total 5240 NA 17.57 ≤24.78 5.35 16.09 PASS TOTAL 5240 NA 17.57 ≤24.78 11.22 28.79 PASS Ant4 5240 NA 17.57 ≤24.78 11.22 28.79 PASS TOTAL 5260 TPC L 3.35 ≤18.76 5.13 8.48 PASS TPC L 1.86 ≤18.76 5.13 11.96 PASS TPC L 1.86 ≤18.76 5.13 11.96 PASS TPC L 1.86 ≤18.76 5.19 11.42 PASS TPC L 1.83 ≤18.76 5.37 7.2 PASS TPC L 1.83 ≤18.76 5.37 7.2 PASS TPC L 1.83 ≤18.76 5.37 7.2 PASS TPC L 1.83 ≤18.76 5.35 7.56 PASS TPC L 2.21 ≤18.76 5.35 7.56 PASS TPC L 8.38 ≤18.76 11.22 19.6 PASS TPC L 1.816 ≤18.76 5.13 7.99 PASS TPC L 2.86 ≤18.76 5.		total	5180	NA	18.06	≤24.78	11.22	29.28	 PASS
Ant3 5200 NA 11.13 ≤24.78 5.37 16.5 PASS Ant4 5200 NA 11.50 ≤24.78 5.35 16.85 PASS total 5200 NA 17.63 ≤24.78 11.22 28.85 PASS Ant1 5240 NA 12.22 ≤24.78 5.13 17.35 PASS Ant2 5240 NA 11.28 ≤24.78 5.19 16.47 PASS Ant3 5240 NA 11.28 ≤24.78 5.19 16.47 PASS Ant4 5240 NA 11.80 ≤24.78 5.37 17.17 PASS Ant4 5240 NA 11.80 ≤24.78 5.35 16.09 PASS total 5240 NA 17.57 ≤24.78 11.22 28.79 PASS TPC_H 6.83 ≤18.76 5.13 11.96 PASS TPC_H 6.83 ≤18.76 5.13 11.96 PASS TPC_H 6.23 ≤18.76 5.19 7.05 PASS TPC_H 6.23 ≤18.76 5.19 11.42 PASS TPC_H 6.23 ≤18.76 5.37 10.48 PASS TPC_H 5.11 ≤18.76 5.37 10.48 PASS TPC_H 5.11 ≤18.76 5.37 10.48 PASS TPC_H 5.11 ≤18.76 5.35 7.56 PASS TPC_H 6.22 ≤18.76 5.35 11.57 PASS TPC_H 12.16 ≤18.76 11.22 19.6 PASS TPC_H 12.16 ≤18.76 11.22 23.38 PASS TPC_H 12.16 ≤18.76 5.13 7.99 PASS TPC_H 12.16 ≤18.76 5.13 7.99 PASS TPC_H 12.16 ≤18.76 5.13 7.99 PASS TPC_H 6.67 ≤18.76 5.13 11.8 PASS		Ant1	5200	NA	12.59	≤24.78	5.13	17.72	 PASS
Ant4 5200 NA 11.50 ≤24.78 5.35 16.85 PASS total 5200 NA 17.63 ≤24.78 11.22 28.85 PASS Ant1 5240 NA 12.22 ≤24.78 5.13 17.35 PASS Ant2 5240 NA 11.28 ≤24.78 5.19 16.47 PASS Ant3 5240 NA 11.80 ≤24.78 5.37 17.17 PASS Ant4 5240 NA 10.74 ≤24.78 5.35 16.09 PASS total 5240 NA 17.57 ≤24.78 11.22 28.79 PASS Ant1 5260 TPC_L 3.35 ≤18.76 5.13 8.48 PASS TPC_H 6.83 ≤18.76 5.13 11.96 PASS TPC_H 6.23 ≤18.76 5.19 7.05 PASS TPC_L 1.86 ≤18.76 5.19 7.05 PASS TPC_H 5.11 ≤18.76 5.37 7.2 PASS TPC_H 5.11 ≤18.76 5.37 7.2 PASS TPC_H 5.11 ≤18.76 5.37 7.56 PASS TPC_H 5.11 ≤18.76 5.35 11.57 PASS TPC_H 5.11 ≤18.76 5.35 7.56 PASS TPC_H 5.11 ≤18.76 5.35 7.56 PASS TPC_H 6.22 ≤18.76 5.35 11.57 PASS TPC_H 6.24 ≤18.76 5.13 7.99 PASS TPC_H 6.67 ≤18.76 5.13 7.99		Ant2	5200	NA	11.04	≤24.78	5.19	16.23	 PASS
Ant4 5200 NA 11.50 ≤24.78 5.35 16.85 PASS total 5200 NA 17.63 ≤24.78 11.22 28.85 PASS Ant1 5240 NA 12.22 ≤24.78 5.13 17.35 PASS Ant2 5240 NA 11.28 ≤24.78 5.19 16.47 PASS Ant3 5240 NA 11.80 ≤24.78 5.37 17.17 PASS Ant4 5240 NA 10.74 ≤24.78 5.35 16.09 PASS total 5240 NA 17.57 ≤24.78 11.22 28.79 PASS Ant1 5260 TPC_L 3.35 ≤18.76 5.13 8.48 PASS TPC_H 6.83 ≤18.76 5.13 11.96 PASS TPC_H 6.23 ≤18.76 5.19 7.05 PASS TPC_L 1.86 ≤18.76 5.19 7.05 PASS TPC_H 5.11 ≤18.76 5.37 7.2 PASS TPC_H 5.11 ≤18.76 5.37 7.2 PASS TPC_H 5.11 ≤18.76 5.37 7.56 PASS TPC_H 5.11 ≤18.76 5.35 11.57 PASS TPC_H 5.11 ≤18.76 5.35 7.56 PASS TPC_H 5.11 ≤18.76 5.35 7.56 PASS TPC_H 6.22 ≤18.76 5.35 11.57 PASS TPC_H 6.24 ≤18.76 5.13 7.99 PASS TPC_H 6.67 ≤18.76 5.13 7.99		Ant3	5200	NA	11.13	≤24.78	5.37	16.5	 PASS
total 5200 NA 17.63 ≤24.78 11.22 28.85 PASS Ant1 5240 NA 12.22 ≤24.78 5.13 17.35 PASS Ant2 5240 NA 11.28 ≤24.78 5.19 16.47 PASS Ant3 5240 NA 11.80 ≤24.78 5.37 17.17 PASS Ant4 5240 NA 10.74 ≤24.78 5.35 16.09 PASS Ant1 5260 NA 17.57 ≤24.78 11.22 28.79 PASS TPC_H 6.83 ≤18.76 5.13 8.48 PASS TPC_H 6.83 ≤18.76 5.13 11.96 PASS Ant2 5260 TPC_L 1.86 ≤18.76 5.19 7.05 PASS TPC_H 5.21 ≤18.76 5.37 7.2 PASS <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
Ant1 5240 NA 12.22 ≤24.78 5.13 17.35 PASS Ant2 5240 NA 11.28 ≤24.78 5.19 16.47 PASS Ant3 5240 NA 11.80 ≤24.78 5.37 17.17 PASS Ant4 5240 NA 10.74 ≤24.78 5.35 16.09 PASS total 5240 NA 17.57 ≤24.78 11.22 28.79 PASS Ant1 5260 TPC_L 3.35 ≤18.76 5.13 8.48 PASS TPC_H 6.83 ≤18.76 5.13 11.96 PASS TPC_H 6.83 ≤18.76 5.19 11.42 PASS TPC_H 6.23 ≤18.76 5.19 11.42 PASS TPC_H 6.23 ≤18.76 5.37 7.2 PASS TPC_H 5.11 ≤18.76 5.37 7.2 PASS TPC_H 5.11 ≤18.76 5.37 10.48 PASS TPC_H 5.11 ≤18.76 5.35 11.57 PASS TPC_H 6.22 ≤18.76 5.35 11.57 PASS TPC_H 12.16 ≤18.76 11.22 19.6 PASS TPC_H 12.16 ≤18.76 11.22 23.38 PASS TPC_H 12.16 ≤18.76 5.13 7.99 PASS TPC_H 12.16 ≤18.76 5.13 7.99 PASS TPC_H 6.67 ≤18.76 5.13 7.99 PASS									
Ant2 5240 NA 11.28 ≤24.78 5.19 16.47 PASS Ant3 5240 NA 11.80 ≤24.78 5.37 17.17 PASS Ant4 5240 NA 10.74 ≤24.78 5.35 16.09 PASS total 5240 NA 17.57 ≤24.78 11.22 28.79 PASS Ant1 5260 TPC_L 3.35 ≤18.76 5.13 8.48 PASS TPC_H 6.83 ≤18.76 5.13 11.96 PASS TPC_H 6.83 ≤18.76 5.13 11.96 PASS TPC_H 6.23 ≤18.76 5.19 7.05 PASS TPC_H 6.23 ≤18.76 5.37 7.2 PASS TPC_H 5.11 ≤18.76 5.35 7.56 PASS TPC_H 6.22 ≤18.76 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
Ant3 5240 NA 11.80 ≤24.78 5.37 17.17 PASS Ant4 5240 NA 10.74 ≤24.78 5.35 16.09 PASS total 5240 NA 17.57 ≤24.78 11.22 28.79 PASS Ant1 5260 TPC_L 3.35 ≤18.76 5.13 8.48 PASS TPC_H 6.83 ≤18.76 5.13 11.96 PASS TPC_H 6.83 ≤18.76 5.19 7.05 PASS TPC_H 6.23 ≤18.76 5.19 11.42 PASS TPC_H 6.23 ≤18.76 5.37 7.2 PASS TPC_H 5.11 ≤18.76 5.37 10.48 PASS TPC_H 5.11 ≤18.76 5.35 7.56 PASS TPC_H 6.22 ≤18.76 5.35									
Ant4 5240 NA 10.74 ≤24.78 5.35 16.09 PASS total 5240 NA 17.57 ≤24.78 11.22 28.79 PASS Ant1 5260 TPC_L 3.35 ≤18.76 5.13 8.48 PASS TPC_H 6.83 ≤18.76 5.13 11.96 PASS Ant2 5260 TPC_L 1.86 ≤18.76 5.19 7.05 PASS TPC_H 6.23 ≤18.76 5.19 11.42 PASS TPC_H 6.23 ≤18.76 5.19 11.42 PASS TPC_H 5.11 ≤18.76 5.37 7.2 PASS TPC_H 5.11 ≤18.76 5.37 10.48 PASS TPC_H 5.11 ≤18.76 5.35 7.56 PASS TPC_H 6.22 ≤18.76 5.35									
total 5240 NA 17.57 ≤24.78 11.22 28.79 PASS Ant1 5260 TPC_L 3.35 ≤18.76 5.13 8.48 PASS TPC_H 6.83 ≤18.76 5.13 11.96 PASS Ant2 5260 TPC_L 1.86 ≤18.76 5.19 7.05 PASS Ant3 5260 TPC_L 1.83 ≤18.76 5.19 11.42 PASS TPC_H 5.21 ≤18.76 5.37 7.2 PASS TPC_H 5.11 ≤18.76 5.37 10.48 PASS TPC_H 5.11 ≤18.76 5.35 7.56 PASS TPC_H 6.22 ≤18.76 5.35 11.57 PASS TPC_H 12.16 ≤18.76 11.22 19.6 PASS TPC_H 12.16 ≤18.76 5.13 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
Ant1 5260	11N20MIMO								
Ant1 5260 TPC_H 6.83 ≤18.76 5.13 11.96 PASS Ant2 5260 TPC_L 1.86 ≤18.76 5.19 7.05 PASS TPC_H 6.23 ≤18.76 5.19 11.42 PASS TPC_H 5.11 ≤18.76 5.37 7.2 PASS TPC_H 5.11 ≤18.76 5.37 10.48 PASS Ant4 5260 TPC_L 2.21 ≤18.76 5.35 7.56 PASS TPC_H 6.22 ≤18.76 5.35 11.57 PASS TPC_H 6.22 ≤18.76 5.35 11.57 PASS TPC_H 6.22 ≤18.76 11.22 19.6 PASS TPC_H 12.16 ≤18.76 11.22 23.38 PASS Ant1 5280 TPC_L 2.86 ≤18.76 5.13 7.99 PASS TPC_H 6.67 ≤18.76 5.13 11.8 PASS		เบเสเ	3240						
Ant2 5260 TPC_L 1.86 ≤18.76 5.19 7.05 PASS TPC_H 6.23 ≤18.76 5.19 11.42 PASS TPC_L 1.83 ≤18.76 5.37 7.2 PASS TPC_H 5.11 ≤18.76 5.37 10.48 PASS TPC_H 5.11 ≤18.76 5.35 7.56 PASS TPC_H 6.22 ≤18.76 5.35 11.57 PASS TPC_H 6.22 ≤18.76 5.35 11.57 PASS TPC_H 6.22 ≤18.76 11.22 19.6 PASS TPC_H 12.16 ≤18.76 11.22 23.38 PASS TPC_H 12.16 ≤18.76 5.13 7.99 PASS TPC_H 6.67 ≤18.76 5.13 11.8 PASS		Ant1	5260						
Ant2									
Ant3 5260 TPC L 1.83 ≤18.76 5.37 7.2 PASS TPC H 5.11 ≤18.76 5.37 10.48 PASS TPC H 5.11 ≤18.76 5.35 7.56 PASS TPC H 6.22 ≤18.76 5.35 11.57 PASS TPC H 6.22 ≤18.76 5.35 11.57 PASS TPC L 8.38 ≤18.76 11.22 19.6 PASS TPC H 12.16 ≤18.76 11.22 23.38 PASS TPC H 12.16 ≤18.76 5.13 7.99 PASS TPC L 2.86 ≤18.76 5.13 7.99 PASS TPC H 6.67 ≤18.76 5.13 11.8 PASS		Ant2	5260						
Ant3									
Ant4 5260 TPC L 2.21 ≤18.76 5.35 7.56 PASS TPC H 6.22 ≤18.76 5.35 7.56 PASS		Ant3	5260						
Ant4 5260 TPC_H 6.22 ≤18.76 5.35 11.57 PASS total 5260 TPC_L 8.38 ≤18.76 11.22 19.6 PASS TPC_H 12.16 ≤18.76 11.22 23.38 PASS Ant1 5280 TPC_L 2.86 ≤18.76 5.13 7.99 PASS TPC_H 6.67 ≤18.76 5.13 11.8 PASS									
total 5260 TPC_H 6.22 ≤18.76 5.35 11.57 PASS TPC_L 8.38 ≤18.76 11.22 19.6 PASS		Ant∕4	5260						
TPC_H 12.16 ≤18.76 11.22 23.38 PASS TPC_L 2.86 ≤18.76 5.13 7.99 PASS TPC_H 6.67 ≤18.76 5.13 11.8 PASS		, 11117	5200						
Ant1 5280 TPC_H 12.16 ≤18.76 11.22 23.38 PASS TPC_L 2.86 ≤18.76 5.13 7.99 PASS TPC_H 6.67 ≤18.76 5.13 11.8 PASS		total	5260						
Ant1 5280 TPC_H 6.67 ≤18.76 5.13 11.8 PASS		ioiai	3200				11.22		
		Ant1	5280				5.13	7.99	
Ant2 5280 TPC_L 1.71 ≤18.76 5.19 6.9 PASS									
		Ant2	5280	TPC_L	1.71	≤18.76	5.19	6.9	 PASS



			TPC H	6.03	≤18.76	5.19	11.22	 PASS
-			TPC_II	1.47	≤18.76	5.37	6.84	 PASS
	Ant3	5280	TPC H	4.70	≤18.76	5.37	10.07	PASS
-			TPC_H	1.67	≤18.76	5.35	7.02	 PASS
	Ant4	5280						
-			TPC_H	6.20	≤18.76	5.35	11.55	 PASS
	total	5280	TPC_L	7.98	≤18.76	11.22	19.2	 PASS
			TPC_H	11.98	≤18.76	11.22	23.2	 PASS
	Ant1	5320	TPC_L	3.41	≤18.76	5.13	8.54	 PASS
			TPC_H	7.28	≤18.76	5.13	12.41	 PASS
	Ant2	5320	TPC_L	2.39	≤18.76	5.19	7.58	 PASS
	,	0020	TPC_H	6.80	≤18.76	5.19	11.99	 PASS
	Ant3	5320	TPC_L	1.42	≤18.76	5.37	6.79	 PASS
	71110	0020	TPC_H	4.74	≤18.76	5.37	10.11	 PASS
	Ant4	5320	TPC_L	1.18	≤18.76	5.35	6.53	 PASS
	AIII4	3320	TPC_H	5.22	≤18.76	5.35	10.57	 PASS
	total	5320	TPC_L	8.21	≤18.76	11.22	19.43	 PASS
	เบเลเ	3320	TPC_H	12.16	≤18.76	11.22	23.38	 PASS
	A 4.4	5500	TPC L	3.32	≤18.76	5.13	8.45	 PASS
	Ant1	5500	TPC H	6.67	≤18.76	5.13	11.8	 PASS
	• 10	5500	TPC L	1.15	≤18.76	5.19	6.34	 PASS
	Ant2	5500	TPC H	4.85	≤18.76	5.19	10.04	 PASS
			TPC L	3.08	≤18.76	5.37	8.45	 PASS
	Ant3	5500	TPC H	6.77	≤18.76	5.37	12.14	 PASS
	_	7	TPC L	2.18	≤18.76	5.35	7.53	 PASS
	Ant4	5500	TPC H	5.92	≤18.76	5.35	11.27	 PASS
-			TPC L	8.53	≤18.76	11.22	19.75	 PASS
	total	5500	TPC_L	12.14	≤18.76	11.22	23.36	 PASS
-			TPC_II	3.40		5.13		PASS
	Ant1	5580			≤18.76		8.53	 +
-			TPC_H	6.98	≤18.76	5.13	12.11	 PASS
	Ant2	5580	TPC_L	1.61	≤18.76	5.19	6.8	 PASS
-			TPC_H	5.28	≤18.76	5.19	10.47	 PASS
	Ant3	5580	TPC_L	2.22	≤18.76	5.37	7.59	 PASS
			TPC_H	6.02	≤18.76	5.37	11.39	 PASS
	Ant4	5580	TPC_L	1.18	≤18.76	5.35	6.53	 PASS
		-	TPC_H	4.79	≤18.76	5.35	10.14	 PASS
	total	5580	TPC_L	8.21	≤18.76	11.22	19.43	 PASS
		0000	TPC_H	11.87	≤18.76	11.22	23.09	 PASS
	Ant1	5700	TPC_L	2.94	≤18.76	5.13	8.07	 PASS
	,	0.00	TPC_H	6.55	≤18.76	5.13	11.68	 PASS
	Ant2	5700	TPC_L	1.51	≤18.76	5.19	6.7	 PASS
	7 11112	0700	TPC_H	5.25	≤18.76	5.19	10.44	 PASS
	Ant3	5700	TPC_L	2.76	≤18.76	5.37	8.13	 PASS
	Anto	3700	TPC_H	6.54	≤18.76	5.37	11.91	 PASS
	Ant4	5700	TPC_L	2.70	≤18.76	5.35	8.05	 PASS
	A111.4	3700	TPC_H	6.79	≤18.76	5.35	12.14	 PASS
	total	F700	TPC_L	8.53	≤18.76	11.22	19.75	 PASS
	total	5700	TPC_H	12.34	≤18.76	11.22	23.56	 PASS
Ī	Ant1	5745	NA	13.90	≤24.78	5.13	19.03	 PASS
	Ant2	5745	NA	13.09	≤24.78	5.19	18.28	 PASS
	Ant3	5745	NA	13.86	≤24.78	5.37	19.23	 PASS
	Ant4	5745	NA	13.19	≤24.78	5.35	18.54	 PASS
	total	5745	NA	19.55	≤24.78	11.22	30.77	 PASS
	Ant1	5785	NA	13.59	≤24.78	5.13	18.72	 PASS
	Ant2	5785	NA	13.90	≤24.78	5.19	19.09	 PASS
-	Ant3	5785	NA	13.50	≤24.78	5.37	18.87	 PASS
-	Ant4	5785	NA	12.61	≤24.78	5.35	17.96	 PASS
-	total	5785	NA NA	19.45	≤24.78	11.22	30.67	 PASS
-		5825	NA NA	12.95	≤24.76 ≤24.78			PASS
-	Ant1	-				5.13	18.08	 _
-	Ant2 Ant3	5825 5825	NA NA	12.38	≤24.78	5.19	17.57	 PASS
	AIII.5	1 2025	ı INA	12.63	≤24.78	5.37	18	 PASS
-	Ant4	5825	NA	11.77	≤24.78	5.35	17.12	 PASS



	total	5825	NA	18.47	≤24.78	11.22	29.69	 PASS
	Ant1	5190	NA	11.60	≤24.78	5.13	16.73	 PASS
	Ant2	5190	NA	11.01	≤24.78	5.19	16.2	 PASS
	Ant3	5190	NA	12.38	≤24.78	5.37	17.75	 PASS
	Ant4	5190	NA	12.51	≤24.78	5.35	17.86	 PASS
	total	5190	NA	17.94	≤24.78	11.22	29.16	 PASS
	Ant1	5230	NA	13.53	≤24.78	5.13	18.66	 PASS
	Ant2	5230	NA	14.05	≤24.78	5.19	19.24	 PASS
	Ant3	5230	NA	12.49	≤24.78	5.37	17.86	 PASS
	Ant4	5230	NA	12.31	≤24.78	5.35	17.66	 PASS
	total	5230	NA NA	19.18	≤24.78	11.22	30.4	 PASS
	totai		TPC L	5.59	≤18.76	5.13	10.72	 PASS
	Ant1	5270	TPC H	9.74	≤18.76	5.13	14.87	 PASS
			TPC L	4.99	≤18.76	5.19	10.18	 PASS
	Ant2	5270	TPC H	9.28	≤18.76	5.19	14.47	PASS
			TPC L	3.87	≤18.76	5.37	9.24	 PASS
	Ant3	5270						
			TPC_H	8.79	≤18.76	5.37	14.16	 PASS
	Ant4	5270	TPC_L	4.92	≤18.76	5.35	10.27	 PASS
			TPC_H	9.00	≤18.76	5.35	14.35	 PASS
	total	5270	TPC_L	10.91	≤18.76	11.22	22.13	 PASS
			TPC_H	15.24	≤18.76	11.22	26.46	 PASS
	Ant1	5310	TPC_L	5.96	≤18.76	5.13	11.09	 PASS
	7 (11)	0010	TPC_H	10.09	≤18.76	5.13	15.22	 PASS
	Ant2	5310	TPC_L	5.66	≤18.76	5.19	10.85	 PASS
	AIILZ	3310	TPC_H	9.82	≤18.76	5.19	15.01	 PASS
	Ant3	5310	TPC_L	3.79	≤18.76	5.37	9.16	 PASS
	Ano	3310	TPC_H	8.61	≤18.76	5.37	13.98	 PASS
	A 4.4	5040	TPC_L	4.21	≤18.76	5.35	9.56	 PASS
	Ant4	5310	TPC H	8.18	≤18.76	5.35	13.53	 PASS
		5040	TPC L	11.02	≤18.76	11.22	22.24	 PASS
44140141140	total	5310	TPC H	15.27	≤18.76	11.22	26.49	 PASS
11N40MIMO			TPC L	5.33	≤18.76	5.13	10.46	 PASS
	Ant1	5510	TPC H	9.05	≤18.76	5.13	14.18	 PASS
	. \		TPC L	3.58	≤18.76	5.19	8.77	 PASS
	Ant2	5510	TPC H	7.71	≤18.76	5.19	12.9	 PASS
			TPC L	5.28	≤18.76	5.37	10.65	 PASS
	Ant3	5510	TPC H	8.91	≤18.76	5.37	14.28	 PASS
			TPC L	4.49	≤18.76	5.35	9.84	 PASS
	Ant4	5510	TPC H	7.89	≤18.76	5.35	13.24	 PASS
			TPC L	10.75	≤18.76	11.22	21.97	 PASS
	total	5510	TPC H	14.45	≤18.76	11.22	25.67	PASS
			TPC L	5.04	≤18.76	I		
	Ant1	5550	TPC_L	8.84	≤18.76	5.13	10.17	 PASS PASS
						5.13	13.97	
	Ant2	5550	TPC_L	3.92	≤18.76	5.19	9.11	 PASS
			TPC_H	7.98	≤18.76	5.19	13.17	 PASS
	Ant3	5550	TPC_L	4.01	≤18.76	5.37	9.38	 PASS
			TPC_H	7.62	≤18.76	5.37	12.99	 PASS
	Ant4	5550	TPC_L	3.52	≤18.76	5.35	8.87	 PASS
			TPC_H	6.93	≤18.76	5.35	12.28	 PASS
	total	5550	TPC_L	10.18	≤18.76	11.22	21.4	 PASS
	lotai	0000	TPC_H	13.92	≤18.76	11.22	25.14	 PASS
	Ant1	5670	TPC_L	6.38	≤18.76	5.13	11.51	 PASS
		3070	TPC_H	9.43	≤18.76	5.13	14.56	 PASS
	Ant2	5670	TPC_L	4.35	≤18.76	5.19	9.54	 PASS
	AIILZ	3070	TPC_H	7.79	≤18.76	5.19	12.98	 PASS
	A 10	5070	TPC L	6.25	≤18.76	5.37	11.62	 PASS
	Ant3	5670	TPC H	9.92	≤18.76	5.37	15.29	 PASS
		5075	TPC L	6.53	≤18.76	5.35	11.88	 PASS
	Ant4	5670	TPC H	10.26	≤18.76	5.35	15.61	 PASS
			TPC L	11.98	≤18.76	11.22	23.2	 PASS
	total	5670						PASS
	total	3070	TPC_H	15.47	≤18.76	11.22	26.69	 PAS



								1	
	Ant1	5755	NA	14.24	≤24.78	5.13	19.37		PASS
	Ant2	5755	NA	13.16	≤24.78	5.19	18.35		PASS
	Ant3	5755	NA	14.13	≤24.78	5.37	19.5		PASS
	Ant4	5755	NA	13.33	≤24.78	5.35	18.68		PASS
	total	5755	NA	19.76	≤24.78	11.22	30.98		PASS
	Ant1	5795	NA	13.75	≤24.78	5.13	18.88		PASS
	Ant2	5795	NA	12.97	≤24.78	5.19	18.16		PASS
	Ant3	5795	NA	13.62	≤24.78	5.37	18.99		PASS
	Ant4	5795	NA	12.82	≤24.78	5.35	18.17		PASS
	total	5795	NA	19.33	≤24.78	11.22	30.55		PASS
	Ant1	5180	NA	13.40	≤24.78	5.13	18.53		PASS
	Ant2	5180	NA	12.10	≤24.78	5.19	17.29		PASS
	Ant3	5180	NA	12.26	≤24.78	5.37	17.63		PASS
	Ant4	5180	NA	12.47	≤24.78	5.35	17.82		PASS
	total	5180	NA	18.61	≤24.78	11.22	29.83		PASS
	Ant1	5200	NA NA	13.20	≤24.78	5.13	18.33		PASS
	Ant2	5200	NA	11.72	≤24.78	5.19	16.91		PASS
	Ant3	5200	NA	12.32	≤24.78	5.37	17.69		PASS
									PASS
	Ant4	5200	NA	12.35	≤24.78	5.35	17.7		
	total	5200	NA	18.45	≤24.78	11.22	29.67		PASS
	Ant1	5240	NA	12.83	≤24.78	5.13	17.96		PASS
	Ant2	5240	NA	12.00	≤24.78	5.19	17.19		PASS
	Ant3	5240	NA	11.88	≤24.78	5.37	17.25		PASS
	Ant4	5240	NA	11.52	≤24.78	5.35	16.87		PASS
	total	5240	NA	18.11	≤24.78	11.22	29.33		PASS
	Ant1	5260	TPC_L	2.79	≤18.76	5.13	7.92		PASS
	AIILI	3200	TPC_H	7.06	≤18.76	5.13	12.19		PASS
	A 40	5000	TPC_L	1.12	≤18.76	5.19	6.31		PASS
	Ant2	5260	TPC H	6.37	≤18.76	5.19	11.56		PASS
	A 10	5000	TPC L	1.98	≤18.76	5.37	7.35		PASS
	Ant3	5260	TPC H	5.31	≤18.76	5.37	10.68		PASS
			TPC L	1.89	≤18.76	5.35	7.24		PASS
	Ant4	5260	TPC H	6.40	≤18.76	5.35	11.75		PASS
			TPC L	8.01	≤18.76	11.22	19.23		PASS
	total	5260	TPC H	12.35	≤18.76	11.22	23.57		PASS
11AC20MIMO			TPC L	2.66	≤18.76	5.13	7.79		PASS
TIAOZOWIIWO	Ant1	5280	TPC H	6.79	≤18.76	5.13	11.92		PASS
			TPC L	0.75	≤18.76	5.19	6.14		PASS
	Ant2	5280							
			TPC_H	6.15	≤18.76	5.19	11.34		PASS
	Ant3	5280	TPC_L	1.71	≤18.76	5.37	7.08		PASS
			TPC_H	4.97	≤18.76	5.37	10.34		PASS
	Ant4	5280	TPC_L	1.92	≤18.76	5.35	7.27		PASS
	-		TPC_H	6.37	≤18.76	5.35	11.72		PASS
	total	5280	TPC_L	7.87	≤18.76	11.22	19.09		PASS
		5255	TPC_H	12.14	≤18.76	11.22	23.36		PASS
	Ant1	5320	TPC_L	3.05	≤18.76	5.13	8.18		PASS
	7 1111	0020	TPC_H	7.18	≤18.76	5.13	12.31		PASS
	Ant2	5320	TPC_L	1.77	≤18.76	5.19	6.96		PASS
	AIILZ	5320	TPC_H	6.96	≤18.76	5.19	12.15		PASS
	A :=10	5000	TPC_L	1.68	≤18.76	5.37	7.05		PASS
	Ant3	5320	TPC H	4.91	≤18.76	5.37	10.28		PASS
		500 5	TPC L	1.04	≤18.76	5.35	6.39		PASS
	Ant4	5320	TPC H	5.41	≤18.76	5.35	10.76		PASS
		F C.2.2	TPC L	7.97	≤18.76	11.22	19.19		PASS
	total	5320	TPC H	12.24	≤18.76	11.22	23.46		PASS
			TPC L	2.98	≤18.76	5.13	8.11		PASS
	Ant1	5500	TPC H	6.73	≤18.76	5.13	11.86		PASS
			TPC_II	1.02	≤18.76	5.19	6.21		PASS
	Ant2	5500	TPC_L	4.89	≤18.76	5.19	10.08		PASS
			TPC_H	2.88	≤18.76	I	8.25		PASS
				/ OŬ	. ≥IO./D	5.37	0.25		rass
	Ant3	5500	TPC H	6.78	≤18.76	5.37	12.15		PASS



	A 14	5500	TPC L	2.12	≤18.76	5.35	7.47	 PASS
	Ant4	5500	TPC H	6.01	≤18.76	5.35	11.36	 PASS
			TPC L	8.34	≤18.76	11.22	19.56	 PASS
	total	5500	TPC H	12.19	≤18.76	11.22	23.41	 PASS
	A 14	5500	TPC L	3.18	≤18.76	5.13	8.31	 PASS
	Ant1	5580	TPC H	6.84	≤18.76	5.13	11.97	 PASS
	• 10		TPC L	1.52	≤18.76	5.19	6.71	 PASS
	Ant2	5580	TPC H	5.22	≤18.76	5.19	10.41	 PASS
			TPC L	2.12	≤18.76	5.37	7.49	 PASS
	Ant3	5580	TPC H	5.93	≤18.76	5.37	11.3	 PASS
			TPC L	1.12	≤18.76	5.35	6.47	 PASS
	Ant4	5580	TPC H	4.76	≤18.76	5.35	10.11	 PASS
			TPC L	8.08	≤18.76	11.22	19.3	 PASS
	total	5580	TPC H	11.78	≤18.76	11.22	23	 PASS
			TPC L	2.92	≤18.76	5.13	8.05	 PASS
	Ant1	5700	TPC H	6.48	≤18.76	5.13	11.61	PASS
			TPC L	1.50	≤18.76	5.19	6.69	 PASS
	Ant2	5700	TPC_L			-		
				5.29	≤18.76	5.19	10.48	 PASS PASS
	Ant3	5700	TPC_L	2.74	≤18.76	5.37	8.11	
			TPC_H	6.58	≤18.76	5.37	11.95	 PASS
	Ant4	5700	TPC_L	2.70	≤18.76	5.35	8.05	 PASS
			TPC_H	6.92	≤18.76	5.35	12.27	 PASS
	total	5700	TPC_L	8.52	≤18.76	11.22	19.74	 PASS
			TPC_H	12.38	≤18.76	11.22	23.6	 PASS
	Ant1	5745	NA	14.51	≤24.78	5.13	19.64	 PASS
	Ant2	5745	NA	13.61	≤24.78	5.19	18.8	 PASS
	Ant3	5745	NA	14.63	≤24.78	5.37	20	 PASS
	Ant4	5745	NA	13.94	≤24.78	5.35	19.29	 PASS
	total	5745	NA	20.21	≤24.78	11.22	31.43	 PASS
	Ant1	5785	NA	14.33	≤24.78	5.13	19.46	 PASS
	Ant2	5785	NA	13.59	≤24.78	5.19	18.78	 PASS
	Ant3	5785	NA	14.19	≤24.78	5.37	19.56	 PASS
	Ant4	5785	NA	13.43	≤24.78	5.35	18.78	 PASS
	total	5785	NA	19.92	≤24.78	11.22	31.14	 PASS
	Ant1	5825	NA	13.66	≤24.78	5.13	18.79	 PASS
	Ant2	5825	NA	13.04	≤24.78	5.19	18.23	 PASS
	Ant3	5825	NA	13.35	≤24.78	5.37	18.72	 PASS
	Ant4	5825	NA	12.49	≤24.78	5.35	17.84	 PASS
	total	5825	NA	19.18	≤24.78	11.22	30.4	 PASS
	Ant1	5190	NA	14.68	≤24.78	5.13	19.81	 PASS
	Ant2	5190	NA	14.55	≤24.78	5.19	19.74	 PASS
	Ant3	5190	NA	13.47	≤24.78	5.37	18.84	 PASS
	Ant4	5190	NA	15.22	≤24.78	5.35	20.57	 PASS
	total	5190	NA NA	20.55	≤24.78	11.22	31.77	 PASS
	Ant1	5230	NA NA	14.48	≤24.78	5.13	19.61	 PASS
	Ant2	5230	NA NA	13.72	≤24.78	5.19	18.91	 PASS
	Ant3	5230	NA NA	13.51	≤24.78	5.37	18.88	 PASS
	Ant4	5230	NA NA	13.26	≤24.78	5.35	18.61	PASS
	total	5230	NA NA	19.79	≤24.78	11.22	31.01	 PASS
	เบเลา	3230	TPC L					
11AC40MIMO	Ant1	5270	TPC_L	6.33 9.88	≤18.76	5.13	11.46	 PASS
					≤18.76	5.13	15.01	 PASS
	Ant2	5270	TPC_L	4.55	≤18.76	5.19	9.74	 PASS
			TPC_H	9.33	≤18.76	5.19	14.52	 PASS
	Ant3	5270	TPC_L	5.32	≤18.76	5.37	10.69	 PASS
	-	_	TPC_H	8.73	≤18.76	5.37	14.1	 PASS
	Ant4	5270	TPC_L	5.69	≤18.76	5.35	11.04	 PASS
			TPC_H	9.31	≤18.76	5.35	14.66	 PASS
	total	5270	TPC_L	11.54	≤18.76	11.22	22.76	 PASS
	10.10.1	52.0	TPC_H	15.35	≤18.76	11.22	26.57	 PASS
	Ant1	5310	TPC_L TPC_H	6.92 10.06	≤18.76 ≤18.76	5.13 5.13	12.05 15.19	 PASS PASS



		ı						1	
	Ant2	5310	TPC_L	5.47	≤18.76	5.19	10.66		PASS
	7 1112	00.10	TPC_H	9.72	≤18.76	5.19	14.91		PASS
	Ant3	5310	TPC_L	5.41	≤18.76	5.37	10.78		PASS
	Aiito	3310	TPC_H	8.49	≤18.76	5.37	13.86		PASS
	A 4.4	5240	TPC L	4.76	≤18.76	5.35	10.11		PASS
	Ant4	5310	TPC H	8.28	≤18.76	5.35	13.63		PASS
			TPC L	11.74	≤18.76	11.22	22.96		PASS
	total	5310	TPC H	15.23	≤18.76	11.22	26.45		PASS
			TPC L	6.63	≤18.76	5.13	11.76		PASS
	Ant1	5510	TPC H	9.99	≤18.76	5.13	15.12		PASS
	Ant2	5510	TPC_L	4.51	≤18.76	5.19	9.7		PASS
			TPC_H	8.53	≤18.76	5.19	13.72		PASS
	Ant3	5510	TPC_L	6.38	≤18.76	5.37	11.75		PASS
	7 1110	00.0	TPC_H	9.71	≤18.76	5.37	15.08		PASS
	Ant4	5510	TPC_L	5.46	≤18.76	5.35	10.81		PASS
	AIII4	3310	TPC_H	8.77	≤18.76	5.35	14.12		PASS
		5540	TPC L	11.84	≤18.76	11.22	23.06		PASS
	total	5510	TPC H	15.31	≤18.76	11.22	26.53		PASS
			TPC L	6.02	≤18.76	5.13	11.15		PASS
	Ant1	5550	TPC H	10.32	≤18.76	5.13	15.45		PASS
			TPC L	4.74	≤18.76	5.19	9.93		PASS
	Ant2	5550							
			TPC_H	8.84	≤18.76	5.19	14.03		PASS
	Ant3	5550	TPC_L	5.07	≤18.76	5.37	10.44		PASS
	7 11.110	3333	TPC_H	8.83	≤18.76	5.37	14.2		PASS
	Ant4	5550	TPC_L	4.53	≤18.76	5.35	9.88		PASS
	And	3330	TPC_H	8.33	≤18.76	5.35	13.68		PASS
	4-4-1	5550	TPC_L	11.15	≤18.76	11.22	22.37		PASS
	total	5550	TPC H	15.17	≤18.76	11.22	26.39		PASS
			TPC L	5.44	≤18.76	5.13	10.57		PASS
	Ant1	5670	TPC H	8.78	≤18.76	5.13	13.91		PASS
			TPC L	3.89	≤18.76	5.19	9.08		PASS
	Ant2	5670	TPC H	7.35	≤18.76	5.19	12.54		PASS
			TPC L	5.61	≤18.76	5.37	10.98		PASS
	Ant3	5670							
			TPC_H	9.21	≤18.76	5.37	14.58		PASS
	Ant4	5670	TPC_L	5.86	≤18.76	5.35	11.21		PASS
			TPC_H	9.69	≤18.76	5.35	15.04		PASS
	total	5670	TPC_L	11.28	≤18.76	11.22	22.5		PASS
	iolai	3070	TPC_H	14.86	≤18.76	11.22	26.08		PASS
	Ant1	5755	NA	15.32	≤24.78	5.13	20.45		PASS
	Ant2	5755	NA	14.30	≤24.78	5.19	19.49		PASS
	Ant3	5755	NA	15.06	≤24.78	5.37	20.43		PASS
	Ant4	5755	NA NA	14.78	≤24.78	5.35	20.13		PASS
	total	5755	NA NA	20.90	≤24.78	11.22	32.12		PASS
	Ant1	5795	NA NA	14.77	≤24.78	5.13	19.9		PASS
	Ant2	5795	NA NA	13.88	≤24.78	5.19	19.07		PASS
	Ant3	5795	NA	14.44	≤24.78	5.37	19.81		PASS
	Ant4	5795	NA	13.89	≤24.78	5.35	19.24		PASS
	total	5795	NA	20.28	≤24.78	11.22	31.5		PASS
	Ant1	5210	NA	15.52	≤24.78	5.13	20.65		PASS
	Ant2	5210	NA	14.11	≤24.78	5.19	19.3		PASS
	Ant3	5210	NA	14.49	≤24.78	5.37	19.86		PASS
	Ant4	5210	NA	14.23	≤24.78	5.35	19.58		PASS
	total	5210	NA	20.65	≤24.78	11.22	31.87		PASS
	ומוטו	52.0	TPC L	6.60	≤18.76	5.13	11.73		PASS
				0.00		5.13	14.96		PASS
11 <u>0</u> 000///	Ant1	5290		0 83	<10 /A				I AOO
11AC80MIMO		5290	TPC_H	9.83	≤18.76				DVCC
11AC80MIMO		5290 5290	TPC_H TPC_L	5.26	≤18.76	5.19	10.45		PASS
11AC80MIMO	Ant1		TPC_H TPC_L TPC_H	5.26 9.22	≤18.76 ≤18.76	5.19 5.19	10.45 14.41		PASS
11AC80MIMO	Ant1 Ant2	5290	TPC_H TPC_H TPC_L	5.26 9.22 5.06	≤18.76 ≤18.76 ≤18.76	5.19 5.19 5.37	10.45 14.41 10.43		PASS PASS
11AC80MIMO	Ant1		TPC_H TPC_L TPC_L TPC_L TPC_H	5.26 9.22 5.06 8.12	≤18.76 ≤18.76 ≤18.76 ≤18.76	5.19 5.19 5.37 5.37	10.45 14.41 10.43 13.49		PASS PASS PASS
11AC80MIMO	Ant1 Ant2	5290	TPC_H TPC_H TPC_L	5.26 9.22 5.06	≤18.76 ≤18.76 ≤18.76	5.19 5.19 5.37	10.45 14.41 10.43		PASS PASS



	total	5290	TPC_L	11.78	≤18.76	11.22	23	 PASS
			TPC_H	15.20	≤18.76	11.22	26.42	 PASS
	Ant1	5530	TPC_L	6.03	≤18.76	5.13	11.16	 PASS
	7 (11)	0000	TPC_H	9.55	≤18.76	5.13	14.68	 PASS
	Ant2	5530	TPC_L	4.79	≤18.76	5.19	9.98	 PASS
	AIILZ	3330	TPC H	8.18	≤18.76	5.19	13.37	 PASS
	4 10		TPC L	6.19	≤18.76	5.37	11.56	 PASS
	Ant3	5530	TPC H	9.78	≤18.76	5.37	15.15	 PASS
			TPC L	5.62	≤18.76	5.35	10.97	 PASS
	Ant4	5530	TPC H	9.10	≤18.76	5.35	14.45	 PASS
			TPC L	11.71	≤18.76	11.22	22.93	PASS
	total	5530	TPC_L	15.21	≤18.76			 PASS
						11.22	26.43	
	Ant1	5610	TPC_L	6.01	≤18.76	5.13	11.14	 PASS
	7		TPC_H	9.60	≤18.76	5.13	14.73	 PASS
	Ant2	5610	TPC_L	4.96	≤18.76	5.19	10.15	 PASS
	AIILZ	3010	TPC_H	8.49	≤18.76	5.19	13.68	 PASS
	A 4O	F040	TPC L	5.60	≤18.76	5.37	10.97	 PASS
	Ant3	5610	TPC H	9.04	≤18.76	5.37	14.41	 PASS
			TPC L	5.01	≤18.76	5.35	10.36	 PASS
	Ant4	5610	TPC H	8.46	≤18.76	5.35	13.81	 PASS
			TPC_II	11.44	≤18.76	11.22	22.66	PASS
	total	5610						
			TPC_H	14.94	≤18.76	11.22	26.16	 PASS
	Ant1	5775	NA	15.53	≤24.78	5.13	20.66	 PASS
	Ant2	5775	NA	14.74	≤24.78	5.19	19.93	 PASS
	Ant3	5775	NA	15.38	≤24.78	5.37	20.75	 PASS
	Ant4	5775	NA	14.77	≤24.78	5.35	20.12	 PASS
	total	5775	NA	21.14	≤24.78	11.22	32.36	 PASS
	Ant1	5180	NA	14.68	≤24.78	5.13	19.81	 PASS
	Ant2	5180	NA	10.12	≤24.78	5.19	15.31	 PASS
-								
	Ant3	5180	NA	11.82	≤24.78	5.37	17.19	 PASS
	Ant4	5180	NA	10.59	≤24.78	5.35	15.94	 PASS
	total	5180	NA	18.22	≤24.78	11.22	29.44	 PASS
	Ant1	5200	NA	13.38	≤24.78	5.13	18.51	 PASS
	Ant2	5200	NA	12.07	≤24.78	5.19	17.26	 PASS
	Ant3	5200	NA	11.87	≤24.78	5.37	17.24	 PASS
	Ant4	5200	NA	12.41	≤24.78	5.35	17.76	 PASS
	total	5200	NA	18.49	≤24.78	11.22	29.71	 PASS
	Ant1	5240	NA	13.02	≤24.78	5.13	18.15	 PASS
	Ant2	5240	NA	12.63	≤24.78	5.19	17.82	 PASS
	Ant3	5240	NA	12.28	≤24.78	5.37	17.65	 PASS
-								
	Ant4	5240	NA	11.68	≤24.78	5.35	17.03	 PASS
	total	5240	NA	18.45	≤24.78	11.22	29.67	 PASS
	Ant1	5260	TPC_L	4.31	≤18.76	5.13	9.44	 PASS
11AX20MIMO		3200	TPC_H	7.51	≤18.76	5.13	12.64	 PASS
1 17 SYZOIVIIIVIO	Ant2	5260	TPC_L	2.77	≤18.76	5.19	7.96	 PASS
	AIILZ	5200	TPC_H	6.85	≤18.76	5.19	12.04	 PASS
	A 10	5000	TPC L	2.62	≤18.76	5.37	7.99	 PASS
	Ant3	5260	TPC H	5.73	≤18.76	5.37	11.1	 PASS
			TPC L	3.26	≤18.76	5.35	8.61	 PASS
	Ant4	5260	TPC H	6.68	≤18.76	5.35	12.03	PASS
	total	5260	TPC_L	9.31	≤18.76	11.22	20.53	 PASS
		-	TPC_H	12.76	≤18.76	11.22	23.98	 PASS
	Ant1	5280	TPC_L	4.03	≤18.76	5.13	9.16	 PASS
			TPC_H	7.46	≤18.76	5.13	12.59	 PASS
	Anto	E200	TPC_L	2.32	≤18.76	5.19	7.51	 PASS
	Ant2	5280	TPC_H	6.63	≤18.76	5.19	11.82	 PASS
	A 10	5000	TPC L	2.37	≤18.76	5.37	7.74	 PASS
	Ant3	5280	TPC H	5.62	≤18.76	5.37	10.99	 PASS
			TPC L	3.27	≤18.76	5.35	8.62	 PASS
	Ant4	5280	TPC_L	6.82	≤18.76	5.35	12.17	PASS
				0.02				
-	total	5280	TPC L	9.08	≤18.76	11.22	20.3	 PASS



			TPC H	12.70	≤18.76	11.22	23.92		PASS
			TPC L	4.59	≤18.76	5.13	9.72		PASS
	Ant1	5320	TPC H	7.85	≤18.76	5.13	12.98		PASS
			TPC L	3.10	≤18.76	5.19	8.29		PASS
	Ant2	5320	TPC H	7.37	≤18.76	5.19	12.56		PASS
			TPC_L	2.12	≤18.76	5.37	7.49		PASS
	Ant3	5320	TPC H	5.40	≤18.76	5.37	10.77		PASS
			TPC L	2.43	≤18.76	5.35	7.78		PASS
	Ant4	5320	TPC H	5.90	≤18.76	5.35	11.25		PASS
			TPC L	9.19	≤18.76	11.22	20.41		PASS
	total	5320	TPC H	12.77	≤18.76	11.22	23.99		PASS
			TPC L	3.48	≤18.76	5.13	8.61		PASS
	Ant1	5500	TPC H	7.24	≤18.76	5.13	12.37		PASS
			TPC L	1.46	≤18.76	5.19	6.65		PASS
	Ant2	5500	TPC H	5.31	≤18.76	5.19	10.5		PASS
			TPC L	3.39	≤18.76	5.37	8.76		PASS
	Ant3	5500	TPC H	7.20	≤18.76	5.37	12.57		PASS
			TPC L	2.61	≤18.76	5.35	7.96		PASS
	Ant4	5500	TPC H	6.40	≤18.76	5.35	11.75		PASS
			TPC L	8.83	≤18.76	11.22	20.05		PASS
	total	5500	TPC H	12.63	≤18.76	11.22	23.85		PASS
			TPC L	3.66	≤18.76	5.13	8.79		PASS
	Ant1	5580	TPC H	7.40	≤18.76	5.13	12.53		PASS
			TPC L	1.94	≤18.76	5.19	7.13		PASS
	Ant2	5580	TPC H	5.85	≤18.76	5.19	11.04		PASS
			TPC L	2.77	≤18.76	5.37	8.14		PASS
	Ant3	5580	TPC H	6.52	≤18.76	5.37	11.89		PASS
			TPC L	1.60	≤18.76	5.35	6.95		PASS
	Ant4	5580	TPC H	5.44	≤18.76	5.35	10.79		PASS
			TPC L	8.59	≤18.76	11.22	19.81		PASS
	total	5580	TPC H	12.39	≤18.76	11.22	23.61		PASS
			TPC L	3.30	≤18.76	5.13	8.43		PASS
	Ant1	5700	TPC H	6.89	≤18.76	5.13	12.02		PASS
			TPC L	2.09	≤18.76	5.19	7.28		PASS
	Ant2	5700	TPC H	5.89	≤18.76	5.19	11.08		PASS
			TPC L	3.16	≤18.76	5.37	8.53		PASS
	Ant3	5700	TPC H	7.08	≤18.76	5.37	12.45		PASS
			TPC L	3.28	≤18.76	5.35	8.63		PASS
	Ant4	5700	TPC H	7.38	≤18.76	5.35	12.73		PASS
			TPC L	9.01	≤18.76	11.22	20.23		PASS
	total	5700	TPC H	12.87	≤18.76	11.22	24.09		PASS
	Ant1	5745	NA	13.13	≤24.78	5.13	18.26		PASS
	Ant2	5745	NA	12.16	≤24.78	5.19	17.35		PASS
	Ant3	5745	NA	13.06	≤24.78	5.37	18.43		PASS
	Ant4	5745	NA	12.66	≤24.78	5.35	18.01		PASS
	total	5745	NA	18.79	≤24.78	11.22	30.01		PASS
	Ant1	5785	NA	12.84	≤24.78	5.13	17.97		PASS
	Ant2	5785	NA	12.14	≤24.78	5.19	17.33		PASS
	Ant3	5785	NA	12.67	≤24.78	5.37	18.04		PASS
	Ant4	5785	NA	12.16	≤24.78	5.35	17.51		PASS
	total	5785	NA	18.48	≤24.78	11.22	29.7		PASS
	Ant1	5825	NA	12.16	≤24.78	5.13	17.29		PASS
	Ant2	5825	NA	11.58	≤24.78	5.19	16.77		PASS
	Ant3	5825	NA	11.92	≤24.78	5.37	17.29		PASS
	Ant4	5825	NA	11.26	≤24.78	5.35	16.61		PASS
	total	5825	NA	17.76	≤24.78	11.22	28.98		PASS
	Ant1	5190	NA	13.05	≤24.78	5.13	18.18		PASS
	Ant2	5190	NA	11.97	≤24.78	5.19	17.16		PASS
11AX40MIMO	Ant3	5190	NA	11.58	≤24.78	5.37	16.95		PASS
	Ant4	5190	NA	11.90	≤24.78	5.35	17.25		PASS
	total	5190	NA	18.18	≤24.78	11.22	29.4		PASS
L	1		L		•			1	




Ant1	5230	NA	12.53	≤24.78	5.13	17.66		PASS
Ant2	5230	NA	11.79	≤24.78	5.19	16.98		PASS
Ant3	5230	NA	11.48	≤24.78	5.37	16.85		PASS
Ant4	5230	NA	11.34	≤24.78	5.35	16.69		PASS
total	5230	NA	17.83	≤24.78	11.22	29.05		PASS
		TPC L	5.30	≤18.76	5.13	10.43		PASS
Ant1	5270	TPC H	9.45	≤18.76	5.13	14.58		PASS
		TPC L	4.94	≤18.76	5.19	10.13		PASS
Ant2	5270	TPC H	8.89	≤18.76	5.19	14.08		PASS
		TPC L	3.87	≤18.76	5.37	9.24		PASS
Ant3	5270	TPC H	8.51	≤18.76	5.37	13.88		PASS
		TPC_H		≤18.76				
Ant4	5270		4.69		5.35	10.04		PASS
		TPC_H	8.63	≤18.76	5.35	13.98		PASS
total	5270	TPC_L	10.75	≤18.76	11.22	21.97		PASS
		TPC_H	14.91	≤18.76	11.22	26.13		PASS
Ant1	5310	TPC_L	5.61	≤18.76	5.13	10.74		PASS
7 (110)	0010	TPC_H_	9.51	≤18.76	5.13	14.64		PASS
Ant2	5310	TPC_L	5.56	≤18.76	5.19	10.75		PASS
AIILZ	3310	TPC_H	9.51	≤18.76	5.19	14.7		PASS
A :=40	5240	TPC L	3.63	≤18.76	5.37	9		PASS
Ant3	5310	TPC H	8.11	≤18.76	5.37	13.48		PASS
	////	TPC L	3.94	≤18.76	5.35	9.29		PASS
Ant4	5310	TPC H	7.67	≤18.76	5.35	13.02		PASS
		TPC L	10.80	≤18.76	11.22	22.02		PASS
total	5310	TPC H	14.80	≤18.76	11.22	26.02		PASS
		TPC L	5.47	≤18.76	5.13	10.6		PASS
Ant1	5510	TPC_L	9.48	≤18.76	5.13	14.61		PASS
Ant2	5510	TPC_L	3.81	≤18.76	5.19	9		PASS
		TPC_H	8.12	≤18.76	5.19	13.31		PASS
Ant3	5510	TPC_L	5.53	≤18.76	5.37	10.9		PASS
		TPC_H	9.21	≤18.76	5.37	14.58		PASS
Ant4	5510	TPC_L	4.80	≤18.76	5.35	10.15		PASS
7 (110)	0010	TPC_H	8.28	≤18.76	5.35	13.63		PASS
total	5510	TPC_L	10.98	≤18.76	11.22	22.2		PASS
lotai	3310	TPC_H	14.83	≤18.76	11.22	26.05		PASS
A m+1	EEEO	TPC_L	5.34	≤18.76	5.13	10.47		PASS
Ant1	5550	TPC_H	9.25	≤18.76	5.13	14.38		PASS
A 40	5550	TPC L	4.19	≤18.76	5.19	9.38		PASS
Ant2	5550	TPC H	8.32	≤18.76	5.19	13.51		PASS
		TPC L	4.34	≤18.76	5.37	9.71		PASS
Ant3	5550	TPC_H	7.91	≤18.76	5.37	13.28		PASS
		TPC L	3.93	≤18.76	5.35	9.28		PASS
Ant4	5550	TPC H	7.25	≤18.76	5.35	12.6		PASS
		TPC L	10.50	≤18.76	11.22	21.72		PASS
total	5550	TPC_L	14.26	≤18.76	11.22	25.48		PASS
		TPC_H	6.05	≤18.76	5.13	11.18		PASS
Ant1	5670							
		TPC_H	9.58	≤18.76	5.13	14.71		PASS
Ant2	5670	TPC_L	4.74	≤18.76	5.19	9.93		PASS
		TPC_H	8.08	≤18.76	5.19	13.27		PASS
Ant3	5670	TPC_L	6.44	≤18.76	5.37	11.81		PASS
		TPC_H	9.95	≤18.76	5.37	15.32		PASS
Ant4	5670	TPC_L	6.89	≤18.76	5.35	12.24		PASS
/ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	3070	TPC_H	10.35	≤18.76	5.35	15.7		PASS
total	5670	TPC_L	12.12	≤18.76	11.22	23.34		PASS
lotai	3070	TPC_H	15.59	≤18.76	11.22	26.81		PASS
Ant1	5755	NA	12.91	≤24.78	5.13	18.04		PASS
Ant2	5755	NA	12.06	≤24.78	5.19	17.25		PASS
Ant3	5755	NA	12.93	≤24.78	5.37	18.3		PASS
Ant4	5755	NA	12.43	≤24.78	5.35	17.78		PASS
total	5755	NA	18.62	≤24.78	11.22	29.84		PASS
Ant1	5795	NA	12.59	≤24.78	5.13	17.72		PASS
١ ١	, 0.00			0	50		I .	



	Ant2	5795	NA	11.41	≤24.78	5.19	16.6	PASS
	Ant3	5795	NA NA	12.59	≤24.78	5.37	17.96	 PASS
	Ant4	5795	NA NA	11.85	≤24.78	5.35	17.90	 PASS
	total	5795	NA NA	18.16	≤24.78	11.22	29.38	 PASS
	Ant1	5210	NA NA	12.35	≤24.78	5.13	17.48	PASS
	Ant2	5210	NA NA	12.33	≤24.78	5.13	17.46	 PASS
		5210						 PASS
	Ant3		NA NA	11.15	≤24.78	5.37	16.52	
	Ant4 total	5210 5210	NA NA	11.60	≤24.78 ≤24.78	5.35 11.22	16.95	 PASS PASS
	เงเลเ	5210		17.94			29.16	
	Ant1	5290	TPC_L	5.63	≤18.76	5.13	10.76	 PASS
			TPC_H	8.99	≤18.76	5.13	14.12	 PASS
	Ant2	5290	TPC_L	4.29	≤18.76	5.19	9.48	 PASS
			TPC_H	8.57	≤18.76	5.19	13.76	 PASS
	Ant3	5290	TPC_L	4.85	≤18.76	5.37	10.22	 PASS
			TPC_H	7.98	≤18.76	5.37	13.35	 PASS
	Ant4	5290	TPC_L	5.01	≤18.76	5.35	10.36	 PASS
			TPC_H	8.41	≤18.76	5.35	13.76	 PASS
	total	5290	TPC_L	10.99	≤18.76	11.22	22.21	 PASS
	total	0200	TPC_H	14.52	≤18.76	11.22	25.74	 PASS
	Ant1	5530	TPC_L	5.90	≤18.76	5.13	11.03	 PASS
	7 (11)	3333	TPC_H	9.17	≤18.76	5.13	14.3	 PASS
	Ant2	5530	TPC_L	4.61	≤18.76	5.19	9.8	 PASS
	AIILZ	3330	TPC_H	8.22	≤18.76	5.19	13.41	 PASS
1AX80MIMO	Ant3	5530	TPC_L	5.93	≤18.76	5.37	11.3	 PASS
IAXOUIVIIVIO	Ano	3330	TPC_H	9.13	≤18.76	5.37	14.5	 PASS
	Ant4	5520	TPC_L	5.29	≤18.76	5.35	10.64	 PASS
	Ant4	5530	TPC_H	8.32	≤18.76	5.35	13.67	 PASS
	4-4-1	5500	TPC L	11.49	≤18.76	11.22	22.71	 PASS
	total	5530	TPC H	14.75	≤18.76	11.22	25.97	 PASS
	A 4.4	5040	TPC L	5.89	≤18.76	5.13	11.02	 PASS
	Ant1	5610	TPC H	9.21	≤18.76	5.13	14.34	 PASS
	4 10	5040	TPC L	4.62	≤18.76	5.19	9.81	 PASS
	Ant2	5610	TPC H	8.15	≤18.76	5.19	13.34	 PASS
			TPC L	5.34	≤18.76	5.37	10.71	 PASS
	Ant3	5610	TPC H	8.53	≤18.76	5.37	13.9	 PASS
			TPC L	4.61	≤18.76	5.35	9.96	 PASS
	Ant4	Ant4 5610	TPC H	7.63	≤18.76	5.35	12.98	 PASS
			TPC L	11.17	≤18.76	11.22	22.39	 PASS
	total	5610	TPC H	14.44	≤18.76	11.22	25.66	 PASS
	Ant1	5775	NA NA	13.06	≤24.78	5.13	18.19	 PASS
	Ant2	5775	NA	12.13	≤24.78	5.19	17.32	 PASS
	Ant3	5775	NA	12.13	≤24.78	5.37	18.36	 PASS
			NA NA	12.99	≤24.78	5.35	17.63	 PASS
	Ant4 5775 total 5775	1117	1 17.70	2/4./0	1 0.00	17.00	 - FASS	





02:51:29 21.12.2023



