

FCC REPORT

(LTE)

Applicant: SKY PHONE LLC

Address of Applicant: 1348 Washington Av. Suite 350, Miami Beach, FL 33139

Equipment Under Test (EUT)

Product Name: 4G Smart Phone

Model No.: Elite D5

Trade mark: SKY DEVICES

FCC ID: 2ABOSSKYELITED5

Applicable standards: FCC CFR Title 47 Part 2
FCC CFR Title 47 Part 24 Subpart E
FCC CFR Title 47 Part 27 Subpart L
FCC CFR Title 47 Part 27 Subpart M

Date of sample receipt: 28 Dec., 2020

Date of Test: 28 Dec., 2020 to 15 Jan., 2021

Date of report issued: 18 Jan., 2021

Test Result: PASS*

*In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:



Bruce Zhang
Laboratory Manager

This report details the results of the testing carried out on one sample. The results contained in this test report do not relate to other samples of the same product and does not permit the use of the JYT product certification mark. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards.

This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful, and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

2. Version

Version No.	Date	Description
00	18 Jan., 2021	Original

Tested by: Mike.ou **Date:** 18 Jan., 2021
Test Engineer

Reviewed by: Winner Zhang **Date:** 18 Jan., 2021
Project Engineer

3. Contents

Page

1. COVER PAGE	1
2. VERSION	2
3. CONTENTS	3
4. TEST SUMMARY	4
5. GENERAL INFORMATION	5
5.1 CLIENT INFORMATION	5
5.2 GENERAL DESCRIPTION OF E.U.T	5
5.3 TEST ENVIRONMENT AND MODE	10
5.4 DESCRIPTION OF SUPPORT UNITS	10
5.5 MEASUREMENT UNCERTAINTY	10
5.6 RELATED SUBMITTAL(S) / GRANT (S)	10
5.7 ADDITIONS TO, DEVIATIONS, OR EXCLUSIONS FROM THE METHOD	10
5.8 LABORATORY FACILITY	10
5.9 LABORATORY LOCATION	10
5.10 TEST INSTRUMENTS LIST	11
6. TEST RESULTS	12
6.1 CONDUCTED OUTPUT POWER, ERP AND EIRP	12
6.2 PEAK-TO-AVERAGE RATIO	21
6.3 OCCUPY BANDWIDTH	24
6.4 OUT OF BAND EMISSION AT ANTENNA TERMINALS	60
6.5 FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT	85
6.6 FREQUENCY STABILITY V.S. TEMPERATURE MEASUREMENT	93
6.7 FREQUENCY STABILITY V.S. VOLTAGE MEASUREMENT	97
7. TEST SETUP PHOTO	99
8. EUT CONSTRUCTIONAL DETAILS	100

4. Test Summary

Test Items	Section in CFR 47	Result
RF Exposure (SAR)	Part 1.1307 Part 2.1093	Passed (Please refer to SAR Report)
RF Output Power	Part 2.1046 Part 24.232 (c) Part 27.50 (d)(4) Part 27.50 (h)(2)	Pass
Peak-to-Average Ratio	Part 24.232 (d) Part 27.50(d)(5)	Pass
Modulation Characteristics	Part 2.1047	Pass
99% & -26 dB Occupied Bandwidth	Part 2.1049 Part 24.238(b) Part 27.53(h) Part 27.53(m)	Pass
Out of band emission at antenna terminals	Part 2.1053 Part 24.238 (a) Part 27.53 (h) Part 27.53(m)	Pass
Field strength of spurious radiation	Part 24.238 (a) Part 27.53 (h) Part 27.53(m)	Pass
Frequency stability vs. temperature	Part 22.355 Part 24.235 Part 27.54 Part 2.1055(a)(1)(b)	Pass
Frequency stability vs. voltage	Part 22.355 Part 24.235 Part 27.54 Part 2.1055(d)(2)	Pass
Remark: 1. Pass: The EUT complies with the essential requirements in the standard. 2. The cable insertion loss used by "RF Output Power" and other conduction measurement items is 0.5dB(Fundamental Frequency below 1GHz)/1.0dB(Fundamental Frequency above 1GHz) (provided by the customer).		
Test Method:	ANSI/TIA-603-E-2016 ANSI C63.26-2015	

5. General Information

5.1 Client Information

Applicant:	SKY PHONE LLC
Address:	1348 Washington Av. Suite 350, Miami Beach, FL 33139
Manufacturer:	SKY PHONE LLC
Address:	1348 Washington Av. Suite 350, Miami Beach, FL 33139

5.2 General Description of E.U.T.

Product Name:	4G Smart Phone		
Model No.:	Elite D5		
Operation Frequency range:	LTE Band 2: TX: 1850MHz-1910MHz RX: 1930MHz-1990MHz LTE Band 4: TX: 1710MHz-1755MHz RX: 2110MHz-2155MHz LTE Band 7: TX: 2500MHz-2570MHz RX: 2620MHz-2690MHz		
Modulation type:	☒ QPSK	☒ 16QAM	☒ 64QAM
Antenna type:	Internal Antenna		
Antenna gain:	LTE Band 2: -1.6 dBi(declare by Applicant) LTE Band 4: -1.4 dBi(declare by Applicant) LTE Band 7: -1.8 dBi(declare by Applicant)		
Power supply:	Rechargeable Li-ion Battery DC3.8V-2200mAh		
AC adapter:	Input: AC100-220V, 50/60Hz, 0.2A Output: DC 5.0V, 1000mA		
Test Sample Condition:	The applicant provided engineering samples for staying in continuously transmitting for testing.		

Operation Frequency List:

LTE Band 2 (1.4MHz)		LTE Band 2 (3MHz)	
Channel	Frequency (MHz)	Channel	Frequency (MHz)
18607	1850.70	18615	1851.50
18608	1850.80	18616	1851.60
....			
18899	1879.90	18899	1879.90
18900	1880.00	18900	1880.00
18901	1880.10	18901	1880.10
...	...	...	...
19193	1909.20	19185	1908.40
19194	1909.30	19186	1908.50
LTE Band 2 (5MHz)		LTE Band 2 (10MHz)	
Channel	Frequency (MHz)	Channel	Frequency (MHz)
18625	1852.50	18650	1855.00
18626	1852.60	18651	1855.10
....			
18899	1879.90	18899	1879.90
18900	1880.00	18900	1880.00
18901	1880.10	18901	1880.10
...	...	...	...
19175	1907.40	19150	1904.90
19176	1907.50	19151	1905.00
LTE Band 2 (15MHz)		LTE Band 2 (20MHz)	
Channel	Frequency (MHz)	Channel	Frequency (MHz)
18675	1857.50	18700	1860.00
18676	1857.60	18701	1860.10
....			
18899	1879.90	18899	1879.90
18900	1880.00	18900	1880.00
18901	1880.10	18901	1880.10
...	...	...	...
19125	1902.40	19100	1899.90
19126	1902.50	19101	1900.00

LTE Band 4 (1.4MHz)		LTE Band 4 (3MHz)	
Channel	Frequency (MHz)	Channel	Frequency (MHz)
19957	1710.70	19965	1711.50
19958	1710.80	19966	1711.60
....			
20174	1732.40	20174	1732.40
20175	1732.50	20175	1732.50
20176	1732.60	20176	1732.60
...	...	...	...
20392	1754.20	20384	1753.40
20393	1754.30	20385	1753.50
LTE Band 4 (5MHz)		LTE Band 4 (10MHz)	
Channel	Frequency (MHz)	Channel	Frequency (MHz)
19975	1712.50	20000	1715.00
19976	1712.60	20001	1715.10
....			
20174	1732.40	20174	1732.40
20175	1732.50	20175	1732.50
20176	1732.60	20176	1732.60
...	...	...	...
20374	1752.40	20349	1749.90
20375	1752.50	20350	1750.00
LTE Band 4 (15MHz)		LTE Band 4 (20MHz)	
Channel	Frequency (MHz)	Channel	Frequency (MHz)
20025	1717.50	20050	1720.00
20026	1717.60	20051	1720.10
....			
20174	1732.40	20174	1732.40
20175	1732.50	20175	1732.50
20176	1732.60	20176	1732.60
...	...	...	...
20324	1747.40	20299	1744.90
20325	1747.50	20300	1745.00

LTE Band 7 (5MHz)		LTE Band 7 (10MHz)	
Channel	Frequency (MHz)	Channel	Frequency (MHz)
20775	2502.50	20800	2505.00
20776	2502.60	20801	2502.10
....			
21099	2534.90	21099	2534.90
21100	2535.00	21100	2535.00
21101	2535.20	21101	2535.20
...	...	...	...
21424	2567.40	21399	2564.90
21425	2567.50	21400	2565.00
LTE Band 7 (15MHz)		LTE Band 7 (20MHz)	
Channel	Frequency (MHz)	Channel	Frequency (MHz)
20825	2507.50	20850	2510.00
20826	2507.60	20851	2510.10
....			
21099	2534.90	21099	2534.90
21100	2535.00	21100	2535.00
21101	2535.20	21101	2535.20
...	...	...	...
21374	2562.40	21349	2559.90
21375	2562.50	21350	2560.00

Regards to the operating frequency range, the lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channels as below:

LTE Band 2 (1.4MHz)			LTE Band 2 (3MHz)		
Channel		Frequency (MHz)	Channel		Frequency (MHz)
Lowest channel	18607	1850.70	Lowest channel	18615	1851.50
Middle channel	18900	1880.00	Middle channel	18900	1880.00
Highest channel	19193	1909.30	Highest channel	19185	1908.50
LTE Band 2 (5MHz)			LTE Band 2 (10MHz)		
Channel		Frequency (MHz)	Channel		Frequency (MHz)
Lowest channel	18625	1852.50	Lowest channel	18650	1855.00
Middle channel	18900	1880.00	Middle channel	18900	1880.00
Highest channel	19175	1907.50	Highest channel	19150	1905.00
LTE Band 2 (15MHz)			LTE Band 2 (20MHz)		
Channel		Frequency (MHz)	Channel		Frequency (MHz)
Lowest channel	18675	1857.50	Lowest channel	18700	1860.00
Middle channel	18900	1880.00	Middle channel	18900	1880.00
Highest channel	19125	1902.50	Highest channel	19100	1900.00

LTE Band 4 (1.4MHz)			LTE Band 4 (3MHz)		
Channel:		Frequency (MHz)	Channel		Frequency (MHz)
Lowest channel	19957	1710.70	Lowest channel	19965	1711.50
Middle channel	20175	1732.50	Middle channel	20175	1732.50
Highest channel	20393	1754.30	Highest channel	20385	1753.50
LTE Band 4 (5MHz)			LTE Band 4 (10MHz)		
Channel		Frequency (MHz)	Channel		Frequency (MHz)
Lowest channel	19975	1712.50	Lowest channel	20000	1715.00
Middle channel	20175	1732.50	Middle channel	20175	1732.50
Highest channel	20375	1752.50	Highest channel	20350	1750.00
LTE Band 4 (15MHz)			LTE Band 4 (20MHz)		
Channel		Frequency (MHz)	Channel		Frequency (MHz)
Lowest channel	20025	1717.50	Lowest channel	20050	1720.00
Middle channel	20175	1732.50	Middle channel	20175	1732.50
Highest channel	20325	1747.50	Highest channel	20300	1745.00

LTE Band 7 (5MHz)			LTE Band 7 (10MHz)		
Channel		Frequency (MHz)	Channel		Frequency (MHz)
Lowest channel	20775	2502.50	Lowest channel	20800	2505.00
Middle channel	21100	2535.00	Middle channel	21100	2535.00
Highest channel	21425	2567.50	Highest channel	21400	2565.00
LTE Band 7 (15MHz)			LTE Band 7 (20MHz)		
Channel		Frequency (MHz)	Channel		Frequency (MHz)
Lowest channel	20825	2507.50	Lowest channel	20850	2510.00
Middle channel	21100	2535.00	Middle channel	21100	2535.00
Highest channel	21375	2562.50	Highest channel	21350	2560.00

5.3 Test environment and mode

Operating Environment:	
Temperature:	Normal: 15°C ~ 35°C, Extreme: -30°C ~ +50°C
Humidity:	20 % ~ 75 % RH
Atmospheric Pressure:	1008 mbar
Voltage:	Nominal: 3.8Vdc, Extreme: Low 3.5Vdc, High 4.35Vdc
Test mode:	
LTE QPSK mode	Keep the EUT communication with simulated station in QPSK mode
LTE 16-QAM mode	Keep the EUT communication with simulated station in 16-QAM mode
Remark: The EUT has been tested under continuous transmitting mode. Channel Low, Mid and High for each type band with rated data rate were chosen for full testing. The field strength of spurious radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for these modes. Just the worst case position (H mode) shown in report.	

5.4 Description of Support Units

Test Equipment	Manufacturer	Model No.	Serial No.
Simulated Station	Anritsu	MT8820C	6201026545

5.5 Measurement Uncertainty

Parameters	Expanded Uncertainty
Radiated Emission (9kHz ~ 30MHz)	±3.12 dB (k=2)
Radiated Emission (30MHz ~ 1000MHz)	±4.32 dB (k=2)
Radiated Emission (1GHz ~ 18GHz)	±5.16 dB (k=2)
Radiated Emission (18GHz ~ 40GHz)	±3.20 dB (k=2)

5.6 Related Submittal(s) / Grant (s)

This is an original grant, no related submittals and grants.
--

5.7 Additions to, deviations, or exclusions from the method

No

5.8 Laboratory Facility

The test facility is recognized, certified, or accredited by the following organizations: ● FCC - Designation No.: CN1211 JianYan Testing Group Shenzhen Co., Ltd. has been accredited as a testing laboratory by FCC (Federal Communications Commission). The test firm Registration No. is 727551. ● ISED – CAB identifier.: CN0021 The 3m Semi-anechoic chamber of JianYan Testing Group Shenzhen Co., Ltd. has been Registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 10106A-1. ● A2LA - Registration No.: 4346.01 This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005 General requirements for the competence of testing and calibration laboratories. The test scope can be found as below link: https://portal.a2la.org/scopepdf/4346-01.pdf

5.9 Laboratory Location


JianYan Testing Group Shenzhen Co., Ltd. Address: No.110~116, Building B, Jinyuan Business Building, Xixiang Road, Bao'an District, Shenzhen, Guangdong, China Tel: +86-755-23118282, Fax: +86-755-23116366 Email: info@ccis-cb.com, Website: http://www.ccis-cb.com
--

5.10 Test Instruments list

Test Equipment	Manufacturer	Model No.	Serial No.	Cal. Date (mm-dd-yy)	Cal. Due date (mm-dd-yy)
3m SAC	SAEMC	9m*6m*6m	966	07-22-2020	07-21-2021
BiConiLog Antenna	SCHWARZBECK	VULB9163	497	03-07-2020	03-06-2021
Biconical Antenna	SCHWARZBECK	VUBA9117	359	06-22-2020	06-21-2021
Horn Antenna	SCHWARZBECK	BBHA9120D	916	03-07-2020	03-06-2021
Horn Antenna	SCHWARZBECK	BBHA9120D	1805	06-22-2020	06-21-2021
Horn Antenna	SCHWARZBECK	BBHA 9170	BBHA9170582	11-18-2020	11-17-2021
EMI Test Software	AUDIX	E3	Version: 6.110919b		
Pre-amplifier	HP	8447D	2944A09358	03-07-2020	03-06-2021
Pre-amplifier	CD	PAP-1G18	11804	03-07-2020	03-06-2021
Spectrum analyzer	Rohde & Schwarz	FSP30	101454	03-05-2020	03-04-2021
Spectrum analyzer	Rohde & Schwarz	FSP40	100363	11-18-2020	11-17-2021
EMI Test Receiver	Rohde & Schwarz	ESRP7	101070	03-05-2020	03-04-2021
Spectrum Analyzer	Agilent	N9020A	MY50510123	11-18-2020	11-17-2021
Signal Generator	Rohde & Schwarz	SMX	835454/016	03-05-2020	03-04-2021
Signal Generator	R&S	SMR20	1008100050	03-05-2020	03-04-2021
RF Switch Unit	MWRFTTEST	MW200	N/A	N/A	N/A
Test Software	MWRFTTEST	MTS8200	Version: 2.0.0.0		
Cable	ZDECL	Z108-NJ-NJ-81	1608458	03-07-2020	03-06-2021
Cable	MICRO-COAX	MFR64639	K10742-5	03-07-2020	03-06-2021
Cable	SUHNER	SUCOFLEX100	58193/4PE	03-07-2020	03-06-2021
DC Power Supply	XinNuoEr	WYK-10020K	1409050110020	09-25-2020	09-24-2021
Temperature Humidity Chamber	HengPu	HPGDS-500	20140828008	11-01-2020	11-31-2021
Simulated Station	Rohde & Schwarz	CMW500	140493	07-22-2020	07-21-2021

6. Test results

6.1 Conducted Output Power, ERP and EIRP

Test Requirement:	Part 24.232(c), Part 27.50(d)(4), Part 27.50 (h)(2)
Limit:	LTE Band 2: 2W, LTE Band 4: 1W, LTE Band 7: 2W
Test Setup:	 The diagram shows a 'System simulator' (blue box) connected to an 'ATT' (attenuator, black box) via a cable. The 'ATT' is then connected to an 'EUT' (Equipment Under Test, black box) via another cable.
Test Procedure:	The transmitter output was connected to a calibrated attenuator, the other end of which was connected to the CMW500. Transmitter output power was read off in dBm.
Test Instruments:	Refer to section 5.10 for details
Test mode:	Refer to section 5.3 for details
Test results:	Passed

Measurement Data:

LTE Band	Bandwidth (MHz)	Modulation	RB Size	RB Offset	Average Power (dBm)		
					18607	18900	19193
					1850.7MHz	1880.0MHz	1909.3MHz
2	1.4	QPSK	1	0	23.40	23.38	23.32
			1	2	23.42	23.43	23.31
			1	5	23.41	23.41	23.26
			3	0	23.24	23.24	23.18
			3	1	23.24	23.21	23.15
			3	2	23.26	23.20	23.14
			6	0	22.43	22.47	22.44
		Antenna Gain (dBi):			-1.6		
		Max. EIRP (dBm):			21.83		
		EIRP Limit (dBm):			33.00		
		16QAM	1	0	23.28	23.21	23.22
			1	2	23.22	23.06	23.16
			1	5	23.17	23.16	23.10
			3	0	22.88	22.73	22.82
			3	1	22.76	22.69	22.81
			3	2	22.74	22.66	22.75
			6	0	22.12	22.14	22.03
		Antenna Gain (dBi):			-1.6		
		Max. EIRP (dBm):			21.68		
		EIRP Limit (dBm):			33.00		
LTE Band	Bandwidth (MHz)	Modulation	RB Size	RB Offset	Average Power (dBm)		
					18615	18900	19185
					1851.5MHz	1880.0MHz	1908.5MHz
2	3	QPSK	1	0	23.27	23.40	23.30
			1	7	23.24	23.47	23.17
			1	14	23.23	23.47	23.24
			8	0	23.15	23.20	23.15
			8	4	23.14	23.12	23.14
			8	7	23.13	23.16	23.11
			15	0	22.45	22.41	22.39
		Antenna Gain (dBi):			-1.6		
		Max. EIRP (dBm):			21.87		
		EIRP Limit (dBm):			33.00		
		16QAM	1	0	23.09	23.12	23.18
			1	7	23.16	23.20	23.11
			1	14	23.14	23.03	23.14
			8	0	22.76	22.79	22.77
			8	4	22.77	22.68	22.74
			8	7	22.68	22.66	22.67
			15	0	22.22	22.02	22.11
		Antenna Gain (dBi):			-1.6		
		Max. EIRP (dBm):			21.60		
		EIRP Limit (dBm):			33.00		
Note: EIRP (dBm) = Average power (dBm) + Antenna Gain (dBi).							

LTE Band	Bandwidth (MHz)	Modulation	RB Size	RB Offset	Average Power (dBm)			
					18625	18900	19175	
					1852.5MHz	1880.0MHz	1907.5MHz	
2	5	QPSK	1	0	23.31	23.39	23.20	
			1	12	23.30	23.32	23.32	
			1	24	23.36	23.25	23.33	
			12	0	23.22	23.24	23.22	
			12	6	23.19	23.19	23.19	
			12	11	23.13	23.17	23.18	
			25	0	22.38	22.30	22.23	
		Antenna Gain (dBi):				-1.6		
		Max. EIRP (dBm):				21.79		
		EIRP Limit (dBm):				33.00		
		16QAM	1	0	23.22	23.23	23.19	
			1	12	23.19	23.14	23.18	
			1	24	23.17	23.13	23.17	
			12	0	22.85	22.86	22.83	
			12	6	22.82	22.85	22.81	
			12	11	22.76	22.76	22.74	
			25	0	22.13	22.11	22.02	
Antenna Gain (dBi):				-1.6				
Max. EIRP (dBm):				21.63				
EIRP Limit (dBm):				33.00				
LTE Band	Bandwidth (MHz)	Modulation	RB Size	RB Offset	Average Power (dBm)			
					18650	18900	19150	
					1855.0MHz	1880.0MHz	1905.0MHz	
2	10	QPSK	1	0	23.41	23.43	23.40	
			1	24	23.32	23.33	23.29	
			1	49	23.28	23.32	23.28	
			25	0	23.11	23.12	23.26	
			25	12	23.10	23.11	23.08	
			25	24	23.09	23.10	23.06	
			50	0	22.53	22.42	22.38	
		Antenna Gain (dBi):				-1.6		
		Max. EIRP (dBm):				21.83		
		EIRP Limit (dBm):				33.00		
		16QAM	1	0	23.21	23.23	23.21	
			1	24	23.15	23.18	23.11	
			1	49	23.13	23.14	23.16	
			25	0	22.76	22.69	22.75	
			25	12	22.74	22.61	22.72	
			25	24	22.68	22.53	22.63	
			50	0	22.12	22.06	22.11	
Antenna Gain (dBi):				-1.6				
Max. EIRP (dBm):				21.63				
EIRP Limit (dBm):				33.00				
Note: EIRP (dBm) = Average power (dBm) + Antenna Gain (dBi).								

LTE Band	Bandwidth (MHz)	Modulation	RB Size	RB Offset	Average Power (dBm)			
					18675	18900	19125	
					1857.5MHz	1880.0MHz	1902.5MHz	
2	15	QPSK	1	0	23.25	23.26	23.41	
			1	37	23.22	23.23	23.39	
			1	74	23.18	23.22	23.31	
			36	0	23.15	23.21	23.28	
			36	16	23.13	23.22	23.27	
			36	35	23.09	23.25	23.19	
			75	0	22.33	22.37	22.41	
		Antenna Gain (dBi):				-1.6		
		Max. EIRP (dBm):				21.81		
		EIRP Limit (dBm):				33.00		
		16QAM	1	0	23.21	23.22	23.34	
			1	37	23.20	23.18	23.19	
			1	74	23.05	23.17	23.14	
			36	0	22.47	22.63	22.74	
			36	16	22.44	22.59	22.65	
			36	35	22.38	22.57	22.58	
			75	0	22.23	22.13	22.35	
Antenna Gain (dBi):				-1.6				
Max. EIRP (dBm):				21.74				
EIRP Limit (dBm):				33.00				
LTE Band	Bandwidth (MHz)	Modulation	RB Size	RB Offset	Average Power (dBm)			
					18700	18900	19100	
					1860.0MHz	1880.0MHz	1900.0MHz	
2	20	QPSK	1	0	23.48	23.52	23.64	
			1	49	23.46	23.47	23.58	
			1	99	23.44	23.45	23.56	
			50	0	23.36	23.36	23.48	
			50	24	23.33	23.34	23.40	
			50	49	23.29	23.33	23.38	
			100	0	22.51	22.44	22.57	
		Antenna Gain (dBi):				-1.6		
		Max. EIRP (dBm):				22.04		
		EIRP Limit (dBm):				33.00		
		16QAM	1	0	23.41	23.43	23.49	
			1	49	23.34	23.32	23.38	
			1	99	23.31	23.15	23.25	
			50	0	22.46	22.58	22.68	
			50	24	22.38	22.56	22.59	
			50	49	22.32	22.48	22.48	
			100	0	22.01	22.02	22.23	
Antenna Gain (dBi):				-1.6				
Max. EIRP (dBm):				21.89				
EIRP Limit (dBm):				33.00				
Note: EIRP (dBm) = Average power (dBm) + Antenna Gain (dBi).								

LTE Band	Bandwidth (MHz)	Modulation	RB Size	RB Offset	Average Power (dBm)			
					19957	20175	20393	
					1710.7MHz	1732.5MHz	1754.3MHz	
4	1.4	QPSK	1	0	23.11	23.03	23.25	
			1	2	23.10	23.03	23.15	
			1	5	23.09	23.02	23.11	
			3	0	22.89	22.82	22.91	
			3	1	22.86	22.81	22.86	
			3	2	22.83	22.80	22.84	
			6	0	22.58	22.55	22.68	
		Antenna Gain (dBi):				-1.4		
		Max. EIRP (dBm):				21.85		
		EIRP Limit (dBm):				30.00		
		16QAM	1	0	23.09	23.02	23.10	
			1	2	23.05	23.01	23.05	
			1	5	22.99	22.98	23.01	
			3	0	22.36	22.25	22.35	
			3	1	22.31	22.20	22.31	
			3	2	22.26	22.16	22.23	
			6	0	22.22	22.11	22.26	
		Antenna Gain (dBi):				-1.4		
		Max. EIRP (dBm):				21.70		
		EIRP Limit (dBm):				30.00		
LTE Band	Bandwidth (MHz)	Modulation	RB Size	RB Offset	Average Power (dBm)			
					19965	20175	20385	
					1711.5MHz	1732.5MHz	1753.5MHz	
4	3	QPSK	1	0	23.03	23.05	23.11	
			1	7	23.01	23.03	23.08	
			1	14	22.96	23.01	23.07	
			8	0	22.86	22.65	22.76	
			8	4	22.82	22.63	22.73	
			8	7	22.78	22.58	22.64	
			15	0	22.51	22.52	22.55	
		Antenna Gain (dBi):				-1.4		
		Max. EIRP (dBm):				21.71		
		EIRP Limit (dBm):				30.00		
		16QAM	1	0	22.93	22.95	23.06	
			1	7	22.80	22.81	23.01	
			1	14	22.76	22.80	22.95	
			8	0	21.74	21.76	21.85	
			8	4	21.70	21.74	21.81	
			8	7	21.66	21.77	21.79	
			15	0	21.50	21.71	21.75	
		Antenna Gain (dBi):				-1.4		
		Max. EIRP (dBm):				21.66		
		EIRP Limit (dBm):				30.00		
Note: EIRP (dBm) = Average power (dBm) + Antenna Gain (dBi).								


LTE Band	Bandwidth (MHz)	Modulation	RB Size	RB Offset	Average Power (dBm)			
					19975	20175	20375	
					1712.5MHz	1732.5MHz	1752.5MHz	
4	5	QPSK	1	0	23.09	23.12	23.23	
			1	12	23.07	23.11	23.16	
			1	24	23.02	22.05	23.12	
			12	0	22.58	22.65	22.75	
			12	6	22.54	22.61	22.71	
			12	11	22.49	22.60	22.65	
			25	0	22.42	22.58	22.63	
		Antenna Gain (dBi):				-1.4		
		Max. EIRP (dBm):				21.83		
		EIRP Limit (dBm):				30.00		
		16QAM	1	0	22.84	22.83	22.96	
			1	12	22.83	22.80	22.93	
			1	24	22.75	22.85	22.86	
			12	0	21.76	21.71	21.86	
			12	6	21.72	21.65	21.75	
			12	11	21.69	21.64	21.73	
			25	0	21.64	21.62	21.68	
Antenna Gain (dBi):				-1.4				
Max. EIRP (dBm):				21.56				
EIRP Limit (dBm):				30.00				
LTE Band	Bandwidth (MHz)	Modulation	RB Size	RB Offset	Average Power (dBm)			
					20000	20175	20350	
					1715.0MHz	1732.5MHz	1750.0MHz	
4	10	QPSK	1	0	23.32	23.19	23.26	
			1	24	23.15	23.04	23.14	
			1	49	23.11	23.02	23.05	
			25	0	22.76	22.66	22.78	
			25	12	22.71	22.61	22.73	
			25	24	22.63	22.57	22.68	
			50	0	22.48	22.55	22.63	
		Antenna Gain (dBi):				-1.4		
		Max. EIRP (dBm):				21.92		
		EIRP Limit (dBm):				30.00		
		16QAM	1	0	22.96	23.06	23.05	
			1	24	22.93	22.97	23.11	
			1	49	22.88	22.90	23.08	
			25	0	21.83	21.89	21.93	
			25	12	21.78	21.86	21.91	
			25	24	21.77	21.84	21.88	
			50	0	21.72	21.80	21.83	
Antenna Gain (dBi):				-1.4				
Max. EIRP (dBm):				21.71				
EIRP Limit (dBm):				30.00				
Note: EIRP (dBm) = Average power (dBm) + Antenna Gain (dBi).								

LTE Band	Bandwidth (MHz)	Modulation	RB Size	RB Offset	Average Power (dBm)			
					20025	20175	20325	
					1717.5MHz	1732.5MHz	1747.5MHz	
4	15	QPSK	1	0	23.09	23.11	23.36	
			1	37	23.01	23.08	23.15	
			1	74	22.96	22.97	23.11	
			36	0	22.75	22.64	22.76	
			36	16	22.62	22.63	22.71	
			36	35	22.58	22.61	22.69	
			75	0	22.56	22.60	22.64	
		Antenna Gain (dBi):				-1.4		
		Max. EIRP (dBm):				21.96		
		EIRP Limit (dBm):				30.00		
		16QAM	1	0	22.98	23.01	23.11	
			1	37	22.85	23.02	23.05	
			1	74	22.83	22.97	23.02	
			36	0	21.86	21.92	22.06	
			36	16	21.80	21.83	21.98	
			36	35	21.74	21.80	21.86	
			75	0	21.71	21.77	21.83	
Antenna Gain (dBi):				-1.4				
Max. EIRP (dBm):				21.71				
EIRP Limit (dBm):				30.00				
LTE Band	Bandwidth (MHz)	Modulation	RB Size	RB Offset	Average Power (dBm)			
					20050	20175	20300	
					1720.0MHz	1732.5MHz	1745.0MHz	
4	20	QPSK	1	0	23.25	23.22	23.31	
			1	49	23.24	23.14	23.28	
			1	99	23.21	23.07	23.11	
			50	0	22.85	22.70	22.84	
			50	24	22.83	22.67	22.76	
			50	49	22.79	22.64	22.69	
			100	0	22.69	22.52	22.68	
		Antenna Gain (dBi):				-1.4		
		Max. EIRP (dBm):				21.91		
		EIRP Limit (dBm):				30.00		
		16QAM	1	0	23.09	23.04	23.02	
			1	49	23.01	23.00	23.03	
			1	99	23.01	22.85	22.99	
			50	0	22.03	21.81	21.80	
			50	24	21.96	21.78	21.79	
			50	49	21.93	21.74	21.73	
			100	0	21.86	21.73	21.71	
Antenna Gain (dBi):				-1.4				
Max. EIRP (dBm):				21.69				
EIRP Limit (dBm):				30.00				
Note: EIRP (dBm) = Average power (dBm) + Antenna Gain (dBi).								

LTE Band	Bandwidth (MHz)	Modulation	RB Size	RB Offset	Average Power (dBm)			
					20775	21100	21425	
					2502.5MHz	2535.0MHz	2567.5MHz	
7	5	QPSK	1	0	23.58	23.66	23.63	
			1	12	23.56	23.62	23.59	
			1	24	23.52	23.61	23.52	
			12	0	23.48	23.50	23.48	
			12	6	23.46	23.35	23.42	
			12	11	23.41	23.32	23.36	
			25	0	23.29	23.30	23.27	
		Antenna Gain (dBi):				-1.8		
		Max. EIRP (dBm):				21.86		
		EIRP Limit (dBm):				33.00		
		16QAM	1	0	23.36	23.39	23.32	
			1	12	23.32	23.37	23.28	
			1	24	23.30	23.26	23.22	
			12	0	22.71	22.72	22.65	
			12	6	22.63	22.66	22.63	
			12	11	22.59	22.62	22.52	
			25	0	22.46	22.61	22.49	
Antenna Gain (dBi):				-1.8				
Max. EIRP (dBm):				21.59				
EIRP Limit (dBm):				33.00				
LTE Band	Bandwidth (MHz)	Modulation	RB Size	RB Offset	Average Power (dBm)			
					20800	21100	21400	
					2505.0MHz	2535.0MHz	2565.0MHz	
7	10	QPSK	1	0	23.59	23.57	23.53	
			1	24	23.58	23.53	23.51	
			1	49	23.53	23.52	23.26	
			25	0	23.42	23.32	23.24	
			25	12	23.36	23.34	23.21	
			25	24	23.31	23.38	23.18	
			50	0	23.32	23.34	23.22	
		Antenna Gain (dBi):				-1.8		
		Max. EIRP (dBm):				21.79		
		EIRP Limit (dBm):				33.00		
		16QAM	1	0	23.33	23.31	23.22	
			1	24	23.26	23.30	23.21	
			1	49	23.22	23.26	23.13	
			25	0	22.69	22.73	22.69	
			25	12	22.63	22.71	22.63	
			25	24	22.59	22.66	22.57	
			50	0	22.57	22.56	22.61	
Antenna Gain (dBi):				-1.8				
Max. EIRP (dBm):				21.53				
EIRP Limit (dBm):				33.00				
Note: EIRP (dBm) = Average power (dBm) + Antenna Gain (dBi).								

LTE Band	Bandwidth (MHz)	Modulation	RB Size	RB Offset	Average Power (dBm)			
					20825	21100	21375	
					2507.5MHz	2535.0MHz	2562.5MHz	
7	15	QPSK	1	0	23.66	23.79	23.77	
			1	37	23.63	23.72	23.75	
			1	74	23.57	23.71	23.71	
			36	0	23.42	23.37	23.42	
			36	16	23.39	23.31	23.35	
			36	35	23.31	23.21	23.30	
			75	0	23.29	23.30	23.28	
		Antenna Gain (dBi):				-1.8		
		Max. EIRP (dBm):				21.99		
		EIRP Limit (dBm):				33.00		
		16QAM	1	0	23.43	23.52	23.47	
			1	37	23.39	23.50	23.43	
			1	74	23.34	23.41	23.33	
			36	0	22.51	22.47	22.53	
			36	16	22.48	22.45	22.57	
			36	35	22.43	22.42	22.48	
			75	0	22.42	22.38	22.32	
		Antenna Gain (dBi):				-1.8		
		Max. EIRP (dBm):				21.72		
		EIRP Limit (dBm):				33.00		
LTE Band	Bandwidth (MHz)	Modulation	RB Size	RB Offset	Average Power (dBm)			
					20850	21100	21350	
					2510.0MHz	2535.0MHz	2560.0MHz	
7	20	QPSK	1	0	23.69	23.75	23.63	
			1	49	23.63	23.74	23.61	
			1	99	23.58	23.72	23.52	
			50	0	23.46	23.37	23.36	
			50	24	23.41	23.36	23.28	
			50	49	23.38	23.35	23.26	
			100	0	23.19	23.30	23.22	
		Antenna Gain (dBi):				-1.8		
		Max. EIRP (dBm):				21.95		
		EIRP Limit (dBm):				33.00		
		16QAM	1	0	23.49	23.53	23.36	
			1	49	23.38	23.46	23.31	
			1	99	23.27	23.31	23.27	
			50	0	22.61	22.54	22.46	
			50	24	22.58	22.47	22.41	
			50	49	22.49	22.46	22.39	
			100	0	22.46	22.47	22.34	
		Antenna Gain (dBi):				-1.8		
		Max. EIRP (dBm):				21.73		
		EIRP Limit (dBm):				33.00		
Note: EIRP (dBm) = Average power (dBm) + Antenna Gain (dBi).								


6.2 Peak-to-Average Ratio

Test Requirement:	Part 24.232 (d), Part 27.50(d)(5)
Limit:	The peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.
Test Setup:	 The diagram illustrates the test setup. On the left, there are two blue rectangular units: the top one is labeled 'System simulator' and the bottom one is labeled 'Spectrum Analyzer'. Both have a single output port. These two ports are connected to a single input port of a white rectangular unit labeled 'Splitter'. The 'Splitter' has two output ports. One output port is connected to a black rectangular unit labeled 'ATT' (Attenuator). The other output port of the 'Splitter' is connected to the input port of a black rectangular unit labeled 'EUT' (Equipment Under Test).
Test Procedure:	1 The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation. 2 Set the CCDF option in spectrum analyzer, $RBW \geq OBW$, 3 Set the EUT working in highest power level, measured and recorded the 0.1% as PAPR level. 4 Repeat step 1~3 at other frequency and modulations.
Test Instruments:	Refer to section 5.10 for details
Test mode:	Refer to section 5.3 for details
Test results:	Passed


Measurement Data (Worst case):

Bandwidth	Modulation	RB Size	RB Offset	PAPR
LTE Band 2 (Middle Channel)				
20MHz	QPSK	100	0	5.59
	16QAM	100	0	6.21
LTE Band 4 (Middle Channel)				
20MHz	QPSK	100	0	5.76
	16QAM	100	0	6.44
LTE Band 7 (Middle Channel)				
20MHz	QPSK	100	0	5.13
	16QAM	100	0	5.79

Test plots as below:



6.3 Occupy Bandwidth

Test Requirement:	Part 24.238(b), Part 27.53(h), Part 27.53(m)
Test Setup:	 The diagram illustrates the test setup. On the left, there are two blue rectangular units: the top one is labeled 'System simulator' and the bottom one is labeled 'Spectrum Analyzer'. Both have a single output port on their right side. These two ports are connected to a single input port of a white rectangular unit labeled 'Splitter'. The 'Splitter' has two output ports. One output port is connected to a black rectangular unit labeled 'ATT' (Attenuator). The other output port is connected to a white rectangular unit with a black screen, labeled 'EUT' (Equipment Under Test).
Test Procedure:	1. The EUT's output RF connector was connected with a short cable to the spectrum analyzer 2. RBW was set to about 1% ~ 5% of emission BW, VBW= 3 times RBW. 3. -26dBc display line was placed on the screen (or 99% bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace.
Test Instruments:	Refer to section 5.10 for details
Test mode:	Refer to section 5.3 for details
Test results:	Passed

Measurement Data:


LTE Band 2					
Bandwidth	Channel	Frequency (MHz)	Modulation	99% OBW (kHz)	-26dBcEBW (kHz)
1.4MHz	18607	1850.70	16QAM	1092	1290
			QPSK	1104	1266
	18900	1880.00	16QAM	1098	1266
			QPSK	1104	1260
	19193	1909.30	16QAM	1092	1272
			QPSK	1098	1254
3MHz	18615	1851.50	16QAM	2736	3072
			QPSK	2772	3096
	18900	1880.00	16QAM	2748	3132
			QPSK	2772	3132
	19185	1908.50	16QAM	2760	3120
			QPSK	2760	3144
5MHz	18625	1852.50	16QAM	4520	4980
			QPSK	4540	4980
	18900	1880.00	16QAM	4520	4940
			QPSK	4540	5000
	19175	1907.50	16QAM	4520	4960
			QPSK	4520	5000
10MHz	18650	1855.00	16QAM	9120	10160
			QPSK	9160	10280
	18900	1880.00	16QAM	9080	10200
			QPSK	9120	10400
	19150	1905.00	16QAM	9080	10080
			QPSK	9120	10240
15MHz	18675	1857.50	16QAM	13560	14940
			QPSK	13560	15060
	18900	1880.00	16QAM	13560	14940
			QPSK	13500	15060
	19125	1902.50	16QAM	13560	14880
			QPSK	13560	15000
20MHz	18700	1860.00	16QAM	17920	19600
			QPSK	18080	19760
	18900	1880.00	16QAM	18000	19680
			QPSK	18080	19920
	19100	1900.00	16QAM	17920	19520
			QPSK	17920	19760

LTE Band 4					
Bandwidth	Channel	Frequency (MHz)	Modulation	99% OBW (kHz)	-26dBcEBW (kHz)
1.4MHz	19957	1710.7	16QAM	1098	1278
			QPSK	1104	1254
	20175	1732.5	16QAM	1104	1272
			QPSK	1098	1254
	20393	1754.3	16QAM	1098	1272
			QPSK	1098	1260
3MHz	19965	1711.5	16QAM	2748	3156
			QPSK	2760	3144
	20175	1732.5	16QAM	2736	3168
			QPSK	2760	3192
	20385	1750.5	16QAM	2748	3120
			QPSK	2760	3132
5MHz	19975	1712.5	16QAM	4500	4940
			QPSK	4540	5060
	20175	1732.5	16QAM	4500	4960
			QPSK	4520	4960
	20375	1752.5	16QAM	4500	4980
			QPSK	4520	4980
10MHz	20000	1715.0	16QAM	9080	10120
			QPSK	9120	10680
	20175	1732.5	16QAM	9120	10160
			QPSK	9120	10240
	20350	1750.0	16QAM	9080	10120
			QPSK	9080	10280
15MHz	20025	1717.5	16QAM	13500	15360
			QPSK	13560	14940
	20175	1732.5	16QAM	13500	15000
			QPSK	13560	15120
	20325	1747.5	16QAM	13440	14880
			QPSK	13500	15120
20MHz	20050	1720.0	16QAM	18000	19600
			QPSK	18080	19760
	20175	1732.5	16QAM	18000	19760
			QPSK	18000	19760
	20300	1745.0	16QAM	18000	19520
			QPSK	18000	19520


LTE Band 7					
Bandwidth	Channel	Frequency (MHz)	Modulation	99% OBW (kHz)	-26dBcEBW (kHz)
5MHz	20775	2502.5	16QAM	4500	4960
			QPSK	4520	5080
	21100	2535.0	16QAM	4520	4940
			QPSK	4520	5000
	21425	2567.5	16QAM	4520	5000
			QPSK	4520	5020
10MHz	20800	2505.0	16QAM	9120	10200
			QPSK	9120	10360
	21100	2535.0	16QAM	9120	10080
			QPSK	9080	10360
	21400	2565.0	16QAM	9120	10120
			QPSK	9120	10240
15MHz	20825	2507.5	16QAM	13560	14820
			QPSK	13620	15240
	21100	2535.0	16QAM	13500	15060
			QPSK	13500	15180
	21375	2562.5	16QAM	13500	14940
			QPSK	13500	15120
20MHz	20850	2510.0	16QAM	18000	19520
			QPSK	18000	19680
	21100	2535.0	16QAM	18000	19440
			QPSK	18080	19760
	21350	2560.0	16QAM	18000	19840
			QPSK	18000	19680

Test plot as follows:
LTE Band 2 part:

LTE Band 2: 99% Occupancy bandwidth
BW: 1.4MHz




Date: 4.JAN.2021 20:40:51




Date: 4.JAN.2021 20:40:25

Lowest channel




Date: 4.JAN.2021 20:40:01




Date: 4.JAN.2021 20:39:34

Middle channel



Date: 4.JAN.2021 20:41:36




Date: 4.JAN.2021 20:41:15

Highest channel


LTE Band 2: 99% Occupancy bandwidth
BW: 3MHz

16QAM



Date: 4.JAN.2021 20:43:02


QPSK



Date: 4.JAN.2021 20:42:41


Lowest channel

16QAM



Date: 4.JAN.2021 20:43:51


QPSK



Date: 4.JAN.2021 20:43:23


Middle channel

16QAM



Date: 4.JAN.2021 20:44:34

QPSK




Date: 4.JAN.2021 20:44:11

Highest channel


LTE Band 2: 99% Occupancy bandwidth BW: 5MHz

16QAM



Date: 4.JAN.2021 20:45:42


QPSK



Date: 4.JAN.2021 20:45:15


Lowest channel

16QAM



Date: 4.JAN.2021 20:46:27


QPSK



Date: 4.JAN.2021 20:45:57


Middle channel

16QAM



Date: 4.JAN.2021 20:47:10


QPSK



Date: 4.JAN.2021 20:46:47

Highest channel

16QAM




Date: 4.JAN.2021 20:48:13

16QAM



QPSK



16QAM




QPSK



Page 31 of


LTE Band 2: 99% Occupancy bandwidth
BW: 15MHz

16QAM



Date: 4.JAN.2021 20:51:22


QPSK



Date: 4.JAN.2021 20:50:59


Lowest channel

16QAM



Date: 4.JAN.2021 20:52:00


QPSK



Date: 4.JAN.2021 20:51:37


Middle channel

16QAM



Date: 4.JAN.2021 20:52:58

QPSK




Date: 4.JAN.2021 20:52:28

Highest channel


LTE Band 2: 99% Occupancy bandwidth
BW: 20MHz

16QAM



Date: 4.JAN.2021 20:54:22


QPSK



Date: 4.JAN.2021 20:53:53


Lowest channel

16QAM



Date: 4.JAN.2021 20:55:05


QPSK



Date: 4.JAN.2021 20:54:38


Middle channel

16QAM



Date: 4.JAN.2021 20:55:48

QPSK




Date: 4.JAN.2021 20:55:24

Highest channel


LTE Band 2: -26dBc bandwidth
BW: 1.4MHz

16QAM



Date: 4.JAN.2021 20:40:45


QPSK



Date: 4.JAN.2021 20:40:35


Lowest channel

16QAM



Date: 4.JAN.2021 20:39:53


QPSK



Date: 4.JAN.2021 20:39:46


Middle channel

16QAM



Date: 4.JAN.2021 20:41:30

QPSK




Date: 4.JAN.2021 20:41:24

Highest channel


LTE Band 2: -26dBc bandwidth
BW: 3MHz

16QAM



Date: 4.JAN.2021 20:42:56


QPSK



Date: 4.JAN.2021 20:42:50


Lowest channel

16QAM



Date: 4.JAN.2021 20:43:39


QPSK



Date: 4.JAN.2021 20:43:32


Middle channel

16QAM



Date: 4.JAN.2021 20:44:26


QPSK




Date: 4.JAN.2021 20:44:19

Highest channel

LTE Band 2: -26dBc bandwidth
BW: 5MHz




Date: 4.JAN.2021 20:45:35




Date: 4.JAN.2021 20:45:25

Lowest channel




Date: 4.JAN.2021 20:46:20




Date: 4.JAN.2021 20:46:08

Middle channel




Date: 4.JAN.2021 20:47:03




Date: 4.JAN.2021 20:46:56

Highest channel

QPSK




Date: 4.JAN.2021 20:48:28



Date: 4.JAN.2021 20:48:22


Lowest channel

16QAM



Date: 4.JAN.2021 20:49:12


QPSK



Date: 4.JAN.2021 20:49:05


Middle channel

16QAM



Date: 4.JAN.2021 20:50:04

QPSK




Date: 4.JAN.2021 20:49:52

Highest channel


LTE Band 2: -26dBc bandwidth
BW: 15MHz

16QAM



Date: 4.JAN.2021 20:51:14


QPSK



Date: 4.JAN.2021 20:51:07


Lowest channel

16QAM



Date: 4.JAN.2021 20:51:54


QPSK



Date: 4.JAN.2021 20:51:47


Middle channel

16QAM



Date: 4.JAN.2021 20:52:51


QPSK




Date: 4.JAN.2021 20:52:43

Highest channel

LTE Band 2: -26dBc bandwidth
BW: 20MHz




Date: 4.JAN.2021 20:54:11




Date: 4.JAN.2021 20:54:05

Lowest channel




Date: 4.JAN.2021 20:54:57




Date: 4.JAN.2021 20:54:50

Middle channel



Date: 4.JAN.2021 20:55:41




Date: 4.JAN.2021 20:55:33


Highest channel

LTE Band 4 part:

LTE Band 4: 99% Occupancy bandwidth
BW: 1.4MHz




Date: 4.JAN.2021 21:10:32




Date: 4.JAN.2021 21:10:24

Lowest channel




Date: 4.JAN.2021 21:11:26




Date: 4.JAN.2021 21:11:11

Middle channel



Date: 4.JAN.2021 21:12:14




Date: 4.JAN.2021 21:12:08

Highest channel


LTE Band 4: 99% Occupancy bandwidth
BW: 3MHz

16QAM



Date: 4.JAN.2021 21:07:46


QPSK



Date: 4.JAN.2021 21:07:39


Lowest channel

16QAM



Date: 4.JAN.2021 21:08:30


QPSK



Date: 4.JAN.2021 21:08:22


Middle channel

16QAM



Date: 4.JAN.2021 21:09:09

QPSK




Date: 4.JAN.2021 21:09:02

Highest channel


LTE Band 4: 99% Occupancy bandwidth
BW: 5MHz

16QAM



Date: 4.JAN.2021 21:04:58


QPSK



Date: 4.JAN.2021 21:04:49


Lowest channel

16QAM



Date: 4.JAN.2021 21:05:54


QPSK



Date: 4.JAN.2021 21:05:47


Middle channel

16QAM



Date: 4.JAN.2021 21:06:42

QPSK




Date: 4.JAN.2021 21:06:35

Highest channel


LTE Band 4: 99% Occupancy bandwidth
BW: 10MHz

16QAM



Date: 4.JAN.2021 21:02:24


QPSK



Date: 4.JAN.2021 21:02:16


Lowest channel

16QAM



Date: 4.JAN.2021 21:03:07


QPSK



Date: 4.JAN.2021 21:02:56


Middle channel

16QAM



Date: 4.JAN.2021 21:03:49

QPSK




Date: 4.JAN.2021 21:03:41

Highest channel


LTE Band 4: 99% Occupancy bandwidth BW: 15MHz

16QAM



Date: 6.JAN.2021 15:16:59


QPSK



Date: 4.JAN.2021 20:59:55


Lowest channel

16QAM



Date: 4.JAN.2021 21:00:43


QPSK



Date: 4.JAN.2021 21:00:35


Middle channel

16QAM



Date: 4.JAN.2021 21:01:25

QPSK




Date: 4.JAN.2021 21:01:19

Highest channel


LTE Band 4: 99% Occupancy bandwidth BW: 20MHz

16QAM



Date: 4.JAN.2021 20:57:42


QPSK



Date: 4.JAN.2021 20:57:21


Lowest channel

16QAM



Date: 4.JAN.2021 20:58:22


QPSK



Date: 4.JAN.2021 20:57:59


Middle channel

16QAM



Date: 4.JAN.2021 20:59:12


QPSK




Date: 4.JAN.2021 20:58:48

Highest channel

QPSK




Date: 4.JAN.2021 21:10:39




Date: 4.JAN.2021 21:10:14

Lowest channel




Date: 4.JAN.2021 21:11:36




Date: 4.JAN.2021 21:10:55

Middle channel




Date: 4.JAN.2021 21:12:20




Date: 4.JAN.2021 21:11:59

Highest channel

QPSK




Date: 4.JAN.2021 21:07:54




Date: 4.JAN.2021 21:07:29

Lowest channel




Date: 4.JAN.2021 21:08:37




Date: 4.JAN.2021 21:08:13

Middle channel




Date: 4.JAN.2021 21:09:15




Date: 4.JAN.2021 21:08:53

Highest channel

LTE Band 4: -26dBc bandwidth BW: 5MHz




Date: 4.JAN.2021 21:05:06




Date: 4.JAN.2021 21:04:41

Lowest channel




Date: 4.JAN.2021 21:06:02




Date: 4.JAN.2021 21:05:37

Middle channel




Date: 4.JAN.2021 21:06:49




Date: 4.JAN.2021 21:06:23

Highest channel

QPSK




Date: 4.JAN.2021 21:02:30




Date: 4.JAN.2021 21:02:06

Lowest channel




Date: 4.JAN.2021 21:03:13




Date: 4.JAN.2021 21:02:46

Middle channel



Date: 4.JAN.2021 21:03:55



Date: 4.JAN.2021 21:03:33


Highest channel

16QAM



Date: 4.JAN.2021 21:00:04

16QAM



QPSK



16QAM



QPSK



Page 50 of

16QAM




Date: 4.JAN.2021 20:57:28

16QAM



QPSK



16QAM




QPSK




Page 51 of

LTE-Band 7 part:

LTE Band 7: 99% Occupy bandwidth BW: 5MHz




Date: 4.JAN.2021 21:21:56




Date: 4.JAN.2021 21:21:49

Lowest channel




Date: 4.JAN.2021 21:22:37




Date: 4.JAN.2021 21:22:30

Middle channel



Date: 4.JAN.2021 21:23:26




Date: 4.JAN.2021 21:23:12

Highest channel


LTE Band 7: 99% Occupancy bandwidth
BW: 10MHz

16QAM



Date: 4.JAN.2021 21:28:31


QPSK



Date: 4.JAN.2021 21:28:26


Lowest channel

16QAM



Date: 4.JAN.2021 21:31:17


QPSK



Date: 4.JAN.2021 21:30:50


Middle channel

16QAM



Date: 4.JAN.2021 21:30:24

QPSK




Date: 4.JAN.2021 21:29:52

Highest channel


LTE Band 7: 99% Occupancy bandwidth
BW: 15MHz

16QAM



Date: 4.JAN.2021 22:01:34


QPSK



Date: 4.JAN.2021 22:01:13


Lowest channel

16QAM



Date: 4.JAN.2021 22:02:09


QPSK



Date: 4.JAN.2021 22:01:50


Middle channel

16QAM



Date: 4.JAN.2021 22:02:51

QPSK




Date: 4.JAN.2021 22:02:28

Highest channel


LTE Band 7: 99% Occupancy bandwidth BW: 20MHz

16QAM



Date: 4.JAN.2021 22:03:51


QPSK



Date: 4.JAN.2021 22:03:28


Lowest channel

16QAM



Date: 4.JAN.2021 22:04:28


QPSK



Date: 4.JAN.2021 22:04:08


Middle channel

16QAM



Date: 4.JAN.2021 22:05:15


QPSK




Date: 4.JAN.2021 22:04:50

Highest channel

LTE Band 7: -26dBc bandwidth
BW: 5MHz




Date: 4.JAN.2021 21:22:05




Date: 4.JAN.2021 21:21:38

Lowest channel




Date: 4.JAN.2021 21:22:46




Date: 4.JAN.2021 21:22:21

Middle channel



Date: 4.JAN.2021 21:23:37




Date: 4.JAN.2021 21:23:03

Highest channel


LTE Band 7: -26dBc bandwidth
BW: 10MHz

16QAM



Date: 4.JAN.2021 21:28:38


QPSK



Date: 4.JAN.2021 21:28:15


Lowest channel

16QAM



Date: 4.JAN.2021 21:31:08


QPSK



Date: 4.JAN.2021 21:31:01


Middle channel

16QAM



Date: 4.JAN.2021 21:30:15

QPSK




Date: 4.JAN.2021 21:30:03

Highest channel


LTE Band 7: -26dBc bandwidth
BW: 15MHz

16QAM



Date: 4.JAN.2021 22:01:27


QPSK



Date: 4.JAN.2021 22:01:22


Lowest channel

16QAM



Date: 4.JAN.2021 22:02:04


QPSK



Date: 4.JAN.2021 22:01:58


Middle channel

16QAM



Date: 4.JAN.2021 22:02:43


QPSK




Date: 4.JAN.2021 22:02:37

Highest channel

LTE Band 7: -26dBc bandwidth
BW: 20MHz




Date: 4.JAN.2021 22:03:43




Date: 4.JAN.2021 22:03:38

Lowest channel




Date: 4.JAN.2021 22:04:23




Date: 4.JAN.2021 22:04:16

Middle channel




Date: 4.JAN.2021 22:05:08



Date: 4.JAN.2021 22:04:58


Highest channel

6.4 Out of band emission at antenna terminals

Test Requirement:	Part 24.238 (a), part 27.53(h), Part 27.53(m)
Limit:	LTE Band 2 & 4: The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ dB (-13 dBm). LTE Band 7: For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log(P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log(P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log(P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log(P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log(P)$ dB at or below 2490.5 MHz.
Test Setup:	 The diagram illustrates the test setup. On the left, there are two blue rectangular units: the top one is labeled 'System simulator' and the bottom one is labeled 'Spectrum Analyzer'. Both have a single output port. These two ports are connected to a central 'Splitter' unit, which is a small white rectangle with two input ports and one output port. The output of the Splitter is connected to an 'ATT' (Attenuator), represented by a black rectangle. Finally, the output of the ATT is connected to the 'EUT' (Equipment Under Test), which is a black rectangle with a white screen.
Test Procedure:	1 The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation. 2 For the out of band: For Band 5 & 12 & 17 set the RBW=100 kHz, VBW=300 kHz and for Band 2 & 4 & 7 set the RBW=1 MHz, VBW=3 MHz when below 1 GHz, RBW =1 MHz, VBW=3 MHz when above 1 GHz, Start=30MHz, Stop= 10th harmonic. 3 Band Edge Requirements: In the 1 MHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 1 percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to measure the out of band Emissions.
Test Instruments:	Refer to section 5.10 for details
Test mode:	Refer to section 5.3 for details
Test results:	Passed
Remark:	Pre-scan all RB Size and offset, and found the RB Size and offset of worst case, so the report shows only the worst case test data.


Test plots as follows (Conducted spurious emission) (worst case):
LTE Band 2 part:

LTE Band 2: 16 QAM & RB Size 1
BW: 1.4MHz
Lowest channel



Date: 4.JAN.2021 22:36:49


30MHz~1GHz



Date: 6.JAN.2021 15:33:28


1GHz~25GHz

Middle channel



Date: 4.JAN.2021 22:37:07


30MHz~1GHz



Date: 6.JAN.2021 15:32:44


1GHz~25GHz

High channel



Date: 4.JAN.2021 22:37:30


30MHz~1GHz



Date: 6.JAN.2021 15:32:00


1GHz~25GHz

LTE Band 2: QPSK & RB Size 1
BW: 1.4MHz
Lowest channel



Date: 4.JAN.2021 22:36:43


30MHz~1GHz



Date: 6.JAN.2021 15:33:10


1GHz~25GHz

Middle channel



Date: 4.JAN.2021 22:37:01


30MHz~1GHz



Date: 6.JAN.2021 15:32:29


1GHz~25GHz

High channel



Date: 4.JAN.2021 22:37:25


30MHz~1GHz



Date: 6.JAN.2021 15:31:30


1GHz~25GHz

LTE Band 2: 16 QAM & RB Size 1
BW: 20MHz
Lowest channel



Date: 4.JAN.2021 22:35:48


30MHz~1GHz



Date: 6.JAN.2021 15:27:55


1GHz~25GHz

Middle channel



Date: 4.JAN.2021 22:35:29


30MHz~1GHz



Date: 6.JAN.2021 15:27:03


1GHz~25GHz

High channel



Date: 4.JAN.2021 22:36:07


30MHz~1GHz



Date: 6.JAN.2021 15:28:52


1GHz~25GHz

LTE Band 2: QPSK & RB Size 1
BW: 20MHz
Lowest channel



Date: 4.JAN.2021 22:35:43


30MHz~1GHz



Date: 6.JAN.2021 15:27:39


1GHz~25GHz

Middle channel



Date: 4.JAN.2021 22:35:25


30MHz~1GHz



Date: 6.JAN.2021 15:26:50


1GHz~25GHz

High channel



Date: 4.JAN.2021 22:36:02

30MHz~1GHz




Date: 6.JAN.2021 15:28:37

1GHz~25GHz


LTE Band 4 part:

LTE Band 4: 16 QAM & RB Size 1 BW: 1.4MHz Lowest channel



Date: 4.JAN.2021 22:33:15


30MHz~1GHz



Date: 4.JAN.2021 22:30:08


1GHz~25GHz

Middle channel



Date: 4.JAN.2021 22:32:51


30MHz~1GHz



Date: 4.JAN.2021 22:30:45


1GHz~25GHz

High channel



Date: 4.JAN.2021 22:32:26


30MHz~1GHz



Date: 4.JAN.2021 22:31:26


1GHz~25GHz

LTE Band 4: QPSK & RB Size 1
BW: 1.4MHz
Lowest channel



Date: 4.JAN.2021 22:33:09


30MHz~1GHz



Date: 4.JAN.2021 22:29:55


1GHz~25GHz

Middle channel



Date: 4.JAN.2021 22:32:47


30MHz~1GHz



Date: 4.JAN.2021 22:30:34


1GHz~25GHz

High channel



Date: 4.JAN.2021 22:32:15


30MHz~1GHz



Date: 4.JAN.2021 22:31:13


1GHz~25GHz

LTE Band 4: 16 QAM & RB Size 1 BW: 20MHz Lowest channel



Date: 4.JAN.2021 22:33:46


30MHz~1GHz



Date: 4.JAN.2021 22:28:17


1GHz~25GHz

Middle channel



Date: 4.JAN.2021 22:34:05


30MHz~1GHz



Date: 4.JAN.2021 22:27:44


1GHz~25GHz

High channel



Date: 4.JAN.2021 22:34:29


30MHz~1GHz



Date: 4.JAN.2021 22:28:57


1GHz~25GHz

LTE Band 4: QPSK & RB Size 1
BW: 20MHz
Lowest channel



Date: 4.JAN.2021 22:33:41


30MHz~1GHz



Date: 4.JAN.2021 22:28:05


1GHz~25GHz

Middle channel



Date: 4.JAN.2021 22:33:59


30MHz~1GHz



Date: 4.JAN.2021 22:27:27


1GHz~25GHz

High channel



Date: 4.JAN.2021 22:34:24

30MHz~1GHz



Date: 4.JAN.2021 22:28:46


1GHz~25GHz

LTE Band 7 part:

LTE Band 7: 16 QAM & RB Size 1


BW: 5MHz

Lowest channel



Date: 4.JAN.2021 22:19:25


30MHz~1GHz



Date: 4.JAN.2021 22:22:54


1GHz~26GHz

Middle channel



Date: 4.JAN.2021 22:18:59


30MHz~1GHz



Date: 4.JAN.2021 22:22:20


1GHz~26GHz

High channel



Date: 4.JAN.2021 22:18:38


30MHz~1GHz



Date: 4.JAN.2021 22:23:29


1GHz~26GHz

LTE Band 7: QPSK & RB Size 1
BW: 5MHz
Lowest channel



Date: 4.JAN.2021 22:19:16


30MHz~1GHz



Date: 4.JAN.2021 22:22:43


1GHz~26GHz

Middle channel



Date: 4.JAN.2021 22:18:52


30MHz~1GHz



Date: 4.JAN.2021 22:22:09


1GHz~26GHz

High channel



Date: 4.JAN.2021 22:18:29


30MHz~1GHz



Date: 4.JAN.2021 22:23:17


1GHz~26GHz

LTE Band 7: 16 QAM & RB Size 1
BW: 20MHz
Lowest channel



Date: 4.JAN.2021 22:19:59


30MHz~1GHz



Date: 4.JAN.2021 22:24:18


1GHz~26GHz

Middle channel



Date: 4.JAN.2021 22:20:30


30MHz~1GHz



Date: 4.JAN.2021 22:24:55


1GHz~26GHz

High channel



Date: 4.JAN.2021 22:21:03


30MHz~1GHz



Date: 4.JAN.2021 22:25:37


1GHz~26GHz

LTE Band 7: QPSK & RB Size 1
BW: 20MHz
Lowest channel



Date: 4.JAN.2021 22:19:51


30MHz~1GHz



Date: 4.JAN.2021 22:24:06


1GHz~26GHz

Middle channel



Date: 4.JAN.2021 22:20:14


30MHz~1GHz



Date: 4.JAN.2021 22:24:44


1GHz~26GHz

High channel



Date: 4.JAN.2021 22:20:46

30MHz~1GHz




Date: 4.JAN.2021 22:25:19

1GHz~26GHz

Band edge emission:


LTE Band 2 part:

**LTE Band 2, BW: 1.4MHz
16QAM & RB Size 1**



Date: 6.JAN.2021 16:07:22


Lowest channel



Date: 6.JAN.2021 16:10:58


Highest channel

16QAM & RB Size 6



Date: 6.JAN.2021 16:08:19


Lowest channel



Date: 6.JAN.2021 16:09:06


Highest channel

LTE Band 2, BW: 1.4MHz
QPSK & RB Size 1



Date: 6.JAN.2021 16:07:06


Lowest channel



Date: 6.JAN.2021 16:10:52


Highest channel

QPSK & RB Size 6



Date: 6.JAN.2021 16:08:10


Lowest channel



Date: 6.JAN.2021 16:08:55


Highest channel

LTE Band 2, BW: 20MHz
16QAM & RB Size 1



Date: 6.JAN.2021 16:18:37


Lowest channel



Date: 6.JAN.2021 16:17:51


Highest channel

16QAM & RB Size 100



Date: 6.JAN.2021 16:24:11


Lowest channel



Date: 6.JAN.2021 16:25:00


Highest channel

LTE Band 2, BW: 20MHz
QPSK & RB Size 1



Date: 6.JAN.2021 16:18:24


Lowest channel



Date: 6.JAN.2021 16:17:40


Highest channel

QPSK & RB Size 100



Date: 6.JAN.2021 16:24:00

Lowest channel




Date: 6.JAN.2021 16:24:53

Highest channel


LTE Band 4 part:

LTE Band 4, BW: 1.4MHz 16QAM & RB Size 1



Date: 6.JAN.2021 16:39:42


Lowest channel



Date: 6.JAN.2021 16:42:28


Highest channel

16QAM & RB Size 6



Date: 6.JAN.2021 16:40:25


Lowest channel



Date: 6.JAN.2021 16:41:08


Highest channel

LTE Band 4, BW: 1.4MHz
QPSK & RB Size 1



Date: 6.JAN.2021 16:39:32


Lowest channel



Date: 6.JAN.2021 16:42:15


Highest channel

QPSK & RB Size 6



Date: 6.JAN.2021 16:40:15


Lowest channel



Date: 6.JAN.2021 16:40:57


Highest channel

LTE Band 4, BW: 20MHz
16QAM & RB Size 1



Date: 6.JAN.2021 16:37:17


Lowest channel



Date: 6.JAN.2021 16:37:39


Highest channel

16QAM & RB Size 100




Date: 6.JAN.2021 16:30:09

Lowest channel




Date: 6.JAN.2021 16:31:13

Highest channel

LTE Band 4, BW: 20MHz
QPSK & RB Size 1

Date: 6.JAN.2021 16:37:06


Lowest channel



Date: 6.JAN.2021 16:35:54


Highest channel

QPSK & RB Size 100



Date: 6.JAN.2021 16:30:00

Lowest channel




Date: 6.JAN.2021 16:31:03

Highest channel


LTE Band 7 part:

LTE Band 7, BW: 5MHz
16QAM & RB Size 1



Date: 6.JAN.2021 16:49:14


Lowest channel



Date: 6.JAN.2021 16:50:13


Highest channel

16QAM & RB Size 25



Date: 6.JAN.2021 16:54:24


Lowest channel



Date: 6.JAN.2021 16:53:03


Highest channel

LTE Band 7, BW: 5MHz
QPSK & RB Size 1



Date: 6.JAN.2021 16:48:56


Lowest channel



Date: 6.JAN.2021 16:50:05


Highest channel

QPSK & RB Size 25



Date: 6.JAN.2021 16:54:14


Lowest channel



Date: 6.JAN.2021 16:52:53


Highest channel

LTE Band 7, BW: 20MHz
16QAM & RB Size 1



Date: 6.JAN.2021 16:57:56


Lowest channel



Date: 6.JAN.2021 16:57:29


Highest channel

16QAM & RB Size 100




Date: 6.JAN.2021 16:59:17

Lowest channel




Date: 6.JAN.2021 17:00:21

Highest channel

LTE Band 7, BW: 20MHz
QPSK & RB Size 1

Date: 6.JAN.2021 16:55:46


Lowest channel



Date: 6.JAN.2021 16:57:19


Highest channel

QPSK & RB Size 100



Date: 6.JAN.2021 16:59:06



Lowest channel



Date: 6.JAN.2021 17:00:14

Highest channel

6.5 Field strength of spurious radiation measurement

Test Requirement:	Part 24.238 (a), Part 27.53(m), Part 27.53(h)
Limit:	LTE Band 2 & 4: The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ dB (-13 dBm). LTE Band 7: For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log (P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log (P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log (P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that $43 + 10 \log (P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log (P)$ dB at or below 2490.5 MHz.
Test setup:	Below 1GHz  Above 1GHz 
Test Procedure:	1. The EUT was placed on the top of a rotating table 0.8m(below 1GHz)/1.5m(above 1GHz) above the ground at a 3 meter camber. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer. 2. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations. 3. The frequency range up to tenth harmonic was investigated for each of three fundamental frequency (low, middle and high channels). Once spurious emission was identified, the power of the emission

	was determined using the substitution method. 4. The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency. $\text{ERP / EIRP} = \text{S.G. output (dBm)} + \text{Antenna Gain(dB/dBi)} - \text{Cable Loss (dB)}$
Test Instruments:	Refer to section 5.10 for details
Test mode:	Refer to section 5.3 for details.
Test results:	Passed

Measurement Data:
LTE Band 2 part:

Band 2 (1.4MHz)							
Lowest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3701.40	-60.05	12.64	0.75	-48.16	-13.00	-35.16	Vertical
5552.10	-56.13	12.76	1.13	-44.50	-13.00	-31.50	Vertical
7402.00	-50.17	11.44	1.63	-40.36	-13.00	-27.36	Vertical
3701.40	-62.65	12.64	0.75	-50.76	-13.00	-37.76	Horizontal
5552.10	-55.57	12.76	1.13	-43.94	-13.00	-30.94	Horizontal
7402.00	-49.87	11.44	1.63	-40.06	-13.00	-27.06	Horizontal
Middle channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3760.00	-60.05	12.71	0.79	-48.13	-13.00	-35.13	Vertical
5640.00	-56.19	12.87	1.15	-44.47	-13.00	-31.47	Vertical
7520.00	-49.96	11.48	1.66	-40.14	-13.00	-27.14	Vertical
3760.00	-62.67	12.71	0.79	-50.75	-13.00	-37.75	Horizontal
5640.00	-56.06	12.87	1.15	-44.34	-13.00	-31.34	Horizontal
7520.00	-49.92	11.48	1.66	-40.10	-13.00	-27.10	Horizontal
Highest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3816.60	-59.83	12.78	0.81	-47.86	-13.00	-34.86	Vertical
5724.90	-56.71	12.97	1.19	-44.93	-13.00	-31.93	Vertical
7633.20	-50.20	11.34	1.71	-40.57	-13.00	-27.57	Vertical
3816.60	-63.12	12.78	0.81	-51.15	-13.00	-38.15	Horizontal
5724.90	-55.54	12.97	1.19	-43.76	-13.00	-30.76	Horizontal
7633.20	-49.97	11.34	1.71	-40.34	-13.00	-27.34	Horizontal
Remark: The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.							

Band 2 (20MHz)							
Lowest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3720.00	-59.86	12.66	0.77	-47.97	-13.00	-34.97	Vertical
5580.00	-57.00	12.80	1.15	-45.35	-13.00	-32.35	Vertical
7440.00	-50.46	11.46	1.64	-40.64	-13.00	-27.64	Vertical
3720.00	-62.93	12.66	0.77	-51.04	-13.00	-38.04	Horizontal
5580.00	-54.79	12.80	1.15	-43.14	-13.00	-30.14	Horizontal
7440.00	-49.96	11.46	1.64	-40.14	-13.00	-27.14	Horizontal
Middle channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3760.00	-59.67	12.71	0.79	-47.75	-13.00	-34.75	Vertical
5640.00	-56.62	12.87	1.15	-44.90	-13.00	-31.90	Vertical
7520.00	-50.59	11.48	1.66	-40.77	-13.00	-27.77	Vertical
3760.00	-63.33	12.71	0.79	-51.41	-13.00	-38.41	Horizontal
5640.00	-55.17	12.87	1.15	-43.45	-13.00	-30.45	Horizontal
7520.00	-50.20	11.48	1.66	-40.38	-13.00	-27.38	Horizontal
Highest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3800.00	-59.48	12.76	0.79	-47.51	-13.00	-34.51	Vertical
5700.00	-57.11	12.94	1.18	-45.35	-13.00	-32.35	Vertical
7600.00	-50.42	11.38	1.69	-40.73	-13.00	-27.73	Vertical
3800.00	-63.19	12.76	0.79	-51.22	-13.00	-38.22	Horizontal
5700.00	-55.12	12.94	1.18	-43.36	-13.00	-30.36	Horizontal
7600.00	-49.68	11.38	1.69	-39.99	-13.00	-26.99	Horizontal
Remark: The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.							

LTE Band 4 part:

Band 4 (1.4MHz)							
Lowest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3421.40	-62.21	12.24	0.70	-50.67	-13.00	-37.67	Vertical
5132.10	-58.01	12.92	1.01	-46.10	-13.00	-33.10	Vertical
6842.80	-50.55	11.42	1.53	-40.66	-13.00	-27.66	Vertical
3421.40	-62.05	12.24	0.70	-50.51	-13.00	-37.51	Horizontal
5132.10	-58.61	12.92	1.01	-46.70	-13.00	-33.70	Horizontal
6842.80	-49.89	11.42	1.53	-40.00	-13.00	-27.00	Horizontal
Middle channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3465.00	-62.54	12.33	0.72	-50.93	-13.00	-37.93	Vertical
5197.50	-57.93	12.88	1.04	-46.09	-13.00	-33.09	Vertical
6930.00	-49.97	11.30	1.56	-40.23	-13.00	-27.23	Vertical
3465.00	-62.37	12.33	0.72	-50.76	-13.00	-37.76	Horizontal
5197.50	-58.16	12.88	1.04	-46.32	-13.00	-33.32	Horizontal
6930.00	-50.01	11.30	1.56	-40.27	-13.00	-27.27	Horizontal
Highest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3508.60	-62.24	12.41	0.74	-50.57	-13.00	-37.57	Vertical
5262.90	-57.75	12.84	1.07	-45.98	-13.00	-32.98	Vertical
7017.20	-50.21	11.21	1.58	-40.58	-13.00	-27.58	Vertical
3508.60	-62.56	12.41	0.74	-50.89	-13.00	-37.89	Horizontal
5262.90	-58.29	12.84	1.07	-46.52	-13.00	-33.52	Horizontal
7017.20	-49.90	11.21	1.58	-40.27	-13.00	-27.27	Horizontal
Remark: The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.							

Band 4 (20MHz)							
Lowest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3440.00	-61.97	12.28	0.71	-50.40	-13.00	-37.40	Vertical
5160.00	-57.42	12.90	1.03	-45.55	-13.00	-32.55	Vertical
6880.00	-49.92	11.37	1.54	-40.09	-13.00	-27.09	Vertical
3440.00	-62.62	12.28	0.71	-51.05	-13.00	-38.05	Horizontal
5160.00	-58.10	12.90	1.03	-46.23	-13.00	-33.23	Horizontal
6880.00	-49.93	11.37	1.54	-40.10	-13.00	-27.10	Horizontal
Middle channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3465.00	-61.70	12.33	0.72	-50.09	-13.00	-37.09	Vertical
5197.50	-57.52	12.88	1.04	-45.68	-13.00	-32.68	Vertical
6930.00	-49.65	11.30	1.56	-39.91	-13.00	-26.91	Vertical
3465.00	-62.90	12.33	0.72	-51.29	-13.00	-38.29	Horizontal
5197.50	-58.54	12.88	1.04	-46.70	-13.00	-33.70	Horizontal
6930.00	-49.61	11.30	1.56	-39.87	-13.00	-26.87	Horizontal
Highest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
3490.00	-61.85	12.38	0.73	-50.20	-13.00	-37.20	Vertical
5235.00	-57.84	12.86	1.06	-46.04	-13.00	-33.04	Vertical
6980.00	-49.67	11.23	1.57	-40.01	-13.00	-27.01	Vertical
3490.00	-62.82	12.38	0.73	-51.17	-13.00	-38.17	Horizontal
5235.00	-58.09	12.86	1.06	-46.29	-13.00	-33.29	Horizontal
6980.00	-49.18	11.23	1.57	-39.52	-13.00	-26.52	Horizontal
Remark: The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.							

LTE Band 7 part:

Band 7 (5MHz)							
Lowest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
5005.00	-54.62	13.00	0.94	-42.56	-25.00	-17.56	Vertical
7507.50	-49.65	11.49	1.65	-39.81	-25.00	-14.81	Vertical
10010.00	-45.01	11.69	1.91	-35.23	-25.00	-10.23	Vertical
5005.00	-55.37	13.00	0.94	-43.31	-25.00	-18.31	Horizontal
7507.50	-49.63	11.49	1.65	-39.79	-25.00	-14.79	Horizontal
10010.00	-44.57	11.69	1.91	-34.79	-25.00	-9.79	Horizontal
Middle channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
5070.00	-54.22	12.96	0.98	-42.24	-25.00	-17.24	Vertical
7605.00	-49.16	11.37	1.69	-39.48	-25.00	-14.48	Vertical
10140.00	-45.19	11.62	1.94	-35.51	-25.00	-10.51	Vertical
5070.00	-55.78	12.96	0.98	-43.80	-25.00	-18.80	Horizontal
7605.00	-49.32	11.37	1.69	-39.64	-25.00	-14.64	Horizontal
10140.00	-44.95	11.62	1.94	-35.27	-25.00	-10.27	Horizontal
Highest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
5135.00	-54.43	12.92	1.01	-42.52	-25.00	-17.52	Vertical
7702.50	-49.82	11.26	1.72	-40.28	-25.00	-15.28	Vertical
10270.00	-44.81	11.54	1.95	-35.22	-25.00	-10.22	Vertical
5135.00	-55.39	12.92	1.01	-43.48	-25.00	-18.48	Horizontal
7702.50	-49.66	11.26	1.72	-40.12	-25.00	-15.12	Horizontal
10270.00	-44.71	11.54	1.95	-35.12	-25.00	-10.12	Horizontal
Remark: The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.							

Band 7 (20MHz)							
Lowest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
5020.00	-54.38	12.99	0.97	-42.36	-25.00	-17.36	Vertical
7530.00	-49.66	11.46	1.68	-39.88	-25.00	-14.88	Vertical
10040.00	-45.25	11.68	1.94	-35.51	-25.00	-10.51	Vertical
5020.00	-55.70	12.99	0.97	-43.68	-25.00	-18.68	Horizontal
7530.00	-50.08	11.46	1.68	-40.30	-25.00	-15.30	Horizontal
10040.00	-44.62	11.68	1.94	-34.88	-25.00	-9.88	Horizontal
Middle channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
5070.00	-54.05	12.96	0.98	-42.07	-25.00	-17.07	Vertical
7605.00	-49.37	11.37	1.69	-39.69	-25.00	-14.69	Vertical
10140.00	-45.42	11.62	1.94	-35.74	-25.00	-10.74	Vertical
5070.00	-55.31	12.96	0.98	-43.33	-25.00	-18.33	Horizontal
7605.00	-50.13	11.37	1.69	-40.45	-25.00	-15.45	Horizontal
10140.00	-45.01	11.62	1.94	-35.33	-25.00	-10.33	Horizontal
Highest channel							
Frequency (MHz)	Level at antenna terminals (dBm)	Substitute antenna gain (dBi)	Cable Loss (dBi)	Spurious Emission level (dBm)	Limit Line (dBm)	Over Limit (dBm)	Polarization
5120.00	-53.52	12.93	1.00	-41.59	-25.00	-16.59	Vertical
7680.00	-49.01	11.28	1.72	-39.45	-25.00	-14.45	Vertical
10240.00	-45.59	11.56	1.95	-35.98	-25.00	-10.98	Vertical
5120.00	-55.26	12.93	1.00	-43.33	-25.00	-18.33	Horizontal
7680.00	-49.72	11.28	1.72	-40.16	-25.00	-15.16	Horizontal
10240.00	-44.74	11.56	1.95	-35.13	-25.00	-10.13	Horizontal
Remark: The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.							

6.6 Frequency stability V.S. Temperature measurement

Test Requirement:	Part 22.355, Part 24.235, Part 27.54, Part 2.1055(a)(1)(b)
Limit:	Within authorized band for Band 2 & 4 & 7
Test setup:	
Test procedure:	1. The equipment under test was connected to an external DC power supply and input rated voltage. 2. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. 3. The EUT was placed inside the temperature chamber. 4. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. 5. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. 6. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached
Test Instruments:	Refer to section 5.10 for details
Test mode:	Refer to section 5.3 for details
Test results:	Passed

Measurement Data (worst case):
LTE Band 2 part:

Reference Frequency: LTE Band 2 (10MHz) Middle channel=18900 channel=1880.00MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
3.80	-30	170	0.090426	Within authorized band for Band 2	Pass
	-20	165	0.087766		
	-10	157	0.083511		
	0	134	0.071277		
	10	126	0.067021		
	20	115	0.061170		
	30	139	0.073936		
	40	152	0.080851		
	50	146	0.077660		
16QAM					
3.80	-30	168	0.089362	Within authorized band for Band 2	Pass
	-20	154	0.081915		
	-10	137	0.072872		
	0	160	0.085106		
	10	123	0.065426		
	20	117	0.062234		
	30	110	0.058511		
	40	133	0.070745		
	50	127	0.067553		
Note: Only the worst case shown in the report.					


LTE Band 4 part:

Reference Frequency: LTE Band 4 (10MHz) Middle channel=20175 channel=1732.50MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
3.80	-30	173	0.099856	Within authorized band for Band 4	Pass
	-20	167	0.096392		
	-10	159	0.091775		
	0	130	0.075036		
	10	124	0.071573		
	20	113	0.065224		
	30	153	0.088312		
	40	144	0.083117		
	50	136	0.078499		
16QAM					
3.80	-30	170	0.098124	Within authorized band for Band 4	Pass
	-20	160	0.092352		
	-10	154	0.088889		
	0	144	0.083117		
	10	136	0.078499		
	20	124	0.071573		
	30	119	0.068687		
	40	130	0.075036		
	50	112	0.064646		
Note: Only the worst case shown in the report.					

LTE Band 7 part:

Reference Frequency: LTE Band 7 (10MHz) Middle channel=21100 Frequency=2535.00MHz					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
3.80	-30	180	0.071006	Within authorized band for Band 7	Pass
	-20	173	0.068245		
	-10	165	0.065089		
	0	159	0.062722		
	10	142	0.056016		
	20	138	0.054438		
	30	120	0.047337		
	40	130	0.051282		
	50	150	0.059172		
16QAM					
3.80	-30	176	0.069428	Within authorized band for Band 7	Pass
	-20	169	0.066667		
	-10	154	0.060750		
	0	149	0.058777		
	10	133	0.052465		
	20	126	0.049704		
	30	160	0.063116		
	40	116	0.045759		
	50	140	0.055227		
Note: Only the worst case shown in the report.					

6.7 Frequency stability V.S. Voltage measurement

Test Requirement:	Part 22.355, Part 24.235, Part 27.54, Part 2.1055(d)(2)
Limit:	Within authorized band for Band 2 & 4 & 7
Test setup:	 The diagram illustrates the test setup. On the left, there are two blue boxes labeled 'SS' (Signal Source) and 'SA' (Spectrum Analyzer). They are connected to a central grey box labeled 'Divider'. The 'Divider' is connected to a black box labeled 'EUT' (Equipment Under Test) which is located inside a larger blue box labeled 'Temperature & Humidity Chamber'. Below the 'Divider' is a grey box labeled 'Power Source' with two green terminals. Red and black wires connect the 'Power Source' to the 'EUT'.
Test procedure:	1. Set chamber temperature to 25°C. Use a variable DC power source to power the EUT and set the voltage to rated voltage. 2. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency. 3. Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint, record the maximum frequency change.
Test Instruments:	Refer to section 5.10 for details
Test mode:	Refer to section 5.3 for details
Test results:	Passed

Measurement Data (worst case):
LTE Band 2 part:

Reference Frequency: LTE Band 2(10MHz) Middle channel=18900 channel=1880.00MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
25	4.35	80	0.042553	Within authorized band for Band 2	Pass
	3.80	70	0.037234		
	3.50	59	0.031383		
16QAM					
25	4.35	89	0.047340	Within authorized band for Band 2	Pass
	3.80	76	0.040426		
	3.50	65	0.034574		
Note: Only the worst case shown in the report.					

LTE Band 4 part:

Reference Frequency: LTE Band 4(10MHz) Middle channel=20175 channel=1732.50MHz					
Temperature (℃)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
25	4.35	80	0.046176	Within authorized band for Band 4	Pass
	3.80	74	0.042713		
	3.50	53	0.030592		
16QAM					
25	4.35	88	0.050794	Within authorized band for Band 4	Pass
	3.80	70	0.040404		
	3.50	60	0.034632		
Note: Only the worst case shown in the report.					

LTE Band 7 part:

Reference Frequency: LTE Band 7(10MHz) Middle channel=21100 Frequency=2535.00MHz					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
25	4.35	83	0.099223	Within authorized band for Band 7	Pass
	3.80	62	0.074118		
	3.50	74	0.088464		
16QAM					
25	4.35	90	0.107591	Within authorized band for Band 7	Pass
	3.80	76	0.090855		
	3.50	54	0.064555		
Note: Only the worst case shown in the report.					

8 EUT Constructional Details

Reference to the test report No. JYTSZB-R12-2000152

-----End of report-----