

5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1862.5	1882.5	1902.5		
Channel				372500	376500	380500		
25	Pi/2 BPSK	1	1	22.73	22.76	22.81	23.00	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1860	1882.5	1905		
Channel				372000	376500	381000		
20	Pi/2 BPSK	1	1	22.87	22.79	22.78	23.00	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1857.5	1882.5	1907.5		
Channel				371500	376500	381500		
15	Pi/2 BPSK	1	1	22.83	22.74	22.87	23.00	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1855	1882.5	1910		
Channel				371000	376500	382000		
10	Pi/2 BPSK	1	1	22.88	22.74	22.73	23.00	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1852.5	1882.5	1912.5		
Channel				370500	376500	382500		
5	Pi/2 BPSK	1	1	22.82	22.88	22.80	23.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n30_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					2310			
Channel					462000			
10	Pi/2 BPSK	1	1		23.75		24.50	0.0
		1	26		23.67		24.50	0.0
		1	49		23.61		24.50	0.0
		25	0		23.23		24.00	0.5
		25	13		23.64		24.50	0.0
		25	26		23.27		24.00	0.5
		50	0		23.30		24.00	0.5
	QPSK	1	1		23.67		24.50	0.0
		1	26		23.65		24.50	0.0
		1	49		23.61		24.50	0.0
		25	0		22.67		23.50	1.0
		25	13		23.57		24.50	0.0
		25	26		22.63		23.50	1.0
		50	0		22.59		23.50	1.0
	16-QAM	1	1		22.63		23.50	1.0
	64QAM	1	1		21.19		22.00	2.5
	256-QAM	1	1		19.13		20.00	4.5
5G NR n30_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2307.5	2310	2312.5		
Channel				461500	462000	462500		
5	Pi/2 BPSK	1	1	23.61	23.69	23.60	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1732.5	1745	1757.5		
Channel				346500	349000	351500		
45	Pi/2 BPSK	1	1	23.76	23.85	23.74	24.50	0.0
		1	121	23.56	23.75	23.64	24.50	0.0
		1	240	23.59	23.66	23.59	24.50	0.0
		120	0	23.26	23.34	23.21	24.00	0.5
		120	60	23.56	23.72	23.60	24.50	0.0
		120	120	23.21	23.42	23.31	24.00	0.5
		240	0	23.26	23.39	23.23	24.00	0.5
	QPSK	1	1	23.64	23.68	23.63	24.50	0.0
		1	121	23.64	23.70	23.65	24.50	0.0
		1	240	23.66	23.75	23.58	24.50	0.0
		120	0	22.71	22.79	22.60	23.50	1.0
		120	60	23.58	23.76	23.65	24.50	0.0
		120	120	22.64	22.71	22.63	23.50	1.0
		240	0	22.60	22.68	22.58	23.50	1.0
	16-QAM	1	1	22.64	22.72	22.63	23.50	1.0
	64QAM	1	1	21.15	21.26	21.09	22.00	2.5
	256-QAM	1	1	19.05	19.24	19.17	20.00	4.5
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1730	1745	1760		
Channel				346000	349000	352000		
40	Pi/2 BPSK	1	1	23.57	23.66	23.70	24.50	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1727.5	1745	1762.5		
Channel				345500	349000	352500		
35	Pi/2 BPSK	1	1	23.72	23.72	23.59	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1725	1745	1765		
Channel				345000	349000	353000		
30	Pi/2 BPSK	1	1	23.57	23.64	23.56	24.50	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1722.5	1745	1767.5		
Channel				344500	349000	353500		
25	Pi/2 BPSK	1	1	23.65	23.64	23.69	24.50	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1720	1745	1770		
Channel				344000	349000	354000		
20	Pi/2 BPSK	1	1	23.65	23.65	23.63	24.50	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1717.5	1745	1772.5		
Channel				343500	349000	354500		
15	Pi/2 BPSK	1	1	23.58	23.78	23.61	24.50	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1715	1745	1775		
Channel				343000	349000	355000		
10	Pi/2 BPSK	1	1	23.63	23.73	23.58	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n66_15kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1712.5	1745	1777.5		
Channel				342500	349000	355500		
5	Pi/2 BPSK	1	1	23.71	23.73	23.63	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

ANT7_DSI7_NSA

5G NR n2_15kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1870	1880	1890		
Channel				374000	376000	378000		
40	Pi/2 BPSK	1	1	22.33	22.27	22.24	22.50	0.0
		1	108	22.32	22.33	22.25	22.50	0.0
		1	214	22.34	22.34	22.22	22.50	0.0
		108	0	21.73	21.88	21.84	22.00	0.5
		108	54	22.37	22.38	22.30	22.50	0.0
		108	108	21.78	21.74	21.73	22.00	0.5
		216	0	21.76	21.90	21.80	22.00	0.5
	QPSK	1	1	22.30	22.30	22.37	22.50	0.0
		1	108	22.27	22.31	22.37	22.50	0.0
		1	214	22.37	22.21	22.30	22.50	0.0
		108	0	21.22	21.35	21.30	21.50	1.0
		108	54	22.23	22.28	22.22	22.50	0.0
		108	108	21.36	21.28	21.25	21.50	1.0
		216	0	21.23	21.22	21.40	21.50	1.0
	16-QAM	1	1	21.37	21.35	21.38	21.50	1.0
	64QAM	1	1	19.80	19.83	19.79	20.00	2.5
	256-QAM	1	1	17.77	17.84	17.73	18.00	4.5

5G NR n2_15kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1867.5	1880	1892.5		
Channel				373500	376000	378500		
35	Pi/2 BPSK	1	1	22.26	22.35	22.32	22.50	0.0

5G NR n2_15kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1865	1880	1895		
Channel				373000	376000	379000		
30	Pi/2 BPSK	1	1	22.22	22.28	22.37	22.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1862.5	1880	1897.5		
Channel				372500	376000	379500		
25	Pi/2 BPSK	1	1	22.34	22.29	22.34	22.50	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1860	1880	1900		
Channel				372000	376000	380000		
20	Pi/2 BPSK	1	1	22.31	22.30	22.28	22.50	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1857.5	1880	1902.5		
Channel				371500	376000	380500		
15	Pi/2 BPSK	1	1	22.37	22.36	22.31	22.50	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1855	1880	1905		
Channel				371000	376000	381000		
10	Pi/2 BPSK	1	1	22.36	22.24	22.27	22.50	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1852.5	1880	1907.5		
Channel				370500	376000	381500		
5	Pi/2 BPSK	1	1	22.22	22.37	22.31	22.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1870	1882.5	1895		
Channel				374000	376500	379000		
40	Pi/2 BPSK	1	1	22.41	22.37	22.28	22.50	0.0
		1	108	22.28	22.39	22.27	22.50	0.0
		1	214	22.36	22.30	22.37	22.50	0.0
		108	0	21.82	21.80	21.76	22.00	0.5
		108	54	22.39	22.37	22.35	22.50	0.0
		108	108	21.78	21.76	21.90	22.00	0.5
		216	0	21.79	21.86	21.89	22.00	0.5
	QPSK	1	1	22.36	22.24	22.23	22.50	0.0
		1	108	22.37	22.28	22.32	22.50	0.0
		1	214	22.33	22.26	22.28	22.50	0.0
		108	0	21.32	21.31	21.37	21.50	1.0
		108	54	22.31	22.33	22.27	22.50	0.0
		108	108	21.24	21.26	21.21	21.50	1.0
		216	0	21.30	21.21	21.27	21.50	1.0
	16-QAM	1	1	21.29	21.24	21.37	21.50	1.0
	64QAM	1	1	19.72	19.72	19.84	20.00	2.5
	256-QAM	1	1	17.76	17.83	17.90	18.00	4.5
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1867.5	1882.5	1897.5		
Channel				373500	376500	379500		
35	Pi/2 BPSK	1	1	22.25	22.30	22.23	22.50	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1865	1882.5	1900		
Channel				373000	376500	380000		
30	Pi/2 BPSK	1	1	22.23	22.21	22.28	22.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1862.5	1882.5	1902.5		
Channel				372500	376500	380500		
25	Pi/2 BPSK	1	1	22.25	22.21	22.28	22.50	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1860	1882.5	1905		
Channel				372000	376500	381000		
20	Pi/2 BPSK	1	1	22.32	22.27	22.25	22.50	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1857.5	1882.5	1907.5		
Channel				371500	376500	381500		
15	Pi/2 BPSK	1	1	22.33	22.21	22.22	22.50	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1855	1882.5	1910		
Channel				371000	376500	382000		
10	Pi/2 BPSK	1	1	22.39	22.25	22.34	22.50	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1852.5	1882.5	1912.5		
Channel				370500	376500	382500		
5	Pi/2 BPSK	1	1	22.38	22.23	22.25	22.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n30_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					2310			
Channel					462000			
10	Pi/2 BPSK	1	1		23.28		23.50	0.0
		1	26		23.22		23.50	0.0
		1	49		23.26		23.50	0.0
		25	0		22.81		23.00	0.5
		25	13		23.31		23.50	0.0
		25	26		22.78		23.00	0.5
		50	0		22.77		23.00	0.5
	QPSK	1	1		23.21		23.50	0.0
		1	26		23.36		23.50	0.0
		1	49		23.21		23.50	0.0
		25	0		22.31		22.50	1.0
		25	13		23.21		23.50	0.0
		25	26		22.27		22.50	1.0
		50	0		22.25		22.50	1.0
	16-QAM	1	1		22.27		22.50	1.0
	64QAM	1	1		20.81		21.00	2.5
	256-QAM	1	1		18.84		19.00	4.5
5G NR n30_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2307.5	2310	2312.5		
Channel				461500	462000	462500		
5	Pi/2 BPSK	1	1	23.24	23.30	23.37	23.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Body
Ant0_DSI10

5G NR n5_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				834	836.5	839		
Channel				166800	167300	167800		
20	Pi/2 BPSK	1	1	24.45	24.41	24.44	26.00	0.0
		1	53	24.27	24.29	24.36	26.00	0.0
		1	104	24.28	24.37	24.27	26.00	0.0
		50	0	23.93	23.95	23.93	25.50	0.5
		50	28	24.40	24.32	24.34	26.00	0.0
		50	56	23.96	23.94	23.97	25.50	0.5
		100	0	23.92	23.86	23.90	25.50	0.5
	QPSK	1	1	24.30	24.33	24.36	26.00	0.0
		1	53	24.33	24.29	24.34	26.00	0.0
		1	104	24.27	24.35	24.34	26.00	0.0
		50	0	23.27	23.28	23.33	25.00	1.0
		50	28	24.31	24.30	24.37	26.00	0.0
		50	56	23.33	23.27	23.33	25.00	1.0
		100	0	23.29	23.24	23.28	25.00	1.0
	16-QAM	1	1	23.33	23.28	23.33	25.00	1.0
	64QAM	1	1	21.80	21.83	21.76	23.50	2.5
	256-QAM	1	1	19.81	19.83	19.83	21.50	4.5
5G NR n5_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				831.5	836.5	841.5		
Channel				166300	167300	168300		
15	Pi/2 BPSK	1	1	24.30	24.20	24.28	26.00	0.0
5G NR n5_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				829	836.5	844		
Channel				165800	167300	168800		
10	Pi/2 BPSK	1	1	24.31	24.26	24.32	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n5_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				826.5	836.5	846.5		
Channel				165300	167300	169300		
5	Pi/2 BPSK	1	1	24.28	24.25	24.26	26.00	0.0
5G NR n12_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				706.5	707.5	708.5		
Channel				141300	141500	141700		
15	Pi/2 BPSK	1	1	24.37	24.39	24.43	26.00	0.0
		1	40	24.23	24.26	24.25	26.00	0.0
		1	77	24.22	24.25	24.27	26.00	0.0
		36	0	23.82	23.79	23.94	25.50	0.5
		36	22	24.29	24.29	24.25	26.00	0.0
		36	43	23.84	23.81	23.93	25.50	0.5
		75	0	23.85	23.89	23.90	25.50	0.5
	QPSK	1	1	24.23	24.31	24.27	26.00	0.0
		1	40	24.23	24.28	24.33	26.00	0.0
		1	77	24.25	24.25	24.37	26.00	0.0
		36	0	23.29	23.30	23.34	25.00	1.0
		36	22	24.25	24.28	24.27	26.00	0.0
		36	43	23.25	23.25	23.32	25.00	1.0
		75	0	23.21	23.22	23.27	25.00	1.0
	16-QAM	1	1	23.25	23.26	23.32	25.00	1.0
	64QAM	1	1	21.67	21.84	21.81	23.50	2.5
	256-QAM	1	1	19.81	19.85	19.79	21.50	4.5
5G NR n12_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				704	707.5	711		
Channel				140800	141500	142200		
10	Pi/2 BPSK	1	1	24.22	24.28	24.37	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n12_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				701.5	707.5	713.5		
Channel				140300	141500	142700		
5	Pi/2 BPSK	1	1	24.28	24.30	24.29	26.00	0.0
5G NR n26_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				824	831.5	839		
Channel				164800	166300	167800		
20	Pi/2 BPSK	1	1	24.36	24.35	24.46	26.00	0.0
		1	53	24.32	24.28	24.32	26.00	0.0
		1	104	24.26	24.23	24.43	26.00	0.0
		50	0	23.87	23.88	23.98	25.50	0.5
		50	28	24.23	24.23	24.43	26.00	0.0
		50	56	23.92	23.87	24.01	25.50	0.5
		100	0	23.89	23.78	23.92	25.50	0.5
	QPSK	1	1	24.24	24.23	24.36	26.00	0.0
		1	53	24.23	24.17	24.35	26.00	0.0
		1	104	24.25	24.16	24.35	26.00	0.0
		50	0	23.15	23.23	23.32	25.00	1.0
		50	28	24.25	24.24	24.36	26.00	0.0
		50	56	23.24	23.21	23.35	25.00	1.0
		100	0	23.20	23.18	23.30	25.00	1.0
	16-QAM	1	1	23.24	23.22	23.35	25.00	1.0
	64QAM	1	1	21.69	21.75	21.80	23.50	2.5
	256-QAM	1	1	19.75	19.73	19.83	21.50	4.5
5G NR n26_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				821.5	831.5	841.5		
Channel				164300	166300	168300		
15	Pi/2 BPSK	1	1	24.22	24.31	24.33	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n26_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				819	831.5	844		
Channel				163800	166300	168800		
10	Pi/2 BPSK	1	1	24.29	24.17	24.33	26.00	0.0
5G NR n26_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				816.5	831.5	846.5		
Channel				163300	166300	169300		
5	Pi/2 BPSK	1	1	24.24	24.21	24.28	26.00	0.0
5G NR n71_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					680.5			
Channel					136100			
35	Pi/2 BPSK	1	1		24.30		26.00	0.0
		1	94		24.23		26.00	0.0
		1	186		24.18		26.00	0.0
		90	0		23.80		25.50	0.5
		90	45		24.14		26.00	0.0
		90	98		23.71		25.50	0.5
		180	0		23.82		25.50	0.5
	QPSK	1	1		24.19		26.00	0.0
		1	94		24.23		26.00	0.0
		1	186		24.16		26.00	0.0
		90	0		23.11		25.00	1.0
		90	45		24.23		26.00	0.0
		90	98		23.18		25.00	1.0
		180	0		23.14		25.00	1.0
	16-QAM	1	1		23.18		25.00	1.0
	64QAM	1	1		21.71		23.50	2.5
	256-QAM	1	1		19.66		21.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n71_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					680.5			
Channel					136100			
30	Pi/2 BPSK	1	1		24.23		26.00	0.0
5G NR n71_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					680.5			
Channel					136100			
25	Pi/2 BPSK	1	1		24.18		26.00	0.0
5G NR n71_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					680.5			
Channel					136100			
20	Pi/2 BPSK	1	1		24.19		26.00	0.0
5G NR n71_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					680.5			
Channel					136100			
15	Pi/2 BPSK	1	1		24.16		26.00	0.0
5G NR n71_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					680.5			
Channel					136100			
10	Pi/2 BPSK	1	1		24.11		26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n71_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					680.5			
Channel					136100			
5	Pi/2 BPSK	1	1		24.20		26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant0_DSI8_NSA

5G NR n5_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				834	836.5	839		
Channel				166800	167300	167800		
20	Pi/2 BPSK	1	1	23.78	23.73	23.77	24.00	0.0
		1	53	23.62	23.69	23.65	24.00	0.0
		1	104	23.61	23.72	23.67	24.00	0.0
		50	0	23.23	23.23	23.30	23.50	0.5
		50	28	23.82	23.72	23.63	24.00	0.0
		50	56	23.30	23.22	23.15	23.50	0.5
		100	0	23.17	23.24	23.30	23.50	0.5
	QPSK	1	1	23.75	23.67	23.79	24.00	0.0
		1	53	23.61	23.76	23.72	24.00	0.0
		1	104	23.80	23.76	23.78	24.00	0.0
		50	0	22.65	22.64	22.72	23.00	1.0
		50	28	23.68	23.80	23.79	24.00	0.0
		50	56	22.66	22.78	22.68	23.00	1.0
		100	0	22.79	22.64	22.76	23.00	1.0
	16-QAM	1	1	22.65	22.72	22.62	23.00	1.0
	64QAM	1	1	21.13	21.17	21.29	21.50	2.5
	256-QAM	1	1	19.25	19.12	19.26	19.50	4.5
5G NR n5_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				831.5	836.5	841.5		
Channel				166300	167300	168300		
15	Pi/2 BPSK	1	1	23.68	23.66	23.67	24.00	0.0
5G NR n5_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				829	836.5	844		
Channel				165800	167300	168800		
10	Pi/2 BPSK	1	1	23.77	23.62	23.70	24.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n5_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				826.5	836.5	846.5		
Channel				165300	167300	169300		
5	Pi/2 BPSK	1	1	23.63	23.63	23.69	24.00	0.0
5G NR n12_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				706.5	707.5	708.5		
Channel				141300	141500	141700		
15	Pi/2 BPSK	1	1	24.37	24.39	24.43	24.50	0.0
		1	40	24.23	24.26	24.25	24.50	0.0
		1	77	24.22	24.25	24.27	24.50	0.0
		36	0	23.82	23.79	23.94	24.00	0.5
		36	22	24.29	24.29	24.25	24.50	0.0
		36	43	23.84	23.81	23.93	24.00	0.5
		75	0	23.85	23.89	23.90	24.00	0.5
	QPSK	1	1	24.23	24.31	24.27	24.50	0.0
		1	40	24.23	24.28	24.33	24.50	0.0
		1	77	24.25	24.25	24.37	24.50	0.0
		36	0	23.29	23.30	23.34	23.50	1.0
		36	22	24.25	24.28	24.27	24.50	0.0
		36	43	23.25	23.25	23.32	23.50	1.0
		75	0	23.21	23.22	23.27	23.50	1.0
	16-QAM	1	1	23.25	23.26	23.32	23.50	1.0
	64QAM	1	1	21.67	21.84	21.81	22.00	2.5
	256-QAM	1	1	19.81	19.85	19.79	20.00	4.5
5G NR n12_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				704	707.5	711		
Channel				140800	141500	142200		
10	Pi/2 BPSK	1	1	24.22	24.28	24.37	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n12_15kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				701.5	707.5	713.5		
Channel				140300	141500	142700		
5	Pi/2 BPSK	1	1	24.28	24.30	24.29	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant1_DSI10

5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1870	1880	1890		
Channel				374000	376000	378000		
40	Pi/2 BPSK	1	1	24.33	24.39	24.46	25.50	0.0
		1	108	24.15	24.29	24.26	25.50	0.0
		1	214	24.21	24.33	24.34	25.50	0.0
		108	0	23.81	23.89	24.00	25.00	0.5
		108	54	24.29	24.27	24.31	25.50	0.0
		108	108	23.89	23.85	23.93	25.00	0.5
		216	0	23.79	23.87	23.88	25.00	0.5
	QPSK	1	1	24.18	24.20	24.34	25.50	0.0
		1	108	24.18	24.33	24.33	25.50	0.0
		1	214	24.21	24.31	24.27	25.50	0.0
		108	0	23.27	23.36	23.35	24.50	1.0
		108	54	24.16	24.21	24.37	25.50	0.0
		108	108	23.21	23.25	23.35	24.50	1.0
		216	0	23.17	23.22	23.30	24.50	1.0
	16-QAM	1	1	23.21	23.26	23.35	24.50	1.0
	64QAM	1	1	21.73	21.76	21.83	23.00	2.5
	256-QAM	1	1	19.77	19.78	19.84	21.00	4.5
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1867.5	1880	1892.5		
Channel				373500	376000	378500		
35	Pi/2 BPSK	1	1	24.22	24.20	24.26	25.50	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1865	1880	1895		
Channel				373000	376000	379000		
30	Pi/2 BPSK	1	1	24.28	24.26	24.32	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1862.5	1880	1897.5		
Channel				372500	376000	379500		
25	Pi/2 BPSK	1	1	24.27	24.32	24.35	25.50	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1860	1880	1900		
Channel				372000	376000	380000		
20	Pi/2 BPSK	1	1	24.16	24.22	24.35	25.50	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1857.5	1880	1902.5		
Channel				371500	376000	380500		
15	Pi/2 BPSK	1	1	24.27	24.22	24.35	25.50	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1855	1880	1905		
Channel				371000	376000	381000		
10	Pi/2 BPSK	1	1	24.15	24.21	24.43	25.50	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1852.5	1880	1907.5		
Channel				370500	376000	381500		
5	Pi/2 BPSK	1	1	24.18	24.20	24.41	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2525	2535	2545		
Channel				505000	507000	509000		
50	Pi/2 BPSK	1	1	24.36	24.25	24.33	25.50	0.0
		1	135	24.22	24.10	24.25	25.50	0.0
		1	268	24.27	24.10	24.19	25.50	0.0
		135	0	23.85	23.73	23.87	25.00	0.5
		135	67	24.24	24.09	24.23	25.50	0.0
		135	135	23.89	23.81	23.78	25.00	0.5
		270	0	23.85	23.78	23.79	25.00	0.5
	QPSK	1	1	24.18	24.09	24.24	25.50	0.0
		1	135	24.26	24.17	24.29	25.50	0.0
		1	268	24.22	24.18	24.22	25.50	0.0
		135	0	23.21	23.07	23.15	24.50	1.0
		135	67	24.16	24.18	24.21	25.50	0.0
		135	135	23.24	23.11	23.22	24.50	1.0
		270	0	23.20	23.08	23.17	24.50	1.0
	16-QAM	1	1	23.24	23.12	23.22	24.50	1.0
	64QAM	1	1	21.70	21.60	21.66	23.00	2.5
	256-QAM	1	1	19.72	19.61	19.72	21.00	4.5
5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2520	2535	2550		
Channel				504000	507000	510000		
40	Pi/2 BPSK	1	1	24.25	24.13	24.20	25.50	0.0
5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2517.5	2535	2552.5		
Channel				503500	507000	510500		
35	Pi/2 BPSK	1	1	24.20	24.14	24.21	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2515	2535	2555		
Channel				503000	507000	511000		
30	Pi/2 BPSK	1	1	24.20	24.15	24.18	25.50	0.0
5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2512.5	2535	2557.5		
Channel				502500	507000	511500		
25	Pi/2 BPSK	1	1	24.23	24.06	24.19	25.50	0.0
5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2510	2535	2560		
Channel				502000	507000	512000		
20	Pi/2 BPSK	1	1	24.26	24.16	24.24	25.50	0.0
5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2507.5	2535	2562.5		
Channel				501500	507000	512500		
15	Pi/2 BPSK	1	1	24.24	24.15	24.22	25.50	0.0
5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2505	2535	2565		
Channel				501000	507000	513000		
10	Pi/2 BPSK	1	1	24.21	24.14	24.28	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2502.5	2535	2567.5		
Channel				500500	507000	513500		
5	Pi/2 BPSK	1	1	24.22	24.14	24.18	25.50	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1870	1882.5	1895		
Channel				374000	376500	379000		
40	Pi/2 BPSK	1	1	23.53	24.41	24.60	25.50	0.0
		1	108	23.40	24.29	24.48	25.50	0.0
		1	214	23.41	24.21	24.47	25.50	0.0
		108	0	22.98	23.88	24.13	25.00	0.5
		108	54	23.48	24.30	24.42	25.50	0.0
		108	108	23.01	23.90	24.10	25.00	0.5
		216	0	22.99	23.86	24.16	25.00	0.5
	QPSK	1	1	23.32	24.36	24.51	25.50	0.0
		1	108	23.45	24.26	24.51	25.50	0.0
		1	214	23.40	24.30	24.52	25.50	0.0
		108	0	22.39	23.28	23.49	24.50	1.0
		108	54	23.39	24.34	24.48	25.50	0.0
		108	108	22.41	23.27	23.49	24.50	1.0
		216	0	22.37	23.24	23.44	24.50	1.0
	16-QAM	1	1	22.41	23.28	23.49	24.50	1.0
	64QAM	1	1	20.93	21.80	22.03	23.00	2.5
	256-QAM	1	1	18.95	19.75	20.01	21.00	4.5
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1867.5	1882.5	1897.5		
Channel				373500	376500	379500		
35	Pi/2 BPSK	1	1	23.35	24.21	24.48	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1865	1882.5	1900		
Channel				373000	376500	380000		
30	Pi/2 BPSK	1	1	23.44	24.31	24.51	25.50	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1862.5	1882.5	1902.5		
Channel				372500	376500	380500		
25	Pi/2 BPSK	1	1	23.35	24.30	24.51	25.50	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1860	1882.5	1905		
Channel				372000	376500	381000		
20	Pi/2 BPSK	1	1	23.42	24.29	24.52	25.50	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1857.5	1882.5	1907.5		
Channel				371500	376500	381500		
15	Pi/2 BPSK	1	1	23.41	24.21	24.46	25.50	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1855	1882.5	1910		
Channel				371000	376500	382000		
10	Pi/2 BPSK	1	1	23.50	24.25	24.53	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1852.5	1882.5	1912.5		
Channel				370500	376500	382500		
5	Pi/2 BPSK	1	1	23.42	24.28	24.42	25.50	0.0
5G NR n30_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2310	2310	2310		
Channel				462000	462000	462000		
10	Pi/2 BPSK	1	1		23.49		23.50	0.0
		1	26		23.45		23.50	0.0
		1	49		23.41		23.50	0.0
		25	0		22.70		23.00	0.5
		25	13		23.15		23.50	0.0
		25	26		22.64		23.00	0.5
		50	0		22.68		23.00	0.5
	QPSK	1	1		23.30		23.50	0.0
		1	26		23.19		23.50	0.0
		1	49		23.16		23.50	0.0
		25	0		22.15		22.50	1.0
		25	13		23.22		23.50	0.0
		25	26		22.29		22.50	1.0
		50	0		22.29		22.50	1.0
	16-QAM	1	1		22.18		22.50	1.0
	64QAM	1	1		20.79		21.00	2.5
	256-QAM	1	1		18.73		19.00	4.5
5G NR n30_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2307.5	2310	2312.5		
Channel				461500	462000	462500		
5	Pi/2 BPSK	1	1	23.30	23.15	23.25	23.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1732.5	1745	1757.5		
Channel				346500	349000	351500		
45	Pi/2 BPSK	1	1	24.73	24.49	24.21	25.50	0.0
		1	121	24.59	24.31	24.08	25.50	0.0
		1	240	24.67	24.40	24.09	25.50	0.0
		120	0	24.14	23.91	23.69	25.00	0.5
		120	60	24.67	24.43	24.06	25.50	0.0
		120	120	24.19	23.98	23.62	25.00	0.5
		240	0	24.21	24.01	23.70	25.00	0.5
	QPSK	1	1	24.62	24.34	24.11	25.50	0.0
		1	121	24.58	24.41	24.08	25.50	0.0
		1	240	24.66	24.41	24.06	25.50	0.0
		120	0	23.66	23.39	23.05	24.50	1.0
		120	60	24.63	24.32	24.13	25.50	0.0
		120	120	23.61	23.35	23.10	24.50	1.0
		240	0	23.57	23.32	23.05	24.50	1.0
	16-QAM	1	1	23.61	23.36	23.10	24.50	1.0
	64QAM	1	1	22.08	21.89	21.66	23.00	2.5
	256-QAM	1	1	20.12	19.91	19.58	21.00	4.5
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1730	1745	1760		
Channel				346000	349000	352000		
40	Pi/2 BPSK	1	1	24.67	24.33	24.04	25.50	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1727.5	1745	1762.5		
Channel				345500	349000	352500		
35	Pi/2 BPSK	1	1	24.65	24.38	24.12	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1725	1745	1765		
Channel				345000	349000	353000		
30	Pi/2 BPSK	1	1	24.65	24.35	24.16	25.50	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1722.5	1745	1767.5		
Channel				344500	349000	353500		
25	Pi/2 BPSK	1	1	24.68	24.36	24.10	25.50	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1720	1745	1770		
Channel				344000	349000	354000		
20	Pi/2 BPSK	1	1	24.62	24.33	24.10	25.50	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1717.5	1745	1772.5		
Channel				343500	349000	354500		
15	Pi/2 BPSK	1	1	24.65	24.34	24.14	25.50	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1715	1745	1775		
Channel				343000	349000	355000		
10	Pi/2 BPSK	1	1	24.67	24.32	24.02	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n66_15kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1712.5	1745	1777.5		
Channel				342500	349000	355500		
5	Pi/2 BPSK	1	1	24.58	24.37	24.04	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant1_DSI8_NSA

5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1870	1880	1890		
Channel				374000	376000	378000		
40	Pi/2 BPSK	1	1	23.74	23.80	23.69	24.00	0.0
		1	108	23.68	23.76	23.81	24.00	0.0
		1	214	23.77	23.69	23.77	24.00	0.0
		108	0	23.13	23.18	23.15	23.50	0.5
		108	54	23.75	23.64	23.76	24.00	0.0
		108	108	23.22	23.28	23.18	23.50	0.5
		216	0	23.18	23.14	23.25	23.50	0.5
	QPSK	1	1	23.78	23.63	23.69	24.00	0.0
		1	108	23.72	23.73	23.73	24.00	0.0
		1	214	23.64	23.64	23.69	24.00	0.0
		108	0	22.66	22.63	22.77	23.00	1.0
		108	54	23.63	23.77	23.77	24.00	0.0
		108	108	22.63	22.61	22.61	23.00	1.0
		216	0	22.68	22.71	22.78	23.00	1.0
	16-QAM	1	1	22.75	22.64	22.63	23.00	1.0
	64QAM	1	1	21.21	21.29	21.20	21.50	2.5
	256-QAM	1	1	19.21	19.17	19.13	19.50	4.5
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1867.5	1880	1892.5		
Channel				373500	376000	378500		
35	Pi/2 BPSK	1	1	23.70	23.74	23.66	24.00	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1865	1880	1895		
Channel				373000	376000	379000		
30	Pi/2 BPSK	1	1	23.77	23.70	23.62	24.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1862.5	1880	1897.5		
Channel				372500	376000	379500		
25	Pi/2 BPSK	1	1	23.77	23.78	23.80	24.00	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1860	1880	1900		
Channel				372000	376000	380000		
20	Pi/2 BPSK	1	1	23.63	23.69	23.67	24.00	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1857.5	1880	1902.5		
Channel				371500	376000	380500		
15	Pi/2 BPSK	1	1	23.67	23.63	23.65	24.00	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1855	1880	1905		
Channel				371000	376000	381000		
10	Pi/2 BPSK	1	1	23.73	23.64	23.80	24.00	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1852.5	1880	1907.5		
Channel				370500	376000	381500		
5	Pi/2 BPSK	1	1	23.71	23.69	23.68	24.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1732.5	1745	1757.5		
Channel				346500	349000	351500		
45	Pi/2 BPSK	1	1	24.73	24.49	24.21	25.00	0.0
		1	121	24.59	24.31	24.08	25.00	0.0
		1	240	24.67	24.40	24.09	25.00	0.0
		120	0	24.14	23.91	23.69	24.50	0.5
		120	60	24.67	24.43	24.06	25.00	0.0
		120	120	24.19	23.98	23.62	24.50	0.5
		240	0	24.21	24.01	23.70	24.50	0.5
	QPSK	1	1	24.62	24.34	24.11	25.00	0.0
		1	121	24.58	24.41	24.08	25.00	0.0
		1	240	24.66	24.41	24.06	25.00	0.0
		120	0	23.66	23.39	23.05	24.00	1.0
		120	60	24.63	24.32	24.13	25.00	0.0
		120	120	23.61	23.35	23.10	24.00	1.0
		240	0	23.57	23.32	23.05	24.00	1.0
	16-QAM	1	1	23.61	23.36	23.10	24.00	1.0
	64QAM	1	1	22.08	21.89	21.66	22.50	2.5
	256-QAM	1	1	20.12	19.91	19.58	20.50	4.5
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1730	1745	1760		
Channel				346000	349000	352000		
40	Pi/2 BPSK	1	1	24.67	24.33	24.04	25.00	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1727.5	1745	1762.5		
Channel				345500	349000	352500		
35	Pi/2 BPSK	1	1	24.65	24.38	24.12	25.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1725	1745	1765		
Channel				345000	349000	353000		
30	Pi/2 BPSK	1	1	24.65	24.35	24.16	25.00	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1722.5	1745	1767.5		
Channel				344500	349000	353500		
25	Pi/2 BPSK	1	1	24.68	24.36	24.10	25.00	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1720	1745	1770		
Channel				344000	349000	354000		
20	Pi/2 BPSK	1	1	24.62	24.33	24.10	25.00	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1717.5	1745	1772.5		
Channel				343500	349000	354500		
15	Pi/2 BPSK	1	1	24.65	24.34	24.14	25.00	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1715	1745	1775		
Channel				343000	349000	355000		
10	Pi/2 BPSK	1	1	24.67	24.32	24.02	25.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n66_15kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1712.5	1745	1777.5		
Channel				342500	349000	355500		
5	Pi/2 BPSK	1	1	24.58	24.37	24.04	25.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant2_DSI10

5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1870	1880	1890		
Channel				374000	376000	378000		
40	Pi/2 BPSK	1	1	23.33	23.45	23.48	23.50	0.0
		1	108	23.15	23.11	23.15	23.50	0.0
		1	214	23.29	23.15	23.23	23.50	0.0
		108	0	22.74	22.80	22.62	23.00	0.5
		108	54	23.15	23.27	23.30	23.50	0.0
		108	108	22.79	22.77	22.74	23.00	0.5
		216	0	22.69	22.70	22.64	23.00	0.5
	QPSK	1	1	23.20	23.29	23.27	23.50	0.0
		1	108	23.14	23.26	23.24	23.50	0.0
		1	214	23.16	23.24	23.17	23.50	0.0
		108	0	22.29	22.18	22.14	22.50	1.0
		108	54	23.13	23.18	23.17	23.50	0.0
		108	108	22.27	22.12	22.21	22.50	1.0
		216	0	22.25	22.17	22.20	22.50	1.0
	16-QAM	1	1	22.15	22.15	22.26	22.50	1.0
	64QAM	1	1	20.78	20.61	20.76	21.00	2.5
	256-QAM	1	1	18.69	18.63	18.64	19.00	4.5
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1867.5	1880	1892.5		
Channel				373500	376000	378500		
35	Pi/2 BPSK	1	1	23.15	23.28	23.30	23.50	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1865	1880	1895		
Channel				373000	376000	379000		
30	Pi/2 BPSK	1	1	23.26	23.13	23.11	23.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1862.5	1880	1897.5		
Channel				372500	376000	379500		
25	Pi/2 BPSK	1	1	23.15	23.13	23.12	23.50	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1860	1880	1900		
Channel				372000	376000	380000		
20	Pi/2 BPSK	1	1	23.22	23.24	23.20	23.50	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1857.5	1880	1902.5		
Channel				371500	376000	380500		
15	Pi/2 BPSK	1	1	23.25	23.30	23.24	23.50	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1855	1880	1905		
Channel				371000	376000	381000		
10	Pi/2 BPSK	1	1	23.18	23.14	23.17	23.50	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1852.5	1880	1907.5		
Channel				370500	376000	381500		
5	Pi/2 BPSK	1	1	23.15	23.16	23.20	23.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n5_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				834	836.5	839		
Channel				166800	167300	167800		
20	Pi/2 BPSK	1	1	24.45	24.41	24.44	26.00	0.0
		1	53	24.27	24.29	24.36	26.00	0.0
		1	104	24.28	24.37	24.27	26.00	0.0
		50	0	23.93	23.95	23.93	25.50	0.5
		50	28	24.40	24.32	24.34	26.00	0.0
		50	56	23.96	23.94	23.97	25.50	0.5
		100	0	23.92	23.86	23.90	25.50	0.5
	QPSK	1	1	24.30	24.33	24.36	26.00	0.0
		1	53	24.33	24.29	24.34	26.00	0.0
		1	104	24.27	24.35	24.34	26.00	0.0
		50	0	23.27	23.28	23.33	25.00	1.0
		50	28	24.31	24.30	24.37	26.00	0.0
		50	56	23.33	23.27	23.33	25.00	1.0
		100	0	23.29	23.24	23.28	25.00	1.0
	16-QAM	1	1	23.33	23.28	23.33	25.00	1.0
	64QAM	1	1	21.80	21.83	21.76	23.50	2.5
	256-QAM	1	1	19.81	19.83	19.83	21.50	4.5
5G NR n5_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				831.5	836.5	841.5		
Channel				166300	167300	168300		
15	Pi/2 BPSK	1	1	24.30	24.20	24.28	26.00	0.0
5G NR n5_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				829	836.5	844		
Channel				165800	167300	168800		
10	Pi/2 BPSK	1	1	24.31	24.26	24.32	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n5_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				826.5	836.5	846.5		
Channel				165300	167300	169300		
5	Pi/2 BPSK	1	1	24.28	24.25	24.26	26.00	0.0
5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2525	2535	2545		
Channel				505000	507000	509000		
50	Pi/2 BPSK	1	1	23.45	23.40	23.23	23.50	0.0
		1	135	23.24	23.27	23.28	23.50	0.0
		1	268	23.20	23.23	23.11	23.50	0.0
		135	0	22.73	22.80	22.80	23.00	0.5
		135	67	23.19	23.16	23.20	23.50	0.0
		135	135	22.75	22.64	22.69	23.00	0.5
		270	0	22.73	22.77	22.77	23.00	0.5
	QPSK	1	1	23.25	23.27	23.16	23.50	0.0
		1	135	23.13	23.22	23.13	23.50	0.0
		1	268	23.14	23.22	23.29	23.50	0.0
		135	0	22.30	22.24	22.11	22.50	1.0
		135	67	23.28	23.21	23.11	23.50	0.0
		135	135	22.21	22.23	22.22	22.50	1.0
		270	0	22.17	22.13	22.17	22.50	1.0
	16-QAM	1	1	22.29	22.18	22.15	22.50	1.0
	64QAM	1	1	20.62	20.68	20.66	21.00	2.5
	256-QAM	1	1	18.74	18.69	18.79	19.00	4.5
5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2520	2535	2550		
Channel				504000	507000	510000		
40	Pi/2 BPSK	1	1	23.14	23.21	23.12	23.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2517.5	2535	2552.5		
Channel				503500	507000	510500		
35	Pi/2 BPSK	1	1	23.14	23.24	23.16	23.50	0.0
5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2515	2535	2555		
Channel				503000	507000	511000		
30	Pi/2 BPSK	1	1	23.20	23.29	23.17	23.50	0.0
5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2512.5	2535	2557.5		
Channel				502500	507000	511500		
25	Pi/2 BPSK	1	1	23.17	23.30	23.11	23.50	0.0
5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2510	2535	2560		
Channel				502000	507000	512000		
20	Pi/2 BPSK	1	1	23.21	23.23	23.29	23.50	0.0
5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2507.5	2535	2562.5		
Channel				501500	507000	512500		
15	Pi/2 BPSK	1	1	23.30	23.13	23.20	23.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2505	2535	2565		
Channel				501000	507000	513000		
10	Pi/2 BPSK	1	1	23.18	23.19	23.25	23.50	0.0
5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2502.5	2535	2567.5		
Channel				500500	507000	513500		
5	Pi/2 BPSK	1	1	23.27	23.30	23.17	23.50	0.0
5G NR n12_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				706.5	707.5	708.5		
Channel				141300	141500	141700		
15	Pi/2 BPSK	1	1	24.37	24.39	24.43	26.00	0.0
		1	40	24.23	24.26	24.25	26.00	0.0
		1	77	24.22	24.25	24.27	26.00	0.0
		36	0	23.82	23.79	23.94	25.50	0.5
		36	22	24.29	24.29	24.25	26.00	0.0
		36	43	23.84	23.81	23.93	25.50	0.5
		75	0	23.85	23.89	23.90	25.50	0.5
	QPSK	1	1	24.23	24.31	24.27	26.00	0.0
		1	40	24.23	24.28	24.33	26.00	0.0
		1	77	24.25	24.25	24.37	26.00	0.0
		36	0	23.29	23.30	23.34	25.00	1.0
		36	22	24.25	24.28	24.27	26.00	0.0
		36	43	23.25	23.25	23.32	25.00	1.0
		75	0	23.21	23.22	23.27	25.00	1.0
	16-QAM	1	1	23.25	23.26	23.32	25.00	1.0
	64QAM	1	1	21.67	21.84	21.81	23.50	2.5
	256-QAM	1	1	19.81	19.85	19.79	21.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n12_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				704	707.5	711		
Channel				140800	141500	142200		
10	Pi/2 BPSK	1	1	24.22	24.28	24.37	26.00	0.0
5G NR n12_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				701.5	707.5	713.5		
Channel				140300	141500	142700		
5	Pi/2 BPSK	1	1	24.28	24.30	24.29	26.00	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1870	1882.5	1895		
Channel				374000	376500	379000		
40	Pi/2 BPSK	1	1	23.34	23.26	23.48	23.50	0.0
		1	108	23.26	23.23	23.19	23.50	0.0
		1	214	23.21	23.22	23.13	23.50	0.0
		108	0	22.66	22.76	22.61	23.00	0.5
		108	54	23.16	23.30	23.28	23.50	0.0
		108	108	22.66	22.70	22.80	23.00	0.5
		216	0	22.69	22.76	22.63	23.00	0.5
	QPSK	1	1	23.25	23.20	23.30	23.50	0.0
		1	108	23.12	23.13	23.23	23.50	0.0
		1	214	23.27	23.19	23.20	23.50	0.0
		108	0	22.15	22.22	22.19	22.50	1.0
		108	54	23.14	23.17	23.11	23.50	0.0
		108	108	22.22	22.14	22.14	22.50	1.0
		216	0	22.30	22.26	22.22	22.50	1.0
	16-QAM	1	1	22.13	22.11	22.28	22.50	1.0
	64QAM	1	1	20.67	20.73	20.79	21.00	2.5
	256-QAM	1	1	18.73	18.65	18.63	19.00	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1867.5	1882.5	1897.5		
Channel				373500	376500	379500		
35	Pi/2 BPSK	1	1	23.27	23.23	23.14	23.50	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1865	1882.5	1900		
Channel				373000	376500	380000		
30	Pi/2 BPSK	1	1	23.26	23.15	23.14	23.50	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1862.5	1882.5	1902.5		
Channel				372500	376500	380500		
25	Pi/2 BPSK	1	1	23.29	23.22	23.15	23.50	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1860	1882.5	1905		
Channel				372000	376500	381000		
20	Pi/2 BPSK	1	1	23.15	23.13	23.17	23.50	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1857.5	1882.5	1907.5		
Channel				371500	376500	381500		
15	Pi/2 BPSK	1	1	23.13	23.19	23.23	23.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1855	1882.5	1910		
Channel				371000	376500	382000		
10	Pi/2 BPSK	1	1	23.22	23.30	23.21	23.50	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1852.5	1882.5	1912.5		
Channel				370500	376500	382500		
5	Pi/2 BPSK	1	1	23.12	23.25	23.20	23.50	0.0
5G NR n26_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				824	831.5	839		
Channel				164800	166300	167800		
20	Pi/2 BPSK	1	1	24.36	24.35	24.46	26.00	0.0
		1	53	24.32	24.28	24.32	26.00	0.0
		1	104	24.26	24.23	24.43	26.00	0.0
		50	0	23.87	23.88	23.98	25.50	0.5
		50	28	24.23	24.23	24.43	26.00	0.0
		50	56	23.92	23.87	24.01	25.50	0.5
		100	0	23.89	23.78	23.92	25.50	0.5
	QPSK	1	1	24.24	24.23	24.36	26.00	0.0
		1	53	24.23	24.17	24.35	26.00	0.0
		1	104	24.25	24.16	24.35	26.00	0.0
		50	0	23.15	23.23	23.32	25.00	1.0
		50	28	24.25	24.24	24.36	26.00	0.0
		50	56	23.24	23.21	23.35	25.00	1.0
		100	0	23.20	23.18	23.30	25.00	1.0
	16-QAM	1	1	23.24	23.22	23.35	25.00	1.0
	64QAM	1	1	21.69	21.75	21.80	23.50	2.5
	256-QAM	1	1	19.75	19.73	19.83	21.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n26_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				821.5	831.5	841.5		
Channel				164300	166300	168300		
15	Pi/2 BPSK	1	1	24.22	24.31	24.33	26.00	0.0
5G NR n26_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				819	831.5	844		
Channel				163800	166300	168800		
10	Pi/2 BPSK	1	1	24.29	24.17	24.33	26.00	0.0
5G NR n26_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				816.5	831.5	846.5		
Channel				163300	166300	169300		
5	Pi/2 BPSK	1	1	24.24	24.21	24.28	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n30_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					2310			
Channel					462000			
10	Pi/2 BPSK	1	1		24.51		25.00	0.0
		1	26		24.41		25.00	0.0
		1	49		24.32		25.00	0.0
		25	0		23.98		24.50	0.5
		25	13		24.43		25.00	0.0
		25	26		24.03		24.50	0.5
		50	0		23.99		24.50	0.5
	QPSK	1	1		24.41		25.00	0.0
		1	26		24.42		25.00	0.0
		1	49		24.39		25.00	0.0
		25	0		23.38		24.00	1.0
		25	13		24.35		25.00	0.0
		25	26		23.39		24.00	1.0
		50	0		23.35		24.00	1.0
	16-QAM	1	1		23.39		24.00	1.0
	64QAM	1	1		21.89		22.50	2.5
	256-QAM	1	1		19.84		20.50	4.5
5G NR n30_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					2310			
Channel					462000			
5	Pi/2 BPSK	1	1		24.46		25.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1732.5	1745	1757.5		
Channel				346500	349000	351500		
45	Pi/2 BPSK	1	1	23.99	23.88	23.80	24.00	0.0
		1	121	23.79	23.75	23.78	24.00	0.0
		1	240	23.68	23.77	23.65	24.00	0.0
		120	0	23.29	23.12	23.18	23.50	0.5
		120	60	23.68	23.61	23.61	24.00	0.0
		120	120	23.30	23.20	23.15	23.50	0.5
		240	0	23.19	23.18	23.30	23.50	0.5
	QPSK	1	1	23.62	23.69	23.73	24.00	0.0
		1	121	23.70	23.77	23.79	24.00	0.0
		1	240	23.78	23.77	23.74	24.00	0.0
		120	0	22.68	22.78	22.79	23.00	1.0
		120	60	23.63	23.67	23.64	24.00	0.0
		120	120	22.62	22.62	22.71	23.00	1.0
		240	0	22.75	22.71	22.72	23.00	1.0
	16-QAM	1	1	22.79	22.68	22.63	23.00	1.0
	64QAM	1	1	21.19	21.19	21.14	21.50	2.5
	256-QAM	1	1	19.24	19.16	19.25	19.50	4.5
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1730	1745	1760		
Channel				346000	349000	352000		
40	Pi/2 BPSK	1	1	23.73	23.78	23.62	24.00	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1727.5	1745	1762.5		
Channel				345500	349000	352500		
35	Pi/2 BPSK	1	1	23.70	23.61	23.75	24.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1725	1745	1765		
Channel				345000	349000	353000		
30	Pi/2 BPSK	1	1	23.72	23.78	23.70	24.00	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1722.5	1745	1767.5		
Channel				344500	349000	353500		
25	Pi/2 BPSK	1	1	23.63	23.75	23.71	24.00	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1720	1745	1770		
Channel				344000	349000	354000		
20	Pi/2 BPSK	1	1	23.68	23.80	23.76	24.00	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1717.5	1745	1772.5		
Channel				343500	349000	354500		
15	Pi/2 BPSK	1	1	23.78	23.65	23.72	24.00	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1715	1745	1775		
Channel				343000	349000	355000		
10	Pi/2 BPSK	1	1	23.69	23.68	23.77	24.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1712.5	1745	1777.5		
Channel				342500	349000	355500		
5	Pi/2 BPSK	1	1	23.69	23.73	23.79	24.00	0.0
5G NR n71_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					680.5			
Channel					136100			
35	Pi/2 BPSK	1	1		24.30		26.00	0.0
		1	94		24.23		26.00	0.0
		1	186		24.18		26.00	0.0
		90	0		23.80		25.50	0.5
		90	45		24.14		26.00	0.0
		90	98		23.71		25.50	0.5
		180	0		23.82		25.50	0.5
	QPSK	1	1		24.19		26.00	0.0
		1	94		24.23		26.00	0.0
		1	186		24.16		26.00	0.0
		90	0		23.11		25.00	1.0
		90	45		24.23		26.00	0.0
		90	98		23.18		25.00	1.0
		180	0		23.14		25.00	1.0
	16-QAM	1	1		23.18		25.00	1.0
	64QAM	1	1		21.71		23.50	2.5
	256-QAM	1	1		19.66		21.50	4.5
5G NR n71_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					680.5			
Channel					136100			
30	Pi/2 BPSK	1	1		24.23		26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n71_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					680.5			
Channel					136100			
25	Pi/2 BPSK	1	1		24.18		26.00	0.0
5G NR n71_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					680.5			
Channel					136100			
20	Pi/2 BPSK	1	1		24.19		26.00	0.0
5G NR n71_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					680.5			
Channel					136100			
15	Pi/2 BPSK	1	1		24.16		26.00	0.0
5G NR n71_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					680.5			
Channel					136100			
10	Pi/2 BPSK	1	1		24.11		26.00	0.0
5G NR n71_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					680.5			
Channel					136100			
5	Pi/2 BPSK	1	1		24.20		26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant2_DSI8_SA

5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1870	1880	1890		
Channel				374000	376000	378000		
40	Pi/2 BPSK	1	1	21.29	21.20	21.21	21.50	0.0
		1	108	21.28	21.22	21.24	21.50	0.0
		1	214	21.17	21.24	21.16	21.50	0.0
		108	0	20.77	20.79	20.65	21.00	0.5
		108	54	21.14	21.29	21.18	21.50	0.0
		108	108	20.62	20.62	20.75	21.00	0.5
		216	0	20.65	20.70	20.76	21.00	0.5
	QPSK	1	1	21.21	21.24	21.24	21.50	0.0
		1	108	21.26	21.19	21.28	21.50	0.0
		1	214	21.19	21.11	21.13	21.50	0.0
		108	0	20.13	20.16	20.16	20.50	1.0
		108	54	21.25	21.22	21.19	21.50	0.0
		108	108	20.18	20.22	20.21	20.50	1.0
		216	0	20.18	20.15	20.16	20.50	1.0
	16-QAM	1	1	20.22	20.21	20.27	20.50	1.0
	64QAM	1	1	18.79	18.69	18.73	19.00	2.5
	256-QAM	1	1	16.77	16.72	16.78	17.00	4.5
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1867.5	1880	1892.5		
Channel				373500	376000	378500		
35	Pi/2 BPSK	1	1	21.22	21.17	21.21	21.50	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1865	1880	1895		
Channel				373000	376000	379000		
30	Pi/2 BPSK	1	1	21.17	21.25	21.13	21.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1862.5	1880	1897.5		
Channel				372500	376000	379500		
25	Pi/2 BPSK	1	1	21.11	21.13	21.25	21.50	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1860	1880	1900		
Channel				372000	376000	380000		
20	Pi/2 BPSK	1	1	21.17	21.16	21.13	21.50	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1857.5	1880	1902.5		
Channel				371500	376000	380500		
15	Pi/2 BPSK	1	1	21.18	21.20	21.18	21.50	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1855	1880	1905		
Channel				371000	376000	381000		
10	Pi/2 BPSK	1	1	21.24	21.11	21.13	21.50	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1852.5	1880	1907.5		
Channel				370500	376000	381500		
5	Pi/2 BPSK	1	1	21.19	21.22	21.20	21.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n5_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				834	836.5	839		
Channel				166800	167300	167800		
20	Pi/2 BPSK	1	1	24.45	24.41	24.44	26.00	0.0
		1	53	24.27	24.29	24.36	26.00	0.0
		1	104	24.28	24.37	24.27	26.00	0.0
		50	0	23.93	23.95	23.93	25.50	0.5
		50	28	24.40	24.32	24.34	26.00	0.0
		50	56	23.96	23.94	23.97	25.50	0.5
		100	0	23.92	23.86	23.90	25.50	0.5
	QPSK	1	1	24.30	24.33	24.36	26.00	0.0
		1	53	24.33	24.29	24.34	26.00	0.0
		1	104	24.27	24.35	24.34	26.00	0.0
		50	0	23.27	23.28	23.33	25.00	1.0
		50	28	24.31	24.30	24.37	26.00	0.0
		50	56	23.33	23.27	23.33	25.00	1.0
		100	0	23.29	23.24	23.28	25.00	1.0
	16-QAM	1	1	23.33	23.28	23.33	25.00	1.0
	64QAM	1	1	21.80	21.83	21.76	23.50	2.5
	256-QAM	1	1	19.81	19.83	19.83	21.50	4.5
5G NR n5_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				831.5	836.5	841.5		
Channel				166300	167300	168300		
15	Pi/2 BPSK	1	1	24.30	24.20	24.28	26.00	0.0
5G NR n5_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				829	836.5	844		
Channel				165800	167300	168800		
10	Pi/2 BPSK	1	1	24.31	24.26	24.32	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n5_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				826.5	836.5	846.5		
Channel				165300	167300	169300		
5	Pi/2 BPSK	1	1	24.28	24.25	24.26	26.00	0.0
5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2525	2535	2545		
Channel				505000	507000	509000		
50	Pi/2 BPSK	1	1	22.18	22.21	22.30	22.50	0.0
		1	135	22.22	22.21	22.16	22.50	0.0
		1	268	22.21	22.14	22.15	22.50	0.0
		135	0	21.61	21.66	21.72	22.00	0.5
		135	67	22.21	22.16	22.30	22.50	0.0
		135	135	21.63	21.62	21.71	22.00	0.5
		270	0	21.64	21.71	21.65	22.00	0.5
	QPSK	1	1	22.28	22.16	22.21	22.50	0.0
		1	135	22.25	22.16	22.13	22.50	0.0
		1	268	22.14	22.29	22.24	22.50	0.0
		135	0	21.28	21.21	21.13	21.50	1.0
		135	67	22.11	22.13	22.13	22.50	0.0
		135	135	21.30	21.11	21.30	21.50	1.0
		270	0	21.14	21.19	21.27	21.50	1.0
	16-QAM	1	1	21.11	21.17	21.30	21.50	1.0
	64QAM	1	1	19.74	19.72	19.61	20.00	2.5
	256-QAM	1	1	17.65	17.66	17.78	18.00	4.5
5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2520	2535	2550		
Channel				504000	507000	510000		
40	Pi/2 BPSK	1	1	22.17	22.19	22.11	22.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2517.5	2535	2552.5		
Channel				503500	507000	510500		
35	Pi/2 BPSK	1	1	22.27	22.16	22.13	22.50	0.0
5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2515	2535	2555		
Channel				503000	507000	511000		
30	Pi/2 BPSK	1	1	22.17	22.29	22.28	22.50	0.0
5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2512.5	2535	2557.5		
Channel				502500	507000	511500		
25	Pi/2 BPSK	1	1	22.16	22.17	22.29	22.50	0.0
5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2510	2535	2560		
Channel				502000	507000	512000		
20	Pi/2 BPSK	1	1	22.16	22.29	22.28	22.50	0.0
5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2507.5	2535	2562.5		
Channel				501500	507000	512500		
15	Pi/2 BPSK	1	1	22.29	22.16	22.30	22.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2505	2535	2565		
Channel				501000	507000	513000		
10	Pi/2 BPSK	1	1	22.22	22.17	22.16	22.50	0.0
5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2502.5	2535	2567.5		
Channel				500500	507000	513500		
5	Pi/2 BPSK	1	1	22.25	22.23	22.15	22.50	0.0
5G NR n12_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				706.5	707.5	708.5		
Channel				141300	141500	141700		
15	Pi/2 BPSK	1	1	24.37	24.39	24.43	26.00	0.0
		1	40	24.23	24.26	24.25	26.00	0.0
		1	77	24.22	24.25	24.27	26.00	0.0
		36	0	23.82	23.79	23.94	25.50	0.5
		36	22	24.29	24.29	24.25	26.00	0.0
		36	43	23.84	23.81	23.93	25.50	0.5
		75	0	23.85	23.89	23.90	25.50	0.5
	QPSK	1	1	24.23	24.31	24.27	26.00	0.0
		1	40	24.23	24.28	24.33	26.00	0.0
		1	77	24.25	24.25	24.37	26.00	0.0
		36	0	23.29	23.30	23.34	25.00	1.0
		36	22	24.25	24.28	24.27	26.00	0.0
		36	43	23.25	23.25	23.32	25.00	1.0
		75	0	23.21	23.22	23.27	25.00	1.0
	16-QAM	1	1	23.25	23.26	23.32	25.00	1.0
	64QAM	1	1	21.67	21.84	21.81	23.50	2.5
	256-QAM	1	1	19.81	19.85	19.79	21.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n12_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				704	707.5	711		
Channel				140800	141500	142200		
10	Pi/2 BPSK	1	1	24.22	24.28	24.37	26.00	0.0
5G NR n12_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				701.5	707.5	713.5		
Channel				140300	141500	142700		
5	Pi/2 BPSK	1	1	24.28	24.30	24.29	26.00	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1870	1882.5	1895		
Channel				374000	376500	379000		
40	Pi/2 BPSK	1	1	21.27	21.24	21.14	21.50	0.0
		1	108	21.22	21.22	21.24	21.50	0.0
		1	214	21.28	21.25	21.11	21.50	0.0
		108	0	20.64	20.76	20.61	21.00	0.5
		108	54	21.13	21.19	21.23	21.50	0.0
		108	108	20.73	20.69	20.79	21.00	0.5
		216	0	20.69	20.67	20.64	21.00	0.5
	QPSK	1	1	21.15	21.12	21.16	21.50	0.0
		1	108	21.24	21.25	21.26	21.50	0.0
		1	214	21.14	21.11	21.26	21.50	0.0
		108	0	20.14	20.25	20.13	20.50	1.0
		108	54	21.26	21.27	21.12	21.50	0.0
		108	108	20.11	20.12	20.15	20.50	1.0
		216	0	20.13	20.27	20.13	20.50	1.0
	16-QAM	1	1	20.19	20.19	20.29	20.50	1.0
	64QAM	1	1	18.80	18.73	18.74	19.00	2.5
	256-QAM	1	1	16.73	16.66	16.77	17.00	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1867.5	1882.5	1897.5		
Channel				373500	376500	379500		
35	Pi/2 BPSK	1	1	21.19	21.15	21.14	21.50	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1865	1882.5	1900		
Channel				373000	376500	380000		
30	Pi/2 BPSK	1	1	21.12	21.23	21.20	21.50	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1862.5	1882.5	1902.5		
Channel				372500	376500	380500		
25	Pi/2 BPSK	1	1	21.30	21.28	21.11	21.50	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1860	1882.5	1905		
Channel				372000	376500	381000		
20	Pi/2 BPSK	1	1	21.15	21.29	21.19	21.50	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1857.5	1882.5	1907.5		
Channel				371500	376500	381500		
15	Pi/2 BPSK	1	1	21.21	21.18	21.26	21.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1855	1882.5	1910		
Channel				371000	376500	382000		
10	Pi/2 BPSK	1	1	21.16	21.26	21.16	21.50	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1852.5	1882.5	1912.5		
Channel				370500	376500	382500		
5	Pi/2 BPSK	1	1	21.26	21.19	21.11	21.50	0.0
5G NR n26_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				824	831.5	839		
Channel				164800	166300	167800		
20	Pi/2 BPSK	1	1	24.36	24.35	24.46	26.00	0.0
		1	53	24.32	24.28	24.32	26.00	0.0
		1	104	24.26	24.23	24.43	26.00	0.0
		50	0	23.87	23.88	23.98	25.50	0.5
		50	28	24.23	24.23	24.43	26.00	0.0
		50	56	23.92	23.87	24.01	25.50	0.5
		100	0	23.89	23.78	23.92	25.50	0.5
	QPSK	1	1	24.24	24.23	24.36	26.00	0.0
		1	53	24.23	24.17	24.35	26.00	0.0
		1	104	24.25	24.16	24.35	26.00	0.0
		50	0	23.15	23.23	23.32	25.00	1.0
		50	28	24.25	24.24	24.36	26.00	0.0
		50	56	23.24	23.21	23.35	25.00	1.0
		100	0	23.20	23.18	23.30	25.00	1.0
	16-QAM	1	1	23.24	23.22	23.35	25.00	1.0
	64QAM	1	1	21.69	21.75	21.80	23.50	2.5
	256-QAM	1	1	19.75	19.73	19.83	21.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n26_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				821.5	831.5	841.5		
Channel				164300	166300	168300		
15	Pi/2 BPSK	1	1	24.22	24.31	24.33	26.00	0.0
5G NR n26_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				819	831.5	844		
Channel				163800	166300	168800		
10	Pi/2 BPSK	1	1	24.29	24.17	24.33	26.00	0.0
5G NR n26_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				816.5	831.5	846.5		
Channel				163300	166300	169300		
5	Pi/2 BPSK	1	1	24.24	24.21	24.28	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n30_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					2310			
Channel					462000			
10	Pi/2 BPSK	1	1		22.21		22.50	0.0
		1	26		22.27		22.50	0.0
		1	49		22.16		22.50	0.0
		25	0		21.63		22.00	0.5
		25	13		22.20		22.50	0.0
		25	26		21.72		22.00	0.5
		50	0		21.72		22.00	0.5
	QPSK	1	1		22.21		22.50	0.0
		1	26		22.17		22.50	0.0
		1	49		22.20		22.50	0.0
		25	0		21.22		21.50	1.0
		25	13		22.30		22.50	0.0
		25	26		21.16		21.50	1.0
		50	0		21.26		21.50	1.0
	16-QAM	1	1		21.12		21.50	1.0
	64QAM	1	1		19.73		20.00	2.5
	256-QAM	1	1		17.63		18.00	4.5
5G NR n30_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2307.5	2310	2312.5		
Channel				461500	462000	462500		
5	Pi/2 BPSK	1	1	22.14	22.25	22.19	22.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1732.5	1745	1757.5		
Channel				346500	349000	351500		
45	Pi/2 BPSK	1	1	21.71	21.62	21.76	22.00	0.0
		1	121	21.71	21.73	21.66	22.00	0.0
		1	240	21.65	21.75	21.79	22.00	0.0
		120	0	21.16	21.18	21.22	21.50	0.5
		120	60	21.79	21.74	21.78	22.00	0.0
		120	120	21.29	21.28	21.29	21.50	0.5
		240	0	21.24	21.28	21.29	21.50	0.5
	QPSK	1	1	21.66	21.74	21.79	22.00	0.0
		1	121	21.67	21.77	21.80	22.00	0.0
		1	240	21.61	21.65	21.74	22.00	0.0
		120	0	20.71	20.77	20.72	21.00	1.0
		120	60	21.77	21.77	21.76	22.00	0.0
		120	120	20.61	20.73	20.62	21.00	1.0
		240	0	20.69	20.74	20.70	21.00	1.0
	16-QAM	1	1	20.62	20.68	20.63	21.00	1.0
	64QAM	1	1	19.28	19.29	19.30	19.50	2.5
	256-QAM	1	1	17.24	17.19	17.29	17.50	4.5
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1730	1745	1760		
Channel				346000	349000	352000		
40	Pi/2 BPSK	1	1	21.75	21.73	21.69	22.00	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1727.5	1745	1762.5		
Channel				345500	349000	352500		
35	Pi/2 BPSK	1	1	21.67	21.78	21.67	22.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1725	1745	1765		
Channel				345000	349000	353000		
30	Pi/2 BPSK	1	1	21.68	21.69	21.78	22.00	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1722.5	1745	1767.5		
Channel				344500	349000	353500		
25	Pi/2 BPSK	1	1	21.80	21.79	21.64	22.00	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1720	1745	1770		
Channel				344000	349000	354000		
20	Pi/2 BPSK	1	1	21.67	21.74	21.63	22.00	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1717.5	1745	1772.5		
Channel				343500	349000	354500		
15	Pi/2 BPSK	1	1	21.62	21.76	21.62	22.00	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1715	1745	1775		
Channel				343000	349000	355000		
10	Pi/2 BPSK	1	1	21.70	21.73	21.68	22.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1712.5	1745	1777.5		
Channel				342500	349000	355500		
5	Pi/2 BPSK	1	1	21.64	21.62	21.67	22.00	0.0
5G NR n71_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					680.5			
Channel					136100			
35	Pi/2 BPSK	1	1		24.30		26.00	0.0
		1	94		24.23		26.00	0.0
		1	186		24.18		26.00	0.0
		90	0		23.80		25.50	0.5
		90	45		24.14		26.00	0.0
		90	98		23.71		25.50	0.5
		180	0		23.82		25.50	0.5
	QPSK	1	1		24.19		26.00	0.0
		1	94		24.23		26.00	0.0
		1	186		24.16		26.00	0.0
		90	0		23.11		25.00	1.0
		90	45		24.23		26.00	0.0
		90	98		23.18		25.00	1.0
		180	0		23.14		25.00	1.0
	16-QAM	1	1		23.18		25.00	1.0
	64QAM	1	1		21.71		23.50	2.5
	256-QAM	1	1		19.66		21.50	4.5
5G NR n71_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				678	680.5	683		
Channel				135600	136100	136600		
30	Pi/2 BPSK	1	1	24.13	24.23	24.12	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n71_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				675.5	680.5	685.5		
Channel				135100	136100	137100		
25	Pi/2 BPSK	1	1	24.11	24.18	24.09	26.00	0.0
5G NR n71_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				673	680.5	688		
Channel				134600	136100	137600		
20	Pi/2 BPSK	1	1	24.08	24.19	24.01	26.00	0.0
5G NR n71_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				670.5	680.5	690.5		
Channel				134100	136100	138100		
15	Pi/2 BPSK	1	1	24.05	24.16	24.07	26.00	0.0
5G NR n71_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				668	680.5	693		
Channel				133600	136100	138600		
10	Pi/2 BPSK	1	1	24.18	24.11	24.07	26.00	0.0
5G NR n71_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				665.5	680.5	695.5		
Channel				133100	136100	139100		
5	Pi/2 BPSK	1	1	24.07	24.20	24.13	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant2_DSI8_NSA

5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1870	1880	1890		
Channel				374000	376000	378000		
40	Pi/2 BPSK	1	1	19.65	19.78	19.78	20.00	0.0
		1	108	19.80	19.67	19.79	20.00	0.0
		1	214	19.63	19.65	19.71	20.00	0.0
		108	0	19.24	19.25	19.26	19.50	0.5
		108	54	19.68	19.80	19.76	20.00	0.0
		108	108	19.16	19.22	19.30	19.50	0.5
		216	0	19.11	19.13	19.11	19.50	0.5
	QPSK	1	1	19.75	19.75	19.74	20.00	0.0
		1	108	19.79	19.73	19.75	20.00	0.0
		1	214	19.70	19.74	19.70	20.00	0.0
		108	0	18.79	18.65	18.80	19.00	1.0
		108	54	19.63	19.76	19.66	20.00	0.0
		108	108	18.73	18.61	18.72	19.00	1.0
		216	0	18.65	18.76	18.80	19.00	1.0
	16-QAM	1	1	18.74	18.70	18.80	19.00	1.0
	64QAM	1	1	17.18	17.18	17.12	17.50	2.5
	256-QAM	1	1	15.25	15.12	15.27	15.50	4.5
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1867.5	1880	1892.5		
Channel				373500	376000	378500		
35	Pi/2 BPSK	1	1	19.71	19.76	19.79	20.00	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1865	1880	1895		
Channel				373000	376000	379000		
30	Pi/2 BPSK	1	1	19.74	19.63	19.78	20.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1862.5	1880	1897.5		
Channel				372500	376000	379500		
25	Pi/2 BPSK	1	1	19.69	19.71	19.71	20.00	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1860	1880	1900		
Channel				372000	376000	380000		
20	Pi/2 BPSK	1	1	19.64	19.72	19.62	20.00	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1857.5	1880	1902.5		
Channel				371500	376000	380500		
15	Pi/2 BPSK	1	1	19.73	19.80	19.61	20.00	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1855	1880	1905		
Channel				371000	376000	381000		
10	Pi/2 BPSK	1	1	19.80	19.62	19.64	20.00	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1852.5	1880	1907.5		
Channel				370500	376000	381500		
5	Pi/2 BPSK	1	1	19.73	19.79	19.65	20.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n5_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				834	836.5	839		
Channel				166800	167300	167800		
20	Pi/2 BPSK	1	1	22.80	22.70	22.65	23.00	0.0
		1	53	22.78	22.64	22.65	23.00	0.0
		1	104	22.64	22.71	22.65	23.00	0.0
		50	0	22.25	22.26	22.23	22.50	0.5
		50	28	22.76	22.72	22.61	23.00	0.0
		50	56	22.22	22.23	22.27	22.50	0.5
		100	0	22.21	22.22	22.29	22.50	0.5
	QPSK	1	1	22.80	22.62	22.72	23.00	0.0
		1	53	22.67	22.67	22.77	23.00	0.0
		1	104	22.78	22.77	22.66	23.00	0.0
		50	0	21.72	21.78	21.80	22.00	1.0
		50	28	22.61	22.77	22.65	23.00	0.0
		50	56	21.77	21.63	21.66	22.00	1.0
		100	0	21.77	21.65	21.74	22.00	1.0
	16-QAM	1	1	21.61	21.73	21.78	22.00	1.0
	64QAM	1	1	20.28	20.23	20.18	20.50	2.5
	256-QAM	1	1	18.13	18.24	18.27	18.50	4.5
5G NR n5_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				831.5	836.5	841.5		
Channel				166300	167300	168300		
15	Pi/2 BPSK	1	1	22.64	22.69	22.80	23.00	0.0
5G NR n5_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				829	836.5	844		
Channel				165800	167300	168800		
10	Pi/2 BPSK	1	1	22.79	22.63	22.63	23.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n5_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				826.5	836.5	846.5		
Channel				165300	167300	169300		
5	Pi/2 BPSK	1	1	22.80	22.65	22.74	23.00	0.0
5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2525	2535	2545		
Channel				505000	507000	509000		
50	Pi/2 BPSK	1	1	21.21	21.24	21.24	21.50	0.0
		1	135	21.18	21.14	21.12	21.50	0.0
		1	268	21.13	21.15	21.26	21.50	0.0
		135	0	20.77	20.68	20.75	21.00	0.5
		135	67	21.13	21.19	21.24	21.50	0.0
		135	135	20.67	20.68	20.64	21.00	0.5
		270	0	20.67	20.66	20.66	21.00	0.5
	QPSK	1	1	21.14	21.24	21.26	21.50	0.0
		1	135	21.14	21.18	21.18	21.50	0.0
		1	268	21.16	21.28	21.25	21.50	0.0
		135	0	20.19	20.22	20.20	20.50	1.0
		135	67	21.11	21.16	21.24	21.50	0.0
		135	135	20.13	20.20	20.18	20.50	1.0
		270	0	20.18	20.24	20.19	20.50	1.0
	16-QAM	1	1	20.21	20.30	20.29	20.50	1.0
	64QAM	1	1	18.61	18.79	18.61	19.00	2.5
	256-QAM	1	1	16.64	16.73	16.66	17.00	4.5
5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2520	2535	2550		
Channel				504000	507000	510000		
40	Pi/2 BPSK	1	1	21.16	21.16	21.15	21.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2517.5	2535	2552.5		
Channel				503500	507000	510500		
35	Pi/2 BPSK	1	1	21.28	21.17	21.15	21.50	0.0
5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2515	2535	2555		
Channel				503000	507000	511000		
30	Pi/2 BPSK	1	1	21.29	21.27	21.13	21.50	0.0
5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2512.5	2535	2557.5		
Channel				502500	507000	511500		
25	Pi/2 BPSK	1	1	21.16	21.18	21.27	21.50	0.0
5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2510	2535	2560		
Channel				502000	507000	512000		
20	Pi/2 BPSK	1	1	21.14	21.24	21.19	21.50	0.0
5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2507.5	2535	2562.5		
Channel				501500	507000	512500		
15	Pi/2 BPSK	1	1	21.18	21.21	21.26	21.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2505	2535	2565		
Channel				501000	507000	513000		
10	Pi/2 BPSK	1	1	21.19	21.25	21.21	21.50	0.0
5G NR n7_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2502.5	2535	2567.5		
Channel				500500	507000	513500		
5	Pi/2 BPSK	1	1	21.23	21.21	21.13	21.50	0.0
5G NR n12_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				706.5	707.5	708.5		
Channel				141300	141500	141700		
15	Pi/2 BPSK	1	1	24.37	24.39	24.43	25.50	0.0
		1	40	24.23	24.26	24.25	25.50	0.0
		1	77	24.22	24.25	24.27	25.50	0.0
		36	0	23.82	23.79	23.94	25.00	0.5
		36	22	24.29	24.29	24.25	25.50	0.0
		36	43	23.84	23.81	23.93	25.00	0.5
		75	0	23.85	23.89	23.90	25.00	0.5
	QPSK	1	1	24.23	24.31	24.27	25.50	0.0
		1	40	24.23	24.28	24.33	25.50	0.0
		1	77	24.25	24.25	24.37	25.50	0.0
		36	0	23.29	23.30	23.34	24.50	1.0
		36	22	24.25	24.28	24.27	25.50	0.0
		36	43	23.25	23.25	23.32	24.50	1.0
		75	0	23.21	23.22	23.27	24.50	1.0
	16-QAM	1	1	23.25	23.26	23.32	24.50	1.0
	64QAM	1	1	21.67	21.84	21.81	23.00	2.5
	256-QAM	1	1	19.81	19.85	19.79	21.00	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n12_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				704	707.5	711		
Channel				140800	141500	142200		
10	Pi/2 BPSK	1	1	24.22	24.28	24.37	25.50	0.0
5G NR n12_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				701.5	707.5	713.5		
Channel				140300	141500	142700		
5	Pi/2 BPSK	1	1	24.28	24.30	24.29	25.50	0.0
5G NR n30_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					2310			
Channel					462000			
10	Pi/2 BPSK	1	1		20.74		21.00	0.0
		1	26		20.63		21.00	0.0
		1	49		20.65		21.00	0.0
		25	0		20.21		20.50	0.5
		25	13		20.79		21.00	0.0
		25	26		20.24		20.50	0.5
		50	0		20.15		20.50	0.5
	QPSK	1	1		20.65		21.00	0.0
		1	26		20.73		21.00	0.0
		1	49		20.68		21.00	0.0
		25	0		19.68		20.00	1.0
		25	13		20.72		21.00	0.0
		25	26		19.71		20.00	1.0
		50	0		19.78		20.00	1.0
	16-QAM	1	1		19.76		20.00	1.0
	64QAM	1	1		18.22		18.50	2.5
	256-QAM	1	1		16.21		16.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n30_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2307.5	2310	2312.5		
Channel				461500	462000	462500		
5	Pi/2 BPSK	1	1	20.72	20.71	20.79	21.00	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1732.5	1745	1757.5		
Channel				346500	349000	351500		
45	Pi/2 BPSK	1	1	20.16	20.11	20.22	20.50	0.0
		1	121	20.22	20.24	20.29	20.50	0.0
		1	240	20.28	20.19	20.21	20.50	0.0
		120	0	19.72	19.65	19.74	20.00	0.5
		120	60	20.23	20.19	20.13	20.50	0.0
		120	120	19.61	19.73	19.71	20.00	0.5
		240	0	19.70	19.66	19.66	20.00	0.5
	QPSK	1	1	20.22	20.20	20.29	20.50	0.0
		1	121	20.12	20.12	20.14	20.50	0.0
		1	240	20.27	20.12	20.13	20.50	0.0
		120	0	19.23	19.17	19.30	19.50	1.0
		120	60	20.16	20.21	20.20	20.50	0.0
		120	120	19.23	19.14	19.29	19.50	1.0
		240	0	19.18	19.30	19.21	19.50	1.0
	16-QAM	1	1	19.11	19.26	19.11	19.50	1.0
	64QAM	1	1	17.70	17.80	17.64	18.00	2.5
	256-QAM	1	1	15.77	15.80	15.69	16.00	4.5
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1730	1745	1760		
Channel				346000	349000	352000		
40	Pi/2 BPSK	1	1	20.28	20.25	20.30	20.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1727.5	1745	1762.5		
Channel				345500	349000	352500		
35	Pi/2 BPSK	1	1	20.28	20.27	20.18	20.50	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1725	1745	1765		
Channel				345000	349000	353000		
30	Pi/2 BPSK	1	1	20.14	20.18	20.26	20.50	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1722.5	1745	1767.5		
Channel				344500	349000	353500		
25	Pi/2 BPSK	1	1	20.12	20.13	20.30	20.50	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1720	1745	1770		
Channel				344000	349000	354000		
20	Pi/2 BPSK	1	1	20.19	20.25	20.27	20.50	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1717.5	1745	1772.5		
Channel				343500	349000	354500		
15	Pi/2 BPSK	1	1	20.30	20.19	20.24	20.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1715	1745	1775		
Channel				343000	349000	355000		
10	Pi/2 BPSK	1	1	20.29	20.16	20.17	20.50	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1712.5	1745	1777.5		
Channel				342500	349000	355500		
5	Pi/2 BPSK	1	1	20.18	20.26	20.19	20.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant7_DSI10

5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1870	1880	1890		
Channel				374000	376000	378000		
40	Pi/2 BPSK	1	1	23.86	23.96	23.89	24.50	0.0
		1	108	23.72	23.81	23.80	24.50	0.0
		1	214	23.71	23.79	23.82	24.50	0.0
		108	0	23.30	23.49	23.36	24.00	0.5
		108	54	23.70	23.83	23.82	24.50	0.0
		108	108	23.42	23.47	23.41	24.00	0.5
		216	0	23.30	23.49	23.38	24.00	0.5
	QPSK	1	1	23.70	23.83	23.76	24.50	0.0
		1	108	23.75	23.78	23.73	24.50	0.0
		1	214	23.75	23.90	23.72	24.50	0.0
		108	0	22.73	22.77	22.76	23.50	1.0
		108	54	23.74	23.84	23.84	24.50	0.0
		108	108	22.74	22.82	22.78	23.50	1.0
		216	0	22.70	22.79	22.73	23.50	1.0
	16-QAM	1	1	22.74	22.83	22.78	23.50	1.0
	64QAM	1	1	21.16	21.30	21.28	22.00	2.5
	256-QAM	1	1	19.23	19.33	19.33	20.00	4.5
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1867.5	1880	1892.5		
Channel				373500	376000	378500		
35	Pi/2 BPSK	1	1	23.67	23.79	23.80	24.50	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1865	1880	1895		
Channel				373000	376000	379000		
30	Pi/2 BPSK	1	1	23.75	23.90	23.74	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1862.5	1880	1897.5		
Channel				372500	376000	379500		
25	Pi/2 BPSK	1	1	23.83	23.82	23.75	24.50	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1860	1880	1900		
Channel				372000	376000	380000		
20	Pi/2 BPSK	1	1	23.68	23.85	23.82	24.50	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1857.5	1880	1902.5		
Channel				371500	376000	380500		
15	Pi/2 BPSK	1	1	23.72	23.77	23.79	24.50	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1855	1880	1905		
Channel				371000	376000	381000		
10	Pi/2 BPSK	1	1	23.75	23.88	23.74	24.50	0.0
5G NR n2_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1852.5	1880	1907.5		
Channel				370500	376000	381500		
5	Pi/2 BPSK	1	1	23.67	23.90	23.74	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1870	1882.5	1895		
Channel				374000	376500	379000		
40	Pi/2 BPSK	1	1	23.90	23.74	23.73	24.50	0.0
		1	108	23.83	23.71	23.63	24.50	0.0
		1	214	23.81	23.60	23.63	24.50	0.0
		108	0	23.38	23.25	23.13	24.00	0.5
		108	54	23.80	23.70	23.64	24.50	0.0
		108	108	23.37	23.29	23.19	24.00	0.5
		216	0	23.31	23.20	23.20	24.00	0.5
	QPSK	1	1	23.74	23.58	23.64	24.50	0.0
		1	108	23.75	23.68	23.63	24.50	0.0
		1	214	23.75	23.61	23.57	24.50	0.0
		108	0	22.81	22.63	22.55	23.50	1.0
		108	54	23.84	23.59	23.67	24.50	0.0
		108	108	22.78	22.60	22.62	23.50	1.0
		216	0	22.74	22.57	22.57	23.50	1.0
	16-QAM	1	1	22.78	22.61	22.62	23.50	1.0
	64QAM	1	1	21.32	21.20	21.06	22.00	2.5
	256-QAM	1	1	19.26	19.17	19.11	20.00	4.5
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1867.5	1882.5	1897.5		
Channel				373500	376500	379500		
35	Pi/2 BPSK	1	1	23.73	23.65	23.54	24.50	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1865	1882.5	1900		
Channel				373000	376500	380000		
30	Pi/2 BPSK	1	1	23.75	23.66	23.54	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1862.5	1882.5	1902.5		
Channel				372500	376500	380500		
25	Pi/2 BPSK	1	1	23.85	23.67	23.67	24.50	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1860	1882.5	1905		
Channel				372000	376500	381000		
20	Pi/2 BPSK	1	1	23.81	23.63	23.60	24.50	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1857.5	1882.5	1907.5		
Channel				371500	376500	381500		
15	Pi/2 BPSK	1	1	23.72	23.62	23.60	24.50	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1855	1882.5	1910		
Channel				371000	376500	382000		
10	Pi/2 BPSK	1	1	23.82	23.62	23.64	24.50	0.0
5G NR n25_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1852.5	1882.5	1912.5		
Channel				370500	376500	382500		
5	Pi/2 BPSK	1	1	23.76	23.59	23.58	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n30_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					2310			
Channel					462000			
10	Pi/2 BPSK	1	1		23.75		24.50	0.0
		1	26		23.67		24.50	0.0
		1	49		23.61		24.50	0.0
		25	0		23.23		24.00	0.5
		25	13		23.64		24.50	0.0
		25	26		23.27		24.00	0.5
		50	0		23.30		24.00	0.5
	QPSK	1	1		23.67		24.50	0.0
		1	26		23.65		24.50	0.0
		1	49		23.61		24.50	0.0
		25	0		22.67		23.50	1.0
		25	13		23.57		24.50	0.0
		25	26		22.63		23.50	1.0
		50	0		22.59		23.50	1.0
	16-QAM	1	1		22.63		23.50	1.0
	64QAM	1	1		21.19		22.00	2.5
	256-QAM	1	1		19.13		20.00	4.5
5G NR n30_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2307.5	2310	2312.5		
Channel				461500	462000	462500		
5	Pi/2 BPSK	1	1	23.61	23.69	23.60	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1732.5	1745	1757.5		
Channel				346500	349000	351500		
45	Pi/2 BPSK	1	1	23.76	23.85	23.74	24.50	0.0
		1	121	23.56	23.75	23.64	24.50	0.0
		1	240	23.59	23.66	23.59	24.50	0.0
		120	0	23.26	23.34	23.21	24.00	0.5
		120	60	23.56	23.72	23.60	24.50	0.0
		120	120	23.21	23.42	23.31	24.00	0.5
		240	0	23.26	23.39	23.23	24.00	0.5
	QPSK	1	1	23.64	23.68	23.63	24.50	0.0
		1	121	23.64	23.70	23.65	24.50	0.0
		1	240	23.66	23.75	23.58	24.50	0.0
		120	0	22.71	22.79	22.60	23.50	1.0
		120	60	23.58	23.76	23.65	24.50	0.0
		120	120	22.64	22.71	22.63	23.50	1.0
		240	0	22.60	22.68	22.58	23.50	1.0
	16-QAM	1	1	22.64	22.72	22.63	23.50	1.0
	64QAM	1	1	21.15	21.26	21.09	22.00	2.5
	256-QAM	1	1	19.05	19.24	19.17	20.00	4.5
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1730	1745	1760		
Channel				346000	349000	352000		
40	Pi/2 BPSK	1	1	23.57	23.66	23.70	24.50	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1727.5	1745	1762.5		
Channel				345500	349000	352500		
35	Pi/2 BPSK	1	1	23.72	23.72	23.59	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1725	1745	1765		
Channel				345000	349000	353000		
30	Pi/2 BPSK	1	1	23.57	23.64	23.56	24.50	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1722.5	1745	1767.5		
Channel				344500	349000	353500		
25	Pi/2 BPSK	1	1	23.65	23.64	23.69	24.50	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1720	1745	1770		
Channel				344000	349000	354000		
20	Pi/2 BPSK	1	1	23.65	23.65	23.63	24.50	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1717.5	1745	1772.5		
Channel				343500	349000	354500		
15	Pi/2 BPSK	1	1	23.58	23.78	23.61	24.50	0.0
5G NR n66_15kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1715	1745	1775		
Channel				343000	349000	355000		
10	Pi/2 BPSK	1	1	23.63	23.73	23.58	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n66_15kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				1712.5	1745	1777.5		
Channel				342500	349000	355500		
5	Pi/2 BPSK	1	1	23.71	23.73	23.63	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

6.8 TDD NR

Head
ANT1_DSI6

5G NR n38_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2590.02	2595	2599.98		
Channel				518004	519000	519996		
40	Pi/2 BPSK	1	1	24.44	24.30	24.22	25.50	0.0
		1	53	24.34	24.20	24.10	25.50	0.0
		1	104	24.29	24.09	24.12	25.50	0.0
		50	0	23.90	23.70	23.67	25.00	0.5
		50	28	24.26	24.20	24.03	25.50	0.0
		50	56	23.98	23.73	23.67	25.00	0.5
		100	0	23.94	23.86	23.69	25.00	0.5
	QPSK	1	1	24.39	24.23	24.08	25.50	0.0
		1	53	24.36	24.16	24.09	25.50	0.0
		1	104	24.25	24.16	24.12	25.50	0.0
		50	0	23.29	23.12	23.10	24.50	1.0
		50	28	24.35	24.21	24.07	25.50	0.0
		50	56	23.32	23.16	23.11	24.50	1.0
		100	0	23.28	23.13	23.06	24.50	1.0
	16-QAM	1	1	23.32	23.17	23.11	24.50	1.0
	64QAM	1	1	21.82	21.67	21.62	23.00	2.5
	256-QAM	1	1	19.77	19.68	19.62	21.00	4.5
5G NR n38_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2585.01	2595	2604.99		
Channel				517002	519000	520998		
30	Pi/2 BPSK	1	1	24.32	24.17	24.13	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n38_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2582.52	2595	2607.48		
Channel				516504	519000	521496		
25	Pi/2 BPSK	1	1	24.36	24.15	24.03	25.50	0.0
5G NR n38_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2580	2595	2610		
Channel				516000	519000	522000		
20	Pi/2 BPSK	1	1	24.36	24.24	24.19	25.50	0.0
5G NR n38_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2577.51	2595	2612.49		
Channel				515502	519000	522498		
15	Pi/2 BPSK	1	1	24.30	24.20	24.12	25.50	0.0
5G NR n38_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2575.02	2595	2614.98		
Channel				515004	519000	522996		
10	Pi/2 BPSK	1	1	24.37	24.21	24.10	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	24.96	24.54	24.01	25.50	0.0
		1	137	24.82	24.43	23.84	25.50	0.0
		1	271	24.81	24.48	23.87	25.50	0.0
		135	0	24.50	24.06	23.48	25.00	0.5
		135	69	24.88	24.48	23.87	25.50	0.0
		135	138	24.39	23.95	23.53	25.00	0.5
		270	0	24.37	24.03	23.46	25.00	0.5
	QPSK	1	1	24.87	24.43	23.87	25.50	0.0
		1	137	24.80	24.39	23.89	25.50	0.0
		1	271	24.86	24.39	23.90	25.50	0.0
		135	0	23.82	23.40	22.86	24.50	1.0
		135	69	24.85	24.46	23.88	25.50	0.0
		135	138	23.84	23.40	22.90	24.50	1.0
		270	0	23.80	23.37	22.85	24.50	1.0
	16-QAM	1	1	23.84	23.41	22.90	24.50	1.0
	64QAM	1	1	22.38	21.95	21.33	23.00	2.5
	256-QAM	1	1	20.33	19.87	19.40	21.00	4.5
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	24.84	24.42	23.96	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	24.86	24.39	23.91	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	24.79	24.43	23.88	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	24.90	24.44	23.85	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	24.88	24.39	23.88	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	24.76	24.43	23.91	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	24.84	24.47	23.87	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	24.84	24.33	23.92	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	24.75	24.46	23.96	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	24.87	24.45	23.95	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	24.89	24.46	23.86	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	24.76	24.42	23.82	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	24.91	24.37	23.92	25.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	25.91	26.40	26.02	27.50	0.0
		1	137	25.77	26.29	25.86	27.50	0.0
		1	271	25.83	26.33	25.96	27.50	0.0
		135	0	25.34	25.86	25.50	27.00	0.5
		135	69	25.77	26.29	25.88	27.50	0.0
		135	138	25.35	25.83	25.50	27.00	0.5
		270	0	25.35	25.82	25.51	27.00	0.5
	QPSK	1	1	25.71	26.28	25.92	27.50	0.0
		1	137	25.76	26.29	25.92	27.50	0.0
		1	271	25.80	26.22	25.85	27.50	0.0
		135	0	24.84	25.33	24.96	26.50	1.0
		135	69	25.87	26.25	25.96	27.50	0.0
		135	138	24.79	25.26	24.91	26.50	1.0
		270	0	24.75	25.23	24.86	26.50	1.0
	16-QAM	1	1	24.79	25.27	24.91	26.50	1.0
	64QAM	1	1	23.34	23.76	23.41	25.00	2.5
	256-QAM	1	1	21.25	21.83	21.37	23.00	4.5
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	25.80	26.28	25.92	27.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	25.77	26.28	25.90	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	25.82	26.33	25.88	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	25.70	26.24	25.93	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	25.81	26.30	25.88	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	25.73	26.25	25.89	27.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	25.74	26.22	25.94	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	25.79	26.34	25.90	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	25.73	26.23	25.96	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	25.80	26.29	25.93	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	25.76	26.30	25.94	27.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	25.78	26.36	25.92	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	25.80	26.26	25.88	27.50	0.0
5G NR n40_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					2350			
Channel					470000			
100	Pi/2 BPSK	1	1		24.30		25.50	0.0
		1	137		24.18		25.50	0.0
		1	271		24.23		25.50	0.0
		135	0		23.79		25.00	0.5
		135	69		24.20		25.50	0.0
		135	138		23.74		25.00	0.5
		270	0		23.76		25.00	0.5
	QPSK	1	1		24.22		25.50	0.0
		1	137		24.12		25.50	0.0
		1	271		24.18		25.50	0.0
		135	0		23.22		24.50	1.0
		135	69		24.09		25.50	0.0
		135	138		23.18		24.50	1.0
		270	0		23.14		24.50	1.0
	16-QAM	1	1		23.18		24.50	1.0
	64QAM	1	1		21.72		23.00	2.5
	256-QAM	1	1		19.72		21.00	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n40_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2345	2350	2355		
Channel				469000	470000	471000		
90	Pi/2 BPSK	1	1	24.13	24.22	24.11	25.50	0.0
5G NR n40_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2340	2350	2360		
Channel				468000	470000	472000		
80	Pi/2 BPSK	1	1	24.11	24.14	24.16	25.50	0.0
5G NR n40_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2330	2350	2370		
Channel				466000	470000	474000		
60	Pi/2 BPSK	1	1	24.20	24.15	24.17	25.50	0.0
5G NR n40_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2325	2350	2375		
Channel				465000	470000	475000		
50	Pi/2 BPSK	1	1	24.11	24.20	24.07	25.50	0.0
5G NR n40_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2320	2350	2380		
Channel				464000	470000	476000		
40	Pi/2 BPSK	1	1	24.06	24.24	24.09	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n40_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2310	2350	2390		
Channel				462000	470000	478000		
20	Pi/2 BPSK	1	1	24.04	24.21	24.15	25.50	0.0
5G NR n40_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2307.5	2350	2392.5		
Channel				461500	470000	478500		
15	Pi/2 BPSK	1	1	24.18	24.16	24.09	25.50	0.0
5G NR n40_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2305	2350	2395		
Channel				461000	470000	479000		
10	Pi/2 BPSK	1	1	24.03	24.20	24.08	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

ANT2_DSI6

5G NR n38_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2590.02	2595	2599.98		
Channel				518004	519000	519996		
40	Pi/2 BPSK	1	1	18.28	18.29	18.35	18.50	0.0
		1	53	18.30	18.21	18.31	18.50	0.0
		1	104	18.37	18.29	18.35	18.50	0.0
		50	0	17.84	17.78	17.88	18.00	0.5
		50	28	18.38	18.33	18.37	18.50	0.0
		50	56	17.90	17.80	17.72	18.00	0.5
		100	0	17.74	17.90	17.81	18.00	0.5
	QPSK	1	1	18.31	18.32	18.22	18.50	0.0
		1	53	18.22	18.37	18.30	18.50	0.0
		1	104	18.21	18.27	18.28	18.50	0.0
		50	0	17.27	17.31	17.32	17.50	1.0
		50	28	18.24	18.39	18.25	18.50	0.0
		50	56	17.34	17.21	17.39	17.50	1.0
		100	0	17.29	17.38	17.37	17.50	1.0
	16-QAM	1	1	17.31	17.26	17.29	17.50	1.0
	64QAM	1	1	15.87	15.72	15.72	16.00	2.5
	256-QAM	1	1	13.90	13.76	13.90	14.00	4.5

5G NR n38_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2585.01	2595	2604.99		
Channel				517002	519000	520998		
30	Pi/2 BPSK	1	1	18.29	18.27	18.30	18.50	0.0

5G NR n38_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2582.52	2595	2607.48		
Channel				516504	519000	521496		
25	Pi/2 BPSK	1	1	18.28	18.35	18.29	18.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n38_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2580	2595	2610		
Channel				516000	519000	522000		
20	Pi/2 BPSK	1	1	18.40	18.32	18.37	18.50	0.0
5G NR n38_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2577.51	2595	2612.49		
Channel				515502	519000	522498		
15	Pi/2 BPSK	1	1	18.39	18.21	18.23	18.50	0.0
5G NR n38_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2575.02	2595	2614.98		
Channel				515004	519000	522996		
10	Pi/2 BPSK	1	1	18.35	18.36	18.36	18.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	18.90	18.88	18.76	19.00	0.0
		1	137	18.88	18.86	18.84	19.00	0.0
		1	271	18.78	18.75	18.91	19.00	0.0
		135	0	18.37	18.40	18.21	18.50	0.5
		135	69	18.78	18.71	18.79	19.00	0.0
		135	138	18.27	18.36	18.23	18.50	0.5
		270	0	18.36	18.23	18.25	18.50	0.5
	QPSK	1	1	18.83	18.83	18.84	19.00	0.0
		1	137	18.85	18.76	18.86	19.00	0.0
		1	271	18.87	18.73	18.82	19.00	0.0
		135	0	17.89	17.87	17.85	18.00	1.0
		135	69	18.76	18.76	18.81	19.00	0.0
		135	138	17.87	17.84	17.88	18.00	1.0
		270	0	17.71	17.90	17.85	18.00	1.0
	16-QAM	1	1	17.71	17.88	17.75	18.00	1.0
	64QAM	1	1	16.28	16.32	16.40	16.50	2.5
	256-QAM	1	1	14.23	14.36	14.27	14.50	4.5
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	18.81	18.76	18.75	19.00	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	18.84	18.88	18.80	19.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	18.79	18.87	18.85	19.00	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	18.80	18.88	18.87	19.00	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	18.84	18.71	18.78	19.00	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	18.86	18.90	18.87	19.00	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	18.87	18.80	18.83	19.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	18.82	18.84	18.71	19.00	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	18.86	18.73	18.86	19.00	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	18.86	18.90	18.81	19.00	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	18.76	18.89	18.85	19.00	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	18.79	18.76	18.79	19.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	18.82	18.73	18.72	19.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	21.77	21.87	21.71	22.00	0.0
		1	137	21.75	21.78	21.79	22.00	0.0
		1	271	21.88	21.75	21.72	22.00	0.0
		135	0	21.27	21.32	21.26	21.50	0.5
		135	69	21.91	21.90	21.81	22.00	0.0
		135	138	21.29	21.25	21.21	21.50	0.5
		270	0	21.39	21.37	21.29	21.50	0.5
	QPSK	1	1	21.87	21.71	21.71	22.00	0.0
		1	137	21.86	21.80	21.81	22.00	0.0
		1	271	21.86	21.87	21.76	22.00	0.0
		135	0	20.72	20.85	20.90	21.00	1.0
		135	69	21.88	21.73	21.81	22.00	0.0
		135	138	20.79	20.88	20.85	21.00	1.0
		270	0	20.87	20.78	20.73	21.00	1.0
	16-QAM	1	1	20.84	20.76	20.90	21.00	1.0
	64QAM	1	1	19.23	19.40	19.25	19.50	2.5
	256-QAM	1	1	17.34	17.31	17.32	17.50	4.5
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	21.73	21.86	21.78	22.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	21.79	21.87	21.89	22.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	21.75	21.77	21.82	22.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	21.85	21.86	21.80	22.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	21.88	21.71	21.85	22.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	21.76	21.87	21.71	22.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	21.84	21.83	21.77	22.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	21.87	21.81	21.86	22.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	21.82	21.76	21.71	22.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	21.76	21.86	21.86	22.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	21.90	21.72	21.82	22.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	21.83	21.84	21.78	22.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	21.86	21.89	21.85	22.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

ANT2_DSI7_SA

5G NR n41_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	18.29	18.24	18.31	18.50	0.0
		1	137	18.40	18.23	18.32	18.50	0.0
		1	271	18.32	18.40	18.40	18.50	0.0
		135	0	17.88	17.87	17.78	18.00	0.5
		135	69	18.24	18.32	18.34	18.50	0.0
		135	138	17.85	17.80	17.76	18.00	0.5
		270	0	17.77	17.86	17.85	18.00	0.5
	QPSK	1	1	18.40	18.33	18.33	18.50	0.0
		1	137	18.29	18.25	18.26	18.50	0.0
		1	271	18.23	18.36	18.30	18.50	0.0
		135	0	17.40	17.22	17.31	17.50	1.0
		135	69	18.34	18.39	18.21	18.50	0.0
		135	138	17.30	17.38	17.32	17.50	1.0
		270	0	17.24	17.24	17.22	17.50	1.0
	16-QAM	1	1	17.39	17.31	17.21	17.50	1.0
	64QAM	1	1	15.90	15.79	15.72	16.00	2.5
	256-QAM	1	1	13.82	13.76	13.83	14.00	4.5

5G NR n41_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	18.25	18.30	18.32	18.50	0.0

5G NR n41_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	18.36	18.35	18.34	18.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	18.37	18.32	18.22	18.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	18.26	18.32	18.30	18.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	18.25	18.26	18.22	18.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	18.27	18.34	18.35	18.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	18.26	18.32	18.23	18.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	18.38	18.31	18.27	18.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	18.38	18.29	18.40	18.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	18.30	18.35	18.31	18.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	18.30	18.25	18.35	18.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	18.30	18.34	18.25	18.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	18.39	18.22	18.31	18.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	21.33	21.37	21.29	21.50	0.0
		1	137	21.29	21.32	21.28	21.50	0.0
		1	271	21.42	21.29	21.36	21.50	0.0
		135	0	20.89	20.74	20.72	21.00	0.5
		135	69	21.41	21.34	21.33	21.50	0.0
		135	138	20.83	20.83	20.88	21.00	0.5
		270	0	20.85	20.82	20.71	21.00	0.5
	QPSK	1	1	21.31	21.26	21.29	21.50	0.0
		1	137	21.29	21.38	21.22	21.50	0.0
		1	271	21.26	21.31	21.26	21.50	0.0
		135	0	20.36	20.31	20.40	20.50	1.0
		135	69	21.30	21.29	21.36	21.50	0.0
		135	138	20.27	20.37	20.32	20.50	1.0
		270	0	20.24	20.38	20.39	20.50	1.0
	16-QAM	1	1	20.32	20.30	20.27	20.50	1.0
	64QAM	1	1	18.81	18.88	18.87	19.00	2.5
	256-QAM	1	1	16.89	16.75	16.88	17.00	4.5
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	21.33	21.39	21.34	21.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	21.28	21.30	21.36	21.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	21.25	21.34	21.21	21.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	21.39	21.37	21.22	21.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	21.32	21.34	21.33	21.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	21.25	21.34	21.34	21.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	21.21	21.28	21.29	21.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	21.21	21.26	21.29	21.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	21.34	21.27	21.38	21.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	21.30	21.30	21.30	21.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	21.33	21.26	21.36	21.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	21.24	21.31	21.28	21.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	21.25	21.33	21.26	21.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

ANT2_DSI7_NSA

5G NR n41_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	16.81	16.83	16.80	17.00	0.0
		1	137	16.74	16.79	16.79	17.00	0.0
		1	271	16.87	16.82	16.89	17.00	0.0
		135	0	16.34	16.37	16.23	16.50	0.5
		135	69	16.82	16.75	16.83	17.00	0.0
		135	138	16.21	16.21	16.28	16.50	0.5
		270	0	16.29	16.36	16.21	16.50	0.5
	QPSK	1	1	16.79	16.77	16.72	17.00	0.0
		1	137	16.82	16.76	16.86	17.00	0.0
		1	271	16.87	16.72	16.86	17.00	0.0
		135	0	15.77	15.79	15.78	16.00	1.0
		135	69	16.78	16.71	16.71	17.00	0.0
		135	138	15.79	15.77	15.77	16.00	1.0
		270	0	15.85	15.82	15.83	16.00	1.0
	16-QAM	1	1	15.90	15.76	15.79	16.00	1.0
	64QAM	1	1	14.34	14.40	14.39	14.50	2.5
	256-QAM	1	1	12.36	12.32	12.21	12.50	4.5

5G NR n41_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	16.77	16.73	16.73	17.00	0.0

5G NR n41_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	16.74	16.88	16.81	17.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	16.87	16.77	16.75	17.00	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	16.87	16.89	16.72	17.00	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	16.75	16.85	16.73	17.00	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	16.84	16.90	16.80	17.00	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	16.89	16.79	16.90	17.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	16.72	16.89	16.90	17.00	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	16.87	16.74	16.80	17.00	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	16.75	16.83	16.81	17.00	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	16.83	16.80	16.81	17.00	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	16.83	16.90	16.80	17.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	16.72	16.72	16.71	17.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	19.74	19.73	19.82	20.00	0.0
		1	137	19.88	19.77	19.79	20.00	0.0
		1	271	19.73	19.73	19.87	20.00	0.0
		135	0	19.34	19.31	19.35	19.50	0.5
		135	69	19.87	19.80	19.77	20.00	0.0
		135	138	19.36	19.31	19.32	19.50	0.5
		270	0	19.40	19.34	19.33	19.50	0.5
	QPSK	1	1	19.80	19.74	19.82	20.00	0.0
		1	137	19.82	19.83	19.82	20.00	0.0
		1	271	19.74	19.83	19.87	20.00	0.0
		135	0	18.84	18.81	18.79	19.00	1.0
		135	69	19.90	19.78	19.79	20.00	0.0
		135	138	18.75	18.74	18.75	19.00	1.0
		270	0	18.77	18.71	18.72	19.00	1.0
	16-QAM	1	1	18.84	18.81	18.77	19.00	1.0
	64QAM	1	1	17.27	17.21	17.33	17.50	2.5
	256-QAM	1	1	15.23	15.37	15.37	15.50	4.5
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	19.81	19.82	19.81	20.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	19.80	19.74	19.90	20.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	19.72	19.86	19.89	20.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	19.80	19.88	19.83	20.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	19.80	19.72	19.76	20.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	19.79	19.76	19.88	20.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	19.72	19.71	19.81	20.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	19.79	19.89	19.74	20.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	19.87	19.81	19.80	20.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	19.85	19.89	19.86	20.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	19.75	19.87	19.81	20.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	19.72	19.80	19.73	20.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	19.73	19.84	19.89	20.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

ANT6_DSI6

5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3600	3625.02	3649.98		
Channel				640000	641668	643332		
100	Pi/2 BPSK	1	1	21.86	21.86	21.73	22.00	0.0
		1	137	21.90	21.75	21.76	22.00	0.0
		1	271	21.77	21.89	21.88	22.00	0.0
		135	0	21.33	21.22	21.34	21.50	0.5
		135	69	21.76	21.76	21.76	22.00	0.0
		135	138	21.35	21.24	21.27	21.50	0.5
		270	0	21.26	21.27	21.28	21.50	0.5
	QPSK	1	1	21.89	21.78	21.72	22.00	0.0
		1	137	21.80	21.86	21.78	22.00	0.0
		1	271	21.78	21.90	21.80	22.00	0.0
		135	0	20.85	20.71	20.76	21.00	1.0
		135	69	21.89	21.82	21.71	22.00	0.0
		135	138	20.75	20.89	20.82	21.00	1.0
		270	0	20.78	20.87	20.82	21.00	1.0
	16-QAM	1	1	20.76	20.78	20.77	21.00	1.0
	64QAM	1	1	19.38	19.38	19.36	19.50	2.5
	256-QAM	1	1	17.22	17.33	17.27	17.50	4.5
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3595.02	3625.02	3654.99		
Channel				639668	641668	643666		
90	Pi/2 BPSK	1	1	21.71	21.90	21.88	22.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3590.01	3625.02	3660		
Channel				639334	641668	644000		
80	Pi/2 BPSK	1	1	21.71	21.75	21.75	22.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3585	3625.02	3664.98		
Channel				639000	641668	644332		
70	Pi/2 BPSK	1	1	21.77	21.88	21.75	22.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3580.02	3625.02	3669.99		
Channel				638668	641668	644666		
60	Pi/2 BPSK	1	1	21.74	21.73	21.78	22.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3575.01	3625.02	3675		
Channel				638334	641668	645000		
50	Pi/2 BPSK	1	1	21.78	21.84	21.79	22.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3570	3625.02	3679.98		
Channel				638000	641668	645332		
40	Pi/2 BPSK	1	1	21.75	21.72	21.87	22.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3565.02	3625.02	3684.99		
Channel				637668	641668	645666		
30	Pi/2 BPSK	1	1	21.89	21.77	21.76	22.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n48_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
Frequency (MHz)				3560.01	3625.02	3690				
Channel				637334	641668	646000				
20	Pi/2 BPSK	1	1	21.76	21.79	21.89	22.00	0.0		
5G NR n48_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
Frequency (MHz)				3557.52	3625.02	3692.49				
Channel				637168	641668	646166				
15	Pi/2 BPSK	1	1	21.81	21.80	21.82	22.00	0.0		
5G NR n48_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
Frequency (MHz)				3555	3625.02	3694.98				
Channel				637000	641668	646332				
10	Pi/2 BPSK	1	1	21.78	21.71	21.85	22.00	0.0		
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930		
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	21.26	21.27	21.28	21.23	21.25	21.50	0.0
		1	137	21.32	21.32	21.24	21.31	21.24	21.50	0.0
		1	271	21.39	21.25	21.32	21.31	21.41	21.50	0.0
		135	0	20.73	20.78	20.74	20.81	20.74	21.00	0.5
		135	69	21.37	21.34	21.34	21.33	21.43	21.50	0.0
		135	138	20.75	20.85	20.82	20.80	20.82	21.00	0.5
		270	0	20.73	20.77	20.75	20.82	20.89	21.00	0.5
	QPSK	1	1	21.35	21.31	21.27	21.32	21.29	21.50	0.0
		1	137	21.37	21.37	21.38	21.38	21.33	21.50	0.0
		1	271	21.23	21.34	21.39	21.23	21.32	21.50	0.0
		135	0	20.37	20.28	20.22	20.35	20.40	20.50	1.0
		135	69	21.23	21.36	21.22	21.24	21.21	21.50	0.0
		135	138	20.40	20.35	20.31	20.40	20.29	20.50	1.0
		270	0	20.31	20.25	20.35	20.35	20.37	20.50	1.0
	16-QAM	1	1	20.40	20.22	20.34	20.26	20.39	20.50	1.0
	64QAM	1	1	18.82	18.89	18.73	18.89	18.86	19.00	2.5
	256-QAM	1	1	16.76	16.88	16.88	16.90	16.84	17.00	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01		
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	21.34	21.23	21.25	21.33	21.31	21.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99		
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	21.21	21.40	21.39	21.37	21.39	21.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01		
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	21.30	21.30	21.21	21.34	21.36	21.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99		
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	21.34	21.25	21.22	21.32	21.34	21.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960		
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	21.26	21.26	21.31	21.35	21.35	21.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99		
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	21.25	21.24	21.25	21.34	21.28	21.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	21.29	21.24	21.40	21.38	21.30	21.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	21.31	21.35	21.25	21.25	21.27	21.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	24.35	24.39	24.35	24.35	24.32	24.50	0.0
		1	137	24.37	24.33	24.30	24.23	24.31	24.50	0.0
		1	271	24.34	24.39	24.26	24.23	24.35	24.50	0.0
		135	0	23.85	23.76	23.84	23.87	23.71	24.00	0.5
		135	69	24.37	24.41	24.22	24.28	24.23	24.50	0.0
		135	138	23.73	23.82	23.88	23.81	23.76	24.00	0.5
		270	0	23.80	23.85	23.81	23.88	23.77	24.00	0.5
	QPSK	1	1	24.32	24.34	24.39	24.27	24.35	24.50	0.0
		1	137	24.37	24.30	24.31	24.34	24.24	24.50	0.0
		1	271	24.31	24.25	24.34	24.35	24.36	24.50	0.0
		135	0	23.36	23.27	23.35	23.33	23.36	23.50	1.0
		135	69	24.35	24.29	24.38	24.27	24.29	24.50	0.0
		135	138	23.38	23.40	23.27	23.21	23.40	23.50	1.0
		270	0	23.27	23.25	23.35	23.27	23.36	23.50	1.0
	16-QAM	1	1	23.23	23.26	23.33	23.24	23.31	23.50	1.0
	64QAM	1	1	21.88	21.74	21.83	21.85	21.77	22.00	2.5
	256-QAM	1	1	19.82	19.86	19.78	19.75	19.89	20.00	4.5
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	24.36	24.26	24.34	24.39	24.26	24.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	24.37	24.32	24.26	24.27	24.22	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	24.29	24.21	24.40	24.29	24.30	24.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	24.26	24.34	24.34	24.30	24.33	24.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	24.22	24.31	24.30	24.26	24.27	24.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	24.38	24.34	24.24	24.23	24.27	24.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	24.31	24.29	24.34	24.24	24.36	24.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	24.29	24.33	24.35	24.38	24.30	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01		
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	21.26	21.35	21.36	21.29	21.29	21.50	0.0
		1	137	21.31	21.36	21.37	21.34	21.25	21.50	0.0
		1	271	21.42	21.37	21.39	21.31	21.27	21.50	0.0
		135	0	20.87	20.87	20.84	20.84	20.74	21.00	0.5
		135	69	21.41	21.38	21.39	21.36	21.39	21.50	0.0
		135	138	20.78	20.80	20.90	20.87	20.78	21.00	0.5
		270	0	20.80	20.78	20.82	20.73	20.80	21.00	0.5
	QPSK	1	1	21.29	21.39	21.29	21.34	21.28	21.50	0.0
		1	137	21.38	21.40	21.37	21.29	21.26	21.50	0.0
		1	271	21.24	21.28	21.21	21.35	21.39	21.50	0.0
		135	0	20.38	20.23	20.23	20.34	20.37	20.50	1.0
		135	69	21.22	21.40	21.29	21.39	21.37	21.50	0.0
		135	138	20.32	20.34	20.27	20.38	20.26	20.50	1.0
		270	0	20.39	20.34	20.25	20.35	20.29	20.50	1.0
	16-QAM	1	1	20.40	20.34	20.39	20.40	20.39	20.50	1.0
	64QAM	1	1	18.90	18.85	18.84	18.83	18.75	19.00	2.5
	256-QAM	1	1	16.87	16.87	16.76	16.74	16.78	17.00	4.5
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	21.32	21.38	21.33	21.28	21.29	21.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	21.37	21.30	21.40	21.25	21.31	21.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	21.30	21.21	21.40	21.33	21.21	21.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	21.25	21.35	21.37	21.23	21.21	21.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	21.36	21.24	21.39	21.26	21.32	21.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	21.35	21.33	21.23	21.32	21.37	21.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	21.28	21.33	21.31	21.36	21.39	21.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	21.24	21.34	21.39	21.35	21.23	21.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	24.23	24.23	24.40	24.27	24.31	24.50	0.0
		1	137	24.41	24.31	24.31	24.38	24.37	24.50	0.0
		1	271	24.33	24.39	24.36	24.21	24.35	24.50	0.0
		135	0	23.90	23.77	23.83	23.77	23.86	24.00	0.5
		135	69	24.40	24.34	24.35	24.28	24.22	24.50	0.0
		135	138	23.80	23.75	23.84	23.87	23.71	24.00	0.5
		270	0	23.86	23.74	23.79	23.86	23.72	24.00	0.5
	QPSK	1	1	24.28	24.26	24.38	24.29	24.29	24.50	0.0
		1	137	24.34	24.27	24.29	24.34	24.30	24.50	0.0
		1	271	24.25	24.39	24.35	24.21	24.37	24.50	0.0
		135	0	23.24	23.29	23.26	23.36	23.30	23.50	1.0
		135	69	24.37	24.21	24.25	24.22	24.24	24.50	0.0
		135	138	23.22	23.30	23.25	23.33	23.36	23.50	1.0
		270	0	23.26	23.38	23.27	23.21	23.32	23.50	1.0
	16-QAM	1	1	23.34	23.31	23.28	23.29	23.38	23.50	1.0
	64QAM	1	1	21.88	21.86	21.79	21.74	21.77	22.00	2.5
	256-QAM	1	1	19.71	19.87	19.76	19.86	19.76	20.00	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	24.31	24.24	24.36	24.39	24.40	24.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	24.36	24.39	24.37	24.38	24.40	24.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	24.26	24.34	24.27	24.29	24.24	24.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	24.31	24.28	24.38	24.23	24.24	24.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	24.32	24.39	24.22	24.34	24.37	24.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	24.23	24.25	24.29	24.32	24.27	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52		
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	24.22	24.40	24.23	24.31	24.34	24.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01		
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	24.39	24.29	24.38	24.25	24.28	24.50	0.0
5G NR n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
Frequency (MHz)					3750					
Channel					650000					
100	Pi/2 BPSK	1	1		21.24		21.50	0.0		
		1	137		21.35		21.50	0.0		
		1	271		21.34		21.50	0.0		
		135	0		20.87		21.00	0.5		
		135	69		21.22		21.50	0.0		
		135	138		20.85		21.00	0.5		
		270	0		20.79		21.00	0.5		
	QPSK	1	1		21.36		21.50	0.0		
		1	137		21.32		21.50	0.0		
		1	271		21.40		21.50	0.0		
		135	0		20.29		20.50	1.0		
		135	69		21.35		21.50	0.0		
		135	138		20.38		20.50	1.0		
		270	0		20.25		20.50	1.0		
	16-QAM	1	1		20.26		20.50	1.0		
64QAM	1	1		18.73		19.00	2.5			
256-QAM	1	1		16.90		17.00	4.5			
5G NR n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
Frequency (MHz)				3744.99	3750	3755.01				
Channel				649666	645000	650334				
90	Pi/2 BPSK	1	1	21.28	21.40	21.22	21.50	0.0		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	21.29	21.30	21.38	21.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	645000	651334		
60	Pi/2 BPSK	1	1	21.35	21.28	21.34	21.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	21.32	21.27	21.21	21.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	645000	652000		
40	Pi/2 BPSK	1	1	21.24	21.26	21.40	21.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	645000	652666		
20	Pi/2 BPSK	1	1	21.26	21.33	21.33	21.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	21.39	21.29	21.23	21.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	645000	653000		
10	Pi/2 BPSK	1	1	21.28	21.32	21.40	21.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		24.27		24.50	0.0
		1	137		24.38		24.50	0.0
		1	271		24.36		24.50	0.0
		135	0		23.83		24.00	0.5
		135	69		24.23		24.50	0.0
		135	138		23.81		24.00	0.5
		270	0		23.85		24.00	0.5
	QPSK	1	1		24.40		24.50	0.0
		1	137		24.40		24.50	0.0
		1	271		24.27		24.50	0.0
		135	0		23.29		23.50	1.0
		135	69		24.27		24.50	0.0
		135	138		23.28		23.50	1.0
		270	0		23.22		23.50	1.0
	16-QAM	1	1		23.23		23.50	1.0
	64QAM	1	1		21.71		22.00	2.5
	256-QAM	1	1		19.79		20.00	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	650000	650334		
90	Pi/2 BPSK	1	1	24.24	24.22	24.36	24.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	24.27	24.22	24.24	24.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	650000	651334		
60	Pi/2 BPSK	1	1	24.21	24.40	24.26	24.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	24.32	24.21	24.34	24.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	650000	652000		
40	Pi/2 BPSK	1	1	24.25	24.28	24.37	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	650000	652666		
20	Pi/2 BPSK	1	1	24.29	24.23	24.22	24.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	24.30	24.28	24.22	24.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	650000	653000		
10	Pi/2 BPSK	1	1	24.27	24.35	24.25	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

ANT6_DSI7_SA

5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3600	3625.02	3649.98		
Channel				640000	641668	643332		
100	Pi/2 BPSK	1	1	21.32	21.23	21.33	21.50	0.0
		1	137	21.38	21.27	21.34	21.50	0.0
		1	271	21.25	21.27	21.32	21.50	0.0
		135	0	20.73	20.73	20.72	21.00	0.5
		135	69	21.27	21.22	21.23	21.50	0.0
		135	138	20.85	20.84	20.81	21.00	0.5
		270	0	20.75	20.90	20.83	21.00	0.5
	QPSK	1	1	21.36	21.38	21.39	21.50	0.0
		1	137	21.30	21.23	21.31	21.50	0.0
		1	271	21.26	21.37	21.22	21.50	0.0
		135	0	20.26	20.39	20.24	20.50	1.0
		135	69	21.38	21.40	21.37	21.50	0.0
		135	138	20.40	20.38	20.33	20.50	1.0
		270	0	20.34	20.33	20.30	20.50	1.0
	16-QAM	1	1	20.29	20.37	20.21	20.50	1.0
	64QAM	1	1	18.85	18.85	18.87	19.00	2.5
	256-QAM	1	1	16.75	16.85	16.77	17.00	4.5
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3595.02	3625.02	3654.99		
Channel				639668	641668	643666		
90	Pi/2 BPSK	1	1	21.40	21.38	21.37	21.50	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3590.01	3625.02	3660		
Channel				639334	641668	644000		
80	Pi/2 BPSK	1	1	21.71	21.75	21.75	21.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3585	3625.02	3664.98		
Channel				639000	641668	644332		
70	Pi/2 BPSK	1	1	21.36	21.38	21.26	21.50	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3580.02	3625.02	3669.99		
Channel				638668	641668	644666		
60	Pi/2 BPSK	1	1	21.24	21.29	21.39	21.50	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3575.01	3625.02	3675		
Channel				638334	641668	645000		
50	Pi/2 BPSK	1	1	21.38	21.31	21.36	21.50	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3570	3625.02	3679.98		
Channel				638000	641668	645332		
40	Pi/2 BPSK	1	1	21.35	21.29	21.38	21.50	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3565.02	3625.02	3684.99		
Channel				637668	641668	645666		
30	Pi/2 BPSK	1	1	21.36	21.25	21.39	21.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3560.01	3625.02	3690		
Channel				637334	641668	646000		
20	Pi/2 BPSK	1	1	21.31	21.22	21.36	21.50	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3557.52	3625.02	3692.49		
Channel				637168	641668	646166		
15	Pi/2 BPSK	1	1	21.21	21.35	21.29	21.50	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3555	3625.02	3694.98		
Channel				637000	641668	646332		
10	Pi/2 BPSK	1	1	21.35	21.38	21.32	21.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

ANT6_DSI7_NSA

5G NR n77_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930		
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	17.26	17.21	17.36	17.27	17.39	17.50	0.0
		1	137	17.29	17.36	17.36	17.26	17.28	17.50	0.0
		1	271	17.33	17.39	17.29	17.39	17.28	17.50	0.0
		135	0	16.80	16.82	16.90	16.75	16.88	17.00	0.5
		135	69	17.35	17.31	17.21	17.29	17.42	17.50	0.0
		135	138	16.73	16.71	16.87	16.81	16.88	17.00	0.5
		270	0	16.79	16.86	16.79	16.79	16.74	17.00	0.5
	QPSK	1	1	17.26	17.22	17.38	17.34	17.31	17.50	0.0
		1	137	17.24	17.39	17.39	17.30	17.24	17.50	0.0
		1	271	17.32	17.32	17.31	17.26	17.34	17.50	0.0
		135	0	16.37	16.39	16.23	16.23	16.25	16.50	1.0
		135	69	17.26	17.25	17.28	17.32	17.26	17.50	0.0
		135	138	16.27	16.30	16.38	16.40	16.29	16.50	1.0
		270	0	16.36	16.26	16.36	16.40	16.21	16.50	1.0
	16-QAM	1	1	16.21	16.35	16.21	16.40	16.35	16.50	1.0
	64QAM	1	1	14.83	14.81	14.84	14.90	14.90	15.00	2.5
	256-QAM	1	1	12.83	12.79	12.82	12.87	12.76	13.00	4.5

5G NR n77_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01		
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	17.39	17.30	17.30	17.36	17.30	17.50	0.0

5G NR n77_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99		
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	17.25	17.35	17.40	17.23	17.40	17.50	0.0

5G NR n77_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01		
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	17.40	17.21	17.22	17.21	17.26	17.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99		
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	17.37	17.32	17.27	17.23	17.30	17.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960		
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	17.38	17.35	17.39	17.39	17.40	17.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99		
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	17.30	17.37	17.35	17.25	17.22	17.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495		
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	17.28	17.27	17.30	17.35	17.27	17.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975		
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	17.34	17.30	17.39	17.31	17.39	17.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	20.30	20.30	20.32	20.27	20.37	20.50	0.0
		1	137	20.34	20.41	20.25	20.34	20.38	20.50	0.0
		1	271	20.36	20.28	20.30	20.22	20.32	20.50	0.0
		135	0	19.85	19.74	19.84	19.90	19.83	20.00	0.5
		135	69	20.27	20.36	20.36	20.31	20.34	20.50	0.0
		135	138	19.73	19.72	19.84	19.85	19.81	20.00	0.5
		270	0	19.88	19.83	19.77	19.86	19.79	20.00	0.5
	QPSK	1	1	20.34	20.34	20.35	20.32	20.33	20.50	0.0
		1	137	20.23	20.22	20.32	20.31	20.23	20.50	0.0
		1	271	20.31	20.38	20.38	20.25	20.29	20.50	0.0
		135	0	19.33	19.24	19.25	19.39	19.32	19.50	1.0
		135	69	20.27	20.38	20.22	20.24	20.40	20.50	0.0
		135	138	19.32	19.23	19.31	19.25	19.23	19.50	1.0
		270	0	19.21	19.37	19.23	19.28	19.30	19.50	1.0
	16-QAM	1	1	19.33	19.29	19.38	19.40	19.34	19.50	1.0
	64QAM	1	1	17.74	17.72	17.74	17.74	17.82	18.00	2.5
	256-QAM	1	1	15.79	15.84	15.80	15.89	15.83	16.00	4.5
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	20.29	20.29	20.40	20.30	20.31	20.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	20.31	20.21	20.30	20.30	20.26	20.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	20.39	20.36	20.35	20.25	20.33	20.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	20.23	20.37	20.25	20.29	20.33	20.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	20.26	20.30	20.33	20.29	20.37	20.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	20.33	20.26	20.37	20.25	20.23	20.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	20.27	20.27	20.24	20.40	20.36	20.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	20.38	20.30	20.35	20.25	20.27	20.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	17.37	17.21	17.39	17.22	17.31	17.50	0.0
		1	137	17.21	17.36	17.32	17.30	17.38	17.50	0.0
		1	271	17.39	17.36	17.32	17.29	17.33	17.50	0.0
		135	0	16.75	16.84	16.72	16.85	16.73	17.00	0.5
		135	69	17.35	17.28	17.25	17.40	17.23	17.50	0.0
		135	138	16.87	16.77	16.72	16.83	16.85	17.00	0.5
		270	0	16.73	16.88	16.82	16.77	16.71	17.00	0.5
	QPSK	1	1	17.23	17.23	17.31	17.31	17.25	17.50	0.0
		1	137	17.24	17.25	17.37	17.28	17.39	17.50	0.0
		1	271	17.34	17.40	17.29	17.25	17.23	17.50	0.0
		135	0	16.33	16.24	16.33	16.33	16.27	16.50	1.0
		135	69	17.31	17.27	17.32	17.30	17.40	17.50	0.0
		135	138	16.35	16.21	16.35	16.31	16.36	16.50	1.0
		270	0	16.31	16.33	16.22	16.40	16.29	16.50	1.0
	16-QAM	1	1	16.35	16.27	16.34	16.28	16.37	16.50	1.0
	64QAM	1	1	14.74	14.79	14.76	14.84	14.72	15.00	2.5
	256-QAM	1	1	12.85	12.89	12.83	12.75	12.84	13.00	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	17.38	17.32	17.31	17.28	17.22	17.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	17.25	17.34	17.28	17.25	17.27	17.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	17.23	17.34	17.27	17.29	17.23	17.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	17.30	17.28	17.33	17.24	17.40	17.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01		
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	17.28	17.40	17.40	17.23	17.32	17.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690		
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	17.28	17.26	17.34	17.29	17.25	17.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52		
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	17.34	17.25	17.21	17.23	17.33	17.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01		
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	17.28	17.26	17.36	17.33	17.24	17.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01		
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	20.29	20.33	20.31	20.33	20.35	20.50	0.0
		1	137	20.39	20.25	20.28	20.36	20.21	20.50	0.0
		1	271	20.25	20.32	20.28	20.33	20.34	20.50	0.0
		135	0	19.81	19.86	19.81	19.81	19.71	20.00	0.5
		135	69	20.43	20.28	20.27	20.21	20.37	20.50	0.0
		135	138	19.87	19.72	19.75	19.75	19.77	20.00	0.5
		270	0	19.86	19.75	19.86	19.73	19.89	20.00	0.5
	QPSK	1	1	20.23	20.35	20.32	20.33	20.24	20.50	0.0
		1	137	20.32	20.38	20.39	20.23	20.25	20.50	0.0
		1	271	20.31	20.39	20.39	20.26	20.23	20.50	0.0
		135	0	19.23	19.31	19.36	19.32	19.34	19.50	1.0
		135	69	20.22	20.37	20.31	20.27	20.30	20.50	0.0
		135	138	19.36	19.29	19.25	19.22	19.23	19.50	1.0
		270	0	19.32	19.28	19.32	19.38	19.25	19.50	1.0
	16-QAM	1	1	19.30	19.30	19.25	19.21	19.32	19.50	1.0
	64QAM	1	1	17.71	17.71	17.79	17.82	17.89	18.00	2.5
	256-QAM	1	1	15.71	15.88	15.85	15.85	15.80	16.00	4.5
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	20.29	20.40	20.39	20.37	20.21	20.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	20.33	20.23	20.34	20.26	20.38	20.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	20.24	20.29	20.33	20.40	20.22	20.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	20.40	20.23	20.35	20.38	20.24	20.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01		
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	20.26	20.35	20.36	20.34	20.30	20.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690		
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	20.21	20.35	20.30	20.24	20.32	20.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52		
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	20.39	20.24	20.30	20.24	20.25	20.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01		
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	20.26	20.28	20.28	20.28	20.22	20.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		17.32		17.50	0.0
		1	137		17.39		17.50	0.0
		1	271		17.35		17.50	0.0
		135	0		16.74		17.00	0.5
		135	69		17.40		17.50	0.0
		135	138		16.74		17.00	0.5
		270	0		16.86		17.00	0.5
	QPSK	1	1		17.23		17.50	0.0
		1	137		17.24		17.50	0.0
		1	271		17.32		17.50	0.0
		135	0		16.38		16.50	1.0
		135	69		17.37		17.50	0.0
		135	138		16.38		16.50	1.0
		270	0		16.28		16.50	1.0
	16-QAM	1	1		16.32		16.50	1.0
	64QAM	1	1		14.75		15.00	2.5
	256-QAM	1	1		12.82		13.00	4.5
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	645000	650334		
90	Pi/2 BPSK	1	1	17.34	17.24	17.40	17.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	17.30	17.33	17.25	17.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	645000	651334		
60	Pi/2 BPSK	1	1	17.21	17.35	17.37	17.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	17.35	17.30	17.23	17.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	645000	652000		
40	Pi/2 BPSK	1	1	17.37	17.29	17.34	17.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	645000	652666		
20	Pi/2 BPSK	1	1	17.28	17.38	17.26	17.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	17.37	17.34	17.38	17.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	645000	653000		
10	Pi/2 BPSK	1	1	17.28	17.35	17.33	17.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		20.29		20.50	0.0
		1	137		20.29		20.50	0.0
		1	271		20.40		20.50	0.0
		135	0		19.82		20.00	0.5
		135	69		20.30		20.50	0.0
		135	138		19.74		20.00	0.5
		270	0		19.77		20.00	0.5
	QPSK	1	1		20.31		20.50	0.0
		1	137		20.23		20.50	0.0
		1	271		20.25		20.50	0.0
		135	0		19.35		19.50	1.0
		135	69		20.29		20.50	0.0
		135	138		19.33		19.50	1.0
		270	0		19.39		19.50	1.0
	16-QAM	1	1		19.22		19.50	1.0
	64QAM	1	1		17.76		18.00	2.5
	256-QAM	1	1		15.82		16.00	4.5
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	650000	650334		
90	Pi/2 BPSK	1	1	20.39	20.33	20.40	20.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	20.31	20.32	20.23	20.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	650000	651334		
60	Pi/2 BPSK	1	1	20.35	20.33	20.37	20.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	20.33	20.25	20.25	20.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	650000	652000		
40	Pi/2 BPSK	1	1	20.22	20.31	20.24	20.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	650000	652666		
20	Pi/2 BPSK	1	1	20.25	20.26	20.34	20.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	20.38	20.31	20.30	20.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	650000	653000		
10	Pi/2 BPSK	1	1	20.29	20.36	20.35	20.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

ANT7_DSI6

5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3600	3625.02	3649.98		
Channel				640000	641668	643332		
100	Pi/2 BPSK	1	1	20.84	20.81	20.89	21.00	0.0
		1	137	20.88	20.87	20.75	21.00	0.0
		1	271	20.78	20.78	20.78	21.00	0.0
		135	0	20.28	20.34	20.32	20.50	0.5
		135	69	20.85	20.76	20.88	21.00	0.0
		135	138	20.31	20.37	20.38	20.50	0.5
		270	0	20.35	20.36	20.28	20.50	0.5
	QPSK	1	1	20.74	20.82	20.86	21.00	0.0
		1	137	20.72	20.79	20.83	21.00	0.0
		1	271	20.80	20.88	20.84	21.00	0.0
		135	0	19.73	19.84	19.86	20.00	1.0
		135	69	20.71	20.80	20.73	21.00	0.0
		135	138	19.89	19.85	19.82	20.00	1.0
		270	0	19.82	19.87	19.89	20.00	1.0
	16-QAM	1	1	19.74	19.87	19.88	20.00	1.0
	64QAM	1	1	18.32	18.23	18.29	18.50	2.5
	256-QAM	1	1	16.38	16.25	16.30	16.50	4.5
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3595.02	3625.02	3654.99		
Channel				639668	641668	643666		
90	Pi/2 BPSK	1	1	20.87	20.85	20.72	21.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3590.01	3625.02	3660		
Channel				639334	641668	644000		
80	Pi/2 BPSK	1	1	20.80	20.73	20.81	21.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3585	3625.02	3664.98		
Channel				639000	641668	644332		
70	Pi/2 BPSK	1	1	20.71	20.80	20.72	21.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3580.02	3625.02	3669.99		
Channel				638668	641668	644666		
60	Pi/2 BPSK	1	1	20.90	20.72	20.80	21.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3575.01	3625.02	3675		
Channel				638334	641668	645000		
50	Pi/2 BPSK	1	1	20.74	20.77	20.85	21.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3570	3625.02	3679.98		
Channel				638000	641668	645332		
40	Pi/2 BPSK	1	1	20.88	20.87	20.80	21.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3565.02	3625.02	3684.99		
Channel				637668	641668	645666		
30	Pi/2 BPSK	1	1	20.77	20.85	20.89	21.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n48_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
Frequency (MHz)				3560.01	3625.02	3690				
Channel				637334	641668	646000				
20	Pi/2 BPSK	1	1	20.74	20.78	20.83	21.00	0.0		
5G NR n48_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
Frequency (MHz)				3557.52	3625.02	3692.49				
Channel				637168	641668	646166				
15	Pi/2 BPSK	1	1	20.82	20.89	20.73	21.00	0.0		
5G NR n48_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
Frequency (MHz)				3555	3625.02	3694.98				
Channel				637000	641668	646332				
10	Pi/2 BPSK	1	1	20.82	20.74	20.78	21.00	0.0		
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930		
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	20.89	20.85	20.88	20.83	20.82	21.00	0.0
		1	137	20.79	20.71	20.85	20.81	20.77	21.00	0.0
		1	271	20.76	20.80	20.85	20.90	20.83	21.00	0.0
		135	0	20.33	20.21	20.22	20.22	20.26	20.50	0.5
		135	69	20.84	20.75	20.77	20.86	20.78	21.00	0.0
		135	138	20.26	20.32	20.39	20.31	20.29	20.50	0.5
		270	0	20.33	20.40	20.25	20.21	20.29	20.50	0.5
	QPSK	1	1	20.82	20.88	20.84	20.79	20.84	21.00	0.0
		1	137	20.73	20.87	20.90	20.88	20.86	21.00	0.0
		1	271	20.74	20.73	20.75	20.71	20.86	21.00	0.0
		135	0	19.82	19.87	19.72	19.84	19.77	20.00	1.0
		135	69	20.75	20.85	20.80	20.76	20.72	21.00	0.0
		135	138	19.87	19.76	19.81	19.79	19.82	20.00	1.0
		270	0	19.80	19.80	19.83	19.72	19.87	20.00	1.0
	16-QAM	1	1	19.79	19.72	19.85	19.72	19.72	20.00	1.0
	64QAM	1	1	18.36	18.37	18.31	18.21	18.32	18.50	2.5
	256-QAM	1	1	16.29	16.36	16.27	16.34	16.38	16.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	20.84	20.87	20.85	20.79	20.88	21.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	20.81	20.90	20.82	20.85	20.89	21.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	20.77	20.76	20.89	20.86	20.71	21.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	20.86	20.84	20.77	20.89	20.87	21.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	20.75	20.90	20.85	20.84	20.77	21.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	20.71	20.84	20.72	20.73	20.71	21.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	20.88	20.71	20.78	20.86	20.78	21.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	20.71	20.78	20.82	20.87	20.75	21.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	23.79	23.81	23.78	23.76	23.89	24.00	0.0
		1	137	23.75	23.85	23.85	23.73	23.86	24.00	0.0
		1	271	23.76	23.86	23.87	23.82	23.74	24.00	0.0
		135	0	23.28	23.26	23.21	23.31	23.31	23.50	0.5
		135	69	23.80	23.80	23.82	23.73	23.82	24.00	0.0
		135	138	23.26	23.37	23.22	23.37	23.21	23.50	0.5
		270	0	23.22	23.40	23.25	23.23	23.38	23.50	0.5
	QPSK	1	1	23.86	23.76	23.74	23.73	23.79	24.00	0.0
		1	137	23.78	23.72	23.87	23.86	23.87	24.00	0.0
		1	271	23.73	23.80	23.87	23.79	23.81	24.00	0.0
		135	0	22.74	22.72	22.76	22.79	22.88	23.00	1.0
		135	69	23.80	23.77	23.88	23.84	23.81	24.00	0.0
		135	138	22.85	22.80	22.89	22.80	22.78	23.00	1.0
		270	0	22.73	22.90	22.86	22.79	22.81	23.00	1.0
	16-QAM	1	1	22.80	22.76	22.76	22.72	22.76	23.00	1.0
	64QAM	1	1	21.32	21.37	21.35	21.33	21.34	21.50	2.5
	256-QAM	1	1	19.28	19.22	19.26	19.33	19.26	19.50	4.5
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	23.87	23.89	23.76	23.73	23.85	24.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	23.73	23.72	23.86	23.77	23.82	24.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	23.90	23.75	23.78	23.89	23.86	24.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	23.80	23.89	23.80	23.86	23.78	24.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	23.73	23.82	23.74	23.71	23.77	24.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	23.75	23.74	23.72	23.80	23.77	24.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	23.90	23.78	23.75	23.84	23.72	24.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	23.84	23.84	23.84	23.76	23.81	24.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01		
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	20.82	20.84	20.76	20.79	20.72	21.00	0.0
		1	137	20.79	20.78	20.72	20.82	20.80	21.00	0.0
		1	271	20.89	20.86	20.87	20.77	20.89	21.00	0.0
		135	0	20.24	20.25	20.33	20.30	20.37	20.50	0.5
		135	69	20.87	20.86	20.79	20.82	20.84	21.00	0.0
		135	138	20.34	20.32	20.37	20.36	20.21	20.50	0.5
		270	0	20.24	20.38	20.32	20.29	20.38	20.50	0.5
	QPSK	1	1	20.74	20.76	20.77	20.79	20.84	21.00	0.0
		1	137	20.82	20.81	20.82	20.75	20.76	21.00	0.0
		1	271	20.82	20.82	20.82	20.87	20.86	21.00	0.0
		135	0	19.85	19.74	19.89	19.85	19.83	20.00	1.0
		135	69	20.82	20.77	20.89	20.73	20.73	21.00	0.0
		135	138	19.83	19.80	19.71	19.82	19.71	20.00	1.0
		270	0	19.79	19.71	19.81	19.83	19.85	20.00	1.0
	16-QAM	1	1	19.86	19.85	19.79	19.86	19.75	20.00	1.0
	64QAM	1	1	18.26	18.31	18.33	18.38	18.29	18.50	2.5
	256-QAM	1	1	16.31	16.38	16.21	16.37	16.31	16.50	4.5
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	20.74	20.90	20.77	20.87	20.71	21.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	20.78	20.79	20.81	20.90	20.87	21.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	20.87	20.88	20.89	20.80	20.78	21.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	20.78	20.74	20.73	20.77	20.71	21.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	20.76	20.89	20.78	20.77	20.87	21.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	20.85	20.86	20.89	20.90	20.89	21.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	20.85	20.84	20.85	20.79	20.79	21.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	20.73	20.76	20.87	20.79	20.71	21.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	23.73	23.79	23.89	23.78	23.73	24.00	0.0
		1	137	23.90	23.79	23.74	23.73	23.88	24.00	0.0
		1	271	23.77	23.59	23.69	23.72	23.74	24.00	0.0
		135	0	23.25	23.22	23.29	23.35	23.22	23.50	0.5
		135	69	23.92	23.85	23.73	23.71	23.81	24.00	0.0
		135	138	23.38	23.28	23.24	23.36	23.21	23.50	0.5
		270	0	23.22	23.35	23.32	23.32	23.22	23.50	0.5
	QPSK	1	1	23.77	23.73	23.71	23.82	23.79	24.00	0.0
		1	137	23.77	23.89	23.72	23.88	23.74	24.00	0.0
		1	271	23.83	23.83	23.76	23.82	23.77	24.00	0.0
		135	0	22.87	22.72	22.71	22.80	22.78	23.00	1.0
		135	69	23.78	23.83	23.73	23.73	23.83	24.00	0.0
		135	138	22.89	22.71	22.75	22.71	22.81	23.00	1.0
		270	0	22.87	22.86	22.82	22.78	22.85	23.00	1.0
	16-QAM	1	1	22.76	22.85	22.90	22.87	22.74	23.00	1.0
	64QAM	1	1	21.32	21.39	21.24	21.32	21.38	21.50	2.5
	256-QAM	1	1	19.37	19.34	19.31	19.31	19.24	19.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	23.83	23.77	23.85	23.71	23.78	24.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	23.83	23.84	23.87	23.82	23.72	24.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	23.71	23.81	23.75	23.80	23.79	24.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	23.83	23.74	23.88	23.77	23.83	24.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01		
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	23.87	23.89	23.74	23.74	23.80	24.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690		
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	23.71	23.77	23.89	23.84	23.72	24.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52		
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	23.77	23.72	23.72	23.84	23.86	24.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01		
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	23.79	23.73	23.88	23.90	23.88	24.00	0.0
5G NR n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
Frequency (MHz)					3750					
Channel					650000					
100	Pi/2 BPSK	1	1		20.81		21.00	0.0		
		1	137		20.74		21.00	0.0		
		1	271		20.72		21.00	0.0		
		135	0		20.35		20.50	0.5		
		135	69		20.88		21.00	0.0		
		135	138		20.21		20.50	0.5		
		270	0		20.28		20.50	0.5		
	QPSK	1	1		20.78		21.00	0.0		
		1	137		20.82		21.00	0.0		
		1	271		20.86		21.00	0.0		
		135	0		19.73		20.00	1.0		
		135	69		20.83		21.00	0.0		
		135	138		19.79		20.00	1.0		
		270	0		19.74		20.00	1.0		
16-QAM	1	1		19.79		20.00	1.0			
64QAM	1	1		18.38		18.50	2.5			
256-QAM	1	1		16.28		16.50	4.5			
5G NR n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
Frequency (MHz)				3744.99	3750	3755.01				
Channel				649666	645000	650334				
90	Pi/2 BPSK	1	1	20.82	20.77	20.84	21.00	0.0		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	20.88	20.75	20.72	21.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	645000	651334		
60	Pi/2 BPSK	1	1	20.79	20.75	20.75	21.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	20.86	20.90	20.78	21.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	645000	652000		
40	Pi/2 BPSK	1	1	20.78	20.77	20.76	21.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	645000	652666		
20	Pi/2 BPSK	1	1	20.87	20.72	20.82	21.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	20.85	20.75	20.81	21.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	645000	653000		
10	Pi/2 BPSK	1	1	20.86	20.73	20.72	21.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		23.80		24.00	0.0
		1	137		23.80		24.00	0.0
		1	271		23.73		24.00	0.0
		135	0		23.27		23.50	0.5
		135	69		23.88		24.00	0.0
		135	138		23.22		23.50	0.5
		270	0		23.30		23.50	0.5
	QPSK	1	1		23.85		24.00	0.0
		1	137		23.87		24.00	0.0
		1	271		23.72		24.00	0.0
		135	0		22.77		23.00	1.0
		135	69		23.78		24.00	0.0
		135	138		22.73		23.00	1.0
		270	0		22.81		23.00	1.0
	16-QAM	1	1		22.82		23.00	1.0
	64QAM	1	1		21.34		21.50	2.5
	256-QAM	1	1		19.31		19.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	650000	650334		
90	Pi/2 BPSK	1	1	23.79	23.82	23.82	24.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	23.76	23.85	23.75	24.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	650000	651334		
60	Pi/2 BPSK	1	1	23.84	23.80	23.90	24.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	23.77	23.79	23.80	24.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	650000	652000		
40	Pi/2 BPSK	1	1	23.86	23.76	23.72	24.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	650000	652666		
20	Pi/2 BPSK	1	1	23.88	23.77	23.77	24.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	23.88	23.90	23.88	24.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	650000	653000		
10	Pi/2 BPSK	1	1	23.86	23.84	23.88	24.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

ANT7_DSI7_NSA

5G NR n77_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	18.73	18.76	18.81	18.91	18.83	19.00	0.0
		1	137	18.86	18.90	18.81	18.73	18.82	19.00	0.0
		1	271	18.86	18.88	18.90	18.72	18.81	19.00	0.0
		135	0	18.31	18.35	18.24	18.35	18.39	18.50	0.5
		135	69	18.83	18.81	18.73	18.90	18.81	19.00	0.0
		135	138	18.34	18.25	18.30	18.39	18.26	18.50	0.5
		270	0	18.36	18.22	18.25	18.23	18.22	18.50	0.5
	QPSK	1	1	18.79	18.79	18.74	18.89	18.82	19.00	0.0
		1	137	18.80	18.80	18.73	18.83	18.80	19.00	0.0
		1	271	18.72	18.71	18.77	18.86	18.87	19.00	0.0
		135	0	17.90	17.87	17.82	17.71	17.85	18.00	1.0
		135	69	18.85	18.88	18.82	18.74	18.79	19.00	0.0
		135	138	17.81	17.72	17.72	17.73	17.85	18.00	1.0
		270	0	17.84	17.87	17.74	17.84	17.86	18.00	1.0
	16-QAM	1	1	17.86	17.90	17.90	17.72	17.86	18.00	1.0
	64QAM	1	1	16.25	16.25	16.24	16.33	16.38	16.50	2.5
	256-QAM	1	1	14.34	14.37	14.25	14.38	14.40	14.50	4.5

5G NR n77_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	18.29	18.36	18.26	18.32	18.33	19.00	0.0

5G NR n77_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	18.37	18.26	18.38	18.34	18.38	19.00	0.0

5G NR n77_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	18.40	18.34	18.27	18.22	18.37	19.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99		
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	18.29	18.22	18.40	18.25	18.30	19.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960		
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	18.38	18.22	18.31	18.24	18.26	19.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99		
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	18.37	18.27	18.34	18.39	18.21	19.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495		
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	18.28	18.29	18.37	18.22	18.23	19.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975		
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	18.31	18.27	18.21	18.30	18.40	19.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	21.81	21.82	21.72	21.88	21.88	22.00	0.0
		1	137	21.75	21.79	21.75	21.79	21.74	22.00	0.0
		1	271	21.82	21.86	21.76	21.83	21.83	22.00	0.0
		135	0	21.39	21.31	21.34	21.35	21.30	21.50	0.5
		135	69	21.72	21.71	21.83	21.80	21.90	22.00	0.0
		135	138	21.22	21.28	21.28	21.37	21.32	21.50	0.5
		270	0	21.24	21.24	21.37	21.23	21.39	21.50	0.5
	QPSK	1	1	21.82	21.79	21.78	21.74	21.86	22.00	0.0
		1	137	21.81	21.90	21.83	21.87	21.82	22.00	0.0
		1	271	21.74	21.89	21.80	21.72	21.77	22.00	0.0
		135	0	20.73	20.80	20.84	20.74	20.88	21.00	1.0
		135	69	21.77	21.71	21.89	21.80	21.85	22.00	0.0
		135	138	20.73	20.76	20.83	20.87	20.82	21.00	1.0
		270	0	20.77	20.88	20.88	20.87	20.77	21.00	1.0
	16-QAM	1	1	20.87	20.74	20.81	20.77	20.79	21.00	1.0
	64QAM	1	1	19.37	19.33	19.27	19.29	19.22	19.50	2.5
	256-QAM	1	1	17.34	17.33	17.25	17.35	17.28	17.50	4.5
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	21.72	21.79	21.80	21.83	21.86	22.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	21.83	21.90	21.78	21.81	21.86	22.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	21.79	21.78	21.87	21.81	21.79	22.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	21.83	21.72	21.86	21.80	21.72	22.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	21.87	21.88	21.84	21.89	21.77	22.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	21.80	21.74	21.71	21.76	21.71	22.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	21.90	21.84	21.71	21.79	21.76	22.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	21.73	21.88	21.88	21.88	21.90	22.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	18.73	18.71	18.75	18.85	18.81	19.00	0.0
		1	137	18.92	18.77	18.78	18.71	18.82	19.00	0.0
		1	271	18.78	18.84	18.71	18.79	18.90	19.00	0.0
		135	0	18.40	18.28	18.35	18.31	18.27	18.50	0.5
		135	69	18.91	18.81	18.84	18.88	18.82	19.00	0.0
		135	138	18.26	18.26	18.28	18.36	18.30	18.50	0.5
		270	0	18.25	18.36	18.23	18.27	18.26	18.50	0.5
	QPSK	1	1	18.86	18.75	18.88	18.74	18.81	19.00	0.0
		1	137	18.76	18.72	18.87	18.74	18.71	19.00	0.0
		1	271	18.83	18.71	18.79	18.76	18.75	19.00	0.0
		135	0	17.78	17.71	17.77	17.72	17.87	18.00	1.0
		135	69	18.76	18.81	18.72	18.78	18.79	19.00	0.0
		135	138	17.78	17.76	17.87	17.84	17.88	18.00	1.0
		270	0	17.86	17.89	17.89	17.78	17.89	18.00	1.0
	16-QAM	1	1	17.85	17.84	17.81	17.75	17.87	18.00	1.0
	64QAM	1	1	16.29	16.23	16.28	16.38	16.26	16.50	2.5
	256-QAM	1	1	14.40	14.38	14.28	14.26	14.23	14.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	18.90	18.86	18.73	18.71	18.71	19.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	18.87	18.81	18.72	18.85	18.78	19.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	18.75	18.89	18.82	18.82	18.89	19.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	18.83	18.84	18.76	18.88	18.78	19.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01		
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	18.80	18.90	18.84	18.90	18.77	19.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690		
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	18.88	18.79	18.82	18.89	18.90	19.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52		
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	18.72	18.82	18.79	18.74	18.86	19.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01		
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	18.75	18.89	18.78	18.82	18.79	19.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01		
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	21.90	21.89	21.81	21.88	21.90	22.00	0.0
		1	137	21.71	21.76	21.88	21.75	21.84	22.00	0.0
		1	271	21.90	21.83	21.89	21.77	21.76	22.00	0.0
		135	0	21.40	21.34	21.32	21.34	21.22	21.50	0.5
		135	69	21.91	21.90	21.86	21.78	21.84	22.00	0.0
		135	138	21.24	21.32	21.39	21.37	21.40	21.50	0.5
		270	0	21.24	21.24	21.24	21.27	21.28	21.50	0.5
	QPSK	1	1	21.86	21.72	21.71	21.85	21.86	22.00	0.0
		1	137	21.85	21.78	21.81	21.77	21.75	22.00	0.0
		1	271	21.85	21.79	21.75	21.88	21.85	22.00	0.0
		135	0	20.73	20.81	20.81	20.77	20.90	21.00	1.0
		135	69	21.86	21.78	21.72	21.72	21.80	22.00	0.0
		135	138	20.86	20.74	20.76	20.71	20.90	21.00	1.0
		270	0	20.74	20.71	20.76	20.82	20.76	21.00	1.0
	16-QAM	1	1	20.79	20.72	20.90	20.77	20.80	21.00	1.0
	64QAM	1	1	19.29	19.34	19.22	19.36	19.24	19.50	2.5
	256-QAM	1	1	17.26	17.27	17.30	17.38	17.35	17.50	4.5
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	21.72	21.85	21.83	21.76	21.90	22.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	21.78	21.74	21.73	21.82	21.84	22.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	21.89	21.85	21.86	21.87	21.71	22.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	21.81	21.79	21.85	21.73	21.81	22.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01		
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	21.84	21.73	21.79	21.76	21.78	22.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690		
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	21.82	21.82	21.89	21.78	21.72	22.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52		
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	21.80	21.76	21.74	21.76	21.86	22.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01		
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	21.81	21.75	21.74	21.74	21.73	22.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		18.86		19.00	0.0
		1	137		18.83		19.00	0.0
		1	271		18.79		19.00	0.0
		135	0		18.36		18.50	0.5
		135	69		18.80		19.00	0.0
		135	138		18.30		18.50	0.5
		270	0		18.26		18.50	0.5
	QPSK	1	1		18.75		19.00	0.0
		1	137		18.89		19.00	0.0
		1	271		18.87		19.00	0.0
		135	0		17.87		18.00	1.0
		135	69		18.72		19.00	0.0
		135	138		17.86		18.00	1.0
		270	0		17.81		18.00	1.0
	16-QAM	1	1		17.85		18.00	1.0
	64QAM	1	1		16.33		16.50	2.5
	256-QAM	1	1		14.28		14.50	4.5
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	645000	650334		
90	Pi/2 BPSK	1	1	18.81	18.75	18.90	19.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	18.76	18.78	18.78	19.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	645000	651334		
60	Pi/2 BPSK	1	1	18.72	18.73	18.75	19.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	18.75	18.90	18.78	19.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	645000	652000		
40	Pi/2 BPSK	1	1	18.76	18.76	18.74	19.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	645000	652666		
20	Pi/2 BPSK	1	1	18.87	18.88	18.81	19.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	18.75	18.80	18.81	19.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	645000	653000		
10	Pi/2 BPSK	1	1	18.88	18.82	18.86	19.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		21.79		22.00	0.0
		1	137		21.79		22.00	0.0
		1	271		21.88		22.00	0.0
		135	0		21.21		21.50	0.5
		135	69		21.82		22.00	0.0
		135	138		21.37		21.50	0.5
		270	0		21.25		21.50	0.5
	QPSK	1	1		21.87		22.00	0.0
		1	137		21.76		22.00	0.0
		1	271		21.88		22.00	0.0
		135	0		20.83		21.00	1.0
		135	69		21.89		22.00	0.0
		135	138		20.82		21.00	1.0
		270	0		20.90		21.00	1.0
	16-QAM	1	1		20.71		21.00	1.0
	64QAM	1	1		19.22		19.50	2.5
	256-QAM	1	1		17.40		17.50	4.5
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	650000	650334		
90	Pi/2 BPSK	1	1	21.82	21.85	21.74	22.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	21.89	21.90	21.72	22.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	650000	651334		
60	Pi/2 BPSK	1	1	21.72	21.71	21.82	22.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	21.73	21.81	21.85	22.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	650000	652000		
40	Pi/2 BPSK	1	1	21.84	21.75	21.89	22.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	650000	652666		
20	Pi/2 BPSK	1	1	21.88	21.90	21.75	22.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	21.77	21.89	21.75	22.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	650000	653000		
10	Pi/2 BPSK	1	1	21.73	21.79	21.73	22.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

ANT8_DSI6

5G NR n41_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	24.96	24.54	24.01	25.50	0.0
		1	137	24.82	24.43	23.84	25.50	0.0
		1	271	24.81	24.48	23.87	25.50	0.0
		135	0	24.50	24.06	23.48	25.00	0.5
		135	69	24.88	24.48	23.87	25.50	0.0
		135	138	24.39	23.95	23.53	25.00	0.5
		270	0	24.37	24.03	23.46	25.00	0.5
	QPSK	1	1	24.87	24.43	23.87	25.50	0.0
		1	137	24.80	24.39	23.89	25.50	0.0
		1	271	24.86	24.39	23.90	25.50	0.0
		135	0	23.82	23.40	22.86	24.50	1.0
		135	69	24.85	24.46	23.88	25.50	0.0
		135	138	23.84	23.40	22.90	24.50	1.0
		270	0	23.80	23.37	22.85	24.50	1.0
	16-QAM	1	1	23.84	23.41	22.90	24.50	1.0
	64QAM	1	1	22.38	21.95	21.33	23.00	2.5
	256-QAM	1	1	20.33	19.87	19.40	21.00	4.5

5G NR n41_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	24.84	24.42	23.96	25.50	0.0

5G NR n41_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	24.86	24.39	23.91	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	24.79	24.43	23.88	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	24.90	24.44	23.85	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	24.88	24.39	23.88	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	24.76	24.43	23.91	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	24.84	24.47	23.87	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	24.84	24.33	23.92	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	24.75	24.46	23.96	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	24.87	24.45	23.95	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	24.89	24.46	23.86	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	24.76	24.42	23.82	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	24.91	24.37	23.92	25.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	25.91	26.40	26.02	27.50	0.0
		1	137	25.77	26.29	25.86	27.50	0.0
		1	271	25.83	26.33	25.96	27.50	0.0
		135	0	25.34	25.86	25.50	27.00	0.5
		135	69	25.77	26.29	25.88	27.50	0.0
		135	138	25.35	25.83	25.50	27.00	0.5
		270	0	25.35	25.82	25.51	27.00	0.5
	QPSK	1	1	25.71	26.28	25.92	27.50	0.0
		1	137	25.76	26.29	25.92	27.50	0.0
		1	271	25.80	26.22	25.85	27.50	0.0
		135	0	24.84	25.33	24.96	26.50	1.0
		135	69	25.87	26.25	25.96	27.50	0.0
		135	138	24.79	25.26	24.91	26.50	1.0
		270	0	24.75	25.23	24.86	26.50	1.0
	16-QAM	1	1	24.79	25.27	24.91	26.50	1.0
	64QAM	1	1	23.34	23.76	23.41	25.00	2.5
	256-QAM	1	1	21.25	21.83	21.37	23.00	4.5
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	25.80	26.28	25.92	27.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	25.77	26.28	25.90	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	25.82	26.33	25.88	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	25.70	26.24	25.93	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	25.81	26.30	25.88	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	25.73	26.25	25.89	27.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	25.74	26.22	25.94	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	25.79	26.34	25.90	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	25.73	26.23	25.96	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	25.80	26.29	25.93	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	25.76	26.30	25.94	27.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	25.78	26.36	25.92	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	25.80	26.26	25.88	27.50	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3600	3625.02	3649.98		
Channel				640000	641668	643332		
100	Pi/2 BPSK	1	1	23.76	23.83	23.80	24.00	0.0
		1	137	23.79	23.90	23.72	24.00	0.0
		1	271	23.76	23.73	23.82	24.00	0.0
		135	0	23.33	23.30	23.32	23.50	0.5
		135	69	23.75	23.71	23.82	24.00	0.0
		135	138	23.22	23.22	23.32	23.50	0.5
		270	0	23.34	23.22	23.29	23.50	0.5
	QPSK	1	1	23.82	23.88	23.78	24.00	0.0
		1	137	23.89	23.89	23.82	24.00	0.0
		1	271	23.90	23.73	23.72	24.00	0.0
		135	0	22.73	22.85	22.73	23.00	1.0
		135	69	23.71	23.83	23.74	24.00	0.0
		135	138	22.73	22.84	22.77	23.00	1.0
		270	0	22.74	22.84	22.72	23.00	1.0
	16-QAM	1	1	22.85	22.83	22.88	23.00	1.0
	64QAM	1	1	21.22	21.29	21.33	21.50	2.5
	256-QAM	1	1	19.37	19.21	19.39	19.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3595.02	3625.02	3654.99		
Channel				639668	641668	643666		
90	Pi/2 BPSK	1	1	23.79	23.81	23.82	24.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3590.01	3625.02	3660		
Channel				639334	641668	644000		
80	Pi/2 BPSK	1	1	23.80	23.86	23.88	24.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3585	3625.02	3664.98		
Channel				639000	641668	644332		
70	Pi/2 BPSK	1	1	23.74	23.74	23.82	24.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3580.02	3625.02	3669.99		
Channel				638668	641668	644666		
60	Pi/2 BPSK	1	1	23.79	23.85	23.85	24.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3575.01	3625.02	3675		
Channel				638334	641668	645000		
50	Pi/2 BPSK	1	1	23.84	23.84	23.71	24.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3570	3625.02	3679.98		
Channel				638000	641668	645332		
40	Pi/2 BPSK	1	1	23.75	23.78	23.82	24.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3565.02	3625.02	3684.99		
Channel				637668	641668	645666		
30	Pi/2 BPSK	1	1	23.81	23.80	23.75	24.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3560.01	3625.02	3690		
Channel				637334	641668	646000		
20	Pi/2 BPSK	1	1	23.84	23.87	23.80	24.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3557.52	3625.02	3692.49		
Channel				637168	641668	646166		
15	Pi/2 BPSK	1	1	23.89	23.90	23.82	24.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3555	3625.02	3694.98		
Channel				637000	641668	646332		
10	Pi/2 BPSK	1	1	23.83	23.84	23.71	24.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	22.30	22.27	22.38	22.35	22.21	22.50	0.0
		1	137	22.25	22.24	22.29	22.25	22.41	22.50	0.0
		1	271	22.40	22.37	22.25	22.28	22.25	22.50	0.0
		135	0	21.74	21.71	21.87	21.85	21.87	22.00	0.5
		135	69	22.29	22.27	22.26	22.29	22.30	22.50	0.0
		135	138	21.84	21.80	21.85	21.83	21.84	22.00	0.5
		270	0	21.80	21.84	21.90	21.84	21.78	22.00	0.5
	QPSK	1	1	22.29	22.39	22.34	22.37	22.31	22.50	0.0
		1	137	22.30	22.38	22.27	22.25	22.32	22.50	0.0
		1	271	22.27	22.28	22.36	22.32	22.26	22.50	0.0
		135	0	21.37	21.29	21.24	21.28	21.29	21.50	1.0
		135	69	22.38	22.36	22.34	22.35	22.21	22.50	0.0
		135	138	21.31	21.39	21.38	21.40	21.35	21.50	1.0
		270	0	21.37	21.23	21.39	21.28	21.23	21.50	1.0
	16-QAM	1	1	21.23	21.27	21.34	21.31	21.32	21.50	1.0
	64QAM	1	1	19.81	19.81	19.79	19.75	19.89	20.00	2.5
	256-QAM	1	1	17.72	17.90	17.88	17.80	17.90	18.00	4.5
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	22.23	22.35	22.24	22.25	22.23	22.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	22.25	22.38	22.29	22.26	22.24	22.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	22.35	22.22	22.40	22.34	22.25	22.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	22.25	22.31	22.21	22.29	22.32	22.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960		
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	22.21	22.34	22.21	22.23	22.32	22.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99		
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	22.34	22.35	22.38	22.34	22.24	22.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495		
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	22.30	22.37	22.30	22.32	22.37	22.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975		
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	22.29	22.38	22.37	22.34	22.22	22.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	25.35	25.28	25.26	25.22	25.41	25.50	0.0
		1	137	25.26	25.31	25.37	25.33	25.32	25.50	0.0
		1	271	25.38	25.32	25.33	25.22	25.25	25.50	0.0
		135	0	24.79	24.86	24.76	24.84	24.75	25.00	0.5
		135	69	25.31	25.30	25.35	25.27	25.42	25.50	0.0
		135	138	24.75	24.76	24.74	24.86	24.88	25.00	0.5
		270	0	24.87	24.83	24.73	24.85	24.74	25.00	0.5
	QPSK	1	1	25.35	25.28	25.38	25.35	25.23	25.50	0.0
		1	137	25.30	25.33	25.22	25.40	25.37	25.50	0.0
		1	271	25.23	25.36	25.24	25.35	25.35	25.50	0.0
		135	0	24.39	24.28	24.23	24.39	24.33	24.50	1.0
		135	69	25.21	25.24	25.23	25.36	25.30	25.50	0.0
		135	138	24.33	24.33	24.37	24.26	24.37	24.50	1.0
		270	0	24.36	24.39	24.26	24.32	24.34	24.50	1.0
	16-QAM	1	1	24.27	24.33	24.26	24.38	24.32	24.50	1.0
	64QAM	1	1	22.87	22.78	22.80	22.84	22.78	23.00	2.5
	256-QAM	1	1	20.79	20.71	20.77	20.81	20.90	21.00	4.5
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	25.37	25.23	25.27	25.25	25.35	25.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	25.37	25.31	25.29	25.32	25.35	25.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	25.25	25.22	25.27	25.35	25.38	25.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	25.33	25.22	25.31	25.35	25.23	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	25.31	25.25	25.31	25.29	25.31	25.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	25.33	25.22	25.23	25.25	25.24	25.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	25.26	25.29	25.28	25.36	25.26	25.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	25.32	25.30	25.28	25.34	25.36	25.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	22.36	22.25	22.30	22.38	22.33	22.50	0.0
		1	137	22.25	22.29	22.44	22.25	22.40	22.50	0.0
		1	271	22.34	22.21	22.29	22.23	22.25	22.50	0.0
		135	0	21.88	21.85	21.85	21.76	21.80	22.00	0.5
		135	69	22.38	22.33	22.23	22.41	22.38	22.50	0.0
		135	138	21.76	21.89	21.87	21.83	21.79	22.00	0.5
		270	0	21.71	21.76	21.89	21.74	21.87	22.00	0.5
	QPSK	1	1	22.33	22.24	22.28	22.29	22.38	22.50	0.0
		1	137	22.23	22.36	22.25	22.37	22.37	22.50	0.0
		1	271	22.36	22.38	22.37	22.28	22.36	22.50	0.0
		135	0	21.36	21.21	21.35	21.34	21.37	21.50	1.0
		135	69	22.33	22.23	22.22	22.39	22.22	22.50	0.0
		135	138	21.28	21.40	21.37	21.28	21.32	21.50	1.0
		270	0	21.21	21.23	21.25	21.25	21.25	21.50	1.0
	16-QAM	1	1	21.36	21.29	21.24	21.31	21.40	21.50	1.0
	64QAM	1	1	19.73	19.71	19.77	19.78	19.86	20.00	2.5
	256-QAM	1	1	17.89	17.74	17.80	17.72	17.79	18.00	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	22.27	22.34	22.25	22.28	22.21	22.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	22.26	22.25	22.25	22.25	22.22	22.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	22.33	22.22	22.29	22.31	22.21	22.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	22.23	22.30	22.37	22.38	22.26	22.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01		
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	22.34	22.26	22.28	22.26	22.28	22.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690		
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	22.28	22.25	22.40	22.40	22.38	22.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52		
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	22.26	22.23	22.36	22.35	22.23	22.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01		
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	22.22	22.28	22.39	22.33	22.22	22.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01		
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	25.32	25.31	25.22	25.38	25.28	25.50	0.0
		1	137	25.31	25.34	25.40	25.40	25.35	25.50	0.0
		1	271	25.28	25.26	25.22	25.40	25.34	25.50	0.0
		135	0	24.77	24.86	24.79	24.76	24.74	25.00	0.5
		135	69	25.25	25.37	25.41	25.38	25.25	25.50	0.0
		135	138	24.71	24.77	24.77	24.83	24.83	25.00	0.5
		270	0	24.72	24.76	24.81	24.86	24.83	25.00	0.5
	QPSK	1	1	25.37	25.26	25.26	25.24	25.27	25.50	0.0
		1	137	25.32	25.39	25.24	25.29	25.27	25.50	0.0
		1	271	25.39	25.21	25.34	25.35	25.29	25.50	0.0
		135	0	24.34	24.30	24.25	24.26	24.23	24.50	1.0
		135	69	25.34	25.27	25.26	25.38	25.28	25.50	0.0
		135	138	24.25	24.23	24.27	24.35	24.34	24.50	1.0
		270	0	24.25	24.22	24.32	24.32	24.37	24.50	1.0
	16-QAM	1	1	24.33	24.29	24.22	24.32	24.29	24.50	1.0
	64QAM	1	1	22.86	22.74	22.76	22.80	22.72	23.00	2.5
	256-QAM	1	1	20.89	20.76	20.80	20.88	20.77	21.00	4.5
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	25.40	25.33	25.27	25.26	25.25	25.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	25.32	25.27	25.29	25.37	25.34	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	25.31	25.39	25.21	25.40	25.27	25.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	25.31	25.22	25.34	25.30	25.30	25.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01		
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	25.25	25.36	25.38	25.21	25.29	25.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690		
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	25.24	25.31	25.40	25.29	25.31	25.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52		
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	25.28	25.37	25.37	25.37	25.30	25.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01		
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	25.25	25.27	25.27	25.28	25.36	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		22.35		22.50	0.0
		1	137		22.24		22.50	0.0
		1	271		22.27		22.50	0.0
		135	0		21.84		22.00	0.5
		135	69		22.40		22.50	0.0
		135	138		21.75		22.00	0.5
		270	0		21.78		22.00	0.5
	QPSK	1	1		22.35		22.50	0.0
		1	137		22.31		22.50	0.0
		1	271		22.28		22.50	0.0
		135	0		21.36		21.50	1.0
		135	69		22.32		22.50	0.0
		135	138		21.36		21.50	1.0
		270	0		21.23		21.50	1.0
	16-QAM	1	1		21.33		21.50	1.0
	64QAM	1	1		19.89		20.00	2.5
	256-QAM	1	1		17.77		18.00	4.5
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	645000	650334		
90	Pi/2 BPSK	1	1	22.22	22.38	22.30	22.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	22.37	22.30	22.40	22.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	645000	651334		
60	Pi/2 BPSK	1	1	22.26	22.40	22.32	22.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	22.33	22.35	22.28	22.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	645000	652000		
40	Pi/2 BPSK	1	1	22.37	22.39	22.23	22.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	645000	652666		
20	Pi/2 BPSK	1	1	22.39	22.30	22.31	22.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	22.38	22.31	22.40	22.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	645000	653000		
10	Pi/2 BPSK	1	1	22.35	22.30	22.26	22.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		25.30		25.50	0.0
		1	137		25.29		25.50	0.0
		1	271		25.26		25.50	0.0
		135	0		24.78		25.00	0.5
		135	69		25.27		25.50	0.0
		135	138		24.76		25.00	0.5
		270	0		24.86		25.00	0.5
	QPSK	1	1		25.31		25.50	0.0
		1	137		25.27		25.50	0.0
		1	271		25.21		25.50	0.0
		135	0		24.35		24.50	1.0
		135	69		25.40		25.50	0.0
		135	138		24.21		24.50	1.0
		270	0		24.30		24.50	1.0
	16-QAM	1	1		24.21		24.50	1.0
	64QAM	1	1		22.77		23.00	2.5
	256-QAM	1	1		20.73		21.00	4.5
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	650000	650334		
90	Pi/2 BPSK	1	1	25.40	25.22	25.38	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	25.35	25.36	25.32	25.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	650000	651334		
60	Pi/2 BPSK	1	1	25.36	25.31	25.25	25.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	25.28	25.21	25.29	25.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	650000	652000		
40	Pi/2 BPSK	1	1	25.35	25.21	25.26	25.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	650000	652666		
20	Pi/2 BPSK	1	1	25.39	25.33	25.40	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	25.24	25.31	25.29	25.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	650000	653000		
10	Pi/2 BPSK	1	1	25.36	25.36	25.31	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

ANT8_DSI7_SA

5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3600	3625.02	3649.98		
Channel				640000	641668	643332		
100	Pi/2 BPSK	1	1	21.22	21.28	21.33	21.50	0.0
		1	137	21.34	21.26	21.24	21.50	0.0
		1	271	21.32	21.27	21.28	21.50	0.0
		135	0	20.76	20.85	20.84	21.00	0.5
		135	69	21.38	21.41	21.40	21.50	0.0
		135	138	20.76	20.86	20.77	21.00	0.5
		270	0	20.80	20.75	20.78	21.00	0.5
	QPSK	1	1	21.24	21.36	21.22	21.50	0.0
		1	137	21.22	21.22	21.38	21.50	0.0
		1	271	21.29	21.39	21.40	21.50	0.0
		135	0	20.30	20.39	20.23	20.50	1.0
		135	69	21.28	21.28	21.36	21.50	0.0
		135	138	20.28	20.25	20.30	20.50	1.0
		270	0	20.30	20.30	20.28	20.50	1.0
	16-QAM	1	1	20.30	20.32	20.40	20.50	1.0
	64QAM	1	1	18.87	18.76	18.80	19.00	2.5
	256-QAM	1	1	16.75	16.75	16.75	17.00	4.5
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3595.02	3625.02	3654.99		
Channel				639668	641668	643666		
90	Pi/2 BPSK	1	1	21.40	21.22	21.39	21.50	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3590.01	3625.02	3660		
Channel				639334	641668	644000		
80	Pi/2 BPSK	1	1	21.39	21.27	21.26	21.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3585	3625.02	3664.98		
Channel				639000	641668	644332		
70	Pi/2 BPSK	1	1	21.28	21.28	21.39	21.50	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3580.02	3625.02	3669.99		
Channel				638668	641668	644666		
60	Pi/2 BPSK	1	1	21.32	21.27	21.21	21.50	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3575.01	3625.02	3675		
Channel				638334	641668	645000		
50	Pi/2 BPSK	1	1	21.27	21.29	21.34	21.50	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3570	3625.02	3679.98		
Channel				638000	641668	645332		
40	Pi/2 BPSK	1	1	21.25	21.27	21.37	21.50	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3565.02	3625.02	3684.99		
Channel				637668	641668	645666		
30	Pi/2 BPSK	1	1	21.28	21.21	21.38	21.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n48_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
Frequency (MHz)				3560.01	3625.02	3690				
Channel				637334	641668	646000				
20	Pi/2 BPSK	1	1	21.36	21.25	21.25	21.50	0.0		
5G NR n48_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
Frequency (MHz)				3557.52	3625.02	3692.49				
Channel				637168	641668	646166				
15	Pi/2 BPSK	1	1	21.36	21.26	21.25	21.50	0.0		
5G NR n48_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
Frequency (MHz)				3555	3625.02	3694.98				
Channel				637000	641668	646332				
10	Pi/2 BPSK	1	1	21.32	21.28	21.36	21.50	0.0		
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930		
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	19.84	19.71	19.80	19.89	19.76	20.00	0.0
		1	137	19.71	19.73	19.73	19.71	19.92	20.00	0.0
		1	271	19.77	19.81	19.79	19.83	19.75	20.00	0.0
		135	0	19.26	19.29	19.23	19.34	19.23	19.50	0.5
		135	69	19.88	19.82	19.78	19.88	19.89	20.00	0.0
		135	138	19.35	19.28	19.33	19.34	19.33	19.50	0.5
		270	0	19.32	19.26	19.34	19.33	19.29	19.50	0.5
	QPSK	1	1	19.74	19.74	19.75	19.89	19.85	20.00	0.0
		1	137	19.76	19.73	19.84	19.73	19.86	20.00	0.0
		1	271	19.82	19.72	19.90	19.77	19.83	20.00	0.0
		135	0	18.77	18.80	18.71	18.72	18.77	19.00	1.0
		135	69	19.90	19.90	19.83	19.76	19.71	20.00	0.0
		135	138	18.80	18.89	18.82	18.74	18.82	19.00	1.0
		270	0	18.77	18.76	18.90	18.71	18.79	19.00	1.0
	16-QAM	1	1	18.90	18.71	18.84	18.87	18.74	19.00	1.0
	64QAM	1	1	17.40	17.27	17.26	17.37	17.38	17.50	2.5
	256-QAM	1	1	15.29	15.27	15.36	15.24	15.31	15.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01		
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	19.88	19.83	19.90	19.74	19.89	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99		
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	19.87	19.71	19.75	19.86	19.82	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01		
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	19.84	19.81	19.74	19.86	19.88	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99		
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	19.76	19.79	19.72	19.79	19.73	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960		
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	19.87	19.81	19.76	19.82	19.75	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99		
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	19.75	19.89	19.85	19.89	19.72	20.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	19.90	19.74	19.77	19.88	19.83	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	19.82	19.79	19.75	19.88	19.72	20.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	22.85	22.87	22.75	22.73	22.88	23.00	0.0
		1	137	22.83	22.81	22.71	22.81	22.73	23.00	0.0
		1	271	22.79	22.85	22.85	22.79	22.71	23.00	0.0
		135	0	22.39	22.23	22.27	22.27	22.31	22.50	0.5
		135	69	22.83	22.86	22.85	22.72	22.89	23.00	0.0
		135	138	22.36	22.25	22.39	22.29	22.37	22.50	0.5
		270	0	22.33	22.27	22.29	22.34	22.31	22.50	0.5
	QPSK	1	1	22.88	22.85	22.90	22.89	22.88	23.00	0.0
		1	137	22.87	22.78	22.81	22.89	22.83	23.00	0.0
		1	271	22.84	22.77	22.83	22.88	22.85	23.00	0.0
		135	0	21.77	21.74	21.77	21.71	21.76	22.00	1.0
		135	69	22.84	22.85	22.72	22.78	22.83	23.00	0.0
		135	138	21.74	21.85	21.75	21.71	21.82	22.00	1.0
		270	0	21.77	21.80	21.79	21.88	21.84	22.00	1.0
	16-QAM	1	1	21.74	21.81	21.81	21.87	21.80	22.00	1.0
	64QAM	1	1	20.29	20.28	20.23	20.31	20.39	20.50	2.5
	256-QAM	1	1	18.26	18.40	18.35	18.28	18.38	18.50	4.5
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	22.79	22.71	22.79	22.88	22.76	23.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	22.86	22.77	22.80	22.80	22.75	23.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	22.89	22.78	22.72	22.84	22.83	23.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	22.88	22.81	22.82	22.76	22.76	23.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	22.81	22.86	22.80	22.83	22.77	23.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	22.84	22.80	22.79	22.76	22.82	23.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	22.75	22.83	22.81	22.82	22.83	23.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	22.82	22.75	22.71	22.87	22.71	23.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01		
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	19.77	19.88	19.91	19.80	19.73	20.00	0.0
		1	137	19.88	19.78	19.80	19.73	19.74	20.00	0.0
		1	271	19.72	19.89	19.81	19.77	19.90	20.00	0.0
		135	0	19.30	19.21	19.27	19.23	19.40	19.50	0.5
		135	69	19.72	19.83	19.89	19.90	19.77	20.00	0.0
		135	138	19.21	19.32	19.23	19.29	19.38	19.50	0.5
		270	0	19.23	19.22	19.37	19.32	19.31	19.50	0.5
	QPSK	1	1	19.87	19.81	19.74	19.89	19.83	20.00	0.0
		1	137	19.78	19.77	19.71	19.89	19.77	20.00	0.0
		1	271	19.71	19.86	19.72	19.90	19.85	20.00	0.0
		135	0	18.81	18.80	18.73	18.74	18.74	19.00	1.0
		135	69	19.76	19.80	19.87	19.82	19.72	20.00	0.0
		135	138	18.73	18.71	18.78	18.82	18.71	19.00	1.0
		270	0	18.76	18.89	18.79	18.76	18.83	19.00	1.0
	16-QAM	1	1	18.76	18.73	18.78	18.82	18.79	19.00	1.0
	64QAM	1	1	17.35	17.35	17.21	17.25	17.21	17.50	2.5
	256-QAM	1	1	15.39	15.37	15.21	15.28	15.37	15.50	4.5
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	19.87	19.81	19.71	19.85	19.85	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	19.85	19.78	19.72	19.82	19.90	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	19.87	19.87	19.87	19.89	19.72	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	19.71	19.80	19.77	19.87	19.77	20.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	19.74	19.79	19.82	19.90	19.89	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	19.73	19.81	19.83	19.85	19.82	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	19.74	19.71	19.85	19.84	19.90	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	19.88	19.83	19.88	19.76	19.78	20.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	22.83	22.74	22.76	22.85	22.84	23.00	0.0
		1	137	22.87	22.78	22.89	22.88	22.85	23.00	0.0
		1	271	22.86	22.77	22.71	22.72	22.84	23.00	0.0
		135	0	22.30	22.33	22.25	22.34	22.24	22.50	0.5
		135	69	22.78	22.89	22.89	22.77	22.80	23.00	0.0
		135	138	22.40	22.25	22.22	22.35	22.23	22.50	0.5
		270	0	22.31	22.29	22.38	22.31	22.37	22.50	0.5
		1	1	22.84	22.74	22.79	22.86	22.72	23.00	0.0
	QPSK	1	137	22.88	22.87	22.80	22.76	22.76	23.00	0.0
		1	271	22.82	22.87	22.90	22.72	22.82	23.00	0.0
		135	0	21.83	21.89	21.71	21.75	21.89	22.00	1.0
		135	69	22.79	22.83	22.79	22.87	22.74	23.00	0.0
		135	138	21.85	21.80	21.85	21.86	21.89	22.00	1.0
		270	0	21.79	21.88	21.85	21.75	21.87	22.00	1.0
	16-QAM	1	1	21.76	21.81	21.79	21.81	21.79	22.00	1.0
	64QAM	1	1	20.40	20.36	20.28	20.39	20.24	20.50	2.5
	256-QAM	1	1	18.35	18.26	18.23	18.34	18.21	18.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	22.83	22.77	22.71	22.75	22.78	23.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	22.72	22.87	22.85	22.78	22.72	23.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	22.71	22.90	22.75	22.83	22.89	23.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	22.83	22.74	22.76	22.84	22.87	23.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01		
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	22.80	22.72	22.77	22.74	22.82	23.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690		
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	22.83	22.87	22.89	22.74	22.75	23.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52		
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	22.80	22.89	22.89	22.84	22.83	23.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01		
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	22.75	22.86	22.88	22.85	22.85	23.00	0.0
5G NR n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
Frequency (MHz)					3750					
Channel					650000					
100	Pi/2 BPSK	1	1		19.77		20.00	0.0		
		1	137		19.87		20.00	0.0		
		1	271		19.72		20.00	0.0		
		135	0		19.39		19.50	0.5		
		135	69		19.71		20.00	0.0		
		135	138		19.40		19.50	0.5		
		270	0		19.35		19.50	0.5		
	QPSK	1	1		19.77		20.00	0.0		
		1	137		19.73		20.00	0.0		
		1	271		19.81		20.00	0.0		
		135	0		18.90		19.00	1.0		
		135	69		19.74		20.00	0.0		
		135	138		18.76		19.00	1.0		
		270	0		18.83		19.00	1.0		
	16-QAM	1	1		18.89		19.00	1.0		
64QAM	1	1		17.35		17.50	2.5			
256-QAM	1	1		15.28		15.50	4.5			
5G NR n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
Frequency (MHz)				3744.99	3750	3755.01				
Channel				649666	645000	650334				
90	Pi/2 BPSK	1	1	19.73	19.87	19.74	20.00	0.0		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	19.83	19.74	19.72	20.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	645000	651334		
60	Pi/2 BPSK	1	1	19.74	19.76	19.87	20.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	19.78	19.74	19.87	20.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	645000	652000		
40	Pi/2 BPSK	1	1	19.85	19.85	19.84	20.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	645000	652666		
20	Pi/2 BPSK	1	1	19.80	19.74	19.81	20.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	19.71	19.85	19.75	20.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	645000	653000		
10	Pi/2 BPSK	1	1	19.72	19.72	19.76	20.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		22.81		23.00	0.0
		1	137		22.86		23.00	0.0
		1	271		22.89		23.00	0.0
		135	0		22.28		22.50	0.5
		135	69		22.88		23.00	0.0
		135	138		22.29		22.50	0.5
		270	0		22.28		22.50	0.5
	QPSK	1	1		22.80		23.00	0.0
		1	137		22.78		23.00	0.0
		1	271		22.74		23.00	0.0
		135	0		21.79		22.00	1.0
		135	69		22.72		23.00	0.0
		135	138		21.80		22.00	1.0
		270	0		21.74		22.00	1.0
	16-QAM	1	1		21.78		22.00	1.0
	64QAM	1	1		20.22		20.50	2.5
	256-QAM	1	1		18.21		18.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	650000	650334		
90	Pi/2 BPSK	1	1	22.79	22.82	22.79	23.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	22.76	22.87	22.87	23.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	650000	651334		
60	Pi/2 BPSK	1	1	22.72	22.72	22.87	23.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	22.88	22.77	22.72	23.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	650000	652000		
40	Pi/2 BPSK	1	1	22.82	22.78	22.78	23.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	650000	652666		
20	Pi/2 BPSK	1	1	22.80	22.71	22.87	23.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	22.81	22.83	22.83	23.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	650000	653000		
10	Pi/2 BPSK	1	1	22.75	22.83	22.75	23.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

DSI7_NSA

5G NR n41_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	23.26	23.33	23.39	23.50	0.0
		1	137	23.35	23.26	23.40	23.50	0.0
		1	271	23.34	23.31	23.29	23.50	0.0
		135	0	22.72	22.90	22.80	23.00	0.5
		135	69	23.32	23.35	23.36	23.50	0.0
		135	138	22.81	22.78	22.81	23.00	0.5
		270	0	22.74	22.84	22.81	23.00	0.5
	QPSK	1	1	23.38	23.25	23.39	23.50	0.0
		1	137	23.38	23.39	23.40	23.50	0.0
		1	271	23.36	23.23	23.36	23.50	0.0
		135	0	22.25	22.23	22.21	22.50	1.0
		135	69	23.26	23.28	23.28	23.50	0.0
		135	138	22.22	22.38	22.26	22.50	1.0
		270	0	22.26	22.38	22.32	22.50	1.0
	16-QAM	1	1	22.23	22.22	22.26	22.50	1.0
	64QAM	1	1	20.77	20.76	20.72	21.00	2.5
	256-QAM	1	1	18.78	18.89	18.89	19.00	4.5

5G NR n41_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	23.26	23.34	23.30	23.50	0.0

5G NR n41_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	23.38	23.27	23.29	23.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	23.40	23.32	23.22	23.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	23.32	23.30	23.25	23.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	23.22	23.29	23.33	23.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	23.24	23.23	23.26	23.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	23.23	23.34	23.35	23.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	23.31	23.27	23.28	23.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	23.23	23.26	23.22	23.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	23.31	23.35	23.33	23.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	23.23	23.21	23.40	23.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	23.39	23.30	23.28	23.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	23.27	23.33	23.26	23.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	25.91	26.40	26.02	26.50	0.0
		1	137	25.77	26.29	25.86	26.50	0.0
		1	271	25.83	26.33	25.96	26.50	0.0
		135	0	25.34	25.86	25.50	26.00	0.5
		135	69	25.77	26.29	25.88	26.50	0.0
		135	138	25.35	25.83	25.50	26.00	0.5
		270	0	25.35	25.82	25.51	26.00	0.5
	QPSK	1	1	25.71	26.28	25.92	26.50	0.0
		1	137	25.76	26.29	25.92	26.50	0.0
		1	271	25.80	26.22	25.85	26.50	0.0
		135	0	24.84	25.33	24.96	25.50	1.0
		135	69	25.87	26.25	25.96	26.50	0.0
		135	138	24.79	25.26	24.91	25.50	1.0
		270	0	24.75	25.23	24.86	25.50	1.0
	16-QAM	1	1	24.79	25.27	24.91	25.50	1.0
	64QAM	1	1	23.34	23.76	23.41	24.00	2.5
	256-QAM	1	1	21.25	21.83	21.37	22.00	4.5
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	25.80	26.28	25.92	26.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	25.77	26.28	25.90	26.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	25.82	26.33	25.88	26.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	25.70	26.24	25.93	26.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	25.81	26.30	25.88	26.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	25.73	26.25	25.89	26.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	25.74	26.22	25.94	26.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	25.79	26.34	25.90	26.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	25.73	26.23	25.96	26.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	25.80	26.29	25.93	26.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	25.76	26.30	25.94	26.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	25.78	26.36	25.92	26.50	0.0

5G NR n41_PC2_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	25.80	26.26	25.88	26.50	0.0

5G NR n77_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930		
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	18.85	18.77	18.90	18.73	18.76	19.00	0.0
		1	137	18.76	18.71	18.88	18.86	18.75	19.00	0.0
		1	271	18.89	18.83	18.78	18.73	18.86	19.00	0.0
		135	0	18.31	18.40	18.25	18.21	18.22	18.50	0.5
		135	69	18.76	18.73	18.89	18.77	18.88	19.00	0.0
		135	138	18.21	18.34	18.36	18.28	18.26	18.50	0.5
		270	0	18.29	18.29	18.32	18.34	18.21	18.50	0.5
	QPSK	1	1	18.81	18.86	18.72	18.72	18.85	19.00	0.0
		1	137	18.89	18.81	18.71	18.86	18.75	19.00	0.0
		1	271	18.80	18.87	18.84	18.86	18.84	19.00	0.0
		135	0	17.75	17.90	17.77	17.75	17.88	18.00	1.0
		135	69	18.75	18.82	18.81	18.80	18.77	19.00	0.0
		135	138	17.72	17.72	17.76	17.79	17.73	18.00	1.0
		270	0	17.81	17.77	17.89	17.90	17.88	18.00	1.0
	16-QAM	1	1	17.76	17.84	17.89	17.71	17.80	18.00	1.0
	64QAM	1	1	16.25	16.28	16.25	16.36	16.34	16.50	2.5
	256-QAM	1	1	14.29	14.36	14.40	14.24	14.23	14.50	4.5

5G NR n77_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01		
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	18.89	18.77	18.82	18.89	18.85	19.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99		
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	18.80	18.78	18.88	18.76	18.88	19.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01		
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	18.89	18.82	18.88	18.87	18.90	19.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99		
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	18.72	18.82	18.82	18.80	18.73	19.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960		
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	18.89	18.74	18.90	18.76	18.74	19.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99		
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	18.71	18.88	18.72	18.80	18.87	19.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495		
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	18.82	18.83	18.74	18.77	18.86	19.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975		
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	18.89	18.76	18.72	18.71	18.83	19.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930		
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	21.75	21.82	21.83	21.84	21.73	22.00	0.0
		1	137	21.87	21.83	21.81	21.85	21.79	22.00	0.0
		1	271	21.81	21.81	21.75	21.76	21.76	22.00	0.0
		135	0	21.32	21.40	21.26	21.37	21.34	21.50	0.5
		135	69	21.72	21.80	21.82	21.72	21.84	22.00	0.0
		135	138	21.27	21.33	21.30	21.26	21.30	21.50	0.5
		270	0	21.35	21.37	21.37	21.24	21.22	21.50	0.5
	QPSK	1	1	21.72	21.73	21.82	21.78	21.79	22.00	0.0
		1	137	21.77	21.81	21.72	21.84	21.73	22.00	0.0
		1	271	21.87	21.86	21.90	21.85	21.79	22.00	0.0
		135	0	20.85	20.83	20.84	20.81	20.85	21.00	1.0
		135	69	21.73	21.86	21.88	21.89	21.85	22.00	0.0
		135	138	20.88	20.84	20.82	20.75	20.85	21.00	1.0
		270	0	20.80	20.82	20.89	20.90	20.72	21.00	1.0
	16-QAM	1	1	20.88	20.83	20.85	20.82	20.73	21.00	1.0
	64QAM	1	1	19.30	19.30	19.27	19.39	19.30	19.50	2.5
	256-QAM	1	1	17.23	17.40	17.33	17.26	17.29	17.50	4.5
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01		
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	21.80	21.88	21.78	21.78	21.82	22.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99		
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	21.75	21.87	21.78	21.87	21.78	22.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01		
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	21.86	21.86	21.73	21.78	21.73	22.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99		
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	21.73	21.81	21.89	21.77	21.84	22.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960		
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	21.75	21.78	21.86	21.75	21.85	22.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99		
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	21.90	21.85	21.84	21.85	21.80	22.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495		
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	21.90	21.78	21.89	21.73	21.87	22.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975		
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	21.87	21.87	21.76	21.80	21.84	22.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01		
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	18.80	18.82	18.71	18.82	18.77	19.00	0.0
		1	137	18.74	18.88	18.90	18.88	18.80	19.00	0.0
		1	271	18.88	18.73	18.72	18.90	18.80	19.00	0.0
		135	0	18.31	18.38	18.31	18.23	18.25	18.50	0.5
		135	69	18.73	18.79	18.82	18.85	18.83	19.00	0.0
		135	138	18.21	18.25	18.35	18.38	18.40	18.50	0.5
		270	0	18.23	18.35	18.37	18.40	18.22	18.50	0.5
	QPSK	1	1	18.90	18.73	18.74	18.82	18.81	19.00	0.0
		1	137	18.85	18.71	18.86	18.88	18.72	19.00	0.0
		1	271	18.88	18.90	18.78	18.88	18.71	19.00	0.0
		135	0	17.88	17.71	17.77	17.74	17.87	18.00	1.0
		135	69	18.74	18.76	18.74	18.84	18.79	19.00	0.0
		135	138	17.80	17.71	17.88	17.90	17.81	18.00	1.0
		270	0	17.72	17.84	17.83	17.79	17.89	18.00	1.0
	16-QAM	1	1	17.84	17.90	17.83	17.72	17.75	18.00	1.0
	64QAM	1	1	16.32	16.40	16.32	16.36	16.32	16.50	2.5
	256-QAM	1	1	14.36	14.36	14.28	14.29	14.34	14.50	4.5
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	18.79	18.85	18.77	18.73	18.90	19.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	18.77	18.77	18.72	18.86	18.72	19.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	18.84	18.81	18.84	18.81	18.71	19.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	18.84	18.80	18.86	18.85	18.79	19.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	18.89	18.79	18.85	18.82	18.80	19.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	18.90	18.73	18.79	18.82	18.83	19.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	18.75	18.73	18.84	18.81	18.86	19.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	18.82	18.78	18.73	18.81	18.71	19.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	21.74	21.80	21.71	21.89	21.71	22.00	0.0
		1	137	21.86	21.73	21.90	21.85	21.88	22.00	0.0
		1	271	21.72	21.88	21.83	21.89	21.81	22.00	0.0
		135	0	21.36	21.24	21.29	21.33	21.28	21.50	0.5
		135	69	21.72	21.83	21.79	21.87	21.90	22.00	0.0
		135	138	21.39	21.29	21.37	21.22	21.22	21.50	0.5
		270	0	21.28	21.36	21.31	21.39	21.27	21.50	0.5
	QPSK	1	1	21.75	21.90	21.87	21.86	21.88	22.00	0.0
		1	137	21.90	21.80	21.74	21.86	21.81	22.00	0.0
		1	271	21.90	21.71	21.89	21.80	21.79	22.00	0.0
		135	0	20.85	20.71	20.71	20.79	20.73	21.00	1.0
		135	69	21.73	21.73	21.85	21.77	21.78	22.00	0.0
		135	138	20.78	20.82	20.83	20.83	20.79	21.00	1.0
		270	0	20.73	20.84	20.76	20.72	20.78	21.00	1.0
	16-QAM	1	1	20.76	20.86	20.87	20.72	20.85	21.00	1.0
	64QAM	1	1	19.22	19.26	19.38	19.32	19.30	19.50	2.5
	256-QAM	1	1	17.39	17.35	17.24	17.36	17.28	17.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	21.84	21.76	21.80	21.77	21.72	22.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	21.82	21.87	21.73	21.84	21.73	22.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	21.85	21.79	21.76	21.85	21.80	22.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	21.84	21.73	21.86	21.76	21.90	22.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01		
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	21.83	21.76	21.79	21.71	21.89	22.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690		
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	21.71	21.82	21.85	21.87	21.83	22.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52		
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	21.87	21.73	21.76	21.75	21.81	22.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01		
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	21.85	21.84	21.72	21.71	21.80	22.00	0.0
5G NR n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
Frequency (MHz)					3750					
Channel					650000					
100	Pi/2 BPSK	1	1		18.77		19.00	0.0		
		1	137		18.77		19.00	0.0		
		1	271		18.74		19.00	0.0		
		135	0		18.37		18.50	0.5		
		135	69		18.75		19.00	0.0		
		135	138		18.40		18.50	0.5		
		270	0		18.21		18.50	0.5		
	QPSK	1	1		18.90		19.00	0.0		
		1	137		18.72		19.00	0.0		
		1	271		18.76		19.00	0.0		
		135	0		17.83		18.00	1.0		
		135	69		18.79		19.00	0.0		
		135	138		17.89		18.00	1.0		
		270	0		17.73		18.00	1.0		
	16-QAM	1	1		17.86		18.00	1.0		
64QAM	1	1		16.25		16.50	2.5			
256-QAM	1	1		14.23		14.50	4.5			
5G NR n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
Frequency (MHz)				3744.99	3750	3755.01				
Channel				649666	645000	650334				
90	Pi/2 BPSK	1	1	18.73	18.89	18.84	19.00	0.0		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	18.89	18.83	18.80	19.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	645000	651334		
60	Pi/2 BPSK	1	1	18.84	18.77	18.90	19.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	18.74	18.83	18.81	19.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	645000	652000		
40	Pi/2 BPSK	1	1	18.86	18.87	18.84	19.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	645000	652666		
20	Pi/2 BPSK	1	1	18.90	18.82	18.76	19.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	18.76	18.75	18.90	19.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	645000	653000		
10	Pi/2 BPSK	1	1	18.81	18.74	18.71	19.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		21.80		22.00	0.0
		1	137		21.88		22.00	0.0
		1	271		21.89		22.00	0.0
		135	0		21.32		21.50	0.5
		135	69		21.72		22.00	0.0
		135	138		21.38		21.50	0.5
		270	0		21.21		21.50	0.5
	QPSK	1	1		21.72		22.00	0.0
		1	137		21.73		22.00	0.0
		1	271		21.77		22.00	0.0
		135	0		20.83		21.00	1.0
		135	69		21.87		22.00	0.0
		135	138		20.83		21.00	1.0
		270	0		20.82		21.00	1.0
	16-QAM	1	1		20.88		21.00	1.0
	64QAM	1	1		19.35		19.50	2.5
	256-QAM	1	1		17.24		17.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	650000	650334		
90	Pi/2 BPSK	1	1	21.90	21.71	21.86	22.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	21.85	21.81	21.77	22.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	650000	651334		
60	Pi/2 BPSK	1	1	21.76	21.89	21.75	22.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	21.87	21.88	21.81	22.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	650000	652000		
40	Pi/2 BPSK	1	1	21.73	21.80	21.82	22.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	650000	652666		
20	Pi/2 BPSK	1	1	21.76	21.88	21.89	22.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	21.87	21.72	21.78	22.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	650000	653000		
10	Pi/2 BPSK	1	1	21.90	21.79	21.74	22.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

ANT9_DSI6

5G NR n41_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	24.96	24.54	24.01	25.50	0.0
		1	137	24.82	24.43	23.84	25.50	0.0
		1	271	24.81	24.48	23.87	25.50	0.0
		135	0	24.50	24.06	23.48	25.00	0.5
		135	69	24.88	24.48	23.87	25.50	0.0
		135	138	24.39	23.95	23.53	25.00	0.5
		270	0	24.37	24.03	23.46	25.00	0.5
	QPSK	1	1	24.87	24.43	23.87	25.50	0.0
		1	137	24.80	24.39	23.89	25.50	0.0
		1	271	24.86	24.39	23.90	25.50	0.0
		135	0	23.82	23.40	22.86	24.50	1.0
		135	69	24.85	24.46	23.88	25.50	0.0
		135	138	23.84	23.40	22.90	24.50	1.0
		270	0	23.80	23.37	22.85	24.50	1.0
	16-QAM	1	1	23.84	23.41	22.90	24.50	1.0
	64QAM	1	1	22.38	21.95	21.33	23.00	2.5
	256-QAM	1	1	20.33	19.87	19.40	21.00	4.5

5G NR n41_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	24.84	24.42	23.96	25.50	0.0

5G NR n41_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	24.86	24.39	23.91	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	24.79	24.43	23.88	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	24.90	24.44	23.85	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	24.88	24.39	23.88	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	24.76	24.43	23.91	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	24.84	24.47	23.87	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	24.84	24.33	23.92	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	24.75	24.46	23.96	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	24.87	24.45	23.95	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	24.89	24.46	23.86	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	24.76	24.42	23.82	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	24.91	24.37	23.92	25.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	25.91	26.40	26.02	27.50	0.0
		1	137	25.77	26.29	25.86	27.50	0.0
		1	271	25.83	26.33	25.96	27.50	0.0
		135	0	25.34	25.86	25.50	27.00	0.5
		135	69	25.77	26.29	25.88	27.50	0.0
		135	138	25.35	25.83	25.50	27.00	0.5
		270	0	25.35	25.82	25.51	27.00	0.5
	QPSK	1	1	25.71	26.28	25.92	27.50	0.0
		1	137	25.76	26.29	25.92	27.50	0.0
		1	271	25.80	26.22	25.85	27.50	0.0
		135	0	24.84	25.33	24.96	26.50	1.0
		135	69	25.87	26.25	25.96	27.50	0.0
		135	138	24.79	25.26	24.91	26.50	1.0
		270	0	24.75	25.23	24.86	26.50	1.0
	16-QAM	1	1	24.79	25.27	24.91	26.50	1.0
	64QAM	1	1	23.34	23.76	23.41	25.00	2.5
	256-QAM	1	1	21.25	21.83	21.37	23.00	4.5
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	25.80	26.28	25.92	27.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	25.77	26.28	25.90	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	25.82	26.33	25.88	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	25.70	26.24	25.93	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	25.81	26.30	25.88	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	25.73	26.25	25.89	27.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	25.74	26.22	25.94	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	25.79	26.34	25.90	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	25.73	26.23	25.96	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	25.80	26.29	25.93	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	25.76	26.30	25.94	27.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	25.78	26.36	25.92	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	25.80	26.26	25.88	27.50	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3600	3625.02	3649.98		
Channel				640000	641668	643332		
100	Pi/2 BPSK	1	1	25.05	25.03	24.91	26.00	0.0
		1	137	24.91	24.91	24.77	26.00	0.0
		1	271	24.99	24.86	24.80	26.00	0.0
		135	0	24.51	24.57	24.41	25.50	0.5
		135	69	24.91	25.00	24.78	26.00	0.0
		135	138	24.52	24.43	24.35	25.50	0.5
		270	0	24.61	24.44	24.40	25.50	0.5
	QPSK	1	1	24.96	24.94	24.80	26.00	0.0
		1	137	24.85	24.91	24.75	26.00	0.0
		1	271	24.92	24.93	24.81	26.00	0.0
		135	0	23.91	23.90	23.75	25.00	1.0
		135	69	24.89	24.89	24.79	26.00	0.0
		135	138	23.93	23.89	23.80	25.00	1.0
		270	0	23.89	23.86	23.75	25.00	1.0
	16-QAM	1	1	23.93	23.90	23.80	25.00	1.0
	64QAM	1	1	22.46	22.48	22.28	23.50	2.5
	256-QAM	1	1	20.43	20.36	20.26	21.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3595.02	3625.02	3654.99		
Channel				639668	641668	643666		
90	Pi/2 BPSK	1	1	24.87	24.90	24.79	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3590.01	3625.02	3660		
Channel				639334	641668	644000		
80	Pi/2 BPSK	1	1	24.91	24.88	24.81	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3585	3625.02	3664.98		
Channel				639000	641668	644332		
70	Pi/2 BPSK	1	1	24.87	24.94	24.73	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3580.02	3625.02	3669.99		
Channel				638668	641668	644666		
60	Pi/2 BPSK	1	1	24.86	24.93	24.84	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3575.01	3625.02	3675		
Channel				638334	641668	645000		
50	Pi/2 BPSK	1	1	24.94	24.97	24.80	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3570	3625.02	3679.98		
Channel				638000	641668	645332		
40	Pi/2 BPSK	1	1	24.98	24.93	24.75	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3565.02	3625.02	3684.99		
Channel				637668	641668	645666		
30	Pi/2 BPSK	1	1	24.91	24.85	24.74	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3560.01	3625.02	3690		
Channel				637334	641668	646000		
20	Pi/2 BPSK	1	1	24.92	24.94	24.74	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3557.52	3625.02	3692.49		
Channel				637168	641668	646166		
15	Pi/2 BPSK	1	1	24.93	24.87	24.76	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3555	3625.02	3694.98		
Channel				637000	641668	646332		
10	Pi/2 BPSK	1	1	24.99	24.89	24.86	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	25.40	25.21	25.52	25.83	25.90	26.00	0.0
		1	137	25.27	25.00	25.37	25.75	25.80	26.00	0.0
		1	271	25.32	25.12	25.40	25.72	25.85	26.00	0.0
		135	0	24.80	24.63	25.05	25.29	25.34	25.50	0.5
		135	69	25.34	25.09	25.45	25.79	25.80	26.00	0.0
		135	138	24.92	24.73	24.96	25.30	25.36	25.50	0.5
		270	0	24.84	24.74	24.94	25.28	25.41	25.50	0.5
	QPSK	1	1	25.30	25.11	25.40	25.69	25.78	26.00	0.0
		1	137	25.21	25.16	25.37	25.72	25.80	26.00	0.0
		1	271	25.36	25.13	25.39	25.68	25.80	26.00	0.0
		135	0	24.32	24.08	24.43	24.71	24.85	25.00	1.0
		135	69	25.32	25.16	25.45	25.67	25.79	26.00	0.0
		135	138	24.28	24.07	24.41	24.71	24.76	25.00	1.0
		270	0	24.24	24.04	24.36	24.67	24.73	25.00	1.0
	16-QAM	1	1	24.28	24.08	24.41	24.71	24.77	25.00	1.0
	64QAM	1	1	22.81	22.65	22.86	23.19	23.31	23.50	2.5
	256-QAM	1	1	20.78	20.60	20.99	21.24	21.28	21.50	4.5
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	25.30	25.08	25.38	25.62	25.80	26.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	25.33	25.08	25.45	25.64	25.78	26.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	25.31	25.09	25.42	25.65	25.81	26.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	25.29	25.09	25.34	25.80	25.79	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	25.25	25.13	25.37	25.68	25.82	26.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	25.31	25.09	25.39	25.70	25.85	26.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	25.32	25.39	25.30	25.48	25.45	26.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	25.46	25.43	25.33	25.40	25.33	26.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	26.43	26.82	26.67	26.72	26.87	28.00	0.0
		1	137	26.31	26.69	26.59	26.62	26.78	28.00	0.0
		1	271	26.35	26.70	26.55	26.60	26.77	28.00	0.0
		135	0	25.95	26.38	26.08	26.14	26.41	27.50	0.5
		135	69	26.36	26.70	26.58	26.59	26.71	28.00	0.0
		135	138	25.93	26.23	26.07	26.14	26.33	27.50	0.5
		270	0	25.98	26.38	26.20	26.23	26.35	27.50	0.5
	QPSK	1	1	26.30	26.74	26.51	26.68	26.72	28.00	0.0
		1	137	26.31	26.65	26.55	26.67	26.82	28.00	0.0
		1	271	26.37	26.69	26.47	26.62	26.75	28.00	0.0
		135	0	25.31	25.72	25.60	25.55	25.77	27.00	1.0
		135	69	26.31	26.67	26.52	26.66	26.76	28.00	0.0
		135	138	25.31	25.68	25.56	25.60	25.73	27.00	1.0
		270	0	25.27	25.65	25.51	25.56	25.70	27.00	1.0
	16-QAM	1	1	25.31	25.69	25.56	25.60	25.74	27.00	1.0
	64QAM	1	1	23.85	24.21	24.11	24.10	24.27	25.50	2.5
	256-QAM	1	1	21.82	22.17	22.03	22.13	22.27	23.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01		
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	26.32	26.75	26.58	26.60	26.76	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99		
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	26.23	26.73	26.52	26.57	26.71	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01		
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	26.27	26.74	26.56	26.58	26.80	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99		
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	26.29	26.64	26.57	26.62	26.76	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960		
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	26.32	26.69	26.60	26.66	26.73	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99		
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	26.29	26.63	26.54	26.60	26.79	28.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	26.21	26.33	26.58	26.32	26.31	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	26.15	26.22	26.55	26.33	26.18	28.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	25.34	25.37	25.44	25.42	25.28	26.00	0.0
		1	137	25.24	25.20	25.31	25.31	25.14	26.00	0.0
		1	271	25.19	25.25	25.39	25.21	25.17	26.00	0.0
		135	0	24.82	24.82	24.94	24.89	24.78	25.50	0.5
		135	69	25.18	25.27	25.29	25.33	25.24	26.00	0.0
		135	138	24.80	24.82	24.91	24.91	24.80	25.50	0.5
		270	0	24.84	24.87	24.95	24.86	24.85	25.50	0.5
	QPSK	1	1	25.28	25.20	25.37	25.28	25.18	26.00	0.0
		1	137	25.15	25.26	25.31	25.31	25.12	26.00	0.0
		1	271	25.19	25.25	25.25	25.31	25.15	26.00	0.0
		135	0	24.18	24.21	24.30	24.24	24.17	25.00	1.0
		135	69	25.26	25.25	25.39	25.25	25.14	26.00	0.0
		135	138	24.22	24.23	24.33	24.30	24.14	25.00	1.0
		270	0	24.18	24.20	24.28	24.26	24.11	25.00	1.0
	16-QAM	1	1	24.22	24.24	24.33	24.30	24.15	25.00	1.0
	64QAM	1	1	22.68	22.81	22.82	22.77	22.61	23.50	2.5
	256-QAM	1	1	20.67	20.79	20.85	20.80	20.65	21.50	4.5
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	25.20	25.24	25.33	25.35	25.19	26.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	25.22	25.20	25.34	25.36	25.19	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	25.25	25.30	25.33	25.34	25.16	26.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	25.17	25.26	25.29	25.33	25.21	26.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01		
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	25.20	25.26	25.35	25.28	25.23	26.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690		
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	25.23	25.25	25.31	25.28	25.12	26.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52		
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	25.17	25.29	25.27	25.26	25.20	26.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01		
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	25.26	25.27	25.29	25.28	25.18	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01		
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	26.87	26.91	26.96	26.94	26.78	28.00	0.0
		1	137	26.74	26.80	26.81	26.84	26.60	28.00	0.0
		1	271	26.83	26.81	26.77	26.83	26.66	28.00	0.0
		135	0	26.35	26.39	26.47	26.43	26.32	27.50	0.5
		135	69	26.74	26.76	26.85	26.79	26.66	28.00	0.0
		135	138	26.37	26.43	26.44	26.34	26.23	27.50	0.5
		270	0	26.42	26.47	26.40	26.48	26.28	27.50	0.5
	QPSK	1	1	26.74	26.80	26.89	26.84	26.75	28.00	0.0
		1	137	26.73	26.76	26.81	26.85	26.58	28.00	0.0
		1	271	26.75	26.73	26.84	26.81	26.72	28.00	0.0
		135	0	25.75	25.75	25.79	25.87	25.66	27.00	1.0
		135	69	26.73	26.78	26.85	26.83	26.72	28.00	0.0
		135	138	25.75	25.77	25.85	25.82	25.64	27.00	1.0
		270	0	25.71	25.74	25.80	25.78	25.61	27.00	1.0
	16-QAM	1	1	25.75	25.78	25.85	25.82	25.65	27.00	1.0
	64QAM	1	1	24.33	24.29	24.31	24.38	24.20	25.50	2.5
	256-QAM	1	1	22.28	22.24	22.32	22.38	22.17	23.50	4.5
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	26.73	26.76	26.83	26.83	26.68	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	26.81	26.73	26.89	26.84	26.70	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	26.82	26.75	26.84	26.83	26.63	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	26.79	26.73	26.84	26.82	26.62	28.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01		
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	26.73	26.74	26.82	26.82	26.66	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690		
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	26.78	26.79	26.87	26.75	26.67	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52		
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	26.74	26.72	26.85	26.86	26.68	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01		
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	26.68	26.80	26.87	26.87	26.60	28.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		25.28		26.00	0.0
		1	137		25.13		26.00	0.0
		1	271		25.11		26.00	0.0
		135	0		24.79		25.50	0.5
		135	69		25.16		26.00	0.0
		135	138		24.77		25.50	0.5
		270	0		24.75		25.50	0.5
	QPSK	1	1		25.16		26.00	0.0
		1	137		25.15		26.00	0.0
		1	271		25.17		26.00	0.0
		135	0		24.16		25.00	1.0
		135	69		25.19		26.00	0.0
		135	138		24.16		25.00	1.0
		270	0		24.12		25.00	1.0
	16-QAM	1	1		24.16		25.00	1.0
	64QAM	1	1		22.70		23.50	2.5
	256-QAM	1	1		20.65		21.50	4.5
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	645000	650334		
90	Pi/2 BPSK	1	1	25.20	25.21	25.18	26.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	25.09	25.09	25.10	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	645000	651334		
60	Pi/2 BPSK	1	1	25.05	25.06	25.03	26.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	25.13	25.16	24.98	26.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	645000	652000		
40	Pi/2 BPSK	1	1	25.11	25.10	25.02	26.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	645000	652666		
20	Pi/2 BPSK	1	1	25.04	25.10	24.98	26.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	25.10	25.04	25.11	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	645000	653000		
10	Pi/2 BPSK	1	1	25.11	25.15	25.03	26.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		27.48		28.00	0.0
		1	137		27.31		28.00	0.0
		1	271		27.38		28.00	0.0
		135	0		26.93		27.50	0.5
		135	69		27.39		28.00	0.0
		135	138		27.00		27.50	0.5
		270	0		26.97		27.50	0.5
	QPSK	1	1		27.33		28.00	0.0
		1	137		27.29		28.00	0.0
		1	271		27.32		28.00	0.0
		135	0		26.41		27.00	1.0
		135	69		27.40		28.00	0.0
		135	138		26.36		27.00	1.0
		270	0		26.32		27.00	1.0
	16-QAM	1	1		26.36		27.00	1.0
	64QAM	1	1		24.86		25.50	2.5
	256-QAM	1	1		22.88		23.50	4.5
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	650000	650334		
90	Pi/2 BPSK	1	1	27.27	27.43	27.35	28.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	27.20	27.30	27.22	28.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	650000	651334		
60	Pi/2 BPSK	1	1	27.17	27.29	27.21	28.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	27.18	27.35	27.23	28.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	650000	652000		
40	Pi/2 BPSK	1	1	27.16	27.25	27.21	28.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	650000	652666		
20	Pi/2 BPSK	1	1	27.10	27.31	27.17	28.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	27.11	27.30	27.24	28.00	0.0

5G NR n78_PC2_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	650000	653000		
10	Pi/2 BPSK	1	1	27.16	27.36	27.15	28.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Body
Ant1_DSI10

5G NR n38_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2590.02	2595	2599.98		
Channel				518004	519000	519996		
40	Pi/2 BPSK	1	1	24.44	24.30	24.22	25.50	0.0
		1	53	24.34	24.20	24.10	25.50	0.0
		1	104	24.29	24.09	24.12	25.50	0.0
		50	0	23.90	23.70	23.67	25.00	0.5
		50	28	24.26	24.20	24.03	25.50	0.0
		50	56	23.98	23.73	23.67	25.00	0.5
		100	0	23.94	23.86	23.69	25.00	0.5
	QPSK	1	1	24.39	24.23	24.08	25.50	0.0
		1	53	24.36	24.16	24.09	25.50	0.0
		1	104	24.25	24.16	24.12	25.50	0.0
		50	0	23.29	23.12	23.10	24.50	1.0
		50	28	24.35	24.21	24.07	25.50	0.0
		50	56	23.32	23.16	23.11	24.50	1.0
		100	0	23.28	23.13	23.06	24.50	1.0
	16-QAM	1	1	23.32	23.17	23.11	24.50	1.0
	64QAM	1	1	21.82	21.67	21.62	23.00	2.5
	256-QAM	1	1	19.77	19.68	19.62	21.00	4.5
5G NR n38_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2585.01	2595	2604.99		
Channel				517002	519000	520998		
30	Pi/2 BPSK	1	1	24.32	24.17	24.13	25.50	0.0
5G NR n38_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2582.52	2595	2607.48		
Channel				516504	519000	521496		
25	Pi/2 BPSK	1	1	24.36	24.15	24.03	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n38_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2580	2595	2610		
Channel				516000	519000	522000		
20	Pi/2 BPSK	1	1	24.36	24.24	24.19	25.50	0.0
5G NR n38_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2577.51	2595	2612.49		
Channel				515502	519000	522498		
15	Pi/2 BPSK	1	1	24.30	24.20	24.12	25.50	0.0
5G NR n38_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2575.02	2595	2614.98		
Channel				515004	519000	522996		
10	Pi/2 BPSK	1	1	24.37	24.21	24.10	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	24.96	24.54	24.01	25.50	0.0
		1	137	24.82	24.43	23.84	25.50	0.0
		1	271	24.81	24.48	23.87	25.50	0.0
		135	0	24.50	24.06	23.48	25.00	0.5
		135	69	24.88	24.48	23.87	25.50	0.0
		135	138	24.39	23.95	23.53	25.00	0.5
		270	0	24.37	24.03	23.46	25.00	0.5
	QPSK	1	1	24.87	24.43	23.87	25.50	0.0
		1	137	24.80	24.39	23.89	25.50	0.0
		1	271	24.86	24.39	23.90	25.50	0.0
		135	0	23.82	23.40	22.86	24.50	1.0
		135	69	24.85	24.46	23.88	25.50	0.0
		135	138	23.84	23.40	22.90	24.50	1.0
		270	0	23.80	23.37	22.85	24.50	1.0
	16-QAM	1	1	23.84	23.41	22.90	24.50	1.0
	64QAM	1	1	22.38	21.95	21.33	23.00	2.5
	256-QAM	1	1	20.33	19.87	19.40	21.00	4.5
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	24.84	24.42	23.96	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	24.86	24.39	23.91	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	24.79	24.43	23.88	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	24.90	24.44	23.85	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	24.88	24.39	23.88	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	24.76	24.43	23.91	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	24.84	24.47	23.87	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	24.84	24.33	23.92	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	24.75	24.46	23.96	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	24.87	24.45	23.95	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	24.89	24.46	23.86	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	24.76	24.42	23.82	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	24.91	24.37	23.92	25.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	25.91	26.40	26.02	27.50	0.0
		1	137	25.77	26.29	25.86	27.50	0.0
		1	271	25.83	26.33	25.96	27.50	0.0
		135	0	25.34	25.86	25.50	27.00	0.5
		135	69	25.77	26.29	25.88	27.50	0.0
		135	138	25.35	25.83	25.50	27.00	0.5
		270	0	25.35	25.82	25.51	27.00	0.5
	QPSK	1	1	25.71	26.28	25.92	27.50	0.0
		1	137	25.76	26.29	25.92	27.50	0.0
		1	271	25.80	26.22	25.85	27.50	0.0
		135	0	24.84	25.33	24.96	26.50	1.0
		135	69	25.87	26.25	25.96	27.50	0.0
		135	138	24.79	25.26	24.91	26.50	1.0
		270	0	24.75	25.23	24.86	26.50	1.0
	16-QAM	1	1	24.79	25.27	24.91	26.50	1.0
	64QAM	1	1	23.34	23.76	23.41	25.00	2.5
	256-QAM	1	1	21.25	21.83	21.37	23.00	4.5
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	25.80	26.28	25.92	27.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	25.77	26.28	25.90	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	25.82	26.33	25.88	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	25.70	26.24	25.93	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	25.81	26.30	25.88	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	25.73	26.25	25.89	27.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	25.74	26.22	25.94	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	25.79	26.34	25.90	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	25.73	26.23	25.96	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	25.80	26.29	25.93	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	25.76	26.30	25.94	27.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	25.78	26.36	25.92	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	25.80	26.26	25.88	27.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant2_DSI10

5G NR n38_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2590.02	2595	2599.98		
Channel				518004	519000	519996		
40	Pi/2 BPSK	1	1	23.49	23.33	23.43	23.50	0.0
		1	53	23.14	23.16	23.27	23.50	0.0
		1	104	23.15	23.16	23.22	23.50	0.0
		50	0	22.78	22.61	22.68	23.00	0.5
		50	28	23.28	23.30	23.17	23.50	0.0
		50	56	22.71	22.68	22.63	23.00	0.5
		100	0	22.63	22.67	22.64	23.00	0.5
	QPSK	1	1	23.18	23.14	23.12	23.50	0.0
		1	53	23.14	23.23	23.16	23.50	0.0
		1	104	23.22	23.13	23.29	23.50	0.0
		50	0	22.12	22.24	22.30	22.50	1.0
		50	28	23.27	23.15	23.29	23.50	0.0
		50	56	22.19	22.18	22.12	22.50	1.0
		100	0	22.24	22.28	22.13	22.50	1.0
	16-QAM	1	1	22.24	22.26	22.12	22.50	1.0
	64QAM	1	1	20.66	20.73	20.79	21.00	2.5
	256-QAM	1	1	18.68	18.70	18.67	19.00	4.5
5G NR n38_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2585.01	2595	2604.99		
Channel				517002	519000	520998		
30	Pi/2 BPSK	1	1	23.21	23.15	23.19	23.50	0.0
5G NR n38_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2582.52	2595	2607.48		
Channel				516504	519000	521496		
25	Pi/2 BPSK	1	1	23.25	23.12	23.13	23.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n38_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2580	2595	2610		
Channel				516000	519000	522000		
20	Pi/2 BPSK	1	1	23.20	23.16	23.13	23.50	0.0
5G NR n38_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2577.51	2595	2612.49		
Channel				515502	519000	522498		
15	Pi/2 BPSK	1	1	23.11	23.28	23.15	23.50	0.0
5G NR n38_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2575.02	2595	2614.98		
Channel				515004	519000	522996		
10	Pi/2 BPSK	1	1	23.12	23.18	23.24	23.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	23.45	23.32	23.36	23.50	0.0
		1	137	23.23	23.29	23.18	23.50	0.0
		1	271	23.22	23.21	23.12	23.50	0.0
		135	0	22.63	22.75	22.78	23.00	0.5
		135	69	23.11	23.12	23.30	23.50	0.0
		135	138	22.61	22.61	22.78	23.00	0.5
		270	0	22.64	22.73	22.78	23.00	0.5
	QPSK	1	1	23.27	23.16	23.30	23.50	0.0
		1	137	23.20	23.29	23.25	23.50	0.0
		1	271	23.20	23.13	23.29	23.50	0.0
		135	0	22.14	22.19	22.19	22.50	1.0
		135	69	23.11	23.30	23.17	23.50	0.0
		135	138	22.13	22.20	22.19	22.50	1.0
		270	0	22.15	22.27	22.27	22.50	1.0
	16-QAM	1	1	22.13	22.13	22.30	22.50	1.0
	64QAM	1	1	20.62	20.63	20.79	21.00	2.5
	256-QAM	1	1	18.74	18.65	18.71	19.00	4.5
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	23.25	23.29	23.24	23.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	23.13	23.16	23.29	23.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	23.23	23.23	23.18	23.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	23.26	23.27	23.11	23.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	23.11	23.13	23.24	23.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	23.29	23.23	23.13	23.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	23.24	23.26	23.26	23.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	23.20	23.12	23.27	23.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	23.15	23.11	23.13	23.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	23.22	23.12	23.13	23.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	23.11	23.20	23.16	23.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	23.17	23.21	23.16	23.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	23.20	23.22	23.18	23.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	25.91	26.40	26.02	26.50	0.0
		1	137	25.77	26.29	25.86	26.50	0.0
		1	271	25.83	26.33	25.96	26.50	0.0
		135	0	25.34	25.86	25.50	26.00	0.5
		135	69	25.77	26.29	25.88	26.50	0.0
		135	138	25.35	25.83	25.50	26.00	0.5
		270	0	25.35	25.82	25.51	26.00	0.5
	QPSK	1	1	25.71	26.28	25.92	26.50	0.0
		1	137	25.76	26.29	25.92	26.50	0.0
		1	271	25.80	26.22	25.85	26.50	0.0
		135	0	24.84	25.33	24.96	25.50	1.0
		135	69	25.87	26.25	25.96	26.50	0.0
		135	138	24.79	25.26	24.91	25.50	1.0
		270	0	24.75	25.23	24.86	25.50	1.0
	16-QAM	1	1	24.79	25.27	24.91	25.50	1.0
	64QAM	1	1	23.34	23.76	23.41	24.00	2.5
	256-QAM	1	1	21.25	21.83	21.37	22.00	4.5
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	25.80	26.28	25.92	26.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	25.77	26.28	25.90	26.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	25.82	26.33	25.88	26.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	25.70	26.24	25.93	26.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	25.81	26.30	25.88	26.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	25.73	26.25	25.89	26.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	25.74	26.22	25.94	26.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	25.79	26.34	25.90	26.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	25.73	26.23	25.96	26.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	25.80	26.29	25.93	26.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	25.76	26.30	25.94	26.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	25.78	26.36	25.92	26.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	25.80	26.26	25.88	26.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant2_DSI8_SA

5G NR n38_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2590.02	2595	2599.98		
Channel				518004	519000	519996		
40	Pi/2 BPSK	1	1	20.76	20.77	20.63	21.00	0.0
		1	53	20.80	20.74	20.76	21.00	0.0
		1	104	20.80	20.73	20.76	21.00	0.0
		50	0	20.12	20.23	20.29	20.50	0.5
		50	28	20.61	20.64	20.77	21.00	0.0
		50	56	20.15	20.24	20.25	20.50	0.5
		100	0	20.18	20.21	20.14	20.50	0.5
	QPSK	1	1	20.72	20.68	20.72	21.00	0.0
		1	53	20.74	20.65	20.72	21.00	0.0
		1	104	20.64	20.64	20.67	21.00	0.0
		50	0	19.80	19.64	19.66	20.00	1.0
		50	28	20.75	20.73	20.78	21.00	0.0
		50	56	19.76	19.78	19.76	20.00	1.0
		100	0	19.78	19.72	19.70	20.00	1.0
	16-QAM	1	1	19.63	19.62	19.69	20.00	1.0
	64QAM	1	1	18.17	18.24	18.29	18.50	2.5
	256-QAM	1	1	16.20	16.18	16.21	16.50	4.5
5G NR n38_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2585.01	2595	2604.99		
Channel				517002	519000	520998		
30	Pi/2 BPSK	1	1	20.79	20.62	20.67	21.00	0.0
5G NR n38_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2582.52	2595	2607.48		
Channel				516504	519000	521496		
25	Pi/2 BPSK	1	1	20.79	20.64	20.79	21.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n38_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2580	2595	2610		
Channel				516000	519000	522000		
20	Pi/2 BPSK	1	1	20.64	20.74	20.75	21.00	0.0
5G NR n38_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2577.51	2595	2612.49		
Channel				515502	519000	522498		
15	Pi/2 BPSK	1	1	20.65	20.73	20.68	21.00	0.0
5G NR n38_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2575.02	2595	2614.98		
Channel				515004	519000	522996		
10	Pi/2 BPSK	1	1	20.62	20.70	20.77	21.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	20.29	20.12	20.11	20.50	0.0
		1	137	20.16	20.13	20.18	20.50	0.0
		1	271	20.11	20.14	20.26	20.50	0.0
		135	0	19.65	19.80	19.66	20.00	0.5
		135	69	20.12	20.26	20.17	20.50	0.0
		135	138	19.75	19.79	19.73	20.00	0.5
		270	0	19.69	19.70	19.79	20.00	0.5
	QPSK	1	1	20.20	20.24	20.13	20.50	0.0
		1	137	20.23	20.17	20.25	20.50	0.0
		1	271	20.24	20.21	20.11	20.50	0.0
		135	0	19.27	19.26	19.20	19.50	1.0
		135	69	20.17	20.29	20.17	20.50	0.0
		135	138	19.15	19.22	19.17	19.50	1.0
		270	0	19.26	19.21	19.12	19.50	1.0
	16-QAM	1	1	19.15	19.15	19.12	19.50	1.0
	64QAM	1	1	17.68	17.78	17.69	18.00	2.5
	256-QAM	1	1	15.73	15.64	15.63	16.00	4.5
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	20.23	20.14	20.25	20.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	20.14	20.12	20.15	20.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	20.18	20.20	20.24	20.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	20.11	20.23	20.17	20.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	20.29	20.27	20.22	20.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	20.26	20.17	20.26	20.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	20.15	20.11	20.26	20.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	20.13	20.26	20.19	20.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	20.28	20.26	20.17	20.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	20.26	20.15	20.25	20.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	20.27	20.21	20.23	20.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	20.27	20.25	20.11	20.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	20.19	20.29	20.11	20.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	22.65	22.70	22.66	23.00	0.0
		1	137	22.67	22.76	22.65	23.00	0.0
		1	271	22.64	22.68	22.71	23.00	0.0
		135	0	22.17	22.30	22.14	22.50	0.5
		135	69	22.68	22.66	22.64	23.00	0.0
		135	138	22.26	22.11	22.31	22.50	0.5
		270	0	22.17	22.18	22.28	22.50	0.5
	QPSK	1	1	22.75	22.79	22.65	23.00	0.0
		1	137	22.80	22.79	22.61	23.00	0.0
		1	271	22.72	22.76	22.72	23.00	0.0
		135	0	21.75	21.73	21.73	22.00	1.0
		135	69	22.62	22.66	22.64	23.00	0.0
		135	138	21.78	21.70	21.78	22.00	1.0
		270	0	21.72	21.67	21.75	22.00	1.0
	16-QAM	1	1	21.71	21.61	21.73	22.00	1.0
	64QAM	1	1	20.18	20.15	20.23	20.50	2.5
	256-QAM	1	1	18.13	18.14	18.24	18.50	4.5
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	22.67	22.79	22.62	23.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	22.71	22.67	22.77	23.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	22.79	22.78	22.77	23.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	22.61	22.80	22.77	23.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	22.69	22.66	22.78	23.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	22.73	22.79	22.77	23.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	22.78	22.73	22.65	23.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	22.64	22.71	22.62	23.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	22.64	22.79	22.66	23.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	22.71	22.70	22.70	23.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	22.67	22.71	22.66	23.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	22.74	22.69	22.80	23.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	22.77	22.72	22.78	23.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant2_DSI8_NSA

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	18.62	18.80	18.61	19.00	0.0
		1	137	18.69	18.63	18.62	19.00	0.0
		1	271	18.87	18.75	18.63	19.00	0.0
		135	0	18.15	18.19	18.30	18.50	0.5
		135	69	18.69	18.85	18.79	19.00	0.0
		135	138	18.11	18.16	18.18	18.50	0.5
		270	0	18.24	18.18	18.21	18.50	0.5
	QPSK	1	1	18.64	18.79	18.68	19.00	0.0
		1	137	18.73	18.73	18.76	19.00	0.0
		1	271	18.75	18.79	18.65	19.00	0.0
		135	0	17.71	17.74	17.77	18.00	1.0
		135	69	18.67	18.76	18.62	19.00	0.0
		135	138	17.68	17.65	17.67	18.00	1.0
		270	0	17.66	17.70	17.77	18.00	1.0
	16-QAM	1	1	17.74	17.67	17.78	18.00	1.0
	64QAM	1	1	16.21	16.23	16.27	16.50	2.5
	256-QAM	1	1	14.15	14.15	14.17	14.50	4.5
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	18.68	18.70	18.78	19.00	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	18.65	18.62	18.75	19.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	18.63	18.79	18.74	19.00	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	18.72	18.64	18.68	19.00	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	18.75	18.63	18.77	19.00	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	18.73	18.64	18.70	19.00	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	18.66	18.75	18.69	19.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	18.62	18.65	18.75	19.00	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	18.73	18.69	18.70	19.00	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	18.78	18.72	18.78	19.00	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	18.66	18.61	18.80	19.00	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	18.69	18.76	18.70	19.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	18.69	18.76	18.79	19.00	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	21.12	21.30	21.28	21.50	0.0
		1	137	21.27	21.13	21.22	21.50	0.0
		1	271	21.13	21.24	21.29	21.50	0.0
		135	0	20.77	20.64	20.70	21.00	0.5
		135	69	21.30	21.25	21.23	21.50	0.0
		135	138	20.66	20.67	20.79	21.00	0.5
		270	0	20.62	20.64	20.79	21.00	0.5
	QPSK	1	1	21.13	21.19	21.22	21.50	0.0
		1	137	21.29	21.15	21.13	21.50	0.0
		1	271	21.20	21.25	21.13	21.50	0.0
		135	0	20.12	20.25	20.15	20.50	1.0
		135	69	21.13	21.26	21.26	21.50	0.0
		135	138	20.29	20.12	20.29	20.50	1.0
		270	0	20.26	20.19	20.22	20.50	1.0
	16-QAM	1	1	20.11	20.11	20.12	20.50	1.0
	64QAM	1	1	18.61	18.69	18.79	19.00	2.5
	256-QAM	1	1	16.77	16.71	16.77	17.00	4.5
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	21.19	21.29	21.18	21.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	21.17	21.18	21.23	21.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	21.27	21.29	21.24	21.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	21.19	21.25	21.14	21.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	21.20	21.26	21.21	21.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	21.11	21.23	21.23	21.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	21.26	21.30	21.28	21.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	21.17	21.25	21.20	21.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	21.17	21.14	21.22	21.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	21.26	21.30	21.15	21.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	21.30	21.19	21.25	21.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	21.16	21.29	21.12	21.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	21.27	21.30	21.27	21.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant6_DSI10

5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3600	3625.02	3649.98		
Channel				640000	641668	643332		
100	Pi/2 BPSK	1	1	25.05	25.03	24.91	26.00	0.0
		1	137	24.91	24.91	24.77	26.00	0.0
		1	271	24.99	24.86	24.80	26.00	0.0
		135	0	24.51	24.57	24.41	25.50	0.5
		135	69	24.91	25.00	24.78	26.00	0.0
		135	138	24.52	24.43	24.35	25.50	0.5
		270	0	24.61	24.44	24.40	25.50	0.5
	QPSK	1	1	24.96	24.94	24.80	26.00	0.0
		1	137	24.85	24.91	24.75	26.00	0.0
		1	271	24.92	24.93	24.81	26.00	0.0
		135	0	23.91	23.90	23.75	25.00	1.0
		135	69	24.89	24.89	24.79	26.00	0.0
		135	138	23.93	23.89	23.80	25.00	1.0
		270	0	23.89	23.86	23.75	25.00	1.0
	16-QAM	1	1	23.93	23.90	23.80	25.00	1.0
	64QAM	1	1	22.46	22.48	22.28	23.50	2.5
	256-QAM	1	1	20.43	20.36	20.26	21.50	4.5
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3595.02	3625.02	3654.99		
Channel				639668	641668	643666		
90	Pi/2 BPSK	1	1	24.87	24.90	24.79	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3590.01	3625.02	3660		
Channel				639334	641668	644000		
80	Pi/2 BPSK	1	1	24.91	24.88	24.81	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3585	3625.02	3664.98		
Channel				639000	641668	644332		
70	Pi/2 BPSK	1	1	24.87	24.94	24.73	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3580.02	3625.02	3669.99		
Channel				638668	641668	644666		
60	Pi/2 BPSK	1	1	24.86	24.93	24.84	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3575.01	3625.02	3675		
Channel				638334	641668	645000		
50	Pi/2 BPSK	1	1	24.94	24.97	24.80	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3570	3625.02	3679.98		
Channel				638000	641668	645332		
40	Pi/2 BPSK	1	1	24.98	24.93	24.75	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3565.02	3625.02	3684.99		
Channel				637668	641668	645666		
30	Pi/2 BPSK	1	1	24.91	24.85	24.74	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n48_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)		MPR Allowed per 3GPP(dB)	
Frequency (MHz)				3560.01	3625.02	3690				
Channel				637334	641668	646000				
20	Pi/2 BPSK	1	1	24.92	24.94	24.74	26.00		0.0	
5G NR n48_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)		MPR Allowed per 3GPP(dB)	
Frequency (MHz)				3557.52	3625.02	3692.49				
Channel				637168	641668	646166				
15	Pi/2 BPSK	1	1	24.93	24.87	24.76	26.00		0.0	
5G NR n48_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)		MPR Allowed per 3GPP(dB)	
Frequency (MHz)				3555	3625.02	3694.98				
Channel				637000	641668	646332				
10	Pi/2 BPSK	1	1	24.99	24.89	24.86	26.00		0.0	
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	
Frequency (MHz)				3750	3795	3840	3885	3930		
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	25.40	25.21	25.52	25.83	25.90	26.00	0.0
		1	137	25.27	25.00	25.37	25.75	25.80	26.00	0.0
		1	271	25.32	25.12	25.40	25.72	25.85	26.00	0.0
		135	0	24.80	24.63	25.05	25.29	25.34	25.50	0.5
		135	69	25.34	25.09	25.45	25.79	25.80	26.00	0.0
		135	138	24.92	24.73	24.96	25.30	25.36	25.50	0.5
		270	0	24.84	24.74	24.94	25.28	25.41	25.50	0.5
	QPSK	1	1	25.30	25.11	25.40	25.69	25.78	26.00	0.0
		1	137	25.21	25.16	25.37	25.72	25.80	26.00	0.0
		1	271	25.36	25.13	25.39	25.68	25.80	26.00	0.0
		135	0	24.32	24.08	24.43	24.71	24.85	25.00	1.0
		135	69	25.32	25.16	25.45	25.67	25.79	26.00	0.0
		135	138	24.28	24.07	24.41	24.71	24.76	25.00	1.0
		270	0	24.24	24.04	24.36	24.67	24.73	25.00	1.0
	16-QAM	1	1	24.28	24.08	24.41	24.71	24.77	25.00	1.0
	64QAM	1	1	22.81	22.65	22.86	23.19	23.31	23.50	2.5
	256-QAM	1	1	20.78	20.60	20.99	21.24	21.28	21.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	25.30	25.08	25.38	25.62	25.80	26.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	25.33	25.08	25.45	25.64	25.78	26.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	25.31	25.09	25.42	25.65	25.81	26.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	25.29	25.09	25.34	25.80	25.79	26.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	25.25	25.13	25.37	25.68	25.82	26.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	25.31	25.01	25.39	25.70	25.85	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	25.36	25.09	25.33	25.72	25.65	26.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	25.31	25.02	25.32	25.70	25.81	26.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	26.43	26.82	26.67	26.72	26.87	28.00	0.0
		1	137	26.31	26.69	26.59	26.62	26.78	28.00	0.0
		1	271	26.35	26.70	26.55	26.60	26.77	28.00	0.0
		135	0	25.95	26.38	26.08	26.14	26.41	27.50	0.5
		135	69	26.36	26.70	26.58	26.59	26.71	28.00	0.0
		135	138	25.93	26.23	26.07	26.14	26.33	27.50	0.5
		270	0	25.98	26.38	26.20	26.23	26.35	27.50	0.5
	QPSK	1	1	26.30	26.74	26.51	26.68	26.72	28.00	0.0
		1	137	26.31	26.65	26.55	26.67	26.82	28.00	0.0
		1	271	26.37	26.69	26.47	26.62	26.75	28.00	0.0
		135	0	25.31	25.72	25.60	25.55	25.77	27.00	1.0
		135	69	26.31	26.67	26.52	26.66	26.76	28.00	0.0
		135	138	25.31	25.68	25.56	25.60	25.73	27.00	1.0
		270	0	25.27	25.65	25.51	25.56	25.70	27.00	1.0
	16-QAM	1	1	25.31	25.69	25.56	25.60	25.74	27.00	1.0
	64QAM	1	1	23.85	24.21	24.11	24.10	24.27	25.50	2.5
	256-QAM	1	1	21.82	22.17	22.03	22.13	22.27	23.50	4.5
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	26.32	26.75	26.58	26.60	26.76	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	26.23	26.73	26.52	26.57	26.71	28.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	26.27	26.74	26.56	26.58	26.80	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	26.29	26.64	26.57	26.62	26.76	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	26.32	26.69	26.60	26.66	26.73	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	26.29	26.69	26.54	26.60	26.69	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	26.23	26.63	26.51	26.60	26.79	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	26.29	26.62	26.54	26.62	26.75	28.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01		
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	25.34	25.37	25.44	25.42	25.28	26.00	0.0
		1	137	25.24	25.20	25.31	25.31	25.14	26.00	0.0
		1	271	25.19	25.25	25.39	25.21	25.17	26.00	0.0
		135	0	24.82	24.82	24.94	24.89	24.78	25.50	0.5
		135	69	25.18	25.27	25.29	25.33	25.24	26.00	0.0
		135	138	24.80	24.82	24.91	24.91	24.80	25.50	0.5
		270	0	24.84	24.87	24.95	24.86	24.85	25.50	0.5
	QPSK	1	1	25.28	25.20	25.37	25.28	25.18	26.00	0.0
		1	137	25.15	25.26	25.31	25.31	25.12	26.00	0.0
		1	271	25.19	25.25	25.25	25.31	25.15	26.00	0.0
		135	0	24.18	24.21	24.30	24.24	24.17	25.00	1.0
		135	69	25.26	25.25	25.39	25.25	25.14	26.00	0.0
		135	138	24.22	24.23	24.33	24.30	24.14	25.00	1.0
		270	0	24.18	24.20	24.28	24.26	24.11	25.00	1.0
	16-QAM	1	1	24.22	24.24	24.33	24.30	24.15	25.00	1.0
	64QAM	1	1	22.68	22.81	22.82	22.77	22.61	23.50	2.5
	256-QAM	1	1	20.67	20.79	20.85	20.80	20.65	21.50	4.5
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	25.20	25.24	25.33	25.35	25.19	26.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	25.22	25.20	25.34	25.36	25.19	26.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	25.25	25.30	25.33	25.34	25.16	26.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	25.17	25.26	25.29	25.33	25.21	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	25.20	25.26	25.35	25.28	25.23	26.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	25.23	25.25	25.31	25.28	25.12	26.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	25.17	25.29	25.27	25.26	25.20	26.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	25.26	25.27	25.29	25.28	25.18	26.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	26.87	26.91	26.96	26.94	26.78	28.00	0.0
		1	137	26.74	26.80	26.81	26.84	26.60	28.00	0.0
		1	271	26.83	26.81	26.77	26.83	26.66	28.00	0.0
		135	0	26.35	26.39	26.47	26.43	26.32	27.50	0.5
		135	69	26.74	26.76	26.85	26.79	26.66	28.00	0.0
		135	138	26.37	26.43	26.44	26.34	26.23	27.50	0.5
		270	0	26.42	26.47	26.40	26.48	26.28	27.50	0.5
	QPSK	1	1	26.74	26.80	26.89	26.84	26.75	28.00	0.0
		1	137	26.73	26.76	26.81	26.85	26.58	28.00	0.0
		1	271	26.75	26.73	26.84	26.81	26.72	28.00	0.0
		135	0	25.75	25.75	25.79	25.87	25.66	27.00	1.0
		135	69	26.73	26.78	26.85	26.83	26.72	28.00	0.0
		135	138	25.75	25.77	25.85	25.82	25.64	27.00	1.0
		270	0	25.71	25.74	25.80	25.78	25.61	27.00	1.0
	16-QAM	1	1	25.75	25.78	25.85	25.82	25.65	27.00	1.0
	64QAM	1	1	24.33	24.29	24.31	24.38	24.20	25.50	2.5
	256-QAM	1	1	22.28	22.24	22.32	22.38	22.17	23.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	26.73	26.76	26.83	26.83	26.68	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	26.81	26.73	26.89	26.84	26.70	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	26.82	26.75	26.84	26.83	26.63	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	26.79	26.73	26.84	26.82	26.62	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01		
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	26.73	26.74	26.82	26.82	26.66	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690		
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	26.78	26.79	26.87	26.75	26.67	28.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52		
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	26.74	26.72	26.85	26.86	26.68	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01		
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	26.68	26.80	26.87	26.87	26.60	28.00	0.0
5G NR n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
Frequency (MHz)					3750					
Channel					650000					
100	Pi/2 BPSK	1	1		25.28		26.00	0.0		
		1	137		25.13		26.00	0.0		
		1	271		25.11		26.00	0.0		
		135	0		24.79		25.50	0.5		
		135	69		25.16		26.00	0.0		
		135	138		24.77		25.50	0.5		
		270	0		24.75		25.50	0.5		
	QPSK	1	1		25.16		26.00	0.0		
		1	137		25.15		26.00	0.0		
		1	271		25.17		26.00	0.0		
		135	0		24.16		25.00	1.0		
		135	69		25.19		26.00	0.0		
		135	138		24.16		25.00	1.0		
		270	0		24.12		25.00	1.0		
	16-QAM	1	1		24.16		25.00	1.0		
64QAM	1	1		22.70		23.50	2.5			
256-QAM	1	1		20.65		21.50	4.5			
5G NR n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
Frequency (MHz)				3744.99	3750	3755.01				
Channel				649666	645000	650334				
90	Pi/2 BPSK	1	1	25.20	25.21	25.18	26.00	0.0		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	25.09	25.09	25.10	26.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	645000	651334		
60	Pi/2 BPSK	1	1	25.05	25.06	25.03	26.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	25.13	25.16	24.98	26.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	645000	652000		
40	Pi/2 BPSK	1	1	25.11	25.10	25.02	26.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	645000	652666		
20	Pi/2 BPSK	1	1	25.04	25.10	24.98	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	25.10	25.04	25.11	26.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	645000	653000		
10	Pi/2 BPSK	1	1	25.11	25.15	25.03	26.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		27.48		28.00	0.0
		1	137		27.31		28.00	0.0
		1	271		27.38		28.00	0.0
		135	0		26.93		27.50	0.5
		135	69		27.39		28.00	0.0
		135	138		27.00		27.50	0.5
		270	0		26.97		27.50	0.5
	QPSK	1	1		27.33		28.00	0.0
		1	137		27.29		28.00	0.0
		1	271		27.32		28.00	0.0
		135	0		26.41		27.00	1.0
		135	69		27.40		28.00	0.0
		135	138		26.36		27.00	1.0
		270	0		26.32		27.00	1.0
	16-QAM	1	1		26.36		27.00	1.0
	64QAM	1	1		24.86		25.50	2.5
	256-QAM	1	1		22.88		23.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	650000	650334		
90	Pi/2 BPSK	1	1	27.27	27.43	27.35	28.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	27.20	27.30	27.22	28.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	650000	651334		
60	Pi/2 BPSK	1	1	27.17	27.29	27.21	28.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	27.18	27.35	27.23	28.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	650000	652000		
40	Pi/2 BPSK	1	1	27.16	27.25	27.21	28.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	650000	652666		
20	Pi/2 BPSK	1	1	27.10	27.31	27.17	28.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	27.11	27.30	27.24	28.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	650000	653000		
10	Pi/2 BPSK	1	1	27.16	27.36	27.15	28.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant6_DSI10_SLM

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	25.40	25.21	25.26	25.27	25.49	25.50	0.0
		1	137	25.27	25.00	25.27	25.13	25.27	25.50	0.0
		1	271	25.32	25.12	25.23	25.15	25.24	25.50	0.0
		135	0	24.80	24.63	24.73	24.65	24.78	25.00	0.5
		135	69	25.34	25.09	25.14	25.29	25.18	25.50	0.0
		135	138	24.92	24.73	24.69	24.61	24.70	25.00	0.5
		270	0	24.84	24.74	24.76	24.69	24.75	25.00	0.5
	QPSK	1	1	25.30	25.11	25.12	25.27	25.24	25.50	0.0
		1	137	25.21	25.16	25.12	25.15	25.21	25.50	0.0
		1	271	25.36	25.13	25.28	25.27	25.13	25.50	0.0
		135	0	24.32	24.08	24.27	24.28	24.29	24.50	1.0
		135	69	25.32	25.16	25.16	25.28	25.21	25.50	0.0
		135	138	24.28	24.07	24.25	24.17	24.28	24.50	1.0
		270	0	24.24	24.04	24.26	24.27	24.22	24.50	1.0
	16-QAM	1	1	24.28	24.08	24.15	24.25	24.29	24.50	1.0
	64QAM	1	1	22.81	22.65	22.80	22.74	22.79	23.00	2.5
	256-QAM	1	1	20.78	20.60	20.73	20.61	20.67	21.00	4.5
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	25.30	25.08	25.15	25.20	25.24	25.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	25.33	25.08	25.18	25.13	25.23	25.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	25.31	25.09	25.16	25.15	25.17	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99		
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	25.29	25.09	25.18	25.20	25.22	25.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960		
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	25.25	25.13	25.11	25.16	25.11	25.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99		
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	25.31	25.09	25.15	25.19	25.20	25.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495		
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	25.21	25.26	25.11	25.13	25.21	25.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975		
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	25.25	25.17	25.21	25.19	25.12	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	26.43	26.82	26.67	26.72	26.87	28.00	0.0
		1	137	26.31	26.69	26.59	26.62	26.78	28.00	0.0
		1	271	26.35	26.70	26.55	26.60	26.77	28.00	0.0
		135	0	25.95	26.38	26.08	26.14	26.41	27.50	0.5
		135	69	26.36	26.70	26.58	26.59	26.71	28.00	0.0
		135	138	25.93	26.23	26.07	26.14	26.33	27.50	0.5
		270	0	25.98	26.38	26.20	26.23	26.35	27.50	0.5
	QPSK	1	1	26.30	26.74	26.51	26.68	26.72	28.00	0.0
		1	137	26.31	26.65	26.55	26.67	26.82	28.00	0.0
		1	271	26.37	26.69	26.47	26.62	26.75	28.00	0.0
		135	0	25.31	25.72	25.60	25.55	25.77	27.00	1.0
		135	69	26.31	26.67	26.52	26.66	26.76	28.00	0.0
		135	138	25.31	25.68	25.56	25.60	25.73	27.00	1.0
		270	0	25.27	25.65	25.51	25.56	25.70	27.00	1.0
	16-QAM	1	1	25.31	25.69	25.56	25.60	25.74	27.00	1.0
	64QAM	1	1	23.85	24.21	24.11	24.10	24.27	25.50	2.5
	256-QAM	1	1	21.82	22.17	22.03	22.13	22.27	23.50	4.5
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	26.32	26.75	26.58	26.60	26.76	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	26.23	26.73	26.52	26.57	26.71	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	26.27	26.74	26.56	26.58	26.80	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	26.29	26.64	26.57	26.62	26.76	28.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	26.32	26.69	26.60	26.66	26.73	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	26.29	26.63	26.54	26.60	26.79	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	26.39	26.62	26.60	26.64	26.43	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	26.31	26.45	26.61	26.66	26.73	28.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	25.34	25.37	25.44	25.42	25.28	25.50	0.0
		1	137	25.24	25.20	25.31	25.31	25.14	25.50	0.0
		1	271	25.19	25.25	25.39	25.21	25.17	25.50	0.0
		135	0	24.82	24.82	24.94	24.89	24.78	25.00	0.5
		135	69	25.18	25.27	25.29	25.33	25.24	25.50	0.0
		135	138	24.80	24.82	24.91	24.91	24.80	25.00	0.5
		270	0	24.84	24.87	24.95	24.86	24.85	25.00	0.5
	QPSK	1	1	25.28	25.20	25.37	25.28	25.18	25.50	0.0
		1	137	25.15	25.26	25.31	25.31	25.12	25.50	0.0
		1	271	25.19	25.25	25.25	25.31	25.15	25.50	0.0
		135	0	24.18	24.21	24.30	24.24	24.17	24.50	1.0
		135	69	25.26	25.25	25.39	25.25	25.14	25.50	0.0
		135	138	24.22	24.23	24.33	24.30	24.14	24.50	1.0
		270	0	24.18	24.20	24.28	24.26	24.11	24.50	1.0
	16-QAM	1	1	24.22	24.24	24.33	24.30	24.15	24.50	1.0
	64QAM	1	1	22.68	22.81	22.82	22.77	22.61	23.00	2.5
	256-QAM	1	1	20.67	20.79	20.85	20.80	20.65	21.00	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	25.20	25.24	25.33	25.35	25.19	25.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	25.22	25.20	25.34	25.36	25.19	25.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	25.25	25.30	25.33	25.34	25.16	25.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	25.17	25.26	25.29	25.33	25.21	25.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01		
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	25.20	25.26	25.35	25.28	25.23	25.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690		
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	25.23	25.25	25.31	25.28	25.12	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52		
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	25.17	25.29	25.27	25.26	25.20	25.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01		
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	25.26	25.27	25.29	25.28	25.18	25.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01		
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	26.87	26.91	26.96	26.94	26.78	28.00	0.0
		1	137	26.74	26.80	26.81	26.84	26.60	28.00	0.0
		1	271	26.83	26.81	26.77	26.83	26.66	28.00	0.0
		135	0	26.35	26.39	26.47	26.43	26.32	27.50	0.5
		135	69	26.74	26.76	26.85	26.79	26.66	28.00	0.0
		135	138	26.37	26.43	26.44	26.34	26.23	27.50	0.5
		270	0	26.42	26.47	26.40	26.48	26.28	27.50	0.5
	QPSK	1	1	26.74	26.80	26.89	26.84	26.75	28.00	0.0
		1	137	26.73	26.76	26.81	26.85	26.58	28.00	0.0
		1	271	26.75	26.73	26.84	26.81	26.72	28.00	0.0
		135	0	25.75	25.75	25.79	25.87	25.66	27.00	1.0
		135	69	26.73	26.78	26.85	26.83	26.72	28.00	0.0
		135	138	25.75	25.77	25.85	25.82	25.64	27.00	1.0
		270	0	25.71	25.74	25.80	25.78	25.61	27.00	1.0
	16-QAM	1	1	25.75	25.78	25.85	25.82	25.65	27.00	1.0
	64QAM	1	1	24.33	24.29	24.31	24.38	24.20	25.50	2.5
	256-QAM	1	1	22.28	22.24	22.32	22.38	22.17	23.50	4.5
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	26.73	26.76	26.83	26.83	26.68	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	26.81	26.73	26.89	26.84	26.70	28.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	26.82	26.75	26.84	26.83	26.63	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	26.79	26.73	26.84	26.82	26.62	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	26.73	26.74	26.82	26.82	26.66	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	26.78	26.79	26.87	26.75	26.67	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	26.74	26.72	26.85	26.86	26.68	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	26.68	26.80	26.87	26.87	26.60	28.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		25.28		25.50	0.0
		1	137		25.13		25.50	0.0
		1	271		25.11		25.50	0.0
		135	0		24.79		25.00	0.5
		135	69		25.16		25.50	0.0
		135	138		24.77		25.00	0.5
		270	0		24.75		25.00	0.5
	QPSK	1	1		25.16		25.50	0.0
		1	137		25.15		25.50	0.0
		1	271		25.17		25.50	0.0
		135	0		24.16		24.50	1.0
		135	69		25.19		25.50	0.0
		135	138		24.16		24.50	1.0
		270	0		24.12		24.50	1.0
	16-QAM	1	1		24.16		24.50	1.0
	64QAM	1	1		22.70		23.00	2.5
	256-QAM	1	1		20.65		21.00	4.5
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	645000	650334		
90	Pi/2 BPSK	1	1	25.20	25.21	25.18	25.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	25.09	25.09	25.10	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	645000	651334		
60	Pi/2 BPSK	1	1	25.05	25.06	25.03	25.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	25.13	25.16	24.98	25.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	645000	652000		
40	Pi/2 BPSK	1	1	25.11	25.10	25.02	25.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	645000	652666		
20	Pi/2 BPSK	1	1	25.04	25.10	24.98	25.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	25.10	25.04	25.11	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	645000	653000		
10	Pi/2 BPSK	1	1	25.11	25.15	25.03	25.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		27.48		28.00	0.0
		1	137		27.31		28.00	0.0
		1	271		27.38		28.00	0.0
		135	0		26.93		27.50	0.5
		135	69		27.39		28.00	0.0
		135	138		27.00		27.50	0.5
		270	0		26.97		27.50	0.5
	QPSK	1	1		27.33		28.00	0.0
		1	137		27.29		28.00	0.0
		1	271		27.32		28.00	0.0
		135	0		26.41		27.00	1.0
		135	69		27.40		28.00	0.0
		135	138		26.36		27.00	1.0
		270	0		26.32		27.00	1.0
	16-QAM	1	1		26.36		27.00	1.0
	64QAM	1	1		24.86		25.50	2.5
	256-QAM	1	1		22.88		23.50	4.5
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	650000	650334		
90	Pi/2 BPSK	1	1	27.27	27.43	27.35	28.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	27.20	27.30	27.22	28.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	650000	651334		
60	Pi/2 BPSK	1	1	27.17	27.29	27.21	28.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	27.18	27.35	27.23	28.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	650000	652000		
40	Pi/2 BPSK	1	1	27.16	27.25	27.21	28.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	650000	652666		
20	Pi/2 BPSK	1	1	27.10	27.31	27.17	28.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	27.11	27.30	27.24	28.00	0.0

5G NR n78_PC2_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	650000	653000		
10	Pi/2 BPSK	1	1	27.16	27.36	27.15	28.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

DSI10_NSA_SLM

5G NR n77_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	21.66	21.67	21.62	21.80	21.72	22.00	0.0
		1	137	21.64	21.61	21.75	21.77	21.71	22.00	0.0
		1	271	21.61	21.61	21.77	21.63	21.82	22.00	0.0
		135	0	21.15	21.21	21.15	21.11	21.28	21.50	0.5
		135	69	21.69	21.76	21.66	21.76	21.84	22.00	0.0
		135	138	21.20	21.23	21.12	21.22	21.25	21.50	0.5
		270	0	21.25	21.23	21.30	21.29	21.19	21.50	0.5
	QPSK	1	1	21.63	21.80	21.79	21.62	21.70	22.00	0.0
		1	137	21.78	21.73	21.68	21.71	21.67	22.00	0.0
		1	271	21.72	21.63	21.70	21.67	21.68	22.00	0.0
		135	0	20.68	20.77	20.75	20.63	20.67	21.00	1.0
		135	69	21.68	21.70	21.79	21.67	21.61	22.00	0.0
		135	138	20.64	20.68	20.76	20.80	20.76	21.00	1.0
		270	0	20.68	20.74	20.72	20.64	20.77	21.00	1.0
	16-QAM	1	1	20.78	20.63	20.64	20.68	20.64	21.00	1.0
	64QAM	1	1	19.27	19.15	19.13	19.15	19.22	19.50	2.5
	256-QAM	1	1	17.28	17.26	17.25	17.29	17.18	17.50	4.5

5G NR n77_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	21.80	21.64	21.65	21.66	21.71	22.00	0.0

5G NR n77_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	21.72	21.66	21.79	21.78	21.66	22.00	0.0

5G NR n77_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	21.77	21.68	21.64	21.80	21.71	22.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99		
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	21.80	21.73	21.65	21.71	21.71	22.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960		
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	21.70	21.71	21.79	21.61	21.75	22.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99		
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	21.75	21.63	21.67	21.79	21.78	22.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495		
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	21.63	21.76	21.76	21.61	21.68	22.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975		
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	21.71	21.66	21.65	21.69	21.62	22.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	24.55	24.47	24.50	24.42	24.53	25.00	0.0
		1	137	24.44	24.57	24.52	24.55	24.55	25.00	0.0
		1	271	24.57	24.46	24.41	24.55	24.58	25.00	0.0
		135	0	24.09	24.02	23.93	23.94	24.05	24.50	0.5
		135	69	24.43	24.50	24.59	24.42	24.62	25.00	0.0
		135	138	24.06	24.08	24.10	23.92	23.91	24.50	0.5
		270	0	24.08	23.99	24.00	24.10	23.91	24.50	0.5
	QPSK	1	1	24.41	24.55	24.41	24.56	24.51	25.00	0.0
		1	137	24.59	24.47	24.41	24.42	24.50	25.00	0.0
		1	271	24.59	24.58	24.47	24.57	24.56	25.00	0.0
		135	0	23.41	23.58	23.41	23.51	23.54	24.00	1.0
		135	69	24.52	24.57	24.57	24.60	24.42	25.00	0.0
		135	138	23.57	23.48	23.58	23.47	23.43	24.00	1.0
		270	0	23.58	23.57	23.58	23.42	23.43	24.00	1.0
	16-QAM	1	1	23.47	23.48	23.50	23.54	23.57	24.00	1.0
	64QAM	1	1	22.01	21.94	21.94	21.98	21.98	22.50	2.5
	256-QAM	1	1	20.09	20.04	19.91	19.97	19.98	20.50	4.5
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	24.60	24.41	24.41	24.54	24.48	25.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	24.54	24.50	24.49	24.45	24.42	25.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	24.52	24.51	24.42	24.51	24.60	25.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	24.44	24.58	24.50	24.57	24.47	25.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	24.57	24.49	24.41	24.56	24.49	25.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	24.57	24.53	24.53	24.45	24.44	25.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	24.41	24.56	24.49	24.45	24.41	25.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	24.57	24.53	24.54	24.48	24.45	25.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	21.61	21.66	21.68	21.68	21.80	22.00	0.0
		1	137	21.79	21.76	21.83	21.62	21.63	22.00	0.0
		1	271	21.76	21.70	21.80	21.78	21.68	22.00	0.0
		135	0	21.23	21.27	21.23	21.18	21.12	21.50	0.5
		135	69	21.77	21.65	21.73	21.81	21.75	22.00	0.0
		135	138	21.21	21.24	21.16	21.11	21.27	21.50	0.5
		270	0	21.22	21.23	21.14	21.15	21.21	21.50	0.5
	QPSK	1	1	21.79	21.77	21.63	21.66	21.70	22.00	0.0
		1	137	21.67	21.63	21.78	21.62	21.64	22.00	0.0
		1	271	21.68	21.75	21.69	21.73	21.69	22.00	0.0
		135	0	20.74	20.80	20.72	20.68	20.61	21.00	1.0
		135	69	21.61	21.77	21.74	21.69	21.63	22.00	0.0
		135	138	20.69	20.68	20.71	20.69	20.69	21.00	1.0
		270	0	20.72	20.67	20.73	20.65	20.61	21.00	1.0
	16-QAM	1	1	20.77	20.63	20.79	20.73	20.70	21.00	1.0
	64QAM	1	1	19.25	19.27	19.27	19.24	19.15	19.50	2.5
	256-QAM	1	1	17.17	17.25	17.15	17.24	17.29	17.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	21.68	21.71	21.69	21.71	21.74	22.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	21.68	21.71	21.71	21.68	21.73	22.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	21.79	21.76	21.72	21.63	21.65	22.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	21.66	21.71	21.64	21.73	21.66	22.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01		
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	21.79	21.77	21.64	21.78	21.68	22.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690		
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	21.71	21.61	21.64	21.67	21.70	22.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52		
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	21.62	21.63	21.64	21.76	21.65	22.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01		
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	21.66	21.79	21.70	21.62	21.65	22.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01		
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	24.54	24.42	24.42	24.45	24.43	25.00	0.0
		1	137	24.48	24.49	24.79	24.52	24.52	25.00	0.0
		1	271	24.45	24.53	24.49	24.42	24.52	25.00	0.0
		135	0	24.06	24.07	24.07	24.04	23.98	24.50	0.5
		135	69	24.43	24.47	24.58	24.57	24.51	25.00	0.0
		135	138	24.07	24.06	24.00	24.04	23.98	24.50	0.5
		270	0	23.97	24.03	24.04	24.04	24.08	24.50	0.5
	QPSK	1	1	24.42	24.47	24.42	24.51	24.53	25.00	0.0
		1	137	24.48	24.48	24.55	24.53	24.59	25.00	0.0
		1	271	24.55	24.41	24.42	24.49	24.51	25.00	0.0
		135	0	23.59	23.58	23.41	23.43	23.47	24.00	1.0
		135	69	24.60	24.55	24.51	24.47	24.43	25.00	0.0
		135	138	23.47	23.49	23.52	23.43	23.57	24.00	1.0
		270	0	23.41	23.41	23.48	23.59	23.56	24.00	1.0
	16-QAM	1	1	23.42	23.41	23.48	23.58	23.52	24.00	1.0
	64QAM	1	1	21.98	22.03	21.92	22.10	22.00	22.50	2.5
	256-QAM	1	1	20.06	20.10	19.98	20.03	20.10	20.50	4.5
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	24.49	24.50	24.57	24.57	24.41	25.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	24.47	24.57	24.54	24.41	24.54	25.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	24.50	24.56	24.46	24.45	24.55	25.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	24.60	24.51	24.58	24.46	24.50	25.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	24.60	24.54	24.53	24.53	24.56	25.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	24.48	24.55	24.58	24.50	24.49	25.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	24.49	24.56	24.48	24.47	24.46	25.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	24.42	24.44	24.48	24.57	24.48	25.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1	21.76	21.62	21.78	22.00	0.0
		1	137	21.69	21.71	21.62	22.00	0.0
		1	271	21.69	21.74	21.68	22.00	0.0
		135	0	21.27	21.17	21.20	21.50	0.5
		135	69	21.77	21.62	21.67	22.00	0.0
		135	138	21.21	21.12	21.27	21.50	0.5
		270	0	21.28	21.24	21.15	21.50	0.5
	QPSK	1	1	21.61	21.65	21.77	22.00	0.0
		1	137	21.62	21.65	21.73	22.00	0.0
		1	271	21.71	21.77	21.67	22.00	0.0
		135	0	20.67	20.76	20.66	21.00	1.0
		135	69	21.61	21.79	21.71	22.00	0.0
		135	138	20.63	20.70	20.75	21.00	1.0
		270	0	20.69	20.61	20.66	21.00	1.0
	16-QAM	1	1	20.67	20.61	20.76	21.00	1.0
	64QAM	1	1	19.20	19.23	19.19	19.50	2.5
	256-QAM	1	1	17.15	17.14	17.27	17.50	4.5
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	645000	650334		
90	Pi/2 BPSK	1	1	21.77	21.72	21.76	22.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	21.76	21.65	21.64	22.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	645000	651334		
60	Pi/2 BPSK	1	1	21.70	21.70	21.64	22.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	21.65	21.78	21.62	22.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	645000	652000		
40	Pi/2 BPSK	1	1	21.63	21.76	21.77	22.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	645000	652666		
20	Pi/2 BPSK	1	1	21.74	21.66	21.68	22.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	21.78	21.79	21.69	22.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	645000	653000		
10	Pi/2 BPSK	1	1	21.66	21.66	21.68	22.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		24.43		25.00	0.0
		1	137		24.58		25.00	0.0
		1	271		24.59		25.00	0.0
		135	0		23.91		24.50	0.5
		135	69		24.47		25.00	0.0
		135	138		23.98		24.50	0.5
		270	0		23.91		24.50	0.5
	QPSK	1	1		24.51		25.00	0.0
		1	137		24.42		25.00	0.0
		1	271		24.54		25.00	0.0
		135	0		23.41		24.00	1.0
		135	69		24.59		25.00	0.0
		135	138		23.48		24.00	1.0
		270	0		23.57		24.00	1.0
	16-QAM	1	1		23.53		24.00	1.0
	64QAM	1	1		21.92		22.50	2.5
	256-QAM	1	1		20.09		20.50	4.5
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	650000	650334		
90	Pi/2 BPSK	1	1	24.54	24.58	24.56	25.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	24.47	24.46	24.50	25.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	650000	651334		
60	Pi/2 BPSK	1	1	24.56	24.53	24.45	25.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	24.50	24.53	24.53	25.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	650000	652000		
40	Pi/2 BPSK	1	1	24.47	24.55	24.44	25.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	650000	652666		
20	Pi/2 BPSK	1	1	24.55	24.53	24.47	25.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	24.59	24.43	24.60	25.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	650000	653000		
10	Pi/2 BPSK	1	1	24.49	24.42	24.56	25.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant6_DSI8_NSA

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	24.78	24.69	24.76	24.70	24.78	25.00	0.0
		1	137	24.67	24.64	24.69	24.61	24.61	25.00	0.0
		1	271	24.72	24.73	24.66	24.62	24.80	25.00	0.0
		135	0	24.17	24.25	24.13	24.18	24.30	24.50	0.5
		135	69	24.73	24.61	24.66	24.80	24.65	25.00	0.0
		135	138	24.23	24.21	24.26	24.30	24.12	24.50	0.5
		270	0	24.22	24.27	24.23	24.22	24.28	24.50	0.5
	QPSK	1	1	24.71	24.79	24.72	24.79	24.61	25.00	0.0
		1	137	24.68	24.63	24.74	24.61	24.70	25.00	0.0
		1	271	24.79	24.75	24.61	24.62	24.64	25.00	0.0
		135	0	23.64	23.79	23.63	23.63	23.62	24.00	1.0
		135	69	24.79	24.63	24.69	24.73	24.63	25.00	0.0
		135	138	23.75	23.76	23.77	23.71	23.62	24.00	1.0
		270	0	23.72	23.75	23.74	23.66	23.62	24.00	1.0
	16-QAM	1	1	23.77	23.71	23.77	23.61	23.66	24.00	1.0
	64QAM	1	1	22.20	22.25	22.18	22.15	22.14	22.50	2.5
	256-QAM	1	1	20.21	20.24	20.30	20.26	20.12	20.50	4.5
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	24.74	24.79	24.65	24.62	24.75	25.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	24.77	24.72	24.70	24.77	24.76	25.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	24.73	24.64	24.70	24.77	24.71	25.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99		
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	24.73	24.62	24.64	24.68	24.63	25.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960		
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	24.67	24.76	24.76	24.74	24.74	25.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99		
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	24.77	24.68	24.70	24.73	24.62	25.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495		
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	24.74	24.76	24.75	24.74	24.62	25.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975		
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	24.65	24.70	24.69	24.64	24.62	25.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01		
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	24.76	24.78	24.61	24.66	24.67	25.00	0.0
		1	137	24.80	24.62	24.78	24.72	24.63	25.00	0.0
		1	271	24.75	24.73	24.75	24.79	24.71	25.00	0.0
		135	0	24.30	24.19	24.18	24.23	24.25	24.50	0.5
		135	69	24.68	24.76	24.81	24.80	24.75	25.00	0.0
		135	138	24.26	24.17	24.16	24.27	24.30	24.50	0.5
		270	0	24.17	24.22	24.21	24.30	24.18	24.50	0.5
	QPSK	1	1	24.66	24.69	24.65	24.75	24.67	25.00	0.0
		1	137	24.73	24.72	24.80	24.61	24.72	25.00	0.0
		1	271	24.77	24.79	24.72	24.73	24.78	25.00	0.0
		135	0	23.75	23.70	23.75	23.77	23.71	24.00	1.0
		135	69	24.73	24.70	24.63	24.69	24.68	25.00	0.0
		135	138	23.76	23.71	23.69	23.67	23.76	24.00	1.0
		270	0	23.63	23.69	23.69	23.63	23.66	24.00	1.0
	16-QAM	1	1	23.67	23.78	23.75	23.68	23.62	24.00	1.0
	64QAM	1	1	22.24	22.19	22.12	22.13	22.23	22.50	2.5
	256-QAM	1	1	20.19	20.18	20.26	20.21	20.15	20.50	4.5
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	24.64	24.63	24.80	24.80	24.67	25.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	24.61	24.62	24.64	24.71	24.79	25.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	24.75	24.79	24.68	24.63	24.71	25.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	24.75	24.79	24.80	24.72	24.66	25.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	24.64	24.79	24.77	24.80	24.65	25.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	24.63	24.66	24.75	24.73	24.75	25.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	24.72	24.80	24.68	24.62	24.70	25.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	24.70	24.69	24.75	24.61	24.67	25.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		24.72		25.00	0.0
		1	137		24.76		25.00	0.0
		1	271		24.66		25.00	0.0
		135	0		24.24		24.50	0.5
		135	69		24.74		25.00	0.0
		135	138		24.29		24.50	0.5
		270	0		24.16		24.50	0.5
	QPSK	1	1		24.73		25.00	0.0
		1	137		24.68		25.00	0.0
		1	271		24.72		25.00	0.0
		135	0		23.74		24.00	1.0
		135	69		24.74		25.00	0.0
		135	138		23.69		24.00	1.0
		270	0		23.80		24.00	1.0
	16-QAM	1	1		23.69		24.00	1.0
	64QAM	1	1		22.22		22.50	2.5
	256-QAM	1	1		20.14		20.50	4.5
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	645000	650334		
90	Pi/2 BPSK	1	1	24.63	24.80	24.76	25.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	24.76	24.67	24.62	25.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	645000	651334		
60	Pi/2 BPSK	1	1	24.61	24.76	24.64	25.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	24.62	24.65	24.70	25.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	645000	652000		
40	Pi/2 BPSK	1	1	24.75	24.78	24.68	25.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	645000	652666		
20	Pi/2 BPSK	1	1	24.79	24.66	24.73	25.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	24.76	24.74	24.74	25.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	645000	653000		
10	Pi/2 BPSK	1	1	24.64	24.65	24.62	25.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant7_DSI10

5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3600	3625.02	3649.98		
Channel				640000	641668	643332		
100	Pi/2 BPSK	1	1	25.05	25.03	24.91	26.00	0.0
		1	137	24.91	24.91	24.77	26.00	0.0
		1	271	24.99	24.86	24.80	26.00	0.0
		135	0	24.51	24.57	24.41	25.50	0.5
		135	69	24.91	25.00	24.78	26.00	0.0
		135	138	24.52	24.43	24.35	25.50	0.5
		270	0	24.61	24.44	24.40	25.50	0.5
	QPSK	1	1	24.96	24.94	24.80	26.00	0.0
		1	137	24.85	24.91	24.75	26.00	0.0
		1	271	24.92	24.93	24.81	26.00	0.0
		135	0	23.91	23.90	23.75	25.00	1.0
		135	69	24.89	24.89	24.79	26.00	0.0
		135	138	23.93	23.89	23.80	25.00	1.0
		270	0	23.89	23.86	23.75	25.00	1.0
	16-QAM	1	1	23.93	23.90	23.80	25.00	1.0
	64QAM	1	1	22.46	22.48	22.28	23.50	2.5
	256-QAM	1	1	20.43	20.36	20.26	21.50	4.5
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3595.02	3625.02	3654.99		
Channel				639668	641668	643666		
90	Pi/2 BPSK	1	1	24.87	24.90	24.79	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3590.01	3625.02	3660		
Channel				639334	641668	644000		
80	Pi/2 BPSK	1	1	24.91	24.88	24.81	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3585	3625.02	3664.98		
Channel				639000	641668	644332		
70	Pi/2 BPSK	1	1	24.87	24.94	24.73	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3580.02	3625.02	3669.99		
Channel				638668	641668	644666		
60	Pi/2 BPSK	1	1	24.86	24.93	24.84	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3575.01	3625.02	3675		
Channel				638334	641668	645000		
50	Pi/2 BPSK	1	1	24.94	24.97	24.80	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3570	3625.02	3679.98		
Channel				638000	641668	645332		
40	Pi/2 BPSK	1	1	24.98	24.93	24.75	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3565.02	3625.02	3684.99		
Channel				637668	641668	645666		
30	Pi/2 BPSK	1	1	24.91	24.85	24.74	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n48_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)		MPR Allowed per 3GPP(dB)	
Frequency (MHz)				3560.01	3625.02	3690				
Channel				637334	641668	646000				
20	Pi/2 BPSK	1	1	24.92	24.94	24.74	26.00		0.0	
5G NR n48_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)		MPR Allowed per 3GPP(dB)	
Frequency (MHz)				3557.52	3625.02	3692.49				
Channel				637168	641668	646166				
15	Pi/2 BPSK	1	1	24.93	24.87	24.76	26.00		0.0	
5G NR n48_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)		MPR Allowed per 3GPP(dB)	
Frequency (MHz)				3555	3625.02	3694.98				
Channel				637000	641668	646332				
10	Pi/2 BPSK	1	1	24.99	24.89	24.86	26.00		0.0	
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	
Frequency (MHz)				3750	3795	3840	3885	3930		
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	25.40	25.21	25.52	25.83	25.90	26.00	0.0
		1	137	25.27	25.00	25.37	25.75	25.80	26.00	0.0
		1	271	25.32	25.12	25.40	25.72	25.85	26.00	0.0
		135	0	24.80	24.63	25.05	25.29	25.34	25.50	0.5
		135	69	25.34	25.09	25.45	25.79	25.80	26.00	0.0
		135	138	24.92	24.73	24.96	25.30	25.36	25.50	0.5
		270	0	24.84	24.74	24.94	25.28	25.41	25.50	0.5
	QPSK	1	1	25.30	25.11	25.40	25.69	25.78	26.00	0.0
		1	137	25.21	25.16	25.37	25.72	25.80	26.00	0.0
		1	271	25.36	25.13	25.39	25.68	25.80	26.00	0.0
		135	0	24.32	24.08	24.43	24.71	24.85	25.00	1.0
		135	69	25.32	25.16	25.45	25.67	25.79	26.00	0.0
		135	138	24.28	24.07	24.41	24.71	24.76	25.00	1.0
		270	0	24.24	24.04	24.36	24.67	24.73	25.00	1.0
	16-QAM	1	1	24.28	24.08	24.41	24.71	24.77	25.00	1.0
	64QAM	1	1	22.81	22.65	22.86	23.19	23.31	23.50	2.5
	256-QAM	1	1	20.78	20.60	20.99	21.24	21.28	21.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	25.30	25.08	25.38	25.62	25.80	26.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	25.33	25.08	25.45	25.64	25.78	26.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	25.31	25.09	25.42	25.65	25.81	26.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	25.29	25.09	25.34	25.80	25.79	26.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	25.25	25.13	25.37	25.68	25.82	26.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	25.31	25.09	25.39	25.70	25.85	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	25.32	25.19	25.33	25.75	25.65	26.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	25.36	25.09	25.32	25.73	25.82	26.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	26.43	26.82	26.67	26.72	26.87	28.00	0.0
		1	137	26.31	26.69	26.59	26.62	26.78	28.00	0.0
		1	271	26.35	26.70	26.55	26.60	26.77	28.00	0.0
		135	0	25.95	26.38	26.08	26.14	26.41	27.50	0.5
		135	69	26.36	26.70	26.58	26.59	26.71	28.00	0.0
		135	138	25.93	26.23	26.07	26.14	26.33	27.50	0.5
		270	0	25.98	26.38	26.20	26.23	26.35	27.50	0.5
	QPSK	1	1	26.30	26.74	26.51	26.68	26.72	28.00	0.0
		1	137	26.31	26.65	26.55	26.67	26.82	28.00	0.0
		1	271	26.37	26.69	26.47	26.62	26.75	28.00	0.0
		135	0	25.31	25.72	25.60	25.55	25.77	27.00	1.0
		135	69	26.31	26.67	26.52	26.66	26.76	28.00	0.0
		135	138	25.31	25.68	25.56	25.60	25.73	27.00	1.0
		270	0	25.27	25.65	25.51	25.56	25.70	27.00	1.0
	16-QAM	1	1	25.31	25.69	25.56	25.60	25.74	27.00	1.0
	64QAM	1	1	23.85	24.21	24.11	24.10	24.27	25.50	2.5
	256-QAM	1	1	21.82	22.17	22.03	22.13	22.27	23.50	4.5
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	26.32	26.75	26.58	26.60	26.76	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	26.23	26.73	26.52	26.57	26.71	28.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	26.27	26.74	26.56	26.58	26.80	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	26.29	26.64	26.57	26.62	26.76	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	26.32	26.69	26.60	26.66	26.73	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	26.29	26.63	26.54	26.60	26.79	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	26.23	26.73	26.54	26.63	26.74	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	26.25	26.66	26.52	26.68	26.71	28.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01		
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	25.34	25.37	25.44	25.42	25.28	26.00	0.0
		1	137	25.24	25.20	25.31	25.31	25.14	26.00	0.0
		1	271	25.19	25.25	25.39	25.21	25.17	26.00	0.0
		135	0	24.82	24.82	24.94	24.89	24.78	25.50	0.5
		135	69	25.18	25.27	25.29	25.33	25.24	26.00	0.0
		135	138	24.80	24.82	24.91	24.91	24.80	25.50	0.5
		270	0	24.84	24.87	24.95	24.86	24.85	25.50	0.5
	QPSK	1	1	25.28	25.20	25.37	25.28	25.18	26.00	0.0
		1	137	25.15	25.26	25.31	25.31	25.12	26.00	0.0
		1	271	25.19	25.25	25.25	25.31	25.15	26.00	0.0
		135	0	24.18	24.21	24.30	24.24	24.17	25.00	1.0
		135	69	25.26	25.25	25.39	25.25	25.14	26.00	0.0
		135	138	24.22	24.23	24.33	24.30	24.14	25.00	1.0
		270	0	24.18	24.20	24.28	24.26	24.11	25.00	1.0
	16-QAM	1	1	24.22	24.24	24.33	24.30	24.15	25.00	1.0
	64QAM	1	1	22.68	22.81	22.82	22.77	22.61	23.50	2.5
	256-QAM	1	1	20.67	20.79	20.85	20.80	20.65	21.50	4.5
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	25.20	25.24	25.33	25.35	25.19	26.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	25.22	25.20	25.34	25.36	25.19	26.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	25.25	25.30	25.33	25.34	25.16	26.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	25.17	25.26	25.29	25.33	25.21	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	25.20	25.26	25.35	25.28	25.23	26.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	25.23	25.25	25.31	25.28	25.12	26.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	25.17	25.29	25.27	25.26	25.20	26.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	25.26	25.27	25.29	25.28	25.18	26.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	26.87	26.91	26.96	26.94	26.78	28.00	0.0
		1	137	26.74	26.80	26.81	26.84	26.60	28.00	0.0
		1	271	26.83	26.81	26.77	26.83	26.66	28.00	0.0
		135	0	26.35	26.39	26.47	26.43	26.32	27.50	0.5
		135	69	26.74	26.76	26.85	26.79	26.66	28.00	0.0
		135	138	26.37	26.43	26.44	26.34	26.23	27.50	0.5
		270	0	26.42	26.47	26.40	26.48	26.28	27.50	0.5
	QPSK	1	1	26.74	26.80	26.89	26.84	26.75	28.00	0.0
		1	137	26.73	26.76	26.81	26.85	26.58	28.00	0.0
		1	271	26.75	26.73	26.84	26.81	26.72	28.00	0.0
		135	0	25.75	25.75	25.79	25.87	25.66	27.00	1.0
		135	69	26.73	26.78	26.85	26.83	26.72	28.00	0.0
		135	138	25.75	25.77	25.85	25.82	25.64	27.00	1.0
		270	0	25.71	25.74	25.80	25.78	25.61	27.00	1.0
	16-QAM	1	1	25.75	25.78	25.85	25.82	25.65	27.00	1.0
	64QAM	1	1	24.33	24.29	24.31	24.38	24.20	25.50	2.5
	256-QAM	1	1	22.28	22.24	22.32	22.38	22.17	23.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	26.73	26.76	26.83	26.83	26.68	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	26.81	26.73	26.89	26.84	26.70	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	26.82	26.75	26.84	26.83	26.63	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	26.79	26.73	26.84	26.82	26.62	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01		
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	26.73	26.74	26.82	26.82	26.66	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690		
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	26.78	26.79	26.87	26.75	26.67	28.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52		
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	26.74	26.72	26.85	26.86	26.68	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01		
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	26.68	26.80	26.87	26.87	26.60	28.00	0.0
5G NR n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
Frequency (MHz)					3750					
Channel					650000					
100	Pi/2 BPSK	1	1		25.28		26.00	0.0		
		1	137		25.13		26.00	0.0		
		1	271		25.11		26.00	0.0		
		135	0		24.79		25.50	0.5		
		135	69		25.16		26.00	0.0		
		135	138		24.77		25.50	0.5		
		270	0		24.75		25.50	0.5		
	QPSK	1	1		25.16		26.00	0.0		
		1	137		25.15		26.00	0.0		
		1	271		25.17		26.00	0.0		
		135	0		24.16		25.00	1.0		
		135	69		25.19		26.00	0.0		
		135	138		24.16		25.00	1.0		
		270	0		24.12		25.00	1.0		
	16-QAM	1	1		24.16		25.00	1.0		
64QAM	1	1		22.70		23.50	2.5			
256-QAM	1	1		20.65		21.50	4.5			
5G NR n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
Frequency (MHz)				3744.99	3750	3755.01				
Channel				649666	645000	650334				
90	Pi/2 BPSK	1	1	25.20	25.21	25.18	26.00	0.0		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	25.09	25.09	25.10	26.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	645000	651334		
60	Pi/2 BPSK	1	1	25.05	25.06	25.03	26.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	25.13	25.16	24.98	26.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	645000	652000		
40	Pi/2 BPSK	1	1	25.11	25.10	25.02	26.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	645000	652666		
20	Pi/2 BPSK	1	1	25.04	25.10	24.98	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	25.10	25.04	25.11	26.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	645000	653000		
10	Pi/2 BPSK	1	1	25.11	25.15	25.03	26.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		27.48		28.00	0.0
		1	137		27.31		28.00	0.0
		1	271		27.38		28.00	0.0
		135	0		26.93		27.50	0.5
		135	69		27.39		28.00	0.0
		135	138		27.00		27.50	0.5
		270	0		26.97		27.50	0.5
	QPSK	1	1		27.33		28.00	0.0
		1	137		27.29		28.00	0.0
		1	271		27.32		28.00	0.0
		135	0		26.41		27.00	1.0
		135	69		27.40		28.00	0.0
		135	138		26.36		27.00	1.0
		270	0		26.32		27.00	1.0
	16-QAM	1	1		26.36		27.00	1.0
	64QAM	1	1		24.86		25.50	2.5
	256-QAM	1	1		22.88		23.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	650000	650334		
90	Pi/2 BPSK	1	1	27.27	27.43	27.35	28.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	27.20	27.30	27.22	28.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	650000	651334		
60	Pi/2 BPSK	1	1	27.17	27.29	27.21	28.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	27.18	27.35	27.23	28.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	650000	652000		
40	Pi/2 BPSK	1	1	27.16	27.25	27.21	28.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	650000	652666		
20	Pi/2 BPSK	1	1	27.10	27.31	27.17	28.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	27.11	27.30	27.24	28.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	650000	653000		
10	Pi/2 BPSK	1	1	27.16	27.36	27.15	28.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant7_DSI10_NSA_SLM

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	24.17	24.23	24.11	24.19	24.31	24.50	0.0
		1	137	24.20	24.17	24.28	24.26	24.13	24.50	0.0
		1	271	24.26	24.29	24.26	24.11	24.14	24.50	0.0
		135	0	23.65	23.63	23.72	23.64	23.79	24.00	0.5
		135	69	24.17	24.27	24.12	24.26	24.35	24.50	0.0
		135	138	23.70	23.76	23.69	23.61	23.66	24.00	0.5
		270	0	23.63	23.64	23.71	23.63	23.79	24.00	0.5
	QPSK	1	1	24.16	24.22	24.25	24.21	24.15	24.50	0.0
		1	137	24.11	24.27	24.20	24.23	24.22	24.50	0.0
		1	271	24.23	24.12	24.13	24.18	24.13	24.50	0.0
		135	0	23.23	23.18	23.13	23.19	23.24	23.50	1.0
		135	69	24.16	24.22	24.21	24.25	24.17	24.50	0.0
		135	138	23.28	23.25	23.13	23.30	23.25	23.50	1.0
		270	0	23.23	23.12	23.11	23.17	23.26	23.50	1.0
	16-QAM	1	1	23.28	23.23	23.25	23.21	23.16	23.50	1.0
	64QAM	1	1	21.61	21.66	21.66	21.80	21.63	22.00	2.5
	256-QAM	1	1	19.63	19.62	19.79	19.76	19.73	20.00	4.5
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	24.26	24.17	24.15	24.21	24.19	24.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	24.24	24.30	24.29	24.16	24.17	24.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	24.23	24.25	24.22	24.12	24.17	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99		
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	24.12	24.28	24.13	24.23	24.23	24.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960		
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	24.17	24.22	24.15	24.27	24.11	24.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99		
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	24.23	24.16	24.25	24.12	24.11	24.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495		
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	24.16	24.20	24.17	24.29	24.13	24.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975		
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	24.13	24.20	24.21	24.28	24.12	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	26.43	26.82	26.67	26.72	26.87	27.50	0.0
		1	137	26.31	26.69	26.59	26.62	26.78	27.50	0.0
		1	271	26.35	26.70	26.55	26.60	26.77	27.50	0.0
		135	0	25.95	26.38	26.08	26.14	26.41	27.00	0.5
		135	69	26.36	26.70	26.58	26.59	26.71	27.50	0.0
		135	138	25.93	26.23	26.07	26.14	26.33	27.00	0.5
		270	0	25.98	26.38	26.20	26.23	26.35	27.00	0.5
	QPSK	1	1	26.30	26.74	26.51	26.68	26.72	27.50	0.0
		1	137	26.31	26.65	26.55	26.67	26.82	27.50	0.0
		1	271	26.37	26.69	26.47	26.62	26.75	27.50	0.0
		135	0	25.31	25.72	25.60	25.55	25.77	26.50	1.0
		135	69	26.31	26.67	26.52	26.66	26.76	27.50	0.0
		135	138	25.31	25.68	25.56	25.60	25.73	26.50	1.0
		270	0	25.27	25.65	25.51	25.56	25.70	26.50	1.0
	16-QAM	1	1	25.31	25.69	25.56	25.60	25.74	26.50	1.0
	64QAM	1	1	23.85	24.21	24.11	24.10	24.27	25.00	2.5
	256-QAM	1	1	21.82	22.17	22.03	22.13	22.27	23.00	4.5
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	26.32	26.75	26.58	26.60	26.76	27.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	26.23	26.73	26.52	26.57	26.71	27.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	26.27	26.74	26.56	26.58	26.80	27.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	26.29	26.64	26.57	26.62	26.76	27.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	26.32	26.69	26.60	26.66	26.73	27.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	26.29	26.63	26.54	26.60	26.79	27.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	24.12	24.13	24.12	24.30	24.11	24.50	0.0
		1	137	24.26	24.18	24.16	24.21	24.23	24.50	0.0
		1	271	24.20	24.14	24.49	24.13	24.16	24.50	0.0
		135	0	23.68	23.62	23.66	23.76	23.74	24.00	0.5
		135	69	24.30	24.25	24.30	24.32	24.18	24.50	0.0
		135	138	23.79	23.77	23.63	23.74	23.64	24.00	0.5
		270	0	23.74	23.63	23.76	23.65	23.63	24.00	0.5
	QPSK	1	1	24.27	24.17	24.23	24.21	24.30	24.50	0.0
		1	137	24.25	24.15	24.16	24.13	24.21	24.50	0.0
		1	271	24.19	24.29	24.12	24.13	24.12	24.50	0.0
		135	0	23.25	23.11	23.11	23.15	23.18	23.50	1.0
		135	69	24.19	24.30	24.24	24.28	24.18	24.50	0.0
		135	138	23.30	23.28	23.17	23.25	23.13	23.50	1.0
		270	0	23.18	23.16	23.17	23.27	23.24	23.50	1.0
	16-QAM	1	1	23.19	23.27	23.30	23.23	23.26	23.50	1.0
	64QAM	1	1	21.80	21.70	21.69	21.63	21.78	22.00	2.5
	256-QAM	1	1	19.73	19.68	19.65	19.76	19.75	20.00	4.5
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	24.22	24.13	24.15	24.30	24.29	24.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	24.16	24.24	24.30	24.13	24.13	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	24.19	24.15	24.25	24.16	24.16	24.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	24.20	24.28	24.26	24.15	24.25	24.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01		
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	24.11	24.27	24.17	24.12	24.22	24.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690		
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	24.12	24.29	24.18	24.29	24.29	24.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52		
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	24.21	24.21	24.15	24.21	24.29	24.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01		
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	24.14	24.15	24.19	24.21	24.13	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01		
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	26.87	26.91	26.96	26.94	26.78	27.50	0.0
		1	137	26.74	26.80	26.81	26.84	26.60	27.50	0.0
		1	271	26.83	26.81	26.77	26.83	26.66	27.50	0.0
		135	0	26.35	26.39	26.47	26.43	26.32	27.00	0.5
		135	69	26.74	26.76	26.85	26.79	26.66	27.50	0.0
		135	138	26.37	26.43	26.44	26.34	26.23	27.00	0.5
		270	0	26.42	26.47	26.40	26.48	26.28	27.00	0.5
	QPSK	1	1	26.74	26.80	26.89	26.84	26.75	27.50	0.0
		1	137	26.73	26.76	26.81	26.85	26.58	27.50	0.0
		1	271	26.75	26.73	26.84	26.81	26.72	27.50	0.0
		135	0	25.75	25.75	25.79	25.87	25.66	26.50	1.0
		135	69	26.73	26.78	26.85	26.83	26.72	27.50	0.0
		135	138	25.75	25.77	25.85	25.82	25.64	26.50	1.0
		270	0	25.71	25.74	25.80	25.78	25.61	26.50	1.0
	16-QAM	1	1	25.75	25.78	25.85	25.82	25.65	26.50	1.0
	64QAM	1	1	24.33	24.29	24.31	24.38	24.20	25.00	2.5
	256-QAM	1	1	22.28	22.24	22.32	22.38	22.17	23.00	4.5
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	26.73	26.76	26.83	26.83	26.68	27.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	26.81	26.73	26.89	26.84	26.70	27.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	26.82	26.75	26.84	26.83	26.63	27.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	26.79	26.73	26.84	26.82	26.62	27.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01		
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	26.73	26.74	26.82	26.82	26.66	27.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690		
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	26.78	26.79	26.87	26.75	26.67	27.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52		
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	26.74	26.72	26.85	26.86	26.68	27.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01		
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	26.68	26.80	26.87	26.87	26.60	27.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		24.29		24.50	0.0
		1	137		24.17		24.50	0.0
		1	271		24.12		24.50	0.0
		135	0		23.61		24.00	0.5
		135	69		24.13		24.50	0.0
		135	138		23.74		24.00	0.5
		270	0		23.62		24.00	0.5
	QPSK	1	1		24.26		24.50	0.0
		1	137		24.27		24.50	0.0
		1	271		24.24		24.50	0.0
		135	0		23.21		23.50	1.0
		135	69		24.14		24.50	0.0
		135	138		23.16		23.50	1.0
		270	0		23.11		23.50	1.0
	16-QAM	1	1		23.19		23.50	1.0
	64QAM	1	1		21.68		22.00	2.5
	256-QAM	1	1		19.61		20.00	4.5
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	645000	650334		
90	Pi/2 BPSK	1	1	24.24	24.23	24.22	24.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	24.21	24.20	24.12	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	645000	651334		
60	Pi/2 BPSK	1	1	24.27	24.17	24.13	24.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	24.19	24.25	24.15	24.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	645000	652000		
40	Pi/2 BPSK	1	1	24.27	24.18	24.20	24.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	645000	652666		
20	Pi/2 BPSK	1	1	24.19	24.27	24.17	24.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	24.16	24.27	24.28	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	645000	653000		
10	Pi/2 BPSK	1	1	24.18	24.16	24.13	24.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		27.48		27.50	0.0
		1	137		27.31		27.50	0.0
		1	271		27.38		27.50	0.0
		135	0		26.93		27.00	0.5
		135	69		27.39		27.50	0.0
		135	138		27.00		27.00	0.5
		270	0		26.97		27.00	0.5
	QPSK	1	1		27.33		27.50	0.0
		1	137		27.29		27.50	0.0
		1	271		27.32		27.50	0.0
		135	0		26.41		26.50	1.0
		135	69		27.40		27.50	0.0
		135	138		26.36		26.50	1.0
		270	0		26.32		26.50	1.0
	16-QAM	1	1		26.36		26.50	1.0
	64QAM	1	1		24.86		25.00	2.5
	256-QAM	1	1		22.88		23.00	4.5
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	650000	650334		
90	Pi/2 BPSK	1	1	27.27	27.43	27.35	27.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	27.20	27.30	27.22	27.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	650000	651334		
60	Pi/2 BPSK	1	1	27.17	27.29	27.21	27.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	27.18	27.35	27.23	27.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	650000	652000		
40	Pi/2 BPSK	1	1	27.16	27.25	27.21	27.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	650000	652666		
20	Pi/2 BPSK	1	1	27.10	27.31	27.17	27.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	27.11	27.30	27.24	27.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	650000	653000		
10	Pi/2 BPSK	1	1	27.16	27.36	27.15	27.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant7_DSI8_SA

5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3600	3625.02	3649.98		
Channel				640000	641668	643332		
100	Pi/2 BPSK	1	1	25.05	25.03	24.91	26.00	0.0
		1	137	24.91	24.91	24.77	26.00	0.0
		1	271	24.99	24.86	24.80	26.00	0.0
		135	0	24.51	24.57	24.41	25.50	0.5
		135	69	24.91	25.00	24.78	26.00	0.0
		135	138	24.52	24.43	24.35	25.50	0.5
		270	0	24.61	24.44	24.40	25.50	0.5
	QPSK	1	1	24.96	24.94	24.80	26.00	0.0
		1	137	24.85	24.91	24.75	26.00	0.0
		1	271	24.92	24.93	24.81	26.00	0.0
		135	0	23.91	23.90	23.75	25.00	1.0
		135	69	24.89	24.89	24.79	26.00	0.0
		135	138	23.93	23.89	23.80	25.00	1.0
		270	0	23.89	23.86	23.75	25.00	1.0
	16-QAM	1	1	23.93	23.90	23.80	25.00	1.0
	64QAM	1	1	22.46	22.48	22.28	23.50	2.5
	256-QAM	1	1	20.43	20.36	20.26	21.50	4.5
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3595.02	3625.02	3654.99		
Channel				639668	641668	643666		
90	Pi/2 BPSK	1	1	24.87	24.90	24.79	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3590.01	3625.02	3660		
Channel				639334	641668	644000		
80	Pi/2 BPSK	1	1	24.91	24.88	24.81	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3585	3625.02	3664.98		
Channel				639000	641668	644332		
70	Pi/2 BPSK	1	1	24.87	24.94	24.73	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3580.02	3625.02	3669.99		
Channel				638668	641668	644666		
60	Pi/2 BPSK	1	1	24.86	24.93	24.84	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3575.01	3625.02	3675		
Channel				638334	641668	645000		
50	Pi/2 BPSK	1	1	24.94	24.97	24.80	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3570	3625.02	3679.98		
Channel				638000	641668	645332		
40	Pi/2 BPSK	1	1	24.98	24.93	24.75	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3565.02	3625.02	3684.99		
Channel				637668	641668	645666		
30	Pi/2 BPSK	1	1	24.91	24.85	24.74	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n48_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
Frequency (MHz)				3560.01	3625.02	3690				
Channel				637334	641668	646000				
20	Pi/2 BPSK	1	1	24.92	24.94	24.74	26.00	0.0		
5G NR n48_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
Frequency (MHz)				3557.52	3625.02	3692.49				
Channel				637168	641668	646166				
15	Pi/2 BPSK	1	1	24.93	24.87	24.76	26.00	0.0		
5G NR n48_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
Frequency (MHz)				3555	3625.02	3694.98				
Channel				637000	641668	646332				
10	Pi/2 BPSK	1	1	24.99	24.89	24.86	26.00	0.0		
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930		
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	24.55	24.76	24.61	24.68	24.73	25.00	0.0
		1	137	24.66	24.68	24.73	24.74	24.80	25.00	0.0
		1	271	24.69	24.68	24.59	24.56	24.54	25.00	0.0
		135	0	24.01	24.10	24.05	24.09	24.28	24.50	0.5
		135	69	24.63	24.78	24.58	24.70	24.79	25.00	0.0
		135	138	24.21	24.14	24.09	24.06	24.24	24.50	0.5
		270	0	24.09	24.29	24.19	24.19	24.16	24.50	0.5
	QPSK	1	1	24.61	24.77	24.68	24.75	24.76	25.00	0.0
		1	137	24.61	24.67	24.64	24.70	24.80	25.00	0.0
		1	271	24.74	24.79	24.70	24.63	24.74	25.00	0.0
		135	0	23.51	23.75	23.53	23.73	23.68	24.00	1.0
		135	69	24.60	24.54	24.68	24.79	24.77	25.00	0.0
		135	138	23.74	23.76	23.71	23.72	23.54	24.00	1.0
		270	0	23.62	23.72	23.70	23.51	23.72	24.00	1.0
	16-QAM	1	1	23.75	23.57	23.71	23.66	23.74	24.00	1.0
	64QAM	1	1	22.13	22.30	22.28	22.09	22.24	22.50	2.5
	256-QAM	1	1	20.07	20.14	20.27	20.04	20.10	20.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	24.67	24.55	24.75	24.67	24.77	25.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	24.60	24.80	24.70	24.58	24.71	25.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	24.69	24.78	24.60	24.53	24.51	25.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	24.52	24.68	24.57	24.62	24.62	25.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	24.52	24.51	24.71	24.73	24.77	25.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	24.66	24.80	24.52	24.68	24.60	25.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	24.60	24.56	24.61	24.60	24.57	25.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	24.64	24.73	24.79	24.56	24.79	25.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	26.43	26.82	26.67	26.72	26.87	28.00	0.0
		1	137	26.31	26.69	26.59	26.62	26.78	28.00	0.0
		1	271	26.35	26.70	26.55	26.60	26.77	28.00	0.0
		135	0	25.95	26.38	26.08	26.14	26.41	27.50	0.5
		135	69	26.36	26.70	26.58	26.59	26.71	28.00	0.0
		135	138	25.93	26.23	26.07	26.14	26.33	27.50	0.5
		270	0	25.98	26.38	26.20	26.23	26.35	27.50	0.5
	QPSK	1	1	26.30	26.74	26.51	26.68	26.72	28.00	0.0
		1	137	26.31	26.65	26.55	26.67	26.82	28.00	0.0
		1	271	26.37	26.69	26.47	26.62	26.75	28.00	0.0
		135	0	25.31	25.72	25.60	25.55	25.77	27.00	1.0
		135	69	26.31	26.67	26.52	26.66	26.76	28.00	0.0
		135	138	25.31	25.68	25.56	25.60	25.73	27.00	1.0
		270	0	25.27	25.65	25.51	25.56	25.70	27.00	1.0
	16-QAM	1	1	25.31	25.69	25.56	25.60	25.74	27.00	1.0
	64QAM	1	1	23.85	24.21	24.11	24.10	24.27	25.50	2.5
	256-QAM	1	1	21.82	22.17	22.03	22.13	22.27	23.50	4.5
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	26.32	26.75	26.58	26.60	26.76	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	26.23	26.73	26.52	26.57	26.71	28.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	26.27	26.74	26.56	26.58	26.80	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	26.29	26.64	26.57	26.62	26.76	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	26.32	26.69	26.60	26.66	26.73	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	26.29	26.63	26.54	26.60	26.79	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	26.38	26.69	26.10	26.66	26.72	28.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	26.32	26.61	26.60	26.62	26.79	28.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01		
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	24.64	24.72	24.63	24.68	24.75	25.00	0.0
		1	137	24.73	24.66	24.72	24.62	24.59	25.00	0.0
		1	271	24.79	24.54	24.60	24.66	24.73	25.00	0.0
		135	0	24.10	24.10	24.06	24.30	24.20	24.50	0.5
		135	69	24.76	24.57	24.79	24.61	24.56	25.00	0.0
		135	138	24.07	24.21	24.29	24.26	24.22	24.50	0.5
		270	0	24.05	24.02	24.30	24.05	24.01	24.50	0.5
	QPSK	1	1	24.58	24.58	24.60	24.65	24.54	25.00	0.0
		1	137	24.59	24.75	24.55	24.75	24.55	25.00	0.0
		1	271	24.74	24.72	24.52	24.54	24.68	25.00	0.0
		135	0	23.77	23.51	23.62	23.65	23.62	24.00	1.0
		135	69	24.59	24.76	24.61	24.71	24.51	25.00	0.0
		135	138	23.51	23.77	23.58	23.52	23.75	24.00	1.0
		270	0	23.53	23.66	23.57	23.62	23.70	24.00	1.0
	16-QAM	1	1	23.73	23.76	23.58	23.60	23.57	24.00	1.0
	64QAM	1	1	22.26	22.27	22.26	22.20	22.07	22.50	2.5
	256-QAM	1	1	20.30	20.26	20.18	20.29	20.24	20.50	4.5
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	24.58	24.77	24.76	24.58	24.56	25.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	24.51	24.65	24.69	24.62	24.62	25.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	24.53	24.64	24.66	24.51	24.60	25.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	24.79	24.62	24.79	24.53	24.68	25.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01		
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	24.63	24.51	24.79	24.68	24.66	25.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690		
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	24.71	24.55	24.63	24.55	24.69	25.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52		
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	24.76	24.59	24.75	24.58	24.77	25.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01		
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	24.61	24.76	24.57	24.69	24.56	25.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01		
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	26.87	26.91	26.96	26.94	26.78	28.00	0.0
		1	137	26.74	26.80	26.81	26.84	26.60	28.00	0.0
		1	271	26.83	26.81	26.77	26.83	26.66	28.00	0.0
		135	0	26.35	26.39	26.47	26.43	26.32	27.50	0.5
		135	69	26.74	26.76	26.85	26.79	26.66	28.00	0.0
		135	138	26.37	26.43	26.44	26.34	26.23	27.50	0.5
		270	0	26.42	26.47	26.40	26.48	26.28	27.50	0.5
	QPSK	1	1	26.74	26.80	26.89	26.84	26.75	28.00	0.0
		1	137	26.73	26.76	26.81	26.85	26.58	28.00	0.0
		1	271	26.75	26.73	26.84	26.81	26.72	28.00	0.0
		135	0	25.75	25.75	25.79	25.87	25.66	27.00	1.0
		135	69	26.73	26.78	26.85	26.83	26.72	28.00	0.0
		135	138	25.75	25.77	25.85	25.82	25.64	27.00	1.0
		270	0	25.71	25.74	25.80	25.78	25.61	27.00	1.0
	16-QAM	1	1	25.75	25.78	25.85	25.82	25.65	27.00	1.0
	64QAM	1	1	24.33	24.29	24.31	24.38	24.20	25.50	2.5
	256-QAM	1	1	22.28	22.24	22.32	22.38	22.17	23.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	26.73	26.76	26.83	26.83	26.68	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	26.81	26.73	26.89	26.84	26.70	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	26.82	26.75	26.84	26.83	26.63	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	26.79	26.73	26.84	26.82	26.62	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01		
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	26.73	26.74	26.82	26.82	26.66	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690		
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	26.78	26.79	26.87	26.75	26.67	28.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52		
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	26.74	26.72	26.85	26.86	26.68	28.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01		
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	26.68	26.80	26.87	26.87	26.60	28.00	0.0
5G NR n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
Frequency (MHz)					3750					
Channel					650000					
100	Pi/2 BPSK	1	1		24.62		25.00	0.0		
		1	137		24.56		25.00	0.0		
		1	271		24.70		25.00	0.0		
		135	0		24.30		24.50	0.5		
		135	69		24.68		25.00	0.0		
		135	138		24.15		24.50	0.5		
		270	0		24.27		24.50	0.5		
	QPSK	1	1		24.52		25.00	0.0		
		1	137		24.62		25.00	0.0		
		1	271		24.64		25.00	0.0		
		135	0		23.62		24.00	1.0		
		135	69		24.80		25.00	0.0		
		135	138		23.66		24.00	1.0		
		270	0		23.57		24.00	1.0		
	16-QAM	1	1		23.57		24.00	1.0		
64QAM	1	1		22.19		22.50	2.5			
256-QAM	1	1		20.22		20.50	4.5			
5G NR n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)		
Frequency (MHz)				3744.99	3750	3755.01				
Channel				649666	645000	650334				
90	Pi/2 BPSK	1	1	24.63	24.77	24.68	25.00	0.0		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	24.51	24.59	24.71	25.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	645000	651334		
60	Pi/2 BPSK	1	1	24.56	24.58	24.79	25.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	24.76	24.56	24.57	25.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	645000	652000		
40	Pi/2 BPSK	1	1	24.68	24.70	24.54	25.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	645000	652666		
20	Pi/2 BPSK	1	1	24.67	24.64	24.68	25.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	24.76	24.79	24.66	25.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	645000	653000		
10	Pi/2 BPSK	1	1	24.51	24.57	24.70	25.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		27.48		28.00	0.0
		1	137		27.31		28.00	0.0
		1	271		27.38		28.00	0.0
		135	0		26.93		27.50	0.5
		135	69		27.39		28.00	0.0
		135	138		27.00		27.50	0.5
		270	0		26.97		27.50	0.5
	QPSK	1	1		27.33		28.00	0.0
		1	137		27.29		28.00	0.0
		1	271		27.32		28.00	0.0
		135	0		26.41		27.00	1.0
		135	69		27.40		28.00	0.0
		135	138		26.36		27.00	1.0
		270	0		26.32		27.00	1.0
	16-QAM	1	1		26.36		27.00	1.0
	64QAM	1	1		24.86		25.50	2.5
	256-QAM	1	1		22.88		23.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	650000	650334		
90	Pi/2 BPSK	1	1	27.27	27.43	27.35	28.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	27.20	27.30	27.22	28.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	650000	651334		
60	Pi/2 BPSK	1	1	27.17	27.29	27.21	28.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	27.18	27.35	27.23	28.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	650000	652000		
40	Pi/2 BPSK	1	1	27.16	27.25	27.21	28.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	650000	652666		
20	Pi/2 BPSK	1	1	27.10	27.31	27.17	28.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	27.11	27.30	27.24	28.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	650000	653000		
10	Pi/2 BPSK	1	1	27.16	27.36	27.15	28.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant7_DSI8_NSA

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	23.68	23.58	23.57	23.57	23.61	24.00	0.0
		1	137	23.55	23.58	23.52	23.68	23.58	24.00	0.0
		1	271	23.60	23.56	23.65	23.66	23.60	24.00	0.0
		135	0	23.17	23.03	23.25	23.21	23.28	23.50	0.5
		135	69	23.57	23.78	23.75	23.53	23.61	24.00	0.0
		135	138	23.12	23.30	23.19	23.24	23.12	23.50	0.5
		270	0	23.29	23.20	23.14	23.16	23.29	23.50	0.5
	QPSK	1	1	23.76	23.75	23.63	23.59	23.77	24.00	0.0
		1	137	23.60	23.58	23.76	23.75	23.58	24.00	0.0
		1	271	23.58	23.58	23.61	23.65	23.73	24.00	0.0
		135	0	22.53	22.62	22.57	22.56	22.67	23.00	1.0
		135	69	23.53	23.62	23.75	23.52	23.58	24.00	0.0
		135	138	22.73	22.54	22.62	22.60	22.74	23.00	1.0
		270	0	22.78	22.62	22.57	22.58	22.79	23.00	1.0
	16-QAM	1	1	22.76	22.80	22.55	22.80	22.76	23.00	1.0
	64QAM	1	1	21.28	21.07	21.15	21.27	21.13	21.50	2.5
	256-QAM	1	1	19.04	19.01	19.25	19.18	19.19	19.50	4.5
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	23.78	23.79	23.62	23.52	23.80	24.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	23.62	23.56	23.51	23.62	23.63	24.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	23.52	23.79	23.74	23.59	23.75	24.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99		
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	23.55	23.71	23.52	23.68	23.66	24.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960		
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	23.54	23.56	23.64	23.68	23.74	24.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99		
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	23.70	23.71	23.52	23.76	23.78	24.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495		
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	23.71	23.56	23.74	23.61	23.76	24.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975		
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	23.75	23.64	23.75	23.68	23.61	24.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	26.43	26.82	26.67	26.72	26.87	27.00	0.0
		1	137	26.31	26.69	26.59	26.62	26.78	27.00	0.0
		1	271	26.35	26.70	26.55	26.60	26.77	27.00	0.0
		135	0	25.95	26.38	26.08	26.14	26.41	26.50	0.5
		135	69	26.36	26.70	26.58	26.59	26.71	27.00	0.0
		135	138	25.93	26.23	26.07	26.14	26.33	26.50	0.5
		270	0	25.98	26.38	26.20	26.23	26.35	26.50	0.5
	QPSK	1	1	26.30	26.74	26.51	26.68	26.72	27.00	0.0
		1	137	26.31	26.65	26.55	26.67	26.82	27.00	0.0
		1	271	26.37	26.69	26.47	26.62	26.75	27.00	0.0
		135	0	25.31	25.72	25.60	25.55	25.77	26.00	1.0
		135	69	26.31	26.67	26.52	26.66	26.76	27.00	0.0
		135	138	25.31	25.68	25.56	25.60	25.73	26.00	1.0
		270	0	25.27	25.65	25.51	25.56	25.70	26.00	1.0
	16-QAM	1	1	25.31	25.69	25.56	25.60	25.74	26.00	1.0
	64QAM	1	1	23.85	24.21	24.11	24.10	24.27	24.50	2.5
	256-QAM	1	1	21.82	22.17	22.03	22.13	22.27	22.50	4.5
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	26.32	26.75	26.58	26.60	26.76	27.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	26.23	26.73	26.52	26.57	26.71	27.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	26.27	26.74	26.56	26.58	26.80	27.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	26.29	26.64	26.57	26.62	26.76	27.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	26.32	26.69	26.60	26.66	26.73	27.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	26.29	26.63	26.54	26.60	26.79	27.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	26.38	26.69	26.10	26.66	26.72	27.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	26.32	26.61	26.60	26.62	26.79	27.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	23.70	23.64	23.75	23.54	23.58	24.00	0.0
		1	137	23.62	23.55	23.64	23.62	23.58	24.00	0.0
		1	271	23.61	23.53	23.52	23.76	23.61	24.00	0.0
		135	0	23.27	23.24	23.06	23.07	23.30	23.50	0.5
		135	69	23.68	23.78	23.70	23.51	23.73	24.00	0.0
		135	138	23.27	23.08	23.20	23.29	23.01	23.50	0.5
		270	0	23.23	23.10	23.12	23.01	23.01	23.50	0.5
	QPSK	1	1	23.60	23.73	23.75	23.72	23.70	24.00	0.0
		1	137	23.67	23.72	23.77	23.64	23.56	24.00	0.0
		1	271	23.61	23.73	23.54	23.61	23.77	24.00	0.0
		135	0	22.76	22.63	22.69	22.74	22.60	23.00	1.0
		135	69	23.51	23.72	23.60	23.74	23.52	24.00	0.0
		135	138	22.61	22.55	22.62	22.70	22.68	23.00	1.0
		270	0	22.68	22.66	22.51	22.73	22.63	23.00	1.0
	16-QAM	1	1	22.52	22.54	22.80	22.80	22.76	23.00	1.0
	64QAM	1	1	21.13	21.29	21.24	21.15	21.23	21.50	2.5
	256-QAM	1	1	19.06	19.27	19.12	19.14	19.13	19.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	23.55	23.60	23.76	23.59	23.62	24.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	23.58	23.61	23.61	23.66	23.52	24.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	23.75	23.80	23.60	23.63	23.76	24.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	23.78	23.69	23.77	23.56	23.55	24.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01		
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	23.54	23.63	23.76	23.69	23.68	24.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690		
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	23.61	23.61	23.61	23.57	23.67	24.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52		
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	23.76	23.80	23.53	23.67	23.74	24.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01		
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	23.76	23.79	23.54	23.54	23.62	24.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01		
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	26.87	26.91	26.96	26.94	26.78	27.00	0.0
		1	137	26.74	26.80	26.81	26.84	26.60	27.00	0.0
		1	271	26.83	26.81	26.77	26.83	26.66	27.00	0.0
		135	0	26.35	26.39	26.47	26.43	26.32	26.50	0.5
		135	69	26.74	26.76	26.85	26.79	26.66	27.00	0.0
		135	138	26.37	26.43	26.44	26.34	26.23	26.50	0.5
		270	0	26.42	26.47	26.40	26.48	26.28	26.50	0.5
	QPSK	1	1	26.74	26.80	26.89	26.84	26.75	27.00	0.0
		1	137	26.73	26.76	26.81	26.85	26.58	27.00	0.0
		1	271	26.75	26.73	26.84	26.81	26.72	27.00	0.0
		135	0	25.75	25.75	25.79	25.87	25.66	26.00	1.0
		135	69	26.73	26.78	26.85	26.83	26.72	27.00	0.0
		135	138	25.75	25.77	25.85	25.82	25.64	26.00	1.0
		270	0	25.71	25.74	25.80	25.78	25.61	26.00	1.0
	16-QAM	1	1	25.75	25.78	25.85	25.82	25.65	26.00	1.0
	64QAM	1	1	24.33	24.29	24.31	24.38	24.20	24.50	2.5
	256-QAM	1	1	22.28	22.24	22.32	22.38	22.17	22.50	4.5
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	26.73	26.76	26.83	26.83	26.68	27.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	26.81	26.73	26.89	26.84	26.70	27.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	26.82	26.75	26.84	26.83	26.63	27.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	26.79	26.73	26.84	26.82	26.62	27.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	26.73	26.74	26.82	26.82	26.66	27.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	26.78	26.79	26.87	26.75	26.67	27.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	26.74	26.72	26.85	26.86	26.68	27.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	26.68	26.80	26.87	26.87	26.60	27.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		23.52		24.00	0.0
		1	137		23.74		24.00	0.0
		1	271		23.53		24.00	0.0
		135	0		23.29		23.50	0.5
		135	69		23.78		24.00	0.0
		135	138		23.23		23.50	0.5
		270	0		23.19		23.50	0.5
	QPSK	1	1		23.77		24.00	0.0
		1	137		23.76		24.00	0.0
		1	271		23.54		24.00	0.0
		135	0		22.79		23.00	1.0
		135	69		23.56		24.00	0.0
		135	138		22.52		23.00	1.0
		270	0		22.71		23.00	1.0
	16-QAM	1	1		22.56		23.00	1.0
	64QAM	1	1		21.04		21.50	2.5
	256-QAM	1	1		19.01		19.50	4.5
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	645000	650334		
90	Pi/2 BPSK	1	1	23.53	23.60	23.64	24.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	23.63	23.62	23.67	24.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	645000	651334		
60	Pi/2 BPSK	1	1	23.71	23.80	23.57	24.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	23.75	23.52	23.63	24.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	645000	652000		
40	Pi/2 BPSK	1	1	23.79	23.57	23.61	24.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	645000	652666		
20	Pi/2 BPSK	1	1	23.68	23.61	23.63	24.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	23.76	23.73	23.57	24.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	645000	653000		
10	Pi/2 BPSK	1	1	23.52	23.73	23.77	24.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		26.73		27.00	0.0
		1	137		26.53		27.00	0.0
		1	271		26.80		27.00	0.0
		135	0		26.03		26.50	0.5
		135	69		26.57		27.00	0.0
		135	138		26.08		26.50	0.5
		270	0		26.10		26.50	0.5
	QPSK	1	1		26.76		27.00	0.0
		1	137		26.73		27.00	0.0
		1	271		26.78		27.00	0.0
		135	0		25.51		26.00	1.0
		135	69		26.75		27.00	0.0
		135	138		25.70		26.00	1.0
		270	0		25.71		26.00	1.0
	16-QAM	1	1		25.57		26.00	1.0
	64QAM	1	1		24.17		24.50	2.5
	256-QAM	1	1		22.23		22.50	4.5
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	650000	650334		
90	Pi/2 BPSK	1	1	26.78	26.68	26.77	27.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	26.64	26.71	26.72	27.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	650000	651334		
60	Pi/2 BPSK	1	1	26.66	26.78	26.59	27.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	26.62	26.75	26.71	27.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	650000	652000		
40	Pi/2 BPSK	1	1	26.51	26.66	26.52	27.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	650000	652666		
20	Pi/2 BPSK	1	1	26.62	26.66	26.80	27.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	26.63	26.66	26.59	27.00	0.0

5G NR n78_PC2_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	650000	653000		
10	Pi/2 BPSK	1	1	26.65	26.75	26.56	27.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant8_DSI10

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	21.48	21.35	21.44	21.50	0.0
		1	137	21.28	21.21	21.34	21.50	0.0
		1	271	21.30	21.23	21.36	21.50	0.0
		135	0	20.92	20.85	20.91	21.00	0.5
		135	69	21.34	20.91	20.32	21.50	0.0
		135	138	20.83	20.74	20.25	21.00	0.5
		270	0	20.86	20.79	20.36	21.00	0.5
	QPSK	1	1	21.35	20.92	20.33	21.50	0.0
		1	137	21.29	20.83	20.38	21.50	0.0
		1	271	21.28	20.84	20.31	21.50	0.0
		135	0	20.25	19.89	19.28	20.50	1.0
		135	69	21.28	20.93	20.34	21.50	0.0
		135	138	20.34	19.83	19.33	20.50	1.0
		270	0	20.23	19.84	19.32	20.50	1.0
	16-QAM	1	1	20.28	19.89	19.32	20.50	1.0
	64QAM	1	1	18.87	18.43	17.81	19.00	2.5
	256-QAM	1	1	16.83	16.32	15.88	17.00	4.5
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	21.21	20.84	20.29	21.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	21.20	20.82	20.30	21.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	21.24	20.86	20.29	21.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	21.21	20.86	20.32	21.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	21.20	20.89	20.28	21.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	21.21	20.84	20.30	21.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	21.19	20.86	20.29	21.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	21.21	20.87	20.25	21.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	21.23	20.86	20.32	21.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	21.25	20.86	20.26	21.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	21.21	20.89	20.27	21.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	21.22	20.87	20.26	21.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	21.20	20.84	20.32	21.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	23.89	24.32	23.96	24.50	0.0
		1	137	23.71	24.20	23.80	24.50	0.0
		1	271	23.76	24.28	23.89	24.50	0.0
		135	0	23.28	23.77	23.43	24.00	0.5
		135	69	23.73	24.24	23.87	24.50	0.0
		135	138	23.26	23.77	23.46	24.00	0.5
		270	0	23.34	23.75	23.46	24.00	0.5
	QPSK	1	1	23.71	24.26	23.85	24.50	0.0
		1	137	23.76	24.27	23.84	24.50	0.0
		1	271	23.74	24.14	23.77	24.50	0.0
		135	0	22.81	23.31	22.91	23.50	1.0
		135	69	23.78	24.24	23.88	24.50	0.0
		135	138	22.72	23.17	22.82	23.50	1.0
		270	0	22.68	23.14	22.81	23.50	1.0
	16-QAM	1	1	22.77	23.25	22.83	23.50	1.0
	64QAM	1	1	21.28	21.75	21.38	22.00	2.5
	256-QAM	1	1	19.23	19.76	19.33	20.00	4.5
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	23.66	24.12	23.76	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	23.67	24.15	23.75	24.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	23.66	24.15	23.72	24.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	23.69	24.17	23.79	24.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	23.68	24.20	23.73	24.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	23.68	24.17	23.78	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	23.68	24.18	23.74	24.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	23.64	24.12	23.78	24.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	23.66	24.13	23.77	24.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	23.70	24.15	23.77	24.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	23.65	24.11	23.74	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	23.64	24.16	23.71	24.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	23.65	24.14	23.77	24.50	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3600	3625.02	3649.98		
Channel				640000	641668	643332		
100	Pi/2 BPSK	1	1	20.81	20.83	20.69	21.00	0.0
		1	137	20.67	20.65	20.54	21.00	0.0
		1	271	20.75	20.62	20.55	21.00	0.0
		135	0	20.29	20.37	20.16	20.50	0.5
		135	69	20.62	20.78	20.57	21.00	0.0
		135	138	20.26	20.19	20.14	20.50	0.5
		270	0	20.37	20.19	20.18	20.50	0.5
	QPSK	1	1	20.67	20.66	20.54	21.00	0.0
		1	137	20.62	20.71	20.47	21.00	0.0
		1	271	20.63	20.68	20.59	21.00	0.0
		135	0	19.62	19.70	19.46	20.00	1.0
		135	69	20.63	20.64	20.55	21.00	0.0
		135	138	19.67	19.65	19.53	20.00	1.0
		270	0	19.64	19.66	19.47	20.00	1.0
	16-QAM	1	1	19.67	19.62	19.54	20.00	1.0
	64QAM	1	1	18.24	18.22	17.99	18.50	2.5
	256-QAM	1	1	16.16	16.14	16.03	16.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3595.02	3625.02	3654.99		
Channel				639668	641668	643666		
90	Pi/2 BPSK	1	1	20.78	20.80	20.66	21.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3590.01	3625.02	3660		
Channel				639334	641668	644000		
80	Pi/2 BPSK	1	1	20.76	20.74	20.60	21.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3585	3625.02	3664.98		
Channel				639000	641668	644332		
70	Pi/2 BPSK	1	1	20.74	20.82	20.65	21.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3580.02	3625.02	3669.99		
Channel				638668	641668	644666		
60	Pi/2 BPSK	1	1	20.80	20.81	20.66	21.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3575.01	3625.02	3675		
Channel				638334	641668	645000		
50	Pi/2 BPSK	1	1	20.80	20.82	20.62	21.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3570	3625.02	3679.98		
Channel				638000	641668	645332		
40	Pi/2 BPSK	1	1	20.72	20.82	20.61	21.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3565.02	3625.02	3684.99		
Channel				637668	641668	645666		
30	Pi/2 BPSK	1	1	20.79	20.76	20.61	21.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3560.01	3625.02	3690		
Channel				637334	641668	646000		
20	Pi/2 BPSK	1	1	20.76	20.79	20.66	21.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3557.52	3625.02	3692.49		
Channel				637168	641668	646166		
15	Pi/2 BPSK	1	1	20.79	20.80	20.67	21.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3555	3625.02	3694.98		
Channel				637000	641668	646332		
10	Pi/2 BPSK	1	1	20.77	20.80	20.60	21.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	19.80	19.70	19.78	19.62	19.61	20.00	0.0
		1	137	19.65	19.77	19.62	19.76	19.63	20.00	0.0
		1	271	19.71	19.76	19.64	19.64	19.76	20.00	0.0
		135	0	19.21	19.18	19.16	19.27	19.12	19.50	0.5
		135	69	19.78	19.68	19.70	19.72	19.63	20.00	0.0
		135	138	19.25	19.26	19.29	19.25	19.25	19.50	0.5
		270	0	19.25	19.11	19.17	19.27	19.26	19.50	0.5
	QPSK	1	1	19.68	19.67	19.80	19.70	19.79	20.00	0.0
		1	137	19.61	19.67	19.66	19.64	19.74	20.00	0.0
		1	271	19.79	19.78	19.68	19.69	19.76	20.00	0.0
		135	0	18.75	18.71	18.72	18.63	18.80	19.00	1.0
		135	69	19.64	19.61	19.69	19.77	19.77	20.00	0.0
		135	138	18.65	18.74	18.62	18.61	18.76	19.00	1.0
		270	0	18.63	18.79	18.66	18.75	18.65	19.00	1.0
	16-QAM	1	1	18.62	18.72	18.65	18.71	18.72	19.00	1.0
	64QAM	1	1	17.12	17.20	17.26	17.12	17.26	17.50	2.5
	256-QAM	1	1	15.19	15.21	15.22	15.25	15.12	15.50	4.5
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	19.80	19.63	19.68	19.70	19.80	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	19.64	19.71	19.62	19.72	19.62	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	19.61	19.76	19.63	19.73	19.64	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	19.63	19.64	19.69	19.74	19.66	20.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	19.73	19.69	19.66	19.64	19.74	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	19.71	19.73	19.66	19.76	19.70	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	19.79	19.71	19.77	19.63	19.75	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	19.78	19.64	19.73	19.61	19.66	20.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	22.23	22.45	22.23	22.24	22.21	22.50	0.0
		1	137	22.29	22.24	22.22	22.27	22.12	22.50	0.0
		1	271	22.24	22.17	22.25	22.25	22.17	22.50	0.0
		135	0	21.64	21.74	21.68	21.74	21.67	22.00	0.5
		135	69	22.23	22.24	22.20	22.16	22.17	22.50	0.0
		135	138	21.79	21.62	21.78	21.69	21.74	22.00	0.5
		270	0	21.78	21.69	21.66	21.65	21.62	22.00	0.5
	QPSK	1	1	22.29	22.21	22.14	22.11	22.13	22.50	0.0
		1	137	22.21	22.14	22.20	22.13	22.28	22.50	0.0
		1	271	22.24	22.20	22.15	22.21	22.17	22.50	0.0
		135	0	21.12	21.17	21.29	21.26	21.23	21.50	1.0
		135	69	22.15	22.17	22.21	22.18	22.18	22.50	0.0
		135	138	21.14	21.30	21.12	21.23	21.27	21.50	1.0
		270	0	21.18	21.21	21.26	21.12	21.15	21.50	1.0
	16-QAM	1	1	21.25	21.22	21.18	21.25	21.12	21.50	1.0
	64QAM	1	1	19.72	19.69	19.67	19.62	19.70	20.00	2.5
	256-QAM	1	1	17.75	17.69	17.73	17.61	17.77	18.00	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	22.29	22.14	22.24	22.18	22.18	22.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	22.30	22.26	22.22	22.15	22.18	22.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	22.28	22.21	22.16	22.22	22.14	22.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	22.21	22.29	22.14	22.19	22.20	22.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	22.20	22.22	22.24	22.11	22.29	22.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	22.19	22.15	22.27	22.27	22.22	22.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	22.17	22.11	22.18	22.12	22.27	22.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	22.13	22.12	22.16	22.11	22.19	22.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	19.66	19.61	19.72	19.64	19.73	20.00	0.0
		1	137	19.68	19.78	19.67	19.76	19.65	20.00	0.0
		1	271	19.61	19.74	19.68	19.72	19.77	20.00	0.0
		135	0	19.25	19.27	19.23	19.25	19.17	19.50	0.5
		135	69	19.66	19.77	19.76	19.78	19.68	20.00	0.0
		135	138	19.27	19.28	19.13	19.25	19.14	19.50	0.5
		270	0	19.16	19.12	19.30	19.23	19.21	19.50	0.5
	QPSK	1	1	19.72	19.68	19.63	19.80	19.69	20.00	0.0
		1	137	19.68	19.73	19.75	19.72	19.66	20.00	0.0
		1	271	19.63	19.65	19.79	19.74	19.78	20.00	0.0
		135	0	18.66	18.74	18.65	18.80	18.69	19.00	1.0
		135	69	19.72	19.74	19.71	19.61	19.61	20.00	0.0
		135	138	18.65	18.80	18.70	18.63	18.79	19.00	1.0
		270	0	18.76	18.77	18.68	18.61	18.70	19.00	1.0
	16-QAM	1	1	18.62	18.71	18.70	18.65	18.80	19.00	1.0
	64QAM	1	1	17.15	17.26	17.11	17.28	17.26	17.50	2.5
	256-QAM	1	1	15.14	15.29	15.27	15.22	15.28	15.50	4.5
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	19.70	19.77	19.73	19.65	19.67	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	19.63	19.78	19.70	19.61	19.61	20.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	19.67	19.74	19.77	19.73	19.72	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	19.74	19.65	19.65	19.67	19.69	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	19.65	19.71	19.64	19.66	19.76	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	19.79	19.68	19.79	19.67	19.75	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	19.79	19.72	19.69	19.64	19.68	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	19.67	19.62	19.65	19.67	19.79	20.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01		
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	22.22	22.18	22.24	22.11	22.27	22.50	0.0
		1	137	22.13	22.19	22.29	22.28	22.14	22.50	0.0
		1	271	22.20	22.20	22.23	22.13	22.10	22.50	0.0
		135	0	21.61	21.66	21.65	21.76	21.65	22.00	0.5
		135	69	22.20	22.21	22.17	22.20	22.12	22.50	0.0
		135	138	21.74	21.63	21.64	21.74	21.66	22.00	0.5
		270	0	21.74	21.80	21.74	21.75	21.71	22.00	0.5
	QPSK	1	1	22.30	22.21	22.19	22.21	22.21	22.50	0.0
		1	137	22.19	22.15	22.14	22.21	22.12	22.50	0.0
		1	271	22.29	22.20	22.23	22.28	22.27	22.50	0.0
		135	0	21.27	21.25	21.21	21.26	21.15	21.50	1.0
		135	69	22.28	22.11	22.16	22.14	22.11	22.50	0.0
		135	138	21.19	21.15	21.30	21.17	21.12	21.50	1.0
		270	0	21.15	21.18	21.20	21.23	21.24	21.50	1.0
	16-QAM	1	1	21.27	21.28	21.26	21.18	21.26	21.50	1.0
	64QAM	1	1	19.76	19.79	19.63	19.68	19.65	20.00	2.5
	256-QAM	1	1	17.69	17.76	17.74	17.66	17.70	18.00	4.5
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	22.14	22.17	22.13	22.24	22.15	22.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	22.15	22.20	22.11	22.25	22.15	22.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	22.14	22.11	22.21	22.11	22.11	22.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	22.26	22.15	22.12	22.12	22.22	22.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	22.24	22.13	22.14	22.25	22.18	22.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	22.11	22.16	22.23	22.29	22.16	22.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	22.19	22.30	22.27	22.28	22.30	22.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	22.12	22.14	22.12	22.26	22.21	22.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		19.73		20.00	0.0
		1	137		19.65		20.00	0.0
		1	271		19.78		20.00	0.0
		135	0		19.15		19.50	0.5
		135	69		19.68		20.00	0.0
		135	138		19.18		19.50	0.5
		270	0		19.29		19.50	0.5
	QPSK	1	1		19.74		20.00	0.0
		1	137		19.75		20.00	0.0
		1	271		19.69		20.00	0.0
		135	0		18.66		19.00	1.0
		135	69		19.79		20.00	0.0
		135	138		18.77		19.00	1.0
		270	0		18.80		19.00	1.0
	16-QAM	1	1		18.67		19.00	1.0
	64QAM	1	1		17.27		17.50	2.5
	256-QAM	1	1		15.27		15.50	4.5
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	645000	650334		
90	Pi/2 BPSK	1	1	19.75	19.62	19.73	20.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	19.80	19.76	19.71	20.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	645000	651334		
60	Pi/2 BPSK	1	1	19.61	19.68	19.74	20.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	19.69	19.70	19.63	20.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	645000	652000		
40	Pi/2 BPSK	1	1	19.65	19.75	19.78	20.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	645000	652666		
20	Pi/2 BPSK	1	1	19.70	19.66	19.73	20.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	19.75	19.80	19.79	20.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	645000	653000		
10	Pi/2 BPSK	1	1	19.65	19.61	19.64	20.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		22.17		22.50	0.0
		1	137		22.21		22.50	0.0
		1	271		22.27		22.50	0.0
		135	0		21.72		22.00	0.5
		135	69		22.21		22.50	0.0
		135	138		21.67		22.00	0.5
		270	0		21.80		22.00	0.5
	QPSK	1	1		22.15		22.50	0.0
		1	137		22.16		22.50	0.0
		1	271		22.23		22.50	0.0
		135	0		21.22		21.50	1.0
		135	69		22.15		22.50	0.0
		135	138		21.25		21.50	1.0
		270	0		21.29		21.50	1.0
	16-QAM	1	1		21.27		21.50	1.0
	64QAM	1	1		19.64		20.00	2.5
	256-QAM	1	1		17.71		18.00	4.5
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	650000	650334		
90	Pi/2 BPSK	1	1	22.19	22.14	22.18	22.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	22.21	22.18	22.30	22.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	650000	651334		
60	Pi/2 BPSK	1	1	22.16	22.24	22.20	22.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	22.11	22.25	22.27	22.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	650000	652000		
40	Pi/2 BPSK	1	1	22.27	22.22	22.24	22.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	650000	652666		
20	Pi/2 BPSK	1	1	22.29	22.30	22.13	22.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	22.30	22.29	22.27	22.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	650000	653000		
10	Pi/2 BPSK	1	1	22.11	22.23	22.14	22.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant8_DSI8_SA

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	21.48	21.35	21.44	21.50	0.0
		1	137	21.28	21.21	21.34	21.50	0.0
		1	271	21.30	21.23	21.36	21.50	0.0
		135	0	20.92	20.85	20.91	21.00	0.5
		135	69	21.34	20.91	20.32	21.50	0.0
		135	138	20.83	20.74	20.25	21.00	0.5
		270	0	20.86	20.79	20.36	21.00	0.5
	QPSK	1	1	21.35	20.92	20.33	21.50	0.0
		1	137	21.29	20.83	20.38	21.50	0.0
		1	271	21.28	20.84	20.31	21.50	0.0
		135	0	20.25	19.89	19.28	20.50	1.0
		135	69	21.28	20.93	20.34	21.50	0.0
		135	138	20.34	19.83	19.33	20.50	1.0
		270	0	20.23	19.84	19.32	20.50	1.0
	16-QAM	1	1	20.28	19.89	19.32	20.50	1.0
	64QAM	1	1	18.87	18.43	17.81	19.00	2.5
	256-QAM	1	1	16.83	16.32	15.88	17.00	4.5
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	21.21	20.84	20.29	21.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	21.20	20.82	20.30	21.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	21.24	20.86	20.29	21.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	21.21	20.86	20.32	21.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	21.20	20.89	20.28	21.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	21.21	20.84	20.30	21.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	21.19	20.86	20.29	21.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	21.21	20.87	20.25	21.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	21.23	20.86	20.32	21.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	21.25	20.86	20.26	21.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	21.21	20.89	20.27	21.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	21.22	20.87	20.26	21.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	21.20	20.84	20.32	21.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	23.89	24.32	23.96	24.50	0.0
		1	137	23.71	24.20	23.80	24.50	0.0
		1	271	23.76	24.28	23.89	24.50	0.0
		135	0	23.28	23.77	23.43	24.00	0.5
		135	69	23.73	24.24	23.87	24.50	0.0
		135	138	23.26	23.77	23.46	24.00	0.5
		270	0	23.34	23.75	23.46	24.00	0.5
	QPSK	1	1	23.71	24.26	23.85	24.50	0.0
		1	137	23.76	24.27	23.84	24.50	0.0
		1	271	23.74	24.14	23.77	24.50	0.0
		135	0	22.81	23.31	22.91	23.50	1.0
		135	69	23.78	24.24	23.88	24.50	0.0
		135	138	22.72	23.17	22.82	23.50	1.0
		270	0	22.68	23.14	22.81	23.50	1.0
	16-QAM	1	1	22.77	23.25	22.83	23.50	1.0
	64QAM	1	1	21.28	21.75	21.38	22.00	2.5
	256-QAM	1	1	19.23	19.76	19.33	20.00	4.5
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	23.66	24.12	23.76	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	23.67	24.15	23.75	24.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	23.66	24.15	23.72	24.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	23.69	24.17	23.79	24.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	23.68	24.20	23.73	24.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	23.68	24.17	23.78	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	23.68	24.18	23.74	24.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	23.64	24.12	23.78	24.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	23.66	24.13	23.77	24.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	23.70	24.15	23.77	24.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	23.65	24.11	23.74	24.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	23.64	24.16	23.71	24.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	23.65	24.14	23.77	24.50	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3600	3625.02	3649.98		
Channel				640000	641668	643332		
100	Pi/2 BPSK	1	1	20.81	20.83	20.69	21.00	0.0
		1	137	20.67	20.65	20.54	21.00	0.0
		1	271	20.75	20.62	20.55	21.00	0.0
		135	0	20.29	20.37	20.16	20.50	0.5
		135	69	20.62	20.78	20.57	21.00	0.0
		135	138	20.26	20.19	20.14	20.50	0.5
		270	0	20.37	20.19	20.18	20.50	0.5
	QPSK	1	1	20.67	20.66	20.54	21.00	0.0
		1	137	20.62	20.71	20.47	21.00	0.0
		1	271	20.63	20.68	20.59	21.00	0.0
		135	0	19.62	19.70	19.46	20.00	1.0
		135	69	20.63	20.64	20.55	21.00	0.0
		135	138	19.67	19.65	19.53	20.00	1.0
		270	0	19.64	19.66	19.47	20.00	1.0
	16-QAM	1	1	19.67	19.62	19.54	20.00	1.0
	64QAM	1	1	18.24	18.22	17.99	18.50	2.5
	256-QAM	1	1	16.16	16.14	16.03	16.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3595.02	3625.02	3654.99		
Channel				639668	641668	643666		
90	Pi/2 BPSK	1	1	20.78	20.80	20.66	21.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3590.01	3625.02	3660		
Channel				639334	641668	644000		
80	Pi/2 BPSK	1	1	20.76	20.74	20.60	21.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3585	3625.02	3664.98		
Channel				639000	641668	644332		
70	Pi/2 BPSK	1	1	20.74	20.82	20.65	21.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3580.02	3625.02	3669.99		
Channel				638668	641668	644666		
60	Pi/2 BPSK	1	1	20.80	20.81	20.66	21.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3575.01	3625.02	3675		
Channel				638334	641668	645000		
50	Pi/2 BPSK	1	1	20.80	20.82	20.62	21.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3570	3625.02	3679.98		
Channel				638000	641668	645332		
40	Pi/2 BPSK	1	1	20.72	20.82	20.61	21.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3565.02	3625.02	3684.99		
Channel				637668	641668	645666		
30	Pi/2 BPSK	1	1	20.79	20.76	20.61	21.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3560.01	3625.02	3690		
Channel				637334	641668	646000		
20	Pi/2 BPSK	1	1	20.76	20.79	20.66	21.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3557.52	3625.02	3692.49		
Channel				637168	641668	646166		
15	Pi/2 BPSK	1	1	20.79	20.80	20.67	21.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3555	3625.02	3694.98		
Channel				637000	641668	646332		
10	Pi/2 BPSK	1	1	20.77	20.80	20.60	21.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	19.80	19.70	19.78	19.62	19.61	20.00	0.0
		1	137	19.65	19.77	19.62	19.76	19.63	20.00	0.0
		1	271	19.71	19.76	19.64	19.64	19.76	20.00	0.0
		135	0	19.21	19.18	19.16	19.27	19.12	19.50	0.5
		135	69	19.78	19.68	19.70	19.72	19.63	20.00	0.0
		135	138	19.25	19.26	19.29	19.25	19.25	19.50	0.5
		270	0	19.25	19.11	19.17	19.27	19.26	19.50	0.5
	QPSK	1	1	19.68	19.67	19.80	19.70	19.79	20.00	0.0
		1	137	19.61	19.67	19.66	19.64	19.74	20.00	0.0
		1	271	19.79	19.78	19.68	19.69	19.76	20.00	0.0
		135	0	18.75	18.71	18.72	18.63	18.80	19.00	1.0
		135	69	19.64	19.61	19.69	19.77	19.77	20.00	0.0
		135	138	18.65	18.74	18.62	18.61	18.76	19.00	1.0
		270	0	18.63	18.79	18.66	18.75	18.65	19.00	1.0
	16-QAM	1	1	18.62	18.72	18.65	18.71	18.72	19.00	1.0
	64QAM	1	1	17.12	17.20	17.26	17.12	17.26	17.50	2.5
	256-QAM	1	1	15.19	15.21	15.22	15.25	15.12	15.50	4.5
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	19.80	19.63	19.68	19.70	19.80	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	19.64	19.71	19.62	19.72	19.62	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	19.61	19.76	19.63	19.73	19.64	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	19.63	19.64	19.69	19.74	19.66	20.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	19.73	19.69	19.66	19.64	19.74	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	19.71	19.73	19.66	19.76	19.70	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	19.79	19.71	19.77	19.63	19.75	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	19.78	19.64	19.73	19.61	19.66	20.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	22.23	22.45	22.23	22.24	22.21	22.50	0.0
		1	137	22.29	22.24	22.22	22.27	22.12	22.50	0.0
		1	271	22.24	22.17	22.25	22.25	22.17	22.50	0.0
		135	0	21.64	21.74	21.68	21.74	21.67	22.00	0.5
		135	69	22.23	22.24	22.20	22.16	22.17	22.50	0.0
		135	138	21.79	21.62	21.78	21.69	21.74	22.00	0.5
		270	0	21.78	21.69	21.66	21.65	21.62	22.00	0.5
	QPSK	1	1	22.29	22.21	22.14	22.11	22.13	22.50	0.0
		1	137	22.21	22.14	22.20	22.13	22.28	22.50	0.0
		1	271	22.24	22.20	22.15	22.21	22.17	22.50	0.0
		135	0	21.12	21.17	21.29	21.26	21.23	21.50	1.0
		135	69	22.15	22.17	22.21	22.18	22.18	22.50	0.0
		135	138	21.14	21.30	21.12	21.23	21.27	21.50	1.0
		270	0	21.18	21.21	21.26	21.12	21.15	21.50	1.0
	16-QAM	1	1	21.25	21.22	21.18	21.25	21.12	21.50	1.0
	64QAM	1	1	19.72	19.69	19.67	19.62	19.70	20.00	2.5
	256-QAM	1	1	17.75	17.69	17.73	17.61	17.77	18.00	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	22.29	22.14	22.24	22.18	22.18	22.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	22.30	22.26	22.22	22.15	22.18	22.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	22.28	22.21	22.16	22.22	22.14	22.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	22.21	22.29	22.14	22.19	22.20	22.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	22.20	22.22	22.24	22.11	22.29	22.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	22.19	22.15	22.27	22.27	22.22	22.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	22.17	22.11	22.18	22.12	22.27	22.50	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	22.13	22.12	22.16	22.11	22.19	22.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	19.66	19.61	19.72	19.64	19.73	20.00	0.0
		1	137	19.68	19.78	19.67	19.76	19.65	20.00	0.0
		1	271	19.61	19.74	19.68	19.72	19.77	20.00	0.0
		135	0	19.25	19.27	19.23	19.25	19.17	19.50	0.5
		135	69	19.66	19.77	19.76	19.78	19.68	20.00	0.0
		135	138	19.27	19.28	19.13	19.25	19.14	19.50	0.5
		270	0	19.16	19.12	19.30	19.23	19.21	19.50	0.5
	QPSK	1	1	19.72	19.68	19.63	19.80	19.69	20.00	0.0
		1	137	19.68	19.73	19.75	19.72	19.66	20.00	0.0
		1	271	19.63	19.65	19.79	19.74	19.78	20.00	0.0
		135	0	18.66	18.74	18.65	18.80	18.69	19.00	1.0
		135	69	19.72	19.74	19.71	19.61	19.61	20.00	0.0
		135	138	18.65	18.80	18.70	18.63	18.79	19.00	1.0
		270	0	18.76	18.77	18.68	18.61	18.70	19.00	1.0
	16-QAM	1	1	18.62	18.71	18.70	18.65	18.80	19.00	1.0
	64QAM	1	1	17.15	17.26	17.11	17.28	17.26	17.50	2.5
	256-QAM	1	1	15.14	15.29	15.27	15.22	15.28	15.50	4.5
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	19.70	19.77	19.73	19.65	19.67	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	19.63	19.78	19.70	19.61	19.61	20.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	19.67	19.74	19.77	19.73	19.72	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	19.74	19.65	19.65	19.67	19.69	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01		
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	19.65	19.71	19.64	19.66	19.76	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690		
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	19.79	19.68	19.79	19.67	19.75	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52		
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	19.79	19.72	19.69	19.64	19.68	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01		
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	19.67	19.62	19.65	19.67	19.79	20.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01		
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	22.22	22.18	22.24	22.11	22.27	22.50	0.0
		1	137	22.13	22.19	22.29	22.28	22.14	22.50	0.0
		1	271	22.20	22.20	22.23	22.13	22.10	22.50	0.0
		135	0	21.61	21.66	21.65	21.76	21.65	22.00	0.5
		135	69	22.20	22.21	22.17	22.20	22.12	22.50	0.0
		135	138	21.74	21.63	21.64	21.74	21.66	22.00	0.5
		270	0	21.74	21.80	21.74	21.75	21.71	22.00	0.5
	QPSK	1	1	22.30	22.21	22.19	22.21	22.21	22.50	0.0
		1	137	22.19	22.15	22.14	22.21	22.12	22.50	0.0
		1	271	22.29	22.20	22.23	22.28	22.27	22.50	0.0
		135	0	21.27	21.25	21.21	21.26	21.15	21.50	1.0
		135	69	22.28	22.11	22.16	22.14	22.11	22.50	0.0
		135	138	21.19	21.15	21.30	21.17	21.12	21.50	1.0
		270	0	21.15	21.18	21.20	21.23	21.24	21.50	1.0
	16-QAM	1	1	21.27	21.28	21.26	21.18	21.26	21.50	1.0
	64QAM	1	1	19.76	19.79	19.63	19.68	19.65	20.00	2.5
	256-QAM	1	1	17.69	17.76	17.74	17.66	17.70	18.00	4.5
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	22.14	22.17	22.13	22.24	22.15	22.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	22.15	22.20	22.11	22.25	22.15	22.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	22.14	22.11	22.21	22.11	22.11	22.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	22.26	22.15	22.12	22.12	22.22	22.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	22.24	22.13	22.14	22.25	22.18	22.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	22.11	22.16	22.23	22.29	22.16	22.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	22.19	22.30	22.27	22.28	22.30	22.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	22.12	22.14	22.12	22.26	22.21	22.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		19.73		20.00	0.0
		1	137		19.65		20.00	0.0
		1	271		19.78		20.00	0.0
		135	0		19.15		19.50	0.5
		135	69		19.68		20.00	0.0
		135	138		19.18		19.50	0.5
		270	0		19.29		19.50	0.5
	QPSK	1	1		19.74		20.00	0.0
		1	137		19.75		20.00	0.0
		1	271		19.69		20.00	0.0
		135	0		18.66		19.00	1.0
		135	69		19.79		20.00	0.0
		135	138		18.77		19.00	1.0
		270	0		18.80		19.00	1.0
	16-QAM	1	1		18.67		19.00	1.0
	64QAM	1	1		17.27		17.50	2.5
	256-QAM	1	1		15.27		15.50	4.5
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	645000	650334		
90	Pi/2 BPSK	1	1	19.75	19.62	19.73	20.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	19.80	19.76	19.71	20.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	645000	651334		
60	Pi/2 BPSK	1	1	19.61	19.68	19.74	20.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	19.69	19.70	19.63	20.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	645000	652000		
40	Pi/2 BPSK	1	1	19.65	19.75	19.78	20.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	645000	652666		
20	Pi/2 BPSK	1	1	19.70	19.66	19.73	20.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	19.75	19.80	19.79	20.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	645000	653000		
10	Pi/2 BPSK	1	1	19.65	19.61	19.64	20.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		22.17		22.50	0.0
		1	137		22.21		22.50	0.0
		1	271		22.27		22.50	0.0
		135	0		21.72		22.00	0.5
		135	69		22.21		22.50	0.0
		135	138		21.67		22.00	0.5
		270	0		21.80		22.00	0.5
	QPSK	1	1		22.15		22.50	0.0
		1	137		22.16		22.50	0.0
		1	271		22.23		22.50	0.0
		135	0		21.22		21.50	1.0
		135	69		22.15		22.50	0.0
		135	138		21.25		21.50	1.0
		270	0		21.29		21.50	1.0
	16-QAM	1	1		21.27		21.50	1.0
	64QAM	1	1		19.64		20.00	2.5
	256-QAM	1	1		17.71		18.00	4.5
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	650000	650334		
90	Pi/2 BPSK	1	1	22.19	22.14	22.18	22.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	22.21	22.18	22.30	22.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	650000	651334		
60	Pi/2 BPSK	1	1	22.16	22.24	22.20	22.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	22.11	22.25	22.27	22.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	650000	652000		
40	Pi/2 BPSK	1	1	22.27	22.22	22.24	22.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	650000	652666		
20	Pi/2 BPSK	1	1	22.29	22.30	22.13	22.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	22.30	22.29	22.27	22.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	650000	653000		
10	Pi/2 BPSK	1	1	22.11	22.23	22.14	22.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant8_DSI8_NSA

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	18.19	18.26	18.14	18.18	18.18	18.50	0.0
		1	137	18.26	18.23	18.26	18.20	18.26	18.50	0.0
		1	271	18.23	18.17	18.25	18.18	18.18	18.50	0.0
		135	0	17.72	17.80	17.77	17.63	17.64	18.00	0.5
		135	69	18.28	18.13	18.26	18.18	18.13	18.50	0.0
		135	138	17.74	17.69	17.65	17.69	17.62	18.00	0.5
		270	0	17.61	17.71	17.77	17.78	17.62	18.00	0.5
	QPSK	1	1	18.26	18.15	18.24	18.28	18.20	18.50	0.0
		1	137	18.29	18.19	18.28	18.27	18.16	18.50	0.0
		1	271	18.17	18.14	18.21	18.27	18.21	18.50	0.0
		135	0	17.22	17.17	17.23	17.16	17.12	17.50	1.0
		135	69	18.24	18.27	18.30	18.24	18.23	18.50	0.0
		135	138	17.24	17.26	17.14	17.26	17.14	17.50	1.0
		270	0	17.22	17.19	17.12	17.15	17.26	17.50	1.0
	16-QAM	1	1	17.20	17.14	17.28	17.14	17.22	17.50	1.0
	64QAM	1	1	15.74	15.73	15.76	15.70	15.68	16.00	2.5
	256-QAM	1	1	13.73	13.63	13.68	13.66	13.74	14.00	4.5
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	18.29	18.21	18.30	18.29	18.25	18.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	18.29	18.15	18.16	18.15	18.12	18.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	18.26	18.19	18.19	18.24	18.27	18.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	18.11	18.16	18.15	18.29	18.20	18.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	18.16	18.27	18.18	18.21	18.12	18.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	18.13	18.24	18.27	18.20	18.17	18.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	18.17	18.18	18.21	18.28	18.16	18.50	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	18.27	18.17	18.24	18.28	18.15	18.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	20.77	20.85	20.79	20.67	20.61	21.00	0.0
		1	137	20.77	20.65	20.70	20.73	20.73	21.00	0.0
		1	271	20.65	20.64	20.75	20.69	20.80	21.00	0.0
		135	0	20.24	20.27	20.13	20.25	20.23	20.50	0.5
		135	69	20.77	20.81	20.71	20.80	20.63	21.00	0.0
		135	138	20.17	20.30	20.18	20.16	20.18	20.50	0.5
		270	0	20.27	20.22	20.28	20.26	20.26	20.50	0.5
	QPSK	1	1	20.73	20.66	20.64	20.62	20.69	21.00	0.0
		1	137	20.74	20.68	20.77	20.71	20.79	21.00	0.0
		1	271	20.66	20.75	20.66	20.80	20.64	21.00	0.0
		135	0	19.61	19.76	19.70	19.72	19.77	20.00	1.0
		135	69	20.76	20.77	20.77	20.69	20.76	21.00	0.0
		135	138	19.73	19.66	19.79	19.62	19.80	20.00	1.0
		270	0	19.64	19.70	19.72	19.74	19.69	20.00	1.0
	16-QAM	1	1	19.69	19.61	19.65	19.77	19.66	20.00	1.0
	64QAM	1	1	18.25	18.17	18.29	18.23	18.25	18.50	2.5
	256-QAM	1	1	16.25	16.20	16.29	16.19	16.18	16.50	4.5
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	20.77	20.74	20.68	20.79	20.80	21.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	20.61	20.69	20.73	20.71	20.64	21.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	20.74	20.64	20.63	20.69	20.66	21.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	20.78	20.69	20.67	20.74	20.72	21.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	20.62	20.72	20.64	20.77	20.72	21.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	20.64	20.77	20.67	20.74	20.67	21.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	20.70	20.62	20.66	20.78	20.65	21.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	20.73	20.63	20.63	20.80	20.71	21.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	18.23	18.12	18.28	18.25	18.15	18.50	0.0
		1	137	18.21	18.11	18.17	18.13	18.21	18.50	0.0
		1	271	18.28	18.26	18.12	18.23	18.16	18.50	0.0
		135	0	17.75	17.72	17.72	17.73	17.77	18.00	0.5
		135	69	18.11	18.29	18.20	18.30	18.24	18.50	0.0
		135	138	17.64	17.69	17.64	17.64	17.70	18.00	0.5
		270	0	17.77	17.78	17.76	17.74	17.67	18.00	0.5
	QPSK	1	1	18.24	18.27	18.16	18.14	18.16	18.50	0.0
		1	137	18.19	18.16	18.23	18.14	18.11	18.50	0.0
		1	271	18.26	18.30	18.29	18.30	18.18	18.50	0.0
		135	0	17.18	17.30	17.28	17.26	17.19	17.50	1.0
		135	69	18.14	18.22	18.23	18.16	18.30	18.50	0.0
		135	138	17.27	17.19	17.23	17.29	17.14	17.50	1.0
		270	0	17.26	17.18	17.20	17.25	17.21	17.50	1.0
	16-QAM	1	1	17.14	17.23	17.13	17.13	17.30	17.50	1.0
	64QAM	1	1	15.61	15.69	15.61	15.77	15.73	16.00	2.5
	256-QAM	1	1	13.65	13.62	13.62	13.73	13.78	14.00	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	18.13	18.25	18.29	18.18	18.16	18.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	18.14	18.17	18.27	18.29	18.25	18.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	18.29	18.28	18.16	18.22	18.12	18.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	18.26	18.16	18.23	18.27	18.27	18.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01		
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	18.27	18.30	18.16	18.15	18.24	18.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690		
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	18.12	18.16	18.18	18.19	18.28	18.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52		
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	18.26	18.15	18.14	18.14	18.30	18.50	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01		
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	18.19	18.17	18.21	18.12	18.25	18.50	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01		
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	20.72	20.69	20.61	20.80	20.74	21.00	0.0
		1	137	20.65	20.74	20.66	20.73	20.75	21.00	0.0
		1	271	20.77	20.64	20.75	20.62	20.66	21.00	0.0
		135	0	20.28	20.17	20.12	20.25	20.22	20.50	0.5
		135	69	20.76	20.69	20.66	20.75	20.67	21.00	0.0
		135	138	20.14	20.28	20.17	20.13	20.24	20.50	0.5
		270	0	20.29	20.11	20.25	20.16	20.22	20.50	0.5
	QPSK	1	1	20.64	20.66	20.65	20.76	20.75	21.00	0.0
		1	137	20.69	20.68	20.68	20.74	20.67	21.00	0.0
		1	271	20.63	20.73	20.75	20.73	20.63	21.00	0.0
		135	0	19.61	19.75	19.80	19.79	19.72	20.00	1.0
		135	69	20.72	20.64	20.69	20.65	20.62	21.00	0.0
		135	138	19.65	19.67	19.63	19.61	19.65	20.00	1.0
		270	0	19.78	19.80	19.78	19.78	19.64	20.00	1.0
	16-QAM	1	1	19.78	19.67	19.72	19.68	19.79	20.00	1.0
	64QAM	1	1	18.19	18.11	18.24	18.21	18.23	18.50	2.5
	256-QAM	1	1	16.30	16.29	16.23	16.26	16.20	16.50	4.5
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	20.70	20.66	20.68	20.66	20.64	21.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	20.64	20.73	20.64	20.78	20.70	21.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	20.64	20.79	20.80	20.61	20.73	21.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	20.78	20.77	20.74	20.72	20.71	21.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	20.61	20.63	20.66	20.62	20.80	21.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	20.64	20.74	20.74	20.77	20.69	21.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	20.80	20.72	20.63	20.70	20.69	21.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	20.62	20.68	20.77	20.76	20.71	21.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		18.23		18.50	0.0
		1	137		18.11		18.50	0.0
		1	271		18.18		18.50	0.0
		135	0		17.75		18.00	0.5
		135	69		18.19		18.50	0.0
		135	138		17.66		18.00	0.5
		270	0		17.63		18.00	0.5
	QPSK	1	1		18.16		18.50	0.0
		1	137		18.14		18.50	0.0
		1	271		18.22		18.50	0.0
		135	0		17.26		17.50	1.0
		135	69		18.28		18.50	0.0
		135	138		17.28		17.50	1.0
		270	0		17.24		17.50	1.0
	16-QAM	1	1		17.11		17.50	1.0
	64QAM	1	1		15.74		16.00	2.5
	256-QAM	1	1		13.72		14.00	4.5
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	645000	650334		
90	Pi/2 BPSK	1	1	18.22	18.28	18.29	18.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	18.25	18.28	18.29	18.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	645000	651334		
60	Pi/2 BPSK	1	1	18.19	18.30	18.12	18.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	18.26	18.25	18.20	18.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	645000	652000		
40	Pi/2 BPSK	1	1	18.25	18.19	18.28	18.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	645000	652666		
20	Pi/2 BPSK	1	1	18.13	18.18	18.24	18.50	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	18.25	18.29	18.25	18.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	645000	653000		
10	Pi/2 BPSK	1	1	18.24	18.23	18.15	18.50	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		20.79		21.00	0.0
		1	137		20.67		21.00	0.0
		1	271		20.68		21.00	0.0
		135	0		20.21		20.50	0.5
		135	69		20.74		21.00	0.0
		135	138		20.20		20.50	0.5
		270	0		20.15		20.50	0.5
	QPSK	1	1		20.80		21.00	0.0
		1	137		20.74		21.00	0.0
		1	271		20.75		21.00	0.0
		135	0		19.67		20.00	1.0
		135	69		20.78		21.00	0.0
		135	138		19.65		20.00	1.0
		270	0		19.77		20.00	1.0
	16-QAM	1	1		19.73		20.00	1.0
	64QAM	1	1		18.25		18.50	2.5
	256-QAM	1	1		16.24		16.50	4.5
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	650000	650334		
90	Pi/2 BPSK	1	1	20.80	20.64	20.62	21.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	20.67	20.80	20.73	21.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	650000	651334		
60	Pi/2 BPSK	1	1	20.68	20.75	20.75	21.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	20.71	20.70	20.78	21.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	650000	652000		
40	Pi/2 BPSK	1	1	20.78	20.66	20.76	21.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	650000	652666		
20	Pi/2 BPSK	1	1	20.70	20.63	20.66	21.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	20.73	20.79	20.78	21.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	650000	653000		
10	Pi/2 BPSK	1	1	20.65	20.68	20.68	21.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant9_DSI10

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	24.96	24.54	24.01	25.50	0.0
		1	137	24.82	24.43	23.84	25.50	0.0
		1	271	24.81	24.48	23.87	25.50	0.0
		135	0	24.50	24.06	23.48	25.00	0.5
		135	69	24.88	24.48	23.87	25.50	0.0
		135	138	24.39	23.95	23.53	25.00	0.5
		270	0	24.37	24.03	23.46	25.00	0.5
	QPSK	1	1	24.87	24.43	23.87	25.50	0.0
		1	137	24.80	24.39	23.89	25.50	0.0
		1	271	24.86	24.39	23.90	25.50	0.0
		135	0	23.82	23.40	22.86	24.50	1.0
		135	69	24.85	24.46	23.88	25.50	0.0
		135	138	23.84	23.40	22.90	24.50	1.0
		270	0	23.80	23.37	22.85	24.50	1.0
	16-QAM	1	1	23.84	23.41	22.90	24.50	1.0
	64QAM	1	1	22.38	21.95	21.33	23.00	2.5
	256-QAM	1	1	20.33	19.87	19.40	21.00	4.5
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	24.84	24.42	23.96	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	24.86	24.39	23.91	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	24.79	24.43	23.88	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	24.90	24.44	23.85	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	24.88	24.39	23.88	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	24.76	24.43	23.91	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	24.84	24.47	23.87	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	24.84	24.33	23.92	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	24.75	24.46	23.96	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	24.87	24.45	23.95	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	24.89	24.46	23.86	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	24.76	24.42	23.82	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	24.91	24.37	23.92	25.50	0.0

5G NR n41_PC2_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	25.91	26.40	26.02	27.50	0.0
		1	137	25.77	26.29	25.86	27.50	0.0
		1	271	25.83	26.33	25.96	27.50	0.0
		135	0	25.34	25.86	25.50	27.00	0.5
		135	69	25.77	26.29	25.88	27.50	0.0
		135	138	25.35	25.83	25.50	27.00	0.5
		270	0	25.35	25.82	25.51	27.00	0.5
	QPSK	1	1	25.71	26.28	25.92	27.50	0.0
		1	137	25.76	26.29	25.92	27.50	0.0
		1	271	25.80	26.22	25.85	27.50	0.0
		135	0	24.84	25.33	24.96	26.50	1.0
		135	69	25.87	26.25	25.96	27.50	0.0
		135	138	24.79	25.26	24.91	26.50	1.0
		270	0	24.75	25.23	24.86	26.50	1.0
	16-QAM	1	1	24.79	25.27	24.91	26.50	1.0
	64QAM	1	1	23.34	23.76	23.41	25.00	2.5
	256-QAM	1	1	21.25	21.83	21.37	23.00	4.5

5G NR n41_PC2_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	25.80	26.28	25.92	27.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	25.77	26.28	25.90	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	25.82	26.33	25.88	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	25.70	26.24	25.93	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	25.81	26.30	25.88	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	25.73	26.25	25.89	27.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	25.74	26.22	25.94	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	25.79	26.34	25.90	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	25.73	26.23	25.96	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	25.80	26.29	25.93	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	25.76	26.30	25.94	27.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	25.78	26.36	25.92	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	25.80	26.26	25.88	27.50	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3600	3625.02	3649.98		
Channel				640000	641668	643332		
100	Pi/2 BPSK	1	1	25.05	25.03	24.91	26.00	0.0
		1	137	24.91	24.91	24.77	26.00	0.0
		1	271	24.99	24.86	24.80	26.00	0.0
		135	0	24.51	24.57	24.41	25.50	0.5
		135	69	24.91	25.00	24.78	26.00	0.0
		135	138	24.52	24.43	24.35	25.50	0.5
		270	0	24.61	24.44	24.40	25.50	0.5
	QPSK	1	1	24.96	24.94	24.80	26.00	0.0
		1	137	24.85	24.91	24.75	26.00	0.0
		1	271	24.92	24.93	24.81	26.00	0.0
		135	0	23.91	23.90	23.75	25.00	1.0
		135	69	24.89	24.89	24.79	26.00	0.0
		135	138	23.93	23.89	23.80	25.00	1.0
		270	0	23.89	23.86	23.75	25.00	1.0
	16-QAM	1	1	23.93	23.90	23.80	25.00	1.0
	64QAM	1	1	22.46	22.48	22.28	23.50	2.5
	256-QAM	1	1	20.43	20.36	20.26	21.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3595.02	3625.02	3654.99		
Channel				639668	641668	643666		
90	Pi/2 BPSK	1	1	24.87	24.90	24.79	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3590.01	3625.02	3660		
Channel				639334	641668	644000		
80	Pi/2 BPSK	1	1	24.91	24.88	24.81	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3585	3625.02	3664.98		
Channel				639000	641668	644332		
70	Pi/2 BPSK	1	1	24.87	24.94	24.73	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3580.02	3625.02	3669.99		
Channel				638668	641668	644666		
60	Pi/2 BPSK	1	1	24.86	24.93	24.84	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3575.01	3625.02	3675		
Channel				638334	641668	645000		
50	Pi/2 BPSK	1	1	24.94	24.97	24.80	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3570	3625.02	3679.98		
Channel				638000	641668	645332		
40	Pi/2 BPSK	1	1	24.98	24.93	24.75	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3565.02	3625.02	3684.99		
Channel				637668	641668	645666		
30	Pi/2 BPSK	1	1	24.91	24.85	24.74	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3560.01	3625.02	3690		
Channel				637334	641668	646000		
20	Pi/2 BPSK	1	1	24.92	24.94	24.74	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3557.52	3625.02	3692.49		
Channel				637168	641668	646166		
15	Pi/2 BPSK	1	1	24.93	24.87	24.76	26.00	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3555	3625.02	3694.98		
Channel				637000	641668	646332		
10	Pi/2 BPSK	1	1	24.99	24.89	24.86	26.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	20.76	20.68	20.78	20.76	20.65	21.00	0.0
		1	137	20.67	20.62	20.66	20.75	20.64	21.00	0.0
		1	271	20.71	20.70	20.75	20.74	20.73	21.00	0.0
		135	0	20.29	20.22	20.14	20.17	20.15	20.50	0.5
		135	69	20.67	20.65	20.78	20.64	20.74	21.00	0.0
		135	138	20.23	20.29	20.14	20.28	20.24	20.50	0.5
		270	0	20.11	20.11	20.25	20.29	20.19	20.50	0.5
	QPSK	1	1	20.73	20.78	20.69	20.72	20.61	21.00	0.0
		1	137	20.79	20.77	20.63	20.74	20.65	21.00	0.0
		1	271	20.63	20.75	20.77	20.79	20.65	21.00	0.0
		135	0	19.67	19.78	19.71	19.70	19.76	20.00	1.0
		135	69	20.61	20.64	20.79	20.63	20.62	21.00	0.0
		135	138	19.73	19.72	19.80	19.73	19.75	20.00	1.0
		270	0	19.69	19.70	19.61	19.61	19.76	20.00	1.0
	16-QAM	1	1	19.80	19.67	19.80	19.70	19.66	20.00	1.0
	64QAM	1	1	18.23	18.11	18.11	18.21	18.27	18.50	2.5
	256-QAM	1	1	16.13	16.28	16.29	16.20	16.11	16.50	4.5
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	20.76	20.72	20.64	20.80	20.77	21.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	20.67	20.77	20.80	20.80	20.62	21.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	20.71	20.77	20.67	20.74	20.76	21.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	20.64	20.78	20.63	20.74	20.66	21.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	20.78	20.80	20.71	20.61	20.77	21.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	20.80	20.72	20.63	20.69	20.76	21.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	20.74	20.79	20.64	20.79	20.72	21.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	20.70	20.72	20.75	20.73	20.78	21.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	23.78	23.69	23.68	23.64	23.65	24.00	0.0
		1	137	23.61	23.63	23.71	23.63	23.80	24.00	0.0
		1	271	23.68	23.63	23.67	23.62	23.77	24.00	0.0
		135	0	23.15	23.12	23.22	23.17	23.30	23.50	0.5
		135	69	23.70	23.80	23.78	23.73	23.61	24.00	0.0
		135	138	23.26	23.15	23.27	23.26	23.28	23.50	0.5
		270	0	23.16	23.24	23.17	23.22	23.30	23.50	0.5
	QPSK	1	1	23.69	23.64	23.68	23.80	23.69	24.00	0.0
		1	137	23.61	23.70	23.66	23.75	23.61	24.00	0.0
		1	271	23.79	23.78	23.71	23.79	23.75	24.00	0.0
		135	0	22.68	22.74	22.62	22.65	22.72	23.00	1.0
		135	69	23.67	23.80	23.66	23.70	23.71	24.00	0.0
		135	138	22.71	22.73	22.65	22.61	22.68	23.00	1.0
		270	0	22.69	22.68	22.77	22.75	22.70	23.00	1.0
	16-QAM	1	1	22.79	22.76	22.75	22.63	22.76	23.00	1.0
	64QAM	1	1	21.11	21.12	21.13	21.18	21.26	21.50	2.5
	256-QAM	1	1	19.22	19.21	19.21	19.27	19.15	19.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	23.78	23.69	23.74	23.64	23.75	24.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	23.74	23.65	23.73	23.61	23.70	24.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	23.65	23.77	23.70	23.64	23.67	24.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	23.74	23.71	23.77	23.61	23.70	24.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	23.69	23.73	23.69	23.72	23.68	24.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	23.73	23.63	23.77	23.66	23.64	24.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	23.63	23.77	23.77	23.66	23.78	24.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	23.69	23.73	23.67	23.65	23.72	24.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	20.66	20.77	20.76	20.61	20.73	21.00	0.0
		1	137	20.76	20.78	20.66	20.61	20.62	21.00	0.0
		1	271	20.76	20.61	20.66	20.65	20.72	21.00	0.0
		135	0	20.30	20.19	20.11	20.21	20.11	20.50	0.5
		135	69	20.69	20.75	20.79	20.71	20.71	21.00	0.0
		135	138	20.24	20.25	20.21	20.30	20.29	20.50	0.5
		270	0	20.20	20.29	20.24	20.30	20.20	20.50	0.5
	QPSK	1	1	20.65	20.61	20.69	20.71	20.69	21.00	0.0
		1	137	20.79	20.62	20.62	20.63	20.63	21.00	0.0
		1	271	20.69	20.78	20.61	20.68	20.67	21.00	0.0
		135	0	19.65	19.77	19.74	19.66	19.71	20.00	1.0
		135	69	20.80	20.77	20.67	20.70	20.69	21.00	0.0
		135	138	19.68	19.76	19.67	19.61	19.72	20.00	1.0
		270	0	19.76	19.65	19.64	19.70	19.69	20.00	1.0
	16-QAM	1	1	19.65	19.77	19.79	19.66	19.67	20.00	1.0
	64QAM	1	1	18.20	18.27	18.26	18.30	18.28	18.50	2.5
	256-QAM	1	1	16.19	16.18	16.13	16.18	16.26	16.50	4.5
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	20.73	20.80	20.71	20.62	20.64	21.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	20.62	20.69	20.67	20.64	20.80	21.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02	21.00	0.0
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	20.66	20.62	20.70	20.76	20.66	21.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675	21.00	0.0
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	20.77	20.80	20.76	20.73	20.69	21.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01	21.00	0.0
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	20.67	20.77	20.62	20.76	20.69	21.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690	21.00	0.0
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	20.65	20.71	20.76	20.80	20.78	21.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52	21.00	0.0
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	20.66	20.75	20.75	20.74	20.72	21.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01	21.00	0.0
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	20.73	20.66	20.78	20.64	20.73	21.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01		
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	23.69	23.80	23.78	23.66	23.72	24.00	0.0
		1	137	23.81	23.78	23.62	23.67	23.63	24.00	0.0
		1	271	23.63	23.61	23.64	23.64	23.68	24.00	0.0
		135	0	23.23	23.15	23.27	23.24	23.25	23.50	0.5
		135	69	23.76	23.79	23.66	23.66	23.66	24.00	0.0
		135	138	23.27	23.14	23.12	23.29	23.20	23.50	0.5
		270	0	23.26	23.19	23.17	23.27	23.12	23.50	0.5
	QPSK	1	1	23.73	23.70	23.75	23.71	23.80	24.00	0.0
		1	137	23.71	23.79	23.68	23.62	23.67	24.00	0.0
		1	271	23.80	23.73	23.63	23.79	23.76	24.00	0.0
		135	0	22.78	22.67	22.72	22.80	22.73	23.00	1.0
		135	69	23.78	23.72	23.73	23.63	23.71	24.00	0.0
		135	138	22.78	22.61	22.80	22.66	22.71	23.00	1.0
		270	0	22.69	22.70	22.64	22.70	22.67	23.00	1.0
	16-QAM	1	1	22.80	22.62	22.74	22.73	22.73	23.00	1.0
	64QAM	1	1	21.11	21.27	21.17	21.12	21.19	21.50	2.5
	256-QAM	1	1	19.18	19.18	19.24	19.14	19.16	19.50	4.5
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	23.71	23.67	23.62	23.76	23.76	24.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	23.68	23.67	23.71	23.66	23.63	24.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	23.67	23.71	23.65	23.61	23.65	24.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	23.61	23.75	23.78	23.70	23.75	24.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	23.68	23.65	23.76	23.70	23.72	24.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	23.71	23.80	23.70	23.72	23.62	24.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	23.67	23.78	23.62	23.72	23.73	24.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	23.62	23.70	23.72	23.80	23.65	24.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		20.73		21.00	0.0
		1	137		20.61		21.00	0.0
		1	271		20.70		21.00	0.0
		135	0		20.20		20.50	0.5
		135	69		20.75		21.00	0.0
		135	138		20.13		20.50	0.5
		270	0		20.25		20.50	0.5
	QPSK	1	1		20.72		21.00	0.0
		1	137		20.76		21.00	0.0
		1	271		20.80		21.00	0.0
		135	0		19.65		20.00	1.0
		135	69		20.69		21.00	0.0
		135	138		19.72		20.00	1.0
		270	0		19.73		20.00	1.0
	16-QAM	1	1		19.66		20.00	1.0
	64QAM	1	1		18.17		18.50	2.5
	256-QAM	1	1		16.21		16.50	4.5
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	645000	650334		
90	Pi/2 BPSK	1	1	20.77	20.65	20.67	21.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	20.70	20.65	20.75	21.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	645000	651334		
60	Pi/2 BPSK	1	1	20.71	20.78	20.78	21.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	20.77	20.68	20.76	21.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	645000	652000		
40	Pi/2 BPSK	1	1	20.70	20.69	20.75	21.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	645000	652666		
20	Pi/2 BPSK	1	1	20.66	20.71	20.74	21.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	20.67	20.71	20.65	21.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	645000	653000		
10	Pi/2 BPSK	1	1	20.78	20.61	20.70	21.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		23.78		24.00	0.0
		1	137		23.74		24.00	0.0
		1	271		23.69		24.00	0.0
		135	0		23.20		23.50	0.5
		135	69		23.61		24.00	0.0
		135	138		23.28		23.50	0.5
		270	0		23.22		23.50	0.5
	QPSK	1	1		23.72		24.00	0.0
		1	137		23.67		24.00	0.0
		1	271		23.67		24.00	0.0
		135	0		22.79		23.00	1.0
		135	69		23.75		24.00	0.0
		135	138		22.71		23.00	1.0
		270	0		22.77		23.00	1.0
	16-QAM	1	1		22.78		23.00	1.0
	64QAM	1	1		21.28		21.50	2.5
	256-QAM	1	1		19.12		19.50	4.5
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	650000	650334		
90	Pi/2 BPSK	1	1	23.61	23.62	23.74	24.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	23.80	23.75	23.67	24.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	650000	651334		
60	Pi/2 BPSK	1	1	23.77	23.80	23.78	24.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	23.78	23.74	23.71	24.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	650000	652000		
40	Pi/2 BPSK	1	1	23.69	23.70	23.75	24.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	650000	652666		
20	Pi/2 BPSK	1	1	23.61	23.68	23.71	24.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	23.63	23.72	23.75	24.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	650000	653000		
10	Pi/2 BPSK	1	1	23.79	23.65	23.74	24.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant9_DSI10_NSA_SLM

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	19.62	19.73	19.77	19.77	19.61	20.00	0.0
		1	137	19.67	19.70	19.67	19.64	19.82	20.00	0.0
		1	271	19.73	19.66	19.80	19.72	19.72	20.00	0.0
		135	0	19.28	19.13	19.15	19.28	19.25	19.50	0.5
		135	69	19.70	19.76	19.67	19.77	19.84	20.00	0.0
		135	138	19.30	19.21	19.11	19.29	19.17	19.50	0.5
		270	0	19.24	19.12	19.24	19.22	19.16	19.50	0.5
	QPSK	1	1	19.78	19.61	19.64	19.61	19.62	20.00	0.0
		1	137	19.71	19.64	19.75	19.71	19.77	20.00	0.0
		1	271	19.71	19.80	19.72	19.62	19.68	20.00	0.0
		135	0	18.64	18.64	18.61	18.78	18.74	19.00	1.0
		135	69	19.80	19.64	19.73	19.74	19.73	20.00	0.0
		135	138	18.64	18.72	18.63	18.73	18.73	19.00	1.0
		270	0	18.71	18.74	18.68	18.64	18.68	19.00	1.0
	16-QAM	1	1	18.61	18.74	18.68	18.76	18.76	19.00	1.0
	64QAM	1	1	17.16	17.20	17.24	17.14	17.20	17.50	2.5
	256-QAM	1	1	15.13	15.29	15.15	15.19	15.13	15.50	4.5
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	19.64	19.65	19.72	19.68	19.73	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	19.69	19.74	19.72	19.61	19.74	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	19.65	19.79	19.68	19.77	19.80	20.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99		
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	19.70	19.68	19.64	19.73	19.76	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960		
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	19.61	19.78	19.72	19.66	19.67	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99		
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	19.64	19.63	19.63	19.64	19.78	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495		
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	19.78	19.65	19.62	19.80	19.68	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975		
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	19.78	19.75	19.64	19.79	19.62	20.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	22.73	22.75	22.64	22.67	22.73	23.00	0.0
		1	137	22.72	22.76	22.63	22.63	22.85	23.00	0.0
		1	271	22.66	22.74	22.69	22.67	22.72	23.00	0.0
		135	0	22.22	22.12	22.13	22.14	22.17	22.50	0.5
		135	69	22.69	22.62	22.69	22.79	22.85	23.00	0.0
		135	138	22.18	22.27	22.22	22.11	22.30	22.50	0.5
		270	0	22.17	22.17	22.23	22.22	22.13	22.50	0.5
	QPSK	1	1	22.65	22.76	22.73	22.70	22.68	23.00	0.0
		1	137	22.72	22.67	22.63	22.64	22.77	23.00	0.0
		1	271	22.80	22.61	22.69	22.75	22.79	23.00	0.0
		135	0	21.64	21.67	21.67	21.70	21.67	22.00	1.0
		135	69	22.71	22.62	22.67	22.74	22.73	23.00	0.0
		135	138	21.74	21.74	21.68	21.61	21.64	22.00	1.0
		270	0	21.79	21.78	21.79	21.67	21.62	22.00	1.0
	16-QAM	1	1	21.67	21.78	21.61	21.69	21.71	22.00	1.0
	64QAM	1	1	20.19	20.12	20.19	20.13	20.15	20.50	2.5
	256-QAM	1	1	18.20	18.27	18.11	18.23	18.18	18.50	4.5
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	22.75	22.68	22.71	22.68	22.64	23.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	22.75	22.66	22.71	22.74	22.77	23.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	22.71	22.80	22.61	22.65	22.70	23.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	22.64	22.70	22.68	22.79	22.63	23.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	22.70	22.76	22.76	22.73	22.69	23.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	22.62	22.64	22.71	22.67	22.67	23.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	22.72	22.79	22.69	22.63	22.67	23.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	22.78	22.72	22.72	22.66	22.68	23.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	19.64	19.71	19.68	19.78	19.75	20.00	0.0
		1	137	19.70	19.68	19.88	19.73	19.76	20.00	0.0
		1	271	19.67	19.62	19.68	19.76	19.77	20.00	0.0
		135	0	19.26	19.14	19.25	19.26	19.21	19.50	0.5
		135	69	19.65	19.69	19.67	19.75	19.68	20.00	0.0
		135	138	19.26	19.24	19.14	19.21	19.16	19.50	0.5
		270	0	19.23	19.29	19.14	19.30	19.27	19.50	0.5
	QPSK	1	1	19.66	19.79	19.72	19.69	19.75	20.00	0.0
		1	137	19.71	19.69	19.73	19.78	19.79	20.00	0.0
		1	271	19.76	19.79	19.68	19.63	19.72	20.00	0.0
		135	0	18.65	18.72	18.68	18.72	18.64	19.00	1.0
		135	69	19.79	19.62	19.73	19.63	19.76	20.00	0.0
		135	138	18.64	18.73	18.67	18.67	18.78	19.00	1.0
		270	0	18.71	18.71	18.68	18.79	18.69	19.00	1.0
	16-QAM	1	1	18.78	18.77	18.64	18.72	18.71	19.00	1.0
	64QAM	1	1	17.22	17.12	17.23	17.14	17.23	17.50	2.5
	256-QAM	1	1	15.21	15.28	15.16	15.25	15.11	15.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	19.64	19.78	19.73	19.68	19.65	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	19.78	19.61	19.80	19.71	19.76	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	19.71	19.62	19.68	19.69	19.68	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	19.64	19.78	19.68	19.61	19.79	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01		
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	19.79	19.73	19.75	19.80	19.62	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690		
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	19.73	19.66	19.77	19.78	19.65	20.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52		
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	19.71	19.63	19.62	19.76	19.74	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01		
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	19.61	19.80	19.80	19.66	19.77	20.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01		
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	22.61	22.71	22.70	22.67	22.72	23.00	0.0
		1	137	22.64	22.78	22.75	22.74	22.61	23.00	0.0
		1	271	22.74	22.70	22.79	22.64	22.63	23.00	0.0
		135	0	22.23	22.28	22.12	22.11	22.23	22.50	0.5
		135	69	22.79	22.72	22.85	22.71	22.68	23.00	0.0
		135	138	22.11	22.20	22.16	22.12	22.26	22.50	0.5
		270	0	22.29	22.24	22.16	22.19	22.28	22.50	0.5
	QPSK	1	1	22.77	22.61	22.79	22.63	22.71	23.00	0.0
		1	137	22.69	22.66	22.77	22.69	22.71	23.00	0.0
		1	271	22.75	22.71	22.71	22.69	22.67	23.00	0.0
		135	0	21.76	21.68	21.71	21.68	21.63	22.00	1.0
		135	69	22.78	22.71	22.64	22.70	22.72	23.00	0.0
		135	138	21.71	21.66	21.65	21.65	21.75	22.00	1.0
		270	0	21.76	21.75	21.68	21.61	21.65	22.00	1.0
	16-QAM	1	1	21.64	21.67	21.61	21.79	21.70	22.00	1.0
	64QAM	1	1	20.14	20.28	20.30	20.21	20.11	20.50	2.5
	256-QAM	1	1	18.16	18.23	18.24	18.27	18.25	18.50	4.5
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	22.69	22.69	22.80	22.71	22.63	23.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	22.80	22.72	22.68	22.61	22.74	23.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	22.80	22.61	22.80	22.69	22.66	23.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	22.61	22.76	22.67	22.76	22.71	23.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	22.65	22.71	22.72	22.63	22.71	23.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	22.75	22.73	22.71	22.76	22.80	23.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	22.76	22.80	22.66	22.62	22.69	23.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	22.73	22.61	22.64	22.77	22.61	23.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		19.77		20.00	0.0
		1	137		19.74		20.00	0.0
		1	271		19.72		20.00	0.0
		135	0		19.17		19.50	0.5
		135	69		19.72		20.00	0.0
		135	138		19.25		19.50	0.5
		270	0		19.30		19.50	0.5
	QPSK	1	1		19.64		20.00	0.0
		1	137		19.63		20.00	0.0
		1	271		19.72		20.00	0.0
		135	0		18.78		19.00	1.0
		135	69		19.64		20.00	0.0
		135	138		18.78		19.00	1.0
		270	0		18.74		19.00	1.0
	16-QAM	1	1		18.80		19.00	1.0
	64QAM	1	1		17.25		17.50	2.5
	256-QAM	1	1		15.19		15.50	4.5
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	645000	650334		
90	Pi/2 BPSK	1	1	19.68	19.79	19.78	20.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	19.68	19.61	19.80	20.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	645000	651334		
60	Pi/2 BPSK	1	1	19.70	19.67	19.72	20.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	19.72	19.76	19.72	20.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	645000	652000		
40	Pi/2 BPSK	1	1	19.71	19.74	19.74	20.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	645000	652666		
20	Pi/2 BPSK	1	1	19.71	19.76	19.72	20.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	19.62	19.64	19.72	20.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	645000	653000		
10	Pi/2 BPSK	1	1	19.74	19.80	19.63	20.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		22.80		23.00	0.0
		1	137		22.66		23.00	0.0
		1	271		22.65		23.00	0.0
		135	0		22.27		22.50	0.5
		135	69		22.63		23.00	0.0
		135	138		22.16		22.50	0.5
		270	0		22.15		22.50	0.5
	QPSK	1	1		22.69		23.00	0.0
		1	137		22.77		23.00	0.0
		1	271		22.64		23.00	0.0
		135	0		21.76		22.00	1.0
		135	69		22.65		23.00	0.0
		135	138		21.67		22.00	1.0
		270	0		21.63		22.00	1.0
	16-QAM	1	1		21.73		22.00	1.0
	64QAM	1	1		20.15		20.50	2.5
	256-QAM	1	1		18.23		18.50	4.5
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	650000	650334		
90	Pi/2 BPSK	1	1	22.65	22.67	22.75	23.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	22.67	22.80	22.69	23.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	650000	651334		
60	Pi/2 BPSK	1	1	22.68	22.73	22.61	23.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	22.62	22.79	22.66	23.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	650000	652000		
40	Pi/2 BPSK	1	1	22.75	22.78	22.79	23.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	650000	652666		
20	Pi/2 BPSK	1	1	22.71	22.73	22.64	23.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	22.65	22.69	22.61	23.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	650000	653000		
10	Pi/2 BPSK	1	1	22.65	22.73	22.80	23.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant9_DSI8_SA

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	24.96	24.54	24.01	25.50	0.0
		1	137	24.82	24.43	23.84	25.50	0.0
		1	271	24.81	24.48	23.87	25.50	0.0
		135	0	24.50	24.06	23.48	25.00	0.5
		135	69	24.88	24.48	23.87	25.50	0.0
		135	138	24.39	23.95	23.53	25.00	0.5
		270	0	24.37	24.03	23.46	25.00	0.5
	QPSK	1	1	24.87	24.43	23.87	25.50	0.0
		1	137	24.80	24.39	23.89	25.50	0.0
		1	271	24.86	24.39	23.90	25.50	0.0
		135	0	23.82	23.40	22.86	24.50	1.0
		135	69	24.85	24.46	23.88	25.50	0.0
		135	138	23.84	23.40	22.90	24.50	1.0
		270	0	23.80	23.37	22.85	24.50	1.0
	16-QAM	1	1	23.84	23.41	22.90	24.50	1.0
	64QAM	1	1	22.38	21.95	21.33	23.00	2.5
	256-QAM	1	1	20.33	19.87	19.40	21.00	4.5
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	24.84	24.42	23.96	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	24.86	24.39	23.91	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	24.79	24.43	23.88	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	24.90	24.44	23.85	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	24.88	24.39	23.88	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	24.76	24.43	23.91	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	24.84	24.47	23.87	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	24.84	24.33	23.92	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	24.75	24.46	23.96	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	24.87	24.45	23.95	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	24.89	24.46	23.86	25.50	0.0
5G NR n41_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	24.76	24.42	23.82	25.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC3_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	24.91	24.37	23.92	25.50	0.0

5G NR n41_PC2_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2546.01	2592.99	2640		
Channel				509202	518598	528000		
100	Pi/2 BPSK	1	1	25.91	26.40	26.02	27.50	0.0
		1	137	25.77	26.29	25.86	27.50	0.0
		1	271	25.83	26.33	25.96	27.50	0.0
		135	0	25.34	25.86	25.50	27.00	0.5
		135	69	25.77	26.29	25.88	27.50	0.0
		135	138	25.35	25.83	25.50	27.00	0.5
		270	0	25.35	25.82	25.51	27.00	0.5
	QPSK	1	1	25.71	26.28	25.92	27.50	0.0
		1	137	25.76	26.29	25.92	27.50	0.0
		1	271	25.80	26.22	25.85	27.50	0.0
		135	0	24.84	25.33	24.96	26.50	1.0
		135	69	25.87	26.25	25.96	27.50	0.0
		135	138	24.79	25.26	24.91	26.50	1.0
		270	0	24.75	25.23	24.86	26.50	1.0
	16-QAM	1	1	24.79	25.27	24.91	26.50	1.0
	64QAM	1	1	23.34	23.76	23.41	25.00	2.5
	256-QAM	1	1	21.25	21.83	21.37	23.00	4.5

5G NR n41_PC2_30kHz

BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2541	2592.99	2644.98		
Channel				508200	518598	528996		
90	Pi/2 BPSK	1	1	25.80	26.28	25.92	27.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2536.02	2592.99	2649.99		
Channel				507204	518598	529998		
80	Pi/2 BPSK	1	1	25.77	26.28	25.90	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2531.01	2592.99	2655		
Channel				506202	518598	531000		
70	Pi/2 BPSK	1	1	25.82	26.33	25.88	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2526	2592.99	2659.98		
Channel				505200	518598	531996		
60	Pi/2 BPSK	1	1	25.70	26.24	25.93	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2521.02	2592.99	2664.99		
Channel				504204	518598	532998		
50	Pi/2 BPSK	1	1	25.81	26.30	25.88	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2518.5	2592.99	2667.48		
Channel				503700	518598	533496		
45	Pi/2 BPSK	1	1	25.73	26.25	25.89	27.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2516.01	2592.99	2670		
Channel				503202	518598	534000		
40	Pi/2 BPSK	1	1	25.74	26.22	25.94	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2513.52	2592.99	2672.49		
Channel				502704	518598	534498		
35	Pi/2 BPSK	1	1	25.79	26.34	25.90	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2511	2592.99	2674.98		
Channel				502200	518598	534996		
30	Pi/2 BPSK	1	1	25.73	26.23	25.96	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2508.51	2592.99	2677.5		
Channel				501702	518598	535500		
25	Pi/2 BPSK	1	1	25.80	26.29	25.93	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2506.02	2592.99	2679.99		
Channel				501204	518598	535998		
20	Pi/2 BPSK	1	1	25.76	26.30	25.94	27.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2503.5	2592.99	2682.48		
Channel				500700	518598	536496		
15	Pi/2 BPSK	1	1	25.78	26.36	25.92	27.50	0.0
5G NR n41_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				2501.01	2592.99	2685		
Channel				500202	518598	537000		
10	Pi/2 BPSK	1	1	25.80	26.26	25.88	27.50	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3600	3625.02	3649.98		
Channel				640000	641668	643332		
100	Pi/2 BPSK	1	1	23.23	23.29	23.22	23.50	0.0
		1	137	23.15	23.20	23.20	23.50	0.0
		1	271	23.21	23.22	23.15	23.50	0.0
		135	0	22.79	22.69	22.68	23.00	0.5
		135	69	23.25	23.16	23.17	23.50	0.0
		135	138	22.79	22.69	22.67	23.00	0.5
		270	0	22.75	22.72	22.77	23.00	0.5
	QPSK	1	1	23.14	23.28	23.24	23.50	0.0
		1	137	23.12	23.23	23.13	23.50	0.0
		1	271	23.20	23.17	23.30	23.50	0.0
		135	0	22.26	22.28	22.20	22.50	1.0
		135	69	23.27	23.14	23.26	23.50	0.0
		135	138	22.18	22.26	22.28	22.50	1.0
		270	0	22.19	22.17	22.15	22.50	1.0
	16-QAM	1	1	22.23	22.21	22.30	22.50	1.0
	64QAM	1	1	20.80	20.77	20.64	21.00	2.5
	256-QAM	1	1	18.62	18.67	18.73	19.00	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3595.02	3625.02	3654.99		
Channel				639668	641668	643666		
90	Pi/2 BPSK	1	1	23.22	23.14	23.30	23.50	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3590.01	3625.02	3660		
Channel				639334	641668	644000		
80	Pi/2 BPSK	1	1	23.28	23.11	23.17	23.50	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3585	3625.02	3664.98		
Channel				639000	641668	644332		
70	Pi/2 BPSK	1	1	23.12	23.15	23.24	23.50	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3580.02	3625.02	3669.99		
Channel				638668	641668	644666		
60	Pi/2 BPSK	1	1	24.86	24.93	24.84	23.50	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3575.01	3625.02	3675		
Channel				638334	641668	645000		
50	Pi/2 BPSK	1	1	23.19	23.16	23.26	23.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3570	3625.02	3679.98		
Channel				638000	641668	645332		
40	Pi/2 BPSK	1	1	23.24	23.24	23.23	23.50	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3565.02	3625.02	3684.99		
Channel				637668	641668	645666		
30	Pi/2 BPSK	1	1	23.30	23.29	23.27	23.50	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3560.01	3625.02	3690		
Channel				637334	641668	646000		
20	Pi/2 BPSK	1	1	23.19	23.20	23.11	23.50	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3557.52	3625.02	3692.49		
Channel				637168	641668	646166		
15	Pi/2 BPSK	1	1	23.28	23.21	23.24	23.50	0.0
5G NR n48_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3555	3625.02	3694.98		
Channel				637000	641668	646332		
10	Pi/2 BPSK	1	1	23.21	23.11	23.16	23.50	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	20.76	20.68	20.78	20.76	20.65	21.00	0.0
		1	137	20.67	20.62	20.66	20.75	20.64	21.00	0.0
		1	271	20.71	20.70	20.75	20.74	20.73	21.00	0.0
		135	0	20.29	20.22	20.14	20.17	20.15	20.50	0.5
		135	69	20.67	20.65	20.78	20.64	20.74	21.00	0.0
		135	138	20.23	20.29	20.14	20.28	20.24	20.50	0.5
		270	0	20.11	20.11	20.25	20.29	20.19	20.50	0.5
	QPSK	1	1	20.73	20.78	20.69	20.72	20.61	21.00	0.0
		1	137	20.79	20.77	20.63	20.74	20.65	21.00	0.0
		1	271	20.63	20.75	20.77	20.79	20.65	21.00	0.0
		135	0	19.67	19.78	19.71	19.70	19.76	20.00	1.0
		135	69	20.61	20.64	20.79	20.63	20.62	21.00	0.0
		135	138	19.73	19.72	19.80	19.73	19.75	20.00	1.0
		270	0	19.69	19.70	19.61	19.61	19.76	20.00	1.0
	16-QAM	1	1	19.80	19.67	19.80	19.70	19.66	20.00	1.0
	64QAM	1	1	18.23	18.11	18.11	18.21	18.27	18.50	2.5
	256-QAM	1	1	16.13	16.28	16.29	16.20	16.11	16.50	4.5
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	20.76	20.72	20.64	20.80	20.77	21.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	20.67	20.77	20.80	20.80	20.62	21.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	20.71	20.77	20.67	20.74	20.76	21.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	20.64	20.78	20.63	20.74	20.66	21.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	20.78	20.80	20.71	20.61	20.77	21.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	20.80	20.72	20.63	20.69	20.76	21.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	20.74	20.79	20.64	20.79	20.72	21.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	20.70	20.72	20.75	20.73	20.78	21.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	23.78	23.69	23.68	23.64	23.65	24.00	0.0
		1	137	23.61	23.63	23.71	23.63	23.80	24.00	0.0
		1	271	23.68	23.63	23.67	23.62	23.77	24.00	0.0
		135	0	23.15	23.12	23.22	23.17	23.30	23.50	0.5
		135	69	23.70	23.80	23.78	23.73	23.61	24.00	0.0
		135	138	23.26	23.15	23.27	23.26	23.28	23.50	0.5
		270	0	23.16	23.24	23.17	23.22	23.30	23.50	0.5
	QPSK	1	1	23.69	23.64	23.68	23.80	23.69	24.00	0.0
		1	137	23.61	23.70	23.66	23.75	23.61	24.00	0.0
		1	271	23.79	23.78	23.71	23.79	23.75	24.00	0.0
		135	0	22.68	22.74	22.62	22.65	22.72	23.00	1.0
		135	69	23.67	23.80	23.66	23.70	23.71	24.00	0.0
		135	138	22.71	22.73	22.65	22.61	22.68	23.00	1.0
		270	0	22.69	22.68	22.77	22.75	22.70	23.00	1.0
	16-QAM	1	1	22.79	22.76	22.75	22.63	22.76	23.00	1.0
	64QAM	1	1	21.11	21.12	21.13	21.18	21.26	21.50	2.5
	256-QAM	1	1	19.22	19.21	19.21	19.27	19.15	19.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01		
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	23.78	23.69	23.74	23.64	23.75	24.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99		
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	23.74	23.65	23.73	23.61	23.70	24.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01		
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	23.65	23.77	23.70	23.64	23.67	24.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99		
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	23.74	23.71	23.77	23.61	23.70	24.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960		
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	23.69	23.73	23.69	23.72	23.68	24.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99		
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	23.73	23.63	23.77	23.66	23.64	24.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	23.63	23.77	23.77	23.66	23.78	24.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	23.69	23.73	23.67	23.65	23.72	24.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	20.66	20.77	20.76	20.61	20.73	21.00	0.0
		1	137	20.76	20.78	20.66	20.61	20.62	21.00	0.0
		1	271	20.76	20.61	20.66	20.65	20.72	21.00	0.0
		135	0	20.30	20.19	20.11	20.21	20.11	20.50	0.5
		135	69	20.69	20.75	20.79	20.71	20.71	21.00	0.0
		135	138	20.24	20.25	20.21	20.30	20.29	20.50	0.5
		270	0	20.20	20.29	20.24	20.30	20.20	20.50	0.5
	QPSK	1	1	20.65	20.61	20.69	20.71	20.69	21.00	0.0
		1	137	20.79	20.62	20.62	20.63	20.63	21.00	0.0
		1	271	20.69	20.78	20.61	20.68	20.67	21.00	0.0
		135	0	19.65	19.77	19.74	19.66	19.71	20.00	1.0
		135	69	20.80	20.77	20.67	20.70	20.69	21.00	0.0
		135	138	19.68	19.76	19.67	19.61	19.72	20.00	1.0
		270	0	19.76	19.65	19.64	19.70	19.69	20.00	1.0
	16-QAM	1	1	19.65	19.77	19.79	19.66	19.67	20.00	1.0
	64QAM	1	1	18.20	18.27	18.26	18.30	18.28	18.50	2.5
	256-QAM	1	1	16.19	16.18	16.13	16.18	16.26	16.50	4.5
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	20.73	20.80	20.71	20.62	20.64	21.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	20.62	20.69	20.67	20.64	20.80	21.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	20.66	20.62	20.70	20.76	20.66	21.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	20.77	20.80	20.76	20.73	20.69	21.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	20.67	20.77	20.62	20.76	20.69	21.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	20.65	20.71	20.76	20.80	20.78	21.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	20.66	20.75	20.75	20.74	20.72	21.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	20.73	20.66	20.78	20.64	20.73	21.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01		
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	23.69	23.80	23.78	23.66	23.72	24.00	0.0
		1	137	23.81	23.78	23.62	23.67	23.63	24.00	0.0
		1	271	23.63	23.61	23.64	23.64	23.68	24.00	0.0
		135	0	23.23	23.15	23.27	23.24	23.25	23.50	0.5
		135	69	23.76	23.79	23.66	23.66	23.66	24.00	0.0
		135	138	23.27	23.14	23.12	23.29	23.20	23.50	0.5
		270	0	23.26	23.19	23.17	23.27	23.12	23.50	0.5
	QPSK	1	1	23.73	23.70	23.75	23.71	23.80	24.00	0.0
		1	137	23.71	23.79	23.68	23.62	23.67	24.00	0.0
		1	271	23.80	23.73	23.63	23.79	23.76	24.00	0.0
		135	0	22.78	22.67	22.72	22.80	22.73	23.00	1.0
		135	69	23.78	23.72	23.73	23.63	23.71	24.00	0.0
		135	138	22.78	22.61	22.80	22.66	22.71	23.00	1.0
		270	0	22.69	22.70	22.64	22.70	22.67	23.00	1.0
	16-QAM	1	1	22.80	22.62	22.74	22.73	22.73	23.00	1.0
	64QAM	1	1	21.11	21.27	21.17	21.12	21.19	21.50	2.5
	256-QAM	1	1	19.18	19.18	19.24	19.14	19.16	19.50	4.5
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	23.71	23.67	23.62	23.76	23.76	24.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	23.68	23.67	23.71	23.66	23.63	24.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	23.67	23.71	23.65	23.61	23.65	24.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	23.61	23.75	23.78	23.70	23.75	24.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01		
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	23.68	23.65	23.76	23.70	23.72	24.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690		
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	23.71	23.80	23.70	23.72	23.62	24.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52		
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	23.67	23.78	23.62	23.72	23.73	24.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01		
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	23.62	23.70	23.72	23.80	23.65	24.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		20.73		21.00	0.0
		1	137		20.61		21.00	0.0
		1	271		20.70		21.00	0.0
		135	0		20.20		20.50	0.5
		135	69		20.75		21.00	0.0
		135	138		20.13		20.50	0.5
		270	0		20.25		20.50	0.5
	QPSK	1	1		20.72		21.00	0.0
		1	137		20.76		21.00	0.0
		1	271		20.80		21.00	0.0
		135	0		19.65		20.00	1.0
		135	69		20.69		21.00	0.0
		135	138		19.72		20.00	1.0
		270	0		19.73		20.00	1.0
	16-QAM	1	1		19.66		20.00	1.0
	64QAM	1	1		18.17		18.50	2.5
	256-QAM	1	1		16.21		16.50	4.5
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	645000	650334		
90	Pi/2 BPSK	1	1	20.77	20.65	20.67	21.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	20.70	20.65	20.75	21.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	645000	651334		
60	Pi/2 BPSK	1	1	20.71	20.78	20.78	21.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	20.77	20.68	20.76	21.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	645000	652000		
40	Pi/2 BPSK	1	1	20.70	20.69	20.75	21.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	645000	652666		
20	Pi/2 BPSK	1	1	20.66	20.71	20.74	21.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	20.67	20.71	20.65	21.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	645000	653000		
10	Pi/2 BPSK	1	1	20.78	20.61	20.70	21.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		23.78		24.00	0.0
		1	137		23.74		24.00	0.0
		1	271		23.69		24.00	0.0
		135	0		23.20		23.50	0.5
		135	69		23.61		24.00	0.0
		135	138		23.28		23.50	0.5
		270	0		23.22		23.50	0.5
	QPSK	1	1		23.72		24.00	0.0
		1	137		23.67		24.00	0.0
		1	271		23.67		24.00	0.0
		135	0		22.79		23.00	1.0
		135	69		23.75		24.00	0.0
		135	138		22.71		23.00	1.0
		270	0		22.77		23.00	1.0
	16-QAM	1	1		22.78		23.00	1.0
	64QAM	1	1		21.28		21.50	2.5
	256-QAM	1	1		19.12		19.50	4.5
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	650000	650334		
90	Pi/2 BPSK	1	1	23.61	23.62	23.74	24.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	23.80	23.75	23.67	24.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	650000	651334		
60	Pi/2 BPSK	1	1	23.77	23.80	23.78	24.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	23.78	23.74	23.71	24.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	650000	652000		
40	Pi/2 BPSK	1	1	23.69	23.70	23.75	24.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	650000	652666		
20	Pi/2 BPSK	1	1	23.61	23.68	23.71	24.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	23.63	23.72	23.75	24.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	650000	653000		
10	Pi/2 BPSK	1	1	23.79	23.65	23.74	24.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant9_DSI8_NSA

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	19.72	19.76	19.70	19.63	19.81	20.00	0.0
		1	137	19.68	19.71	19.83	19.77	19.76	20.00	0.0
		1	271	19.65	19.65	19.64	19.72	19.79	20.00	0.0
		135	0	19.21	19.21	19.29	19.16	19.25	19.50	0.5
		135	69	19.67	19.61	19.77	19.68	19.77	20.00	0.0
		135	138	19.12	19.19	19.28	19.17	19.23	19.50	0.5
		270	0	19.26	19.15	19.18	19.28	19.18	19.50	0.5
	QPSK	1	1	19.64	19.75	19.63	19.68	19.69	20.00	0.0
		1	137	19.67	19.74	19.68	19.68	19.68	20.00	0.0
		1	271	19.63	19.69	19.78	19.64	19.63	20.00	0.0
		135	0	18.63	18.72	18.62	18.75	18.76	19.00	1.0
		135	69	19.78	19.63	19.72	19.67	19.67	20.00	0.0
		135	138	18.79	18.61	18.76	18.61	18.62	19.00	1.0
		270	0	18.68	18.65	18.77	18.64	18.73	19.00	1.0
	16-QAM	1	1	18.65	18.71	18.69	18.67	18.80	19.00	1.0
	64QAM	1	1	17.27	17.15	17.21	17.14	17.19	17.50	2.5
	256-QAM	1	1	15.24	15.30	15.17	15.15	15.28	15.50	4.5
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	19.68	19.66	19.66	19.78	19.67	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	19.68	19.73	19.67	19.67	19.76	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	19.67	19.64	19.79	19.72	19.62	20.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99		
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	19.62	19.61	19.73	19.77	19.61	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960		
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	19.79	19.61	19.74	19.73	19.66	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99		
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	19.68	19.77	19.63	19.64	19.76	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495		
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	19.70	19.73	19.63	19.76	19.65	20.00	0.0
5G NR n77_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975		
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	19.67	19.74	19.63	19.62	19.71	20.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3750	3795	3840	3885	3930	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				650000	653000	656000	659000	662000		
100	Pi/2 BPSK	1	1	22.62	22.73	22.69	22.77	22.70	23.00	0.0
		1	137	22.72	22.76	22.76	22.65	22.73	23.00	0.0
		1	271	22.71	22.77	22.64	22.69	22.79	23.00	0.0
		135	0	22.29	22.29	22.12	22.12	22.30	22.50	0.5
		135	69	22.69	22.76	22.69	22.65	22.70	23.00	0.0
		135	138	22.14	22.11	22.26	22.24	22.22	22.50	0.5
		270	0	22.24	22.16	22.17	22.11	22.13	22.50	0.5
	QPSK	1	1	22.63	22.67	22.62	22.75	22.63	23.00	0.0
		1	137	22.71	22.71	22.79	22.73	22.79	23.00	0.0
		1	271	22.73	22.77	22.63	22.63	22.78	23.00	0.0
		135	0	21.78	21.77	21.68	21.76	21.67	22.00	1.0
		135	69	22.66	22.67	22.79	22.66	22.78	23.00	0.0
		135	138	21.79	21.68	21.61	21.77	21.61	22.00	1.0
		270	0	21.73	21.78	21.69	21.71	21.75	22.00	1.0
	16-QAM	1	1	21.61	21.67	21.61	21.77	21.72	22.00	1.0
	64QAM	1	1	20.15	20.26	20.14	20.18	20.26	20.50	2.5
	256-QAM	1	1	18.30	18.20	18.19	18.14	18.21	18.50	4.5
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3792.51	3840	3887.49	3935.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649666	652834	656000	659166	662334		
90	Pi/2 BPSK	1	1	22.77	22.70	22.75	22.71	22.69	23.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3789.99	3840	3890.01	3939.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				649334	652666	656000	659334	662666		
80	Pi/2 BPSK	1	1	22.66	22.73	22.79	22.64	22.68	23.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3785.01	3840	3894.99	3950.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648666	652334	656000	659666	663334		
60	Pi/2 BPSK	1	1	22.61	22.65	22.76	22.80	22.79	23.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3782.49	3840	3897.51	3954.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648334	652166	656000	659834	663666		
50	Pi/2 BPSK	1	1	22.76	22.80	22.72	22.62	22.65	23.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3780	3840	3900	3960	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				648000	652000	656000	660000	664000		
40	Pi/2 BPSK	1	1	22.72	22.67	22.68	22.69	22.65	23.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3774.99	3840	3903.99	3969.99	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647334	651666	656000	660266	664666		
20	Pi/2 BPSK	1	1	22.79	22.66	22.79	22.76	22.68	23.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.505	3773.76	3840	3906.255	3972.495	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647167	651584	656000	660417	664833		
15	Pi/2 BPSK	1	1	22.65	22.68	22.69	22.73	22.62	23.00	0.0
5G NR n77_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3772.5	3840	3907.5	3975	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				647000	651500	656000	660500	665000		
10	Pi/2 BPSK	1	1	22.75	22.70	22.77	22.62	22.79	23.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	19.78	19.82	19.65	19.61	19.68	20.00	0.0
		1	137	19.73	19.63	19.61	19.67	19.65	20.00	0.0
		1	271	19.78	19.61	19.63	19.64	19.76	20.00	0.0
		135	0	19.29	19.29	19.20	19.11	19.22	19.50	0.5
		135	69	19.64	19.65	19.81	19.80	19.72	20.00	0.0
		135	138	19.14	19.16	19.15	19.26	19.28	19.50	0.5
		270	0	19.23	19.25	19.24	19.26	19.28	19.50	0.5
	QPSK	1	1	19.63	19.76	19.65	19.71	19.80	20.00	0.0
		1	137	19.74	19.77	19.63	19.73	19.66	20.00	0.0
		1	271	19.73	19.80	19.69	19.71	19.74	20.00	0.0
		135	0	18.63	18.65	18.79	18.68	18.67	19.00	1.0
		135	69	19.69	19.62	19.61	19.73	19.71	20.00	0.0
		135	138	18.77	18.74	18.66	18.70	18.67	19.00	1.0
		270	0	18.77	18.72	18.66	18.71	18.68	19.00	1.0
	16-QAM	1	1	18.80	18.70	18.64	18.66	18.65	19.00	1.0
	64QAM	1	1	17.18	17.22	17.13	17.27	17.17	17.50	2.5
	256-QAM	1	1	15.22	15.29	15.25	15.27	15.23	15.50	4.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	19.70	19.80	19.61	19.61	19.74	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	19.67	19.77	19.62	19.64	19.69	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02		
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	19.69	19.68	19.77	19.73	19.64	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675		
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	19.72	19.74	19.80	19.70	19.62	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01		
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	19.77	19.80	19.79	19.67	19.66	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690		
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	19.63	19.67	19.73	19.71	19.63	20.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52		
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	19.61	19.77	19.70	19.64	19.64	20.00	0.0
5G NR n77 & n78_PC3_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01		
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	19.68	19.63	19.80	19.69	19.77	20.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3500.01	3537.51	3575.01	3612.51	3650.01		
Channel				633334	635834	638334	640834	643334		
100	Pi/2 BPSK	1	1	22.82	22.62	22.61	22.71	22.80	23.00	0.0
		1	137	22.68	22.64	22.76	22.69	22.63	23.00	0.0
		1	271	22.74	22.61	22.68	22.78	22.77	23.00	0.0
		135	0	22.26	22.24	22.15	22.23	22.26	22.50	0.5
		135	69	22.66	22.83	22.67	22.70	22.75	23.00	0.0
		135	138	22.30	22.24	22.23	22.26	22.15	22.50	0.5
		270	0	22.15	22.28	22.18	22.29	22.19	22.50	0.5
	QPSK	1	1	22.78	22.67	22.76	22.79	22.70	23.00	0.0
		1	137	22.61	22.69	22.64	22.62	22.69	23.00	0.0
		1	271	22.77	22.64	22.62	22.67	22.76	23.00	0.0
		135	0	21.77	21.61	21.80	21.63	21.75	22.00	1.0
		135	69	22.66	22.69	22.78	22.61	22.64	23.00	0.0
		135	138	21.61	21.77	21.78	21.63	21.64	22.00	1.0
		270	0	21.78	21.68	21.67	21.80	21.73	22.00	1.0
	16-QAM	1	1	21.70	21.72	21.68	21.80	21.67	22.00	1.0
	64QAM	1	1	20.26	20.19	20.19	20.24	20.16	20.50	2.5
	256-QAM	1	1	18.28	18.18	18.23	18.15	18.14	18.50	4.5
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3495	3535.005	3575.01	3615.015	3655.02		
Channel				633000	635667	638334	641001	643668		
90	Pi/2 BPSK	1	1	22.71	22.78	22.65	22.73	22.67	23.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3490.02	3532.515	3575.01	3617.505	3660		
Channel				632668	635501	638334	641167	644000		
80	Pi/2 BPSK	1	1	22.63	22.76	22.79	22.64	22.75	23.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3480	3527.505	3575.01	3622.515	3670.02	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				632000	635167	638334	641501	644668		
60	Pi/2 BPSK	1	1	22.66	22.69	22.77	22.75	22.70	23.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3475.02	3525.015	3575.01	3625.005	3675	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				631668	635001	638334	641667	645000		
50	Pi/2 BPSK	1	1	22.61	22.70	22.72	22.66	22.66	23.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3470.01	3522.51	3575.01	3627.51	3680.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				631334	634834	638334	641834	645334		
40	Pi/2 BPSK	1	1	22.61	22.79	22.72	22.63	22.73	23.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3460.02	3517.515	3575.01	3632.505	3690	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630668	634501	638334	642167	646000		
20	Pi/2 BPSK	1	1	22.68	22.71	22.65	22.71	22.80	23.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3457.5	3516.255	3575.01	3633.765	3692.52	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630500	634417	638334	642251	646168		
15	Pi/2 BPSK	1	1	22.67	22.69	22.64	22.64	22.78	23.00	0.0
5G NR n77 & n78_PC2_30kHz										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)					Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3455.01	3515.01	3575.01	3635.01	3695.01	Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Channel				630334	634334	638334	642334	646334		
10	Pi/2 BPSK	1	1	22.67	22.78	22.65	22.76	22.76	23.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		19.80		20.00	0.0
		1	137		19.68		20.00	0.0
		1	271		19.74		20.00	0.0
		135	0		19.14		19.50	0.5
		135	69		19.79		20.00	0.0
		135	138		19.26		19.50	0.5
		270	0		19.18		19.50	0.5
	QPSK	1	1		19.72		20.00	0.0
		1	137		19.73		20.00	0.0
		1	271		19.68		20.00	0.0
		135	0		18.73		19.00	1.0
		135	69		19.64		20.00	0.0
		135	138		18.72		19.00	1.0
		270	0		18.63		19.00	1.0
	16-QAM	1	1		18.67		19.00	1.0
	64QAM	1	1		17.21		17.50	2.5
	256-QAM	1	1		15.30		15.50	4.5
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	645000	650334		
90	Pi/2 BPSK	1	1	19.65	19.75	19.66	20.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	19.78	19.66	19.63	20.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	645000	651334		
60	Pi/2 BPSK	1	1	19.61	19.62	19.66	20.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	19.62	19.69	19.67	20.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	645000	652000		
40	Pi/2 BPSK	1	1	19.76	19.61	19.62	20.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	645000	652666		
20	Pi/2 BPSK	1	1	19.67	19.77	19.73	20.00	0.0
5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	19.68	19.77	19.64	20.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC3_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	645000	653000		
10	Pi/2 BPSK	1	1	19.74	19.70	19.73	20.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)					3750			
Channel					650000			
100	Pi/2 BPSK	1	1		22.69		23.00	0.0
		1	137		22.68		23.00	0.0
		1	271		22.72		23.00	0.0
		135	0		22.24		22.50	0.5
		135	69		22.62		23.00	0.0
		135	138		22.11		22.50	0.5
		270	0		22.12		22.50	0.5
	QPSK	1	1		22.65		23.00	0.0
		1	137		22.70		23.00	0.0
		1	271		22.71		23.00	0.0
		135	0		21.67		22.00	1.0
		135	69		22.65		23.00	0.0
		135	138		21.80		22.00	1.0
		270	0		21.77		22.00	1.0
	16-QAM	1	1		21.74		22.00	1.0
	64QAM	1	1		20.21		20.50	2.5
	256-QAM	1	1		18.19		18.50	4.5
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3744.99	3750	3755.01		
Channel				649666	650000	650334		
90	Pi/2 BPSK	1	1	22.76	22.73	22.67	23.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3740.01	3750	3759.99		
Channel				649334	645000	650666		
80	Pi/2 BPSK	1	1	22.68	22.61	22.61	23.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3729.99	3750	3770.01		
Channel				648666	650000	651334		
60	Pi/2 BPSK	1	1	22.73	22.72	22.76	23.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3725.01	3750	3774.99		
Channel				648334	645000	651666		
50	Pi/2 BPSK	1	1	22.68	22.65	22.64	23.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3720	3750	3780		
Channel				648000	650000	652000		
40	Pi/2 BPSK	1	1	22.80	22.66	22.72	23.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3710.01	3750	3789.99		
Channel				647334	650000	652666		
20	Pi/2 BPSK	1	1	22.65	22.75	22.78	23.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3707.49	3750	3792.51		
Channel				647166	645000	652834		
15	Pi/2 BPSK	1	1	22.74	22.70	22.64	23.00	0.0
5G NR n78_PC2_30kHz								
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power + Max. Tolerance (dBm)	MPR Allowed per 3GPP(dB)
Frequency (MHz)				3705	3750	3795		
Channel				647000	650000	653000		
10	Pi/2 BPSK	1	1	22.61	22.66	22.73	23.00	0.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

6.9 WLAN

DSI10

Ant4						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
2.45GHz	802.11b	1	2412	1Mbps	19.00	18.89
		6	2437		19.00	18.98
		11	2462		19.00	18.93
	802.11g	1	2412	6Mbps	18.00	NR*
		6	2437		19.00	NR*
		11	2462		17.50	NR*
	802.11n20-HT0	1	2412	MCS0	16.00	NR*
		6	2437		19.00	NR*
		11	2462		17.00	NR*
	802.11ax20-HE0	1	2412	MCS0	16.00	NR*
		6	2437		19.00	NR*
		11	2462		17.00	NR*
	802.11be20-EHT0	1	2412	MCS0	16.00	NR*
		6	2437		19.00	NR*
		11	2462		17.00	NR*
	802.11n40-HT0	3	2422	MCS0	17.00	NR*
		6	2437		18.50	NR*
		9	2452		17.50	NR*
	802.11ax40-HE0	3	2422	MCS0	17.00	NR*
		6	2437		19.00	NR*
		9	2452		17.50	NR*
	802.11be40-EHT0	3	2422	MCS0	17.00	NR*
		6	2437		19.00	NR*
		9	2452		17.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.15-5.25 GHz	802.11a	36	5180	6Mbps	18.50	NR*
		40	5200		18.50	NR*
		44	5220		19.00	NR*
		48	5240		19.00	NR*
	802.11n20-HT0	36	5180	MCS0	17.00	NR*
		40	5200		17.00	NR*
		44	5220		19.00	NR*
		48	5240		19.00	NR*
	802.11ac20-VHT0	36	5180	MCS0	17.00	NR*
		40	5200		17.00	NR*
		44	5220		19.00	NR*
		48	5240		19.00	NR*
	802.11ax20-HE0	36	5180	MCS0	17.00	NR*
		40	5200		17.00	NR*
		44	5220		19.00	NR*
		48	5240		19.00	NR*
	802.11be20-EHT0	36	5180	MCS0	17.00	NR*
		40	5200		17.00	NR*
		44	5220		19.00	NR*
		48	5240		19.00	NR*
	802.11n40-HT0	38	5190	MCS0	13.50	13.45
		46	5230		19.00	18.97
	802.11ac40-VHT0	38	5190	MCS0	13.50	NR*
		46	5230		19.00	NR*
	802.11ax40-HE0	38	5190	MCS0	14.00	NR*
		46	5230		19.00	NR*
	802.11be40-EHT0	38	5190	MCS0	14.00	NR*
		46	5230		19.00	NR*
	802.11ac80-VHT0	42	5210	MCS0	16.50	NR*
	802.11ax80-HE0	42	5210	MCS0	16.50	NR*
	802.11be80-EHT0	42	5210	MCS0	16.50	NR*
	802.11ac160-VHT0	50	5250	MCS0	17.50	NR*
	802.11ax160-HE0	50	5250	MCS0	17.50	NR*
	802.11be160-EHT0	50	5250	MCS0	17.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.25-5.35 GHz	802.11a	52	5260	6Mbps	19.00	NR*
		56	5280		19.00	NR*
		60	5300		19.00	NR*
		64	5320		17.50	NR*
	802.11n20-HT0	52	5260	MCS0	19.00	NR*
		56	5280		19.00	NR*
		60	5300		17.00	NR*
		64	5320		17.00	NR*
	802.11ac20-VHT0	52	5260	MCS0	19.00	NR*
		56	5280		19.00	NR*
		60	5300		17.00	NR*
		64	5320		17.00	NR*
	802.11ax20-HE0	52	5260	MCS0	19.00	NR*
		56	5280		19.00	NR*
		60	5300		17.00	NR*
		64	5320		17.00	NR*
	802.11be20-EHT0	52	5260	MCS0	19.00	NR*
		56	5280		19.00	NR*
		60	5300		17.50	NR*
		64	5320		17.50	NR*
	802.11n40-HT0	54	5270	MCS0	19.00	18.98
		62	5310		16.50	16.48
	802.11ac40-VHT0	54	5270	MCS0	19.00	NR*
		62	5310		16.50	NR*
	802.11ax40-HE0	54	5270	MCS0	19.00	NR*
		62	5310		16.50	NR*
	802.11be40-EHT0	54	5270	MCS0	19.00	NR*
		62	5310		16.50	NR*
	802.11ac80-VHT0	58	5290	MCS0	17.50	NR*
	802.11ax80-HE0	58	5290	MCS0	17.50	NR*
	802.11be80-EHT0	58	5290	MCS0	17.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.6GHz	802.11a	100	5500	6Mbps	16.50	NR*
		120	5600		16.50	NR*
		140	5700		16.50	NR*
		144	5720		16.50	NR*
	802.11n20-HT0	100	5500	MCS0	16.50	NR*
		120	5600		16.50	NR*
		140	5700		16.50	NR*
		144	5720		16.50	NR*
	802.11ac20-VHT0	100	5500	MCS0	16.50	NR*
		120	5600		16.50	NR*
		140	5700		16.50	NR*
		144	5720		16.50	NR*
	802.11ax20-HE0	100	5500	MCS0	16.50	NR*
		120	5600		16.50	NR*
		140	5700		16.50	NR*
		144	5720		16.50	NR*
	802.11be20-EHT0	100	5500	MCS0	16.50	NR*
		120	5600		16.50	NR*
		140	5700		16.50	NR*
		144	5720		16.50	NR*
	802.11n40-HT0	102	5510	MCS0	16.50	NR*
		118	5590		16.50	NR*
		134	5670		16.50	NR*
		142	5710		16.50	NR*
	802.11ac40-VHT0	102	5510	MCS0	16.50	NR*
		118	5590		16.50	NR*
		134	5670		16.50	NR*
		142	5710		16.50	NR*
	802.11ax40-HE0	102	5510	MCS0	16.50	NR*
		118	5590		16.50	NR*
		134	5670		16.50	NR*
		142	5710		16.50	NR*
	802.11be40-EHT0	102	5510	MCS0	16.50	NR*
		118	5590		16.50	NR*
		134	5670		16.50	NR*
		142	5710		16.50	NR*
	802.11ac80-VHT0	106	5530	MCS0	16.50	16.25
		122	5610		16.50	16.35
		138	5690		16.50	16.48
	802.11ax80-HE0	106	5530	MCS0	16.50	NR*
		122	5610		16.50	NR*
		138	5690		16.50	NR*
	802.11be80-EHT0	106	5530	MCS0	16.50	NR*
		122	5610		16.50	NR*
		138	5690		16.50	NR*
	802.11ac160-VHT0	114	5570	MCS0	16.00	NR*
	802.11ax160-HE0	114	5570	MCS0	16.00	NR*
	802.11be160-EHT0	114	5570	MCS0	16.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.8GHz	802.11a	149	5745	6Mbps	17.00	NR*
		157	5785		17.00	NR*
		165	5825		17.00	NR*
	802.11n20-HT0	149	5745	MCS0	17.00	NR*
		157	5785		17.00	NR*
		165	5825		17.00	NR*
	802.11ac20-VHT0	149	5745	MCS0	17.00	NR*
		157	5785		17.00	NR*
		165	5825		17.00	NR*
	802.11ax20-HE0	149	5745	MCS0	17.00	NR*
		157	5785		17.00	NR*
		165	5825		17.00	NR*
	802.11be20-EHT0	149	5745	MCS0	17.00	NR*
		157	5785		17.00	NR*
		165	5825		17.00	NR*
	802.11n40-HT0	151	5755	MCS0	17.00	NR*
		159	5795		17.00	NR*
	802.11ac40-VHT0	151	5755	MCS0	17.00	NR*
		159	5795		17.00	NR*
	802.11ax40-HE0	151	5755	MCS0	17.00	NR*
		159	5795		17.00	NR*
	802.11be40-EHT0	151	5755	MCS0	17.00	NR*
		159	5795		17.00	NR*
	802.11ac80-VHT0	155	5775	MCS0	17.00	16.98
	802.11ax80-HE0	155	5775	MCS0	17.00	NR*
	802.11be80-EHT0	155	5775	MCS0	17.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.9GHz	802.11a	169	5845	6Mbps	17.00	NR*
		173	5865		17.00	NR*
		177	5885		17.00	NR*
	802.11n20-HT0	169	5845	MCS0	17.00	NR*
		173	5865		17.00	NR*
		177	5885		12.00	NR*
	802.11ac20-VHT0	169	5845	MCS0	17.00	NR*
		173	5865		17.00	NR*
		177	5885		12.00	NR*
	802.11ax20-HE0	169	5845	MCS0	17.00	NR*
		173	5865		17.00	NR*
		177	5885		12.00	NR*
	802.11be20-EHT0	169	5845	MCS0	17.00	NR*
		173	5865		17.00	NR*
		177	5885		12.00	NR*
	802.11n40-HT0	167	5835	MCS0	17.00	NR*
		175	5875		17.00	NR*
	802.11ac40-VHT0	167	5835	MCS0	17.00	NR*
		175	5875		17.00	NR*
	802.11ax40-HE0	167	5835	MCS0	17.00	NR*
		175	5875		17.00	NR*
	802.11be40-EHT0	167	5835	MCS0	17.00	NR*
		175	5875		17.00	NR*
	802.11ac80-VHT0	171	5855	MCS0	17.00	NR*
	802.11ax80-HE0	171	5855	MCS0	17.00	NR*
	802.11be80-EHT0	171	5855	MCS0	17.00	NR*
	802.11ac160-VHT0	163	5815	MCS0	17.00	16.95
	802.11ax160-HE0	163	5815	MCS0	17.00	NR*
	802.11be160-EHT0	163	5815	MCS0	17.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5					
Band	Mode	Channel	Frequency (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
2.45GHz	802.11b	1	2412	22.00	21.47
		6	2437	22.00	21.79
		11	2462	22.00	21.32
	802.11g	1	2412	18.00	NR*
		6	2437	20.50	NR*
		11	2462	17.50	NR*
	802.11n20-HT0	1	2412	16.00	NR*
		6	2437	20.50	NR*
		11	2462	17.00	NR*
	802.11ax20-HE0	1	2412	16.00	NR*
		6	2437	20.50	NR*
		11	2462	17.00	NR*
	802.11be20-EHT0	1	2412	16.00	NR*
		6	2437	20.50	NR*
		11	2462	17.00	NR*
	802.11n40-HT0	3	2422	17.00	NR*
		6	2437	18.50	NR*
		9	2452	17.50	NR*
	802.11ax40-HE0	3	2422	17.00	NR*
		6	2437	19.00	NR*
		9	2452	17.50	NR*
	802.11be40-EHT0	3	2422	17.00	NR*
		6	2437	19.00	NR*
		9	2452	17.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5					
Band	Mode	Channel	Frequency (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.15-5.25 GHz	802.11a	36	5180	17.00	NR*
		40	5200	17.00	NR*
		44	5220	18.00	NR*
		48	5240	18.00	NR*
	802.11n20-HT0	36	5180	15.50	NR*
		40	5200	15.50	NR*
		44	5220	18.00	NR*
		48	5240	18.00	NR*
	802.11ac20-VHT0	36	5180	15.50	NR*
		40	5200	15.50	NR*
		44	5220	18.00	NR*
		48	5240	18.00	NR*
	802.11ax20-HE0	36	5180	16.00	NR*
		40	5200	16.00	NR*
		44	5220	18.00	NR*
		48	5240	18.00	NR*
	802.11be20-EHT0	36	5180	16.00	NR*
		40	5200	16.00	NR*
		44	5220	18.00	NR*
		48	5240	18.00	NR*
	802.11n40-HT0	38	5190	13.00	12.99
		46	5230	19.50	19.49
	802.11ac40-VHT0	38	5190	13.00	NR*
		46	5230	19.50	NR*
	802.11ax40-HE0	38	5190	13.00	NR*
		46	5230	19.50	NR*
	802.11be40-EHT0	38	5190	13.00	NR*
		46	5230	19.50	NR*
	802.11ac80-VHT0	42	5210	15.00	NR*
	802.11ax80-HE0	42	5210	15.00	NR*
	802.11be80-EHT0	42	5210	15.00	NR*
	802.11ac160-VHT0	50	5250	15.00	NR*
	802.11ax160-HE0	50	5250	15.00	NR*
	802.11be160-EHT0	50	5250	15.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5					
Band	Mode	Channel	Frequency (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.25-5.35 GHz	802.11a	52	5260	18.00	NR*
		56	5280	18.00	NR*
		60	5300	19.00	NR*
		64	5320	15.50	NR*
	802.11n20-HT0	52	5260	18.50	NR*
		56	5280	19.00	NR*
		60	5300	15.50	NR*
		64	5320	15.50	NR*
	802.11ac20-VHT0	52	5260	18.50	NR*
		56	5280	19.00	NR*
		60	5300	15.00	NR*
		64	5320	15.00	NR*
	802.11ax20-HE0	52	5260	18.50	NR*
		56	5280	19.00	NR*
		60	5300	15.50	NR*
		64	5320	15.50	NR*
	802.11be20-EHT0	52	5260	18.50	NR*
		56	5280	19.00	NR*
		60	5300	15.50	NR*
		64	5320	15.50	NR*
	802.11n40-HT0	54	5270	19.50	19.16
		62	5310	14.50	14.42
	802.11ac40-VHT0	54	5270	19.50	NR*
		62	5310	14.50	NR*
	802.11ax40-HE0	54	5270	19.50	NR*
		62	5310	14.50	NR*
	802.11be40-EHT0	54	5270	19.50	NR*
		62	5310	14.50	NR*
	802.11ac80-VHT0	58	5290	15.50	NR*
	802.11ax80-HE0	58	5290	15.50	NR*
	802.11be80-EHT0	58	5290	15.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5					
Band	Mode	Channel	Frequency (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.6GHz	802.11a	100	5500	17.50	NR*
		120	5600	18.50	NR*
		140	5700	17.50	NR*
		144	5720	18.00	NR*
	802.11n20-HT0	100	5500	17.00	NR*
		120	5600	18.50	NR*
		140	5700	17.00	NR*
		144	5720	18.50	NR*
	802.11ac20-VHT0	100	5500	17.00	NR*
		120	5600	18.50	NR*
		140	5700	17.00	NR*
		144	5720	18.50	NR*
	802.11ax20-HE0	100	5500	17.00	NR*
		120	5600	18.50	NR*
		140	5700	17.00	NR*
		144	5720	18.50	NR*
	802.11be20-EHT0	100	5500	17.00	NR*
		120	5600	18.50	NR*
		140	5700	17.00	NR*
		144	5720	18.00	NR*
	802.11n40-HT0	102	5510	15.50	NR*
		118	5590	19.00	NR*
		134	5670	17.50	NR*
		142	5710	19.00	NR*
	802.11ac40-VHT0	102	5510	15.00	NR*
		118	5590	19.00	NR*
		134	5670	17.50	NR*
		142	5710	19.00	NR*
	802.11ax40-HE0	102	5510	15.50	NR*
		118	5590	19.00	NR*
		134	5670	17.50	NR*
		142	5710	19.00	NR*
	802.11be40-EHT0	102	5510	15.50	NR*
		118	5590	19.00	NR*
		134	5670	17.50	NR*
		142	5710	19.00	NR*
	802.11ac80-VHT0	106	5530	17.00	16.45
		122	5610	18.50	18.44
		138	5690	19.00	18.98
	802.11ax80-HE0	106	5530	17.00	NR*
		122	5610	18.50	NR*
		138	5690	17.00	NR*
	802.11be80-EHT0	106	5530	17.50	NR*
		122	5610	18.50	NR*
		138	5690	19.00	NR*
	802.11ac160-VHT0	114	5570	15.00	NR*
	802.11ax160-HE0	114	5570	15.00	NR*
	802.11be160-EHT0	114	5570	15.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant5					
Mode	Mode	Channel	Frequency (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.8GHz	802.11a	149	5745	18.50	NR*
		157	5785	18.50	NR*
		165	5825	18.50	NR*
	802.11n20-HT0	149	5745	18.50	NR*
		157	5785	18.50	NR*
		165	5825	18.50	NR*
	802.11ac20-VHT0	149	5745	18.50	NR*
		157	5785	18.50	NR*
		165	5825	18.50	NR*
	802.11ax20-HE0	149	5745	18.50	NR*
		157	5785	18.50	NR*
		165	5825	18.50	NR*
	802.11be20-EHT0	149	5745	18.50	NR*
		157	5785	18.50	NR*
		165	5825	18.50	NR*
	802.11n40-HT0	151	5755	18.50	NR*
		159	5795	18.50	NR*
	802.11ac40-VHT0	151	5755	18.50	NR*
		159	5795	18.50	NR*
	802.11ax40-HE0	151	5755	18.50	NR*
		159	5795	18.50	NR*
	802.11be40-EHT0	151	5755	18.50	NR*
		159	5795	18.50	NR*
	802.11ac80-VHT0	155	5775	18.50	18.45
	802.11ax80-HE0	155	5775	18.50	NR*
	802.11be80-EHT0	155	5775	18.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5					
Mode	Mode	Channel	Frequency (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.9GHz	802.11a	169	5845	18.50	NR*
		173	5865	18.50	NR*
		177	5885	18.50	NR*
	802.11n20-HT0	169	5845	18.50	NR*
		173	5865	18.50	NR*
		177	5885	12.00	NR*
	802.11ac20-VHT0	169	5845	18.50	NR*
		173	5865	18.50	NR*
		177	5885	12.00	NR*
	802.11ax20-HE0	169	5845	18.50	NR*
		173	5865	18.50	NR*
		177	5885	12.00	NR*
	802.11be20-EHT0	169	5845	18.50	NR*
		173	5865	18.50	NR*
		177	5885	12.00	NR*
	802.11n40-HT0	167	5835	18.50	NR*
		175	5875	18.50	NR*
	802.11ac40-VHT0	167	5835	18.50	NR*
		175	5875	18.50	NR*
	802.11ax40-HE0	167	5835	18.50	NR*
		175	5875	18.50	NR*
	802.11be40-EHT0	167	5835	18.50	NR*
		175	5875	18.50	NR*
	802.11ac80-VHT0	171	5855	18.50	18.49
	802.11ax80-HE0	171	5855	18.50	NR*
	802.11be80-EHT0	171	5855	18.50	NR*
	802.11ac160-VHT0	163	5815	17.00	NR*
	802.11ax160-HE0	163	5815	17.00	NR*
	802.11be160-EHT0	163	5815	17.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

DSI6_MIMO

Ant4+Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
2.45GHz	802.11b	1	2412	1Mbps	23.50	23.29
		6	2437		23.50	23.44
		11	2462		23.50	23.31
	802.11g	1	2412	6Mbps	21.00	NR*
		6	2437		22.50	NR*
		11	2462		20.50	NR*
	802.11n20-HT0	1	2412	MCS0	19.00	NR*
		6	2437		22.50	NR*
		11	2462		20.00	NR*
	802.11ax20-HE0	1	2412	MCS0	19.00	NR*
		6	2437		22.50	NR*
		11	2462		20.00	NR*
	802.11be20-EHT0	1	2412	MCS0	19.00	NR*
		6	2437		22.50	NR*
		11	2462		20.00	NR*
	802.11n40-HT0	3	2422	MCS0	20.00	NR*
		6	2437		21.50	NR*
		9	2452		20.50	NR*
	802.11ax40-HE0	3	2422	MCS0	20.00	NR*
		6	2437		22.00	NR*
		9	2452		20.50	NR*
	802.11be40-EHT0	3	2422	MCS0	20.00	NR*
		6	2437		22.00	NR*
		9	2452		20.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4+Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.15-5.25 GHz	802.11a	36	5180	6Mbps	20.50	NR*
		40	5200		20.50	NR*
		44	5220		21.50	NR*
		48	5240		21.50	NR*
	802.11n20-HT0	36	5180	MCS0	19.00	NR*
		40	5200		19.00	NR*
		44	5220		21.50	NR*
		48	5240		21.50	NR*
	802.11ac20-VHT0	36	5180	MCS0	19.00	NR*
		40	5200		19.00	NR*
		44	5220		21.50	NR*
		48	5240		21.50	NR*
	802.11ax20-HE0	36	5180	MCS0	19.50	NR*
		40	5200		19.50	NR*
		44	5220		21.50	NR*
		48	5240		21.50	NR*
	802.11be20-EHT0	36	5180	MCS0	19.50	NR*
		40	5200		19.50	NR*
		44	5220		21.50	NR*
		48	5240		21.50	NR*
	802.11n40-HT0	38	5190	MCS0	16.00	15.65
		46	5230		22.00	21.92
	802.11ac40-VHT0	38	5190	MCS0	16.00	NR*
		46	5230		22.00	NR*
	802.11ax40-HE0	38	5190	MCS0	16.50	NR*
		46	5230		22.00	NR*
	802.11be40-EHT0	38	5190	MCS0	16.50	NR*
		46	5230		22.00	NR*
	802.11ac80-VHT0	42	5210	MCS0	18.50	NR*
	802.11ax80-HE0	42	5210	MCS0	18.50	NR*
	802.11be80-EHT0	42	5210	MCS0	18.50	NR*
	802.11ac160-VHT0	50	5250	MCS0	19.00	NR*
	802.11ax160-HE0	50	5250	MCS0	19.00	NR*
	802.11be160-EHT0	50	5250	MCS0	19.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4+Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.25-5.35 GHz	802.11a	52	5260	6Mbps	21.50	NR*
		56	5280		21.50	NR*
		60	5300		22.00	NR*
		64	5320		19.50	NR*
	802.11n20-HT0	52	5260	MCS0	21.50	NR*
		56	5280		22.00	NR*
		60	5300		19.00	NR*
		64	5320		19.00	NR*
	802.11ac20-VHT0	52	5260	MCS0	21.50	NR*
		56	5280		22.00	NR*
		60	5300		19.00	NR*
		64	5320		19.00	NR*
	802.11ax20-HE0	52	5260	MCS0	21.50	NR*
		56	5280		22.00	NR*
		60	5300		19.00	NR*
		64	5320		19.00	NR*
	802.11be20-EHT0	52	5260	MCS0	21.50	NR*
		56	5280		22.00	NR*
		60	5300		19.50	NR*
		64	5320		19.50	NR*
	802.11n40-HT0	54	5270	MCS0	22.00	21.98
		62	5310		18.50	18.48
	802.11ac40-VHT0	54	5270	MCS0	22.00	NR*
		62	5310		18.50	NR*
	802.11ax40-HE0	54	5270	MCS0	22.00	NR*
		62	5310		18.50	NR*
	802.11be40-EHT0	54	5270	MCS0	22.00	NR*
		62	5310		18.50	NR*
	802.11ac80-VHT0	58	5290	MCS0	19.50	NR*
	802.11ax80-HE0	58	5290	MCS0	19.50	NR*
	802.11be80-EHT0	58	5290	MCS0	19.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4+Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.6GHz	802.11a	100	5500	6Mbps	20.00	NR*
		120	5600		20.50	NR*
		140	5700		20.00	NR*
		144	5720		20.00	NR*
	802.11n20-HT0	100	5500	MCS0	19.50	NR*
		120	5600		20.50	NR*
		140	5700		19.50	NR*
		144	5720		20.50	NR*
	802.11ac20-VHT0	100	5500	MCS0	19.50	NR*
		120	5600		20.50	NR*
		140	5700		19.50	NR*
		144	5720		20.50	NR*
	802.11ax20-HE0	100	5500	MCS0	19.50	NR*
		120	5600		20.50	NR*
		140	5700		19.50	NR*
		144	5720		20.50	NR*
	802.11be20-EHT0	100	5500	MCS0	19.50	NR*
		120	5600		20.50	NR*
		140	5700		19.50	NR*
		144	5720		20.00	NR*
	802.11n40-HT0	102	5510	MCS0	19.00	NR*
		118	5590		20.50	NR*
		134	5670		20.00	NR*
		142	5710		20.50	NR*
	802.11ac40-VHT0	102	5510	MCS0	18.50	NR*
		118	5590		20.50	NR*
		134	5670		20.00	NR*
		142	5710		20.50	NR*
	802.11ax40-HE0	102	5510	MCS0	19.00	NR*
		118	5590		20.50	NR*
		134	5670		20.00	NR*
		142	5710		20.50	NR*
	802.11be40-EHT0	102	5510	MCS0	19.00	NR*
		118	5590		20.50	NR*
		134	5670		20.00	NR*
		142	5710		20.50	NR*
	802.11ac80-VHT0	106	5530	MCS0	19.50	19.33
		122	5610		20.50	20.36
		138	5690		20.50	20.42
	802.11ax80-HE0	106	5530	MCS0	19.50	NR*
		122	5610		20.50	NR*
		138	5690		19.50	NR*
	802.11be80-EHT0	106	5530	MCS0	20.00	NR*
		122	5610		20.50	NR*
		138	5690		20.50	NR*
	802.11ac160-VHT0	114	5570	MCS0	18.50	NR*
	802.11ax160-HE0	114	5570	MCS0	18.50	NR*
	802.11be160-EHT0	114	5570	MCS0	18.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant4+Ant5						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.8GHz	802.11a	149	5745	6Mbps	20.50	NR*
		157	5785		20.50	NR*
		165	5825		20.50	NR*
	802.11n20-HT0	149	5745	MCS0	20.50	NR*
		157	5785		20.50	NR*
		165	5825		20.50	NR*
	802.11ac20-VHT0	149	5745	MCS0	20.50	NR*
		157	5785		20.50	NR*
		165	5825		20.50	NR*
	802.11ax20-HE0	149	5745	MCS0	20.50	NR*
		157	5785		20.50	NR*
		165	5825		20.50	NR*
	802.11be20-EHT0	149	5745	MCS0	20.50	NR*
		157	5785		20.50	NR*
		165	5825		20.50	NR*
	802.11n40-HT0	151	5755	MCS0	20.50	NR*
		159	5795		20.50	NR*
	802.11ac40-VHT0	151	5755	MCS0	20.50	NR*
		159	5795		20.50	NR*
	802.11ax40-HE0	151	5755	MCS0	20.50	NR*
		159	5795		20.50	NR*
	802.11be40-EHT0	151	5755	MCS0	20.50	NR*
		159	5795		20.50	NR*
	802.11ac80-VHT0	155	5775	MCS0	20.50	20.41
	802.11ax80-HE0	155	5775	MCS0	20.50	NR*
	802.11be80-EHT0	155	5775	MCS0	20.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4+Ant5						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.9GHz	802.11a	169	5845	6Mbps	20.50	NR*
		173	5865		20.50	NR*
		177	5885		20.50	NR*
	802.11n20-HT0	169	5845	MCS0	20.50	NR*
		173	5865		20.50	NR*
		177	5885		15.00	NR*
	802.11ac20-VHT0	169	5845	MCS0	20.50	NR*
		173	5865		20.50	NR*
		177	5885		15.00	NR*
	802.11ax20-HE0	169	5845	MCS0	20.50	NR*
		173	5865		20.50	NR*
		177	5885		15.00	NR*
	802.11be20-EHT0	169	5845	MCS0	20.50	NR*
		173	5865		20.50	NR*
		177	5885		15.00	NR*
	802.11n40-HT0	167	5835	MCS0	20.50	NR*
		175	5875		20.50	NR*
	802.11ac40-VHT0	167	5835	MCS0	20.50	NR*
		175	5875		20.50	NR*
	802.11ax40-HE0	167	5835	MCS0	20.50	NR*
		175	5875		20.50	NR*
	802.11be40-EHT0	167	5835	MCS0	20.50	NR*
		175	5875		20.50	NR*
	802.11ac80-VHT0	171	5855	MCS0	20.50	20.21
	802.11ax80-HE0	171	5855	MCS0	20.50	NR*
	802.11be80-EHT0	171	5855	MCS0	20.50	NR*
	802.11ac160-VHT0	163	5815	MCS0	20.00	NR*
	802.11ax160-HE0	163	5815	MCS0	20.00	NR*
	802.11be160-EHT0	163	5815	MCS0	20.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

DSI7_SISO_SLM

Ant4						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
2.45GHz	802.11b	1	2412	1Mbps	15.00	14.89
		6	2437		15.00	14.98
		11	2462		15.00	14.93
	802.11g	1	2412	6Mbps	15.00	NR*
		6	2437		15.00	NR*
		11	2462		15.00	NR*
	802.11n20-HT0	1	2412	MCS0	15.00	NR*
		6	2437		15.00	NR*
		11	2462		15.00	NR*
	802.11ax20-HE0	1	2412	MCS0	15.00	NR*
		6	2437		15.00	NR*
		11	2462		15.00	NR*
	802.11be20-EHT0	1	2412	MCS0	15.00	NR*
		6	2437		15.00	NR*
		11	2462		15.00	NR*
	802.11n40-HT0	3	2422	MCS0	15.00	NR*
		6	2437		15.00	NR*
		9	2452		15.00	NR*
	802.11ax40-HE0	3	2422	MCS0	15.00	NR*
		6	2437		15.00	NR*
		9	2452		15.00	NR*
	802.11be40-EHT0	3	2422	MCS0	15.00	NR*
		6	2437		15.00	NR*
		9	2452		15.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.15-5.25 GHz	802.11a	36	5180	6Mbps	15.00	NR*
		40	5200		15.00	NR*
		44	5220		15.00	NR*
		48	5240		15.00	NR*
	802.11n20-HT0	36	5180	MCS0	15.00	NR*
		40	5200		15.00	NR*
		44	5220		15.00	NR*
		48	5240		15.00	NR*
	802.11ac20-VHT0	36	5180	MCS0	15.00	NR*
		40	5200		15.00	NR*
		44	5220		15.00	NR*
		48	5240		15.00	NR*
	802.11ax20-HE0	36	5180	MCS0	15.00	NR*
		40	5200		15.00	NR*
		44	5220		15.00	NR*
		48	5240		15.00	NR*
	802.11be20-EHT0	36	5180	MCS0	15.00	NR*
		40	5200		15.00	NR*
		44	5220		15.00	NR*
		48	5240		15.00	NR*
	802.11n40-HT0	38	5190	MCS0	13.50	13.45
		46	5230		15.00	14.97
	802.11ac40-VHT0	38	5190	MCS0	13.50	NR*
		46	5230		15.00	NR*
	802.11ax40-HE0	38	5190	MCS0	14.00	NR*
		46	5230		15.00	NR*
	802.11be40-EHT0	38	5190	MCS0	14.00	NR*
		46	5230		15.00	NR*
	802.11ac80-VHT0	42	5210	MCS0	15.00	NR*
	802.11ax80-HE0	42	5210	MCS0	15.00	NR*
	802.11be80-EHT0	42	5210	MCS0	15.00	NR*
	802.11ac160-VHT0	50	5250	MCS0	15.00	NR*
	802.11ax160-HE0	50	5250	MCS0	15.00	NR*
	802.11be160-EHT0	50	5250	MCS0	15.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.25-5.35 GHz	802.11a	52	5260	6Mbps	15.00	NR*
		56	5280		15.00	NR*
		60	5300		15.00	NR*
		64	5320		15.00	NR*
	802.11n20-HT0	52	5260	MCS0	15.00	NR*
		56	5280		15.00	NR*
		60	5300		15.00	NR*
		64	5320		15.00	NR*
	802.11ac20-VHT0	52	5260	MCS0	15.00	NR*
		56	5280		15.00	NR*
		60	5300		15.00	NR*
		64	5320		15.00	NR*
	802.11ax20-HE0	52	5260	MCS0	15.00	NR*
		56	5280		15.00	NR*
		60	5300		15.00	NR*
		64	5320		15.00	NR*
	802.11be20-EHT0	52	5260	MCS0	15.00	NR*
		56	5280		15.00	NR*
		60	5300		15.00	NR*
		64	5320		15.00	NR*
	802.11n40-HT0	54	5270	MCS0	15.00	14.98
		62	5310		15.00	14.91
	802.11ac40-VHT0	54	5270	MCS0	15.00	NR*
		62	5310		15.00	NR*
	802.11ax40-HE0	54	5270	MCS0	15.00	NR*
		62	5310		15.00	NR*
	802.11be40-EHT0	54	5270	MCS0	15.00	NR*
		62	5310		15.00	NR*
	802.11ac80-VHT0	58	5290	MCS0	15.00	NR*
	802.11ax80-HE0	58	5290	MCS0	15.00	NR*
	802.11be80-EHT0	58	5290	MCS0	15.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.6GHz	802.11a	100	5500	6Mbps	12.50	NR*
		120	5600		12.50	NR*
		140	5700		12.50	NR*
		144	5720		12.50	NR*
	802.11n20-HT0	100	5500	MCS0	12.50	NR*
		120	5600		12.50	NR*
		140	5700		12.50	NR*
		144	5720		12.50	NR*
	802.11ac20-VHT0	100	5500	MCS0	12.50	NR*
		120	5600		12.50	NR*
		140	5700		12.50	NR*
		144	5720		12.50	NR*
	802.11ax20-HE0	100	5500	MCS0	12.50	NR*
		120	5600		12.50	NR*
		140	5700		12.50	NR*
		144	5720		12.50	NR*
	802.11be20-EHT0	100	5500	MCS0	12.50	NR*
		120	5600		12.50	NR*
		140	5700		12.50	NR*
		144	5720		12.50	NR*
	802.11n40-HT0	102	5510	MCS0	12.50	NR*
		118	5590		12.50	NR*
		134	5670		12.50	NR*
		142	5710		12.50	NR*
	802.11ac40-VHT0	102	5510	MCS0	12.50	NR*
		118	5590		12.50	NR*
		134	5670		12.50	NR*
		142	5710		12.50	NR*
	802.11ax40-HE0	102	5510	MCS0	12.50	NR*
		118	5590		12.50	NR*
		134	5670		12.50	NR*
		142	5710		12.50	NR*
	802.11be40-EHT0	102	5510	MCS0	12.50	NR*
		118	5590		12.50	NR*
		134	5670		12.50	NR*
		142	5710		12.50	NR*
	802.11ac80-VHT0	106	5530	MCS0	12.50	12.25
		122	5610		12.50	12.35
		138	5690		12.50	12.48
	802.11ax80-HE0	106	5530	MCS0	12.50	NR*
		122	5610		12.50	NR*
		138	5690		12.50	NR*
	802.11be80-EHT0	106	5530	MCS0	12.50	NR*
		122	5610		12.50	NR*
		138	5690		12.50	NR*
	802.11ac160-VHT0	114	5570	MCS0	12.50	12.48
	802.11ax160-HE0	114	5570	MCS0	12.50	NR*
	802.11be160-EHT0	114	5570	MCS0	12.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.8GHz	802.11a	149	5745	6Mbps	13.00	NR*
		157	5785		13.00	NR*
		165	5825		13.00	NR*
	802.11n20-HT0	149	5745	MCS0	13.00	NR*
		157	5785		13.00	NR*
		165	5825		13.00	NR*
	802.11ac20-VHT0	149	5745	MCS0	13.00	NR*
		157	5785		13.00	NR*
		165	5825		13.00	NR*
	802.11ax20-HE0	149	5745	MCS0	13.00	NR*
		157	5785		13.00	NR*
		165	5825		13.00	NR*
	802.11be20-EHT0	149	5745	MCS0	13.00	NR*
		157	5785		13.00	NR*
		165	5825		13.00	NR*
	802.11n40-HT0	151	5755	MCS0	13.00	NR*
		159	5795		13.00	NR*
	802.11ac40-VHT0	151	5755	MCS0	13.00	NR*
		159	5795		13.00	NR*
	802.11ax40-HE0	151	5755	MCS0	13.00	NR*
		159	5795		13.00	NR*
	802.11be40-EHT0	151	5755	MCS0	13.00	NR*
		159	5795		13.00	NR*
	802.11ac80-VHT0	155	5775	MCS0	13.00	12.98
	802.11ax80-HE0	155	5775	MCS0	13.00	NR*
	802.11be80-EHT0	155	5775	MCS0	13.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.9GHz	802.11a	169	5845	6Mbps	13.00	NR*
		173	5865		13.00	NR*
		177	5885		13.00	NR*
	802.11n20-HT0	169	5845	MCS0	13.00	NR*
		173	5865		13.00	NR*
		177	5885		13.00	NR*
	802.11ac20-VHT0	169	5845	MCS0	13.00	NR*
		173	5865		13.00	NR*
		177	5885		13.00	NR*
	802.11ax20-HE0	169	5845	MCS0	13.00	NR*
		173	5865		13.00	NR*
		177	5885		13.00	NR*
	802.11be20-EHT0	169	5845	MCS0	13.00	NR*
		173	5865		13.00	NR*
		177	5885		13.00	NR*
	802.11n40-HT0	167	5835	MCS0	13.00	NR*
		175	5875		13.00	NR*
	802.11ac40-VHT0	167	5835	MCS0	13.00	NR*
		175	5875		13.00	NR*
	802.11ax40-HE0	167	5835	MCS0	13.00	NR*
		175	5875		13.00	NR*
	802.11be40-EHT0	167	5835	MCS0	13.00	NR*
		175	5875		13.00	NR*
	802.11ac80-VHT0	171	5855	MCS0	13.00	NR*
	802.11ax80-HE0	171	5855	MCS0	13.00	NR*
	802.11be80-EHT0	171	5855	MCS0	13.00	NR*
	802.11ac160-VHT0	163	5815	MCS0	13.00	12.97
	802.11ax160-HE0	163	5815	MCS0	13.00	NR*
	802.11be160-EHT0	163	5815	MCS0	13.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
2.45GHz	802.11b	1	2412	1Mbps	18.00	17.92
		6	2437		18.00	17.99
		11	2462		18.00	17.89
	802.11g	1	2412	6Mbps	18.00	NR*
		6	2437		18.00	NR*
		11	2462		17.50	NR*
	802.11n20-HT0	1	2412	MCS0	16.00	NR*
		6	2437		18.00	NR*
		11	2462		17.00	NR*
	802.11ax20-HE0	1	2412	MCS0	16.00	NR*
		6	2437		18.00	NR*
		11	2462		17.00	NR*
	802.11be20-EHT0	1	2412	MCS0	16.00	NR*
		6	2437		18.00	NR*
		11	2462		17.00	NR*
	802.11n40-HT0	3	2422	MCS0	17.00	NR*
		6	2437		18.00	NR*
		9	2452		17.50	NR*
	802.11ax40-HE0	3	2422	MCS0	17.00	NR*
		6	2437		18.00	NR*
		9	2452		17.50	NR*
	802.11be40-EHT0	3	2422	MCS0	17.00	NR*
		6	2437		18.00	NR*
		9	2452		17.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.15-5.25 GHz	802.11a	36	5180	6Mbps	16.50	NR*
		40	5200		16.50	NR*
		44	5220		16.50	NR*
		48	5240		16.50	NR*
	802.11n20-HT0	36	5180	MCS0	15.50	NR*
		40	5200		15.50	NR*
		44	5220		16.50	NR*
		48	5240		16.50	NR*
	802.11ac20-VHT0	36	5180	MCS0	15.50	NR*
		40	5200		15.50	NR*
		44	5220		16.50	NR*
		48	5240		16.50	NR*
	802.11ax20-HE0	36	5180	MCS0	16.00	NR*
		40	5200		16.00	NR*
		44	5220		16.50	NR*
		48	5240		16.50	NR*
	802.11be20-EHT0	36	5180	MCS0	16.00	NR*
		40	5200		16.00	NR*
		44	5220		16.50	NR*
		48	5240		16.50	NR*
	802.11n40-HT0	38	5190	MCS0	13.00	12.99
		46	5230		16.50	16.49
	802.11ac40-VHT0	38	5190	MCS0	13.00	NR*
		46	5230		16.50	NR*
	802.11ax40-HE0	38	5190	MCS0	13.00	NR*
		46	5230		16.50	NR*
	802.11be40-EHT0	38	5190	MCS0	13.00	NR*
		46	5230		16.50	NR*
	802.11ac80-VHT0	42	5210	MCS0	15.00	NR*
	802.11ax80-HE0	42	5210	MCS0	15.00	NR*
	802.11be80-EHT0	42	5210	MCS0	15.00	NR*
	802.11ac160-VHT0	50	5250	MCS0	15.00	NR*
	802.11ax160-HE0	50	5250	MCS0	15.00	NR*
	802.11be160-EHT0	50	5250	MCS0	15.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.25-5.35 GHz	802.11a	52	5260	6Mbps	16.50	NR*
		56	5280		16.50	NR*
		60	5300		16.50	NR*
		64	5320		15.50	NR*
	802.11n20-HT0	52	5260	MCS0	16.50	NR*
		56	5280		16.50	NR*
		60	5300		15.50	NR*
		64	5320		15.50	NR*
	802.11ac20-VHT0	52	5260	MCS0	16.50	NR*
		56	5280		16.50	NR*
		60	5300		15.00	NR*
		64	5320		15.00	NR*
	802.11ax20-HE0	52	5260	MCS0	16.50	NR*
		56	5280		16.50	NR*
		60	5300		15.50	NR*
		64	5320		15.50	NR*
	802.11be20-EHT0	52	5260	MCS0	16.50	NR*
		56	5280		16.50	NR*
		60	5300		15.50	NR*
		64	5320		15.50	NR*
	802.11n40-HT0	54	5270	MCS0	16.50	16.46
		62	5310		14.50	14.42
	802.11ac40-VHT0	54	5270	MCS0	16.50	NR*
		62	5310		14.50	NR*
	802.11ax40-HE0	54	5270	MCS0	16.50	NR*
		62	5310		14.50	NR*
	802.11be40-EHT0	54	5270	MCS0	16.50	NR*
		62	5310		14.50	NR*
	802.11ac80-VHT0	58	5290	MCS0	15.50	NR*
	802.11ax80-HE0	58	5290	MCS0	15.50	NR*
	802.11be80-EHT0	58	5290	MCS0	15.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.6GHz	802.11a	100	5500	6Mbps	16.00	NR*
		120	5600		16.00	NR*
		140	5700		16.00	NR*
		144	5720		16.00	NR*
	802.11n20-HT0	100	5500	MCS0	16.00	NR*
		120	5600		16.00	NR*
		140	5700		16.00	NR*
		144	5720		16.00	NR*
	802.11ac20-VHT0	100	5500	MCS0	16.00	NR*
		120	5600		16.00	NR*
		140	5700		16.00	NR*
		144	5720		16.00	NR*
	802.11ax20-HE0	100	5500	MCS0	16.00	NR*
		120	5600		16.00	NR*
		140	5700		16.00	NR*
		144	5720		16.00	NR*
	802.11be20-EHT0	100	5500	MCS0	16.00	NR*
		120	5600		16.00	NR*
		140	5700		16.00	NR*
		144	5720		16.00	NR*
	802.11n40-HT0	102	5510	MCS0	15.50	NR*
		118	5590		16.00	NR*
		134	5670		16.00	NR*
		142	5710		16.00	NR*
	802.11ac40-VHT0	102	5510	MCS0	15.00	NR*
		118	5590		16.00	NR*
		134	5670		16.00	NR*
		142	5710		16.00	NR*
	802.11ax40-HE0	102	5510	MCS0	15.50	NR*
		118	5590		16.00	NR*
		134	5670		16.00	NR*
		142	5710		16.00	NR*
	802.11be40-EHT0	102	5510	MCS0	15.50	NR*
		118	5590		16.00	NR*
		134	5670		16.00	NR*
		142	5710		16.00	NR*
	802.11ac80-VHT0	106	5530	MCS0	16.00	15.95
		122	5610		16.00	15.84
		138	5690		16.00	15.98
	802.11ax80-HE0	106	5530	MCS0	16.00	NR*
		122	5610		16.00	NR*
		138	5690		16.00	NR*
	802.11be80-EHT0	106	5530	MCS0	16.00	NR*
		122	5610		16.00	NR*
		138	5690		16.00	NR*
	802.11ac160-VHT0	114	5570	MCS0	15.00	NR*
	802.11ax160-HE0	114	5570	MCS0	15.00	NR*
	802.11be160-EHT0	114	5570	MCS0	15.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.8GHz	802.11a	149	5745	6Mbps	15.50	NR*
		157	5785		15.50	NR*
		165	5825		15.50	NR*
	802.11n20-HT0	149	5745	MCS0	15.50	NR*
		157	5785		15.50	NR*
		165	5825		15.50	NR*
	802.11ac20-VHT0	149	5745	MCS0	15.50	NR*
		157	5785		15.50	NR*
		165	5825		15.50	NR*
	802.11ax20-HE0	149	5745	MCS0	15.50	NR*
		157	5785		15.50	NR*
		165	5825		15.50	NR*
	802.11be20-EHT0	149	5745	MCS0	15.50	NR*
		157	5785		15.50	NR*
		165	5825		15.50	NR*
	802.11n40-HT0	151	5755	MCS0	15.50	NR*
		159	5795		15.50	NR*
	802.11ac40-VHT0	151	5755	MCS0	15.50	NR*
		159	5795		15.50	NR*
	802.11ax40-HE0	151	5755	MCS0	15.50	NR*
		159	5795		15.50	NR*
	802.11be40-EHT0	151	5755	MCS0	15.50	NR*
		159	5795		15.50	NR*
	802.11ac80-VHT0	155	5775	MCS0	15.50	15.43
	802.11ax80-HE0	155	5775	MCS0	15.50	NR*
	802.11be80-EHT0	155	5775	MCS0	15.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.9GHz	802.11a	169	5845	6Mbps	15.50	NR*
		173	5865		15.50	NR*
		177	5885		15.50	NR*
	802.11n20-HT0	169	5845	MCS0	15.50	NR*
		173	5865		15.50	NR*
		177	5885		15.50	NR*
	802.11ac20-VHT0	169	5845	MCS0	15.50	NR*
		173	5865		15.50	NR*
		177	5885		15.50	NR*
	802.11ax20-HE0	169	5845	MCS0	15.50	NR*
		173	5865		15.50	NR*
		177	5885		15.50	NR*
	802.11be20-EHT0	169	5845	MCS0	15.50	NR*
		173	5865		15.50	NR*
		177	5885		15.50	NR*
	802.11n40-HT0	167	5835	MCS0	15.50	NR*
		175	5875		15.50	NR*
	802.11ac40-VHT0	167	5835	MCS0	15.50	NR*
		175	5875		15.50	NR*
	802.11ax40-HE0	167	5835	MCS0	15.50	NR*
		175	5875		15.50	NR*
	802.11be40-EHT0	167	5835	MCS0	15.50	NR*
		175	5875		15.50	NR*
	802.11ac80-VHT0	171	5855	MCS0	15.50	NR*
	802.11ax80-HE0	171	5855	MCS0	15.50	NR*
	802.11be80-EHT0	171	5855	MCS0	15.50	NR*
	802.11ac160-VHT0	163	5815	MCS0	15.50	15.48
	802.11ax160-HE0	163	5815	MCS0	15.50	NR*
	802.11be160-EHT0	163	5815	MCS0	15.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

DSI7_MIMO_SLM

Ant4+Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
2.45GHz	802.11b	1	2412	1Mbps	19.50	19.41
		6	2437		19.50	19.47
		11	2462		19.50	19.37
	802.11g	1	2412	6Mbps	19.50	NR*
		6	2437		19.50	NR*
		11	2462		19.00	NR*
	802.11n20-HT0	1	2412	MCS0	18.50	NR*
		6	2437		19.50	NR*
		11	2462		19.00	NR*
	802.11ax20-HE0	1	2412	MCS0	18.50	NR*
		6	2437		19.50	NR*
		11	2462		19.00	NR*
	802.11be20-EHT0	1	2412	MCS0	18.50	NR*
		6	2437		19.50	NR*
		11	2462		19.00	NR*
	802.11n40-HT0	3	2422	MCS0	19.00	NR*
		6	2437		19.50	NR*
		9	2452		19.00	NR*
	802.11ax40-HE0	3	2422	MCS0	19.00	NR*
		6	2437		19.50	NR*
		9	2452		19.00	NR*
	802.11be40-EHT0	3	2422	MCS0	19.00	NR*
		6	2437		19.50	NR*
		9	2452		19.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4+Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.15-5.25 GHz	802.11a	36	5180	6Mbps	18.50	NR*
		40	5200		18.50	NR*
		44	5220		18.50	NR*
		48	5240		18.50	NR*
	802.11n20-HT0	36	5180	MCS0	18.00	NR*
		40	5200		18.00	NR*
		44	5220		18.50	NR*
		48	5240		18.50	NR*
	802.11ac20-VHT0	36	5180	MCS0	18.00	NR*
		40	5200		18.00	NR*
		44	5220		18.50	NR*
		48	5240		18.50	NR*
	802.11ax20-HE0	36	5180	MCS0	18.50	NR*
		40	5200		18.50	NR*
		44	5220		18.50	NR*
		48	5240		18.50	NR*
	802.11be20-EHT0	36	5180	MCS0	18.50	NR*
		40	5200		18.50	NR*
		44	5220		18.50	NR*
		48	5240		18.50	NR*
	802.11n40-HT0	38	5190	MCS0	16.00	15.65
		46	5230		18.50	18.48
	802.11ac40-VHT0	38	5190	MCS0	16.00	NR*
		46	5230		18.50	NR*
	802.11ax40-HE0	38	5190	MCS0	16.50	NR*
		46	5230		18.50	NR*
	802.11be40-EHT0	38	5190	MCS0	16.50	NR*
		46	5230		18.50	NR*
	802.11ac80-VHT0	42	5210	MCS0	18.00	NR*
	802.11ax80-HE0	42	5210	MCS0	18.00	NR*
	802.11be80-EHT0	42	5210	MCS0	18.00	NR*
	802.11ac160-VHT0	50	5250	MCS0	18.00	NR*
	802.11ax160-HE0	50	5250	MCS0	18.00	NR*
	802.11be160-EHT0	50	5250	MCS0	18.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4+Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.25-5.35 GHz	802.11a	52	5260	6Mbps	18.50	NR*
		56	5280		18.50	NR*
		60	5300		18.50	NR*
		64	5320		18.00	NR*
	802.11n20-HT0	52	5260	MCS0	18.50	NR*
		56	5280		18.50	NR*
		60	5300		18.00	NR*
		64	5320		18.00	NR*
	802.11ac20-VHT0	52	5260	MCS0	18.50	NR*
		56	5280		18.50	NR*
		60	5300		18.00	NR*
		64	5320		18.00	NR*
	802.11ax20-HE0	52	5260	MCS0	18.50	NR*
		56	5280		18.50	NR*
		60	5300		18.00	NR*
		64	5320		18.00	NR*
	802.11be20-EHT0	52	5260	MCS0	18.50	NR*
		56	5280		18.50	NR*
		60	5300		18.00	NR*
		64	5320		18.00	NR*
	802.11n40-HT0	54	5270	MCS0	18.50	18.46
		62	5310		17.50	17.42
	802.11ac40-VHT0	54	5270	MCS0	18.50	NR*
		62	5310		17.50	NR*
	802.11ax40-HE0	54	5270	MCS0	18.50	NR*
		62	5310		17.50	NR*
	802.11be40-EHT0	54	5270	MCS0	18.50	NR*
		62	5310		17.50	NR*
	802.11ac80-VHT0	58	5290	MCS0	18.00	NR*
	802.11ax80-HE0	58	5290	MCS0	18.00	NR*
	802.11be80-EHT0	58	5290	MCS0	18.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4+Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.6GHz	802.11a	100	5500	6Mbps	17.50	NR*
		120	5600		17.50	NR*
		140	5700		17.50	NR*
		144	5720		17.50	NR*
	802.11n20-HT0	100	5500	MCS0	17.50	NR*
		120	5600		17.50	NR*
		140	5700		17.50	NR*
		144	5720		17.50	NR*
	802.11ac20-VHT0	100	5500	MCS0	17.50	NR*
		120	5600		17.50	NR*
		140	5700		17.50	NR*
		144	5720		17.50	NR*
	802.11ax20-HE0	100	5500	MCS0	17.50	NR*
		120	5600		17.50	NR*
		140	5700		17.50	NR*
		144	5720		17.50	NR*
	802.11be20-EHT0	100	5500	MCS0	17.50	NR*
		120	5600		17.50	NR*
		140	5700		17.50	NR*
		144	5720		17.50	NR*
	802.11n40-HT0	102	5510	MCS0	17.00	NR*
		118	5590		17.50	NR*
		134	5670		17.50	NR*
		142	5710		17.50	NR*
	802.11ac40-VHT0	102	5510	MCS0	16.50	NR*
		118	5590		17.50	NR*
		134	5670		17.50	NR*
		142	5710		17.50	NR*
	802.11ax40-HE0	102	5510	MCS0	17.00	NR*
		118	5590		17.50	NR*
		134	5670		17.50	NR*
		142	5710		17.50	NR*
	802.11be40-EHT0	102	5510	MCS0	17.00	NR*
		118	5590		17.50	NR*
		134	5670		17.50	NR*
		142	5710		17.50	NR*
	802.11ac80-VHT0	106	5530	MCS0	17.50	NR*
		122	5610		17.50	NR*
		138	5690		17.50	NR*
	802.11ax80-HE0	106	5530	MCS0	17.50	NR*
		122	5610		17.50	NR*
		138	5690		17.50	NR*
	802.11be80-EHT0	106	5530	MCS0	17.50	NR*
		122	5610		17.50	NR*
		138	5690		17.50	NR*
	802.11ac160-VHT0	114	5570	MCS0	16.50	NR*
	802.11ax160-HE0	114	5570	MCS0	16.50	NR*
	802.11be160-EHT0	114	5570	MCS0	17.00	16.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant4+Ant5						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.8GHz	802.11a	149	5745	6Mbps	17.00	NR*
		157	5785		17.00	NR*
		165	5825		17.00	NR*
	802.11n20-HT0	149	5745	MCS0	17.00	NR*
		157	5785		17.00	NR*
		165	5825		17.00	NR*
	802.11ac20-VHT0	149	5745	MCS0	17.00	NR*
		157	5785		17.00	NR*
		165	5825		17.00	NR*
	802.11ax20-HE0	149	5745	MCS0	17.00	NR*
		157	5785		17.00	NR*
		165	5825		17.00	NR*
	802.11be20-EHT0	149	5745	MCS0	17.00	NR*
		157	5785		17.00	NR*
		165	5825		17.00	NR*
	802.11n40-HT0	151	5755	MCS0	17.00	NR*
		159	5795		17.00	NR*
	802.11ac40-VHT0	151	5755	MCS0	17.00	NR*
		159	5795		17.00	NR*
	802.11ax40-HE0	151	5755	MCS0	17.00	NR*
		159	5795		17.00	NR*
	802.11be40-EHT0	151	5755	MCS0	17.00	NR*
		159	5795		17.00	NR*
	802.11ac80-VHT0	155	5775	MCS0	17.00	16.92
	802.11ax80-HE0	155	5775	MCS0	17.00	NR*
	802.11be80-EHT0	155	5775	MCS0	17.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4+Ant5						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.9GHz	802.11a	169	5845	6Mbps	17.00	NR*
		173	5865		17.00	NR*
		177	5885		17.00	NR*
	802.11n20-HT0	169	5845	MCS0	17.00	NR*
		173	5865		17.00	NR*
		177	5885		17.00	NR*
	802.11ac20-VHT0	169	5845	MCS0	17.00	NR*
		173	5865		17.00	NR*
		177	5885		17.00	NR*
	802.11ax20-HE0	169	5845	MCS0	17.00	NR*
		173	5865		17.00	NR*
		177	5885		17.00	NR*
	802.11be20-EHT0	169	5845	MCS0	17.00	NR*
		173	5865		17.00	NR*
		177	5885		17.00	NR*
	802.11n40-HT0	167	5835	MCS0	17.00	NR*
		175	5875		17.00	NR*
	802.11ac40-VHT0	167	5835	MCS0	17.00	NR*
		175	5875		17.00	NR*
	802.11ax40-HE0	167	5835	MCS0	17.00	NR*
		175	5875		17.00	NR*
	802.11be40-EHT0	167	5835	MCS0	17.00	NR*
		175	5875		17.00	NR*
	802.11ac80-VHT0	171	5855	MCS0	17.00	NR*
	802.11ax80-HE0	171	5855	MCS0	17.00	NR*
	802.11be80-EHT0	171	5855	MCS0	17.00	NR*
	802.11ac160-VHT0	163	5815	MCS0	17.00	16.90
	802.11ax160-HE0	163	5815	MCS0	17.00	NR*
	802.11be160-EHT0	163	5815	MCS0	17.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Body

DSI10

Ant4						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
2.45GHz	802.11b	1	2412	1Mbps	22.00	21.62
		6	2437		22.00	21.63
		11	2462		22.00	21.28
	802.11g	1	2412	6Mbps	18.00	NR*
		6	2437		20.50	NR*
		11	2462		17.50	NR*
	802.11n20-HT0	1	2412	MCS0	16.00	NR*
		6	2437		20.50	NR*
		11	2462		17.00	NR*
	802.11ax20-HE0	1	2412	MCS0	16.00	NR*
		6	2437		20.50	NR*
		11	2462		17.00	NR*
	802.11be20-EHT0	1	2412	MCS0	16.00	NR*
		6	2437		20.50	NR*
		11	2462		17.00	NR*
	802.11n40-HT0	3	2422	MCS0	17.00	NR*
		6	2437		18.50	NR*
		9	2452		17.50	NR*
	802.11ax40-HE0	3	2422	MCS0	17.00	NR*
		6	2437		19.00	NR*
		9	2452		17.50	NR*
	802.11be40-EHT0	3	2422	MCS0	17.00	NR*
		6	2437		19.00	NR*
		9	2452		17.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.15-5.25 GHz	802.11a	36	5180	6Mbps	18.50	NR*
		40	5200		18.50	NR*
		44	5220		20.00	NR*
		48	5240		20.50	NR*
	802.11n20-HT0	36	5180	MCS0	17.00	NR*
		40	5200		17.00	NR*
		44	5220		19.50	NR*
		48	5240		20.00	NR*
	802.11ac20-VHT0	36	5180	MCS0	17.00	NR*
		40	5200		17.00	NR*
		44	5220		19.50	NR*
		48	5240		20.00	NR*
	802.11ax20-HE0	36	5180	MCS0	17.00	NR*
		40	5200		17.00	NR*
		44	5220		20.00	NR*
		48	5240		20.00	NR*
	802.11be20-EHT0	36	5180	MCS0	17.00	NR*
		40	5200		17.00	NR*
		44	5220		20.00	NR*
		48	5240		20.00	NR*
	802.11n40-HT0	38	5190	MCS0	13.50	NR*
		46	5230		21.50	NR*
	802.11ac40-VHT0	38	5190	MCS0	13.50	NR*
		46	5230		21.50	NR*
	802.11ax40-HE0	38	5190	MCS0	14.00	13.84
		46	5230		22.00	21.83
	802.11be40-EHT0	38	5190	MCS0	14.00	NR*
		46	5230		22.00	NR*
	802.11ac80-VHT0	42	5210	MCS0	16.50	NR*
	802.11ax80-HE0	42	5210	MCS0	16.50	NR*
	802.11be80-EHT0	42	5210	MCS0	16.50	NR*
	802.11ac160-VHT0	50	5250	MCS0	17.50	NR*
	802.11ax160-HE0	50	5250	MCS0	17.50	NR*
	802.11be160-EHT0	50	5250	MCS0	17.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.25-5.35 GHz	802.11a	52	5260	6Mbps	20.50	NR*
		56	5280		20.50	NR*
		60	5300		21.50	NR*
		64	5320		17.50	NR*
	802.11n20-HT0	52	5260	MCS0	20.50	NR*
		56	5280		21.00	NR*
		60	5300		17.00	NR*
		64	5320		17.00	NR*
	802.11ac20-VHT0	52	5260	MCS0	20.50	NR*
		56	5280		21.00	NR*
		60	5300		17.00	NR*
		64	5320		17.00	NR*
	802.11ax20-HE0	52	5260	MCS0	21.00	NR*
		56	5280		21.00	NR*
		60	5300		17.00	NR*
		64	5320		17.00	NR*
	802.11be20-EHT0	52	5260	MCS0	21.00	NR*
		56	5280		21.50	NR*
		60	5300		17.50	NR*
		64	5320		17.50	NR*
	802.11n40-HT0	54	5270	MCS0	22.00	21.98
		62	5310		16.50	16.48
	802.11ac40-VHT0	54	5270	MCS0	22.00	NR*
		62	5310		16.50	NR*
	802.11ax40-HE0	54	5270	MCS0	22.00	NR*
		62	5310		16.50	NR*
	802.11be40-EHT0	54	5270	MCS0	22.00	NR*
		62	5310		16.50	NR*
	802.11ac80-VHT0	58	5290	MCS0	17.50	NR*
	802.11ax80-HE0	58	5290	MCS0	17.50	NR*
	802.11be80-EHT0	58	5290	MCS0	17.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.6GHz	802.11a	100	5500	6Mbps	18.50	NR*
		120	5600		18.50	NR*
		140	5700		17.00	NR*
		144	5720		18.00	NR*
	802.11n20-HT0	100	5500	MCS0	18.50	NR*
		120	5600		19.00	NR*
		140	5700		16.50	NR*
		144	5720		18.50	NR*
	802.11ac20-VHT0	100	5500	MCS0	18.00	NR*
		120	5600		19.00	NR*
		140	5700		16.50	NR*
		144	5720		18.50	NR*
	802.11ax20-HE0	100	5500	MCS0	18.00	NR*
		120	5600		19.00	NR*
		140	5700		16.50	NR*
		144	5720		18.50	NR*
	802.11be20-EHT0	100	5500	MCS0	18.50	NR*
		120	5600		19.00	NR*
		140	5700		17.00	NR*
		144	5720		18.50	NR*
	802.11n40-HT0	102	5510	MCS0	16.50	16.25
		118	5590		21.50	21.11
		134	5670		17.50	17.14
		142	5710		19.50	19.48
	802.11ac40-VHT0	102	5510	MCS0	16.50	NR*
		118	5590		21.50	NR*
		134	5670		17.50	NR*
		142	5710		19.50	NR*
	802.11ax40-HE0	102	5510	MCS0	16.50	NR*
		118	5590		21.50	NR*
		134	5670		17.50	NR*
		142	5710		19.50	NR*
	802.11be40-EHT0	102	5510	MCS0	16.50	NR*
		118	5590		21.50	NR*
		134	5670		17.50	NR*
		142	5710		19.50	NR*
	802.11ac80-VHT0	106	5530	MCS0	18.00	NR*
		122	5610		19.00	NR*
		138	5690		19.00	NR*
	802.11ax80-HE0	106	5530	MCS0	18.50	NR*
		122	5610		19.00	NR*
		138	5690		19.00	NR*
	802.11be80-EHT0	106	5530	MCS0	18.50	NR*
		122	5610		19.00	NR*
		138	5690		19.00	NR*
	802.11ac160-VHT0	114	5570	MCS0	16.00	NR*
	802.11ax160-HE0	114	5570	MCS0	16.00	NR*
	802.11be160-EHT0	114	5570	MCS0	16.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.8GHz	802.11a	149	5745	6Mbps	21.50	NR*
		157	5785		21.00	NR*
		165	5825		21.50	NR*
	802.11n20-HT0	149	5745	MCS0	21.50	NR*
		157	5785		21.00	NR*
		165	5825		21.50	NR*
	802.11ac20-VHT0	149	5745	MCS0	21.50	NR*
		157	5785		21.00	NR*
		165	5825		21.50	NR*
	802.11ax20-HE0	149	5745	MCS0	21.50	21.49
		157	5785		21.50	21.19
		165	5825		22.00	21.87
	802.11be20-EHT0	149	5745	MCS0	21.50	NR*
		157	5785		21.50	NR*
		165	5825		22.00	NR*
	802.11n40-HT0	151	5755	MCS0	18.50	NR*
		159	5795		20.50	NR*
	802.11ac40-VHT0	151	5755	MCS0	18.50	NR*
		159	5795		20.50	NR*
	802.11ax40-HE0	151	5755	MCS0	18.50	NR*
		159	5795		20.50	NR*
	802.11be40-EHT0	151	5755	MCS0	18.50	NR*
		159	5795		21.00	NR*
	802.11ac80-VHT0	155	5775	MCS0	18.50	NR*
	802.11ax80-HE0	155	5775	MCS0	18.50	NR*
	802.11be80-EHT0	155	5775	MCS0	18.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.9GHz	802.11a	169	5845	6Mbps	22.00	NR*
		173	5865		22.00	NR*
		177	5885		22.00	NR*
	802.11n20-HT0	169	5845	MCS0	22.00	NR*
		173	5865		22.00	NR*
		177	5885		12.00	NR*
	802.11ac20-VHT0	169	5845	MCS0	22.00	NR*
		173	5865		22.00	NR*
		177	5885		12.00	NR*
	802.11ax20-HE0	169	5845	MCS0	22.00	NR*
		173	5865		22.00	NR*
		177	5885		12.00	NR*
	802.11be20-EHT0	169	5845	MCS0	22.00	NR*
		173	5865		22.00	NR*
		177	5885		12.00	NR*
	802.11n40-HT0	167	5835	MCS0	22.00	21.95
		175	5875		21.00	20.91
	802.11ac40-VHT0	167	5835	MCS0	22.00	NR*
		175	5875		21.00	NR*
	802.11ax40-HE0	167	5835	MCS0	22.00	NR*
		175	5875		21.00	NR*
	802.11be40-EHT0	167	5835	MCS0	22.00	NR*
		175	5875		21.00	NR*
	802.11ac80-VHT0	171	5855	MCS0	21.00	NR*
	802.11ax80-HE0	171	5855	MCS0	21.00	NR*
	802.11be80-EHT0	171	5855	MCS0	21.50	NR*
	802.11ac160-VHT0	163	5815	MCS0	17.50	NR*
	802.11ax160-HE0	163	5815	MCS0	17.50	NR*
	802.11be160-EHT0	163	5815	MCS0	17.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
2.45GHz	802.11b	1	2412	1Mbps	22.00	21.47
		6	2437		22.00	21.79
		11	2462		22.00	21.32
	802.11g	1	2412	6Mbps	18.00	NR*
		6	2437		20.50	NR*
		11	2462		17.50	NR*
	802.11n20-HT0	1	2412	MCS0	16.00	NR*
		6	2437		20.50	NR*
		11	2462		17.00	NR*
	802.11ax20-HE0	1	2412	MCS0	16.00	NR*
		6	2437		20.50	NR*
		11	2462		17.00	NR*
	802.11be20-EHT0	1	2412	MCS0	16.00	NR*
		6	2437		20.50	NR*
		11	2462		17.00	NR*
	802.11n40-HT0	3	2422	MCS0	17.00	NR*
		6	2437		18.50	NR*
		9	2452		17.50	NR*
	802.11ax40-HE0	3	2422	MCS0	17.00	NR*
		6	2437		19.00	NR*
		9	2452		17.50	NR*
	802.11be40-EHT0	3	2422	MCS0	17.00	NR*
		6	2437		19.00	NR*
		9	2452		17.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.15-5.25 GHz	802.11a	36	5180	6Mbps	17.00	NR*
		40	5200		17.00	NR*
		44	5220		18.00	NR*
		48	5240		18.00	NR*
	802.11n20-HT0	36	5180	MCS0	15.50	NR*
		40	5200		15.50	NR*
		44	5220		18.00	NR*
		48	5240		18.00	NR*
	802.11ac20-VHT0	36	5180	MCS0	15.50	NR*
		40	5200		15.50	NR*
		44	5220		18.00	NR*
		48	5240		18.00	NR*
	802.11ax20-HE0	36	5180	MCS0	16.00	NR*
		40	5200		16.00	NR*
		44	5220		18.00	NR*
		48	5240		18.00	NR*
	802.11be20-EHT0	36	5180	MCS0	16.00	NR*
		40	5200		16.00	NR*
		44	5220		18.00	NR*
		48	5240		18.00	NR*
	802.11n40-HT0	38	5190	MCS0	13.00	NR*
		46	5230		19.50	NR*
	802.11ac40-VHT0	38	5190	MCS0	13.00	NR*
		46	5230		19.50	NR*
	802.11ax40-HE0	38	5190	MCS0	13.00	12.99
		46	5230		20.00	19.89
	802.11be40-EHT0	38	5190	MCS0	13.00	NR*
		46	5230		20.00	NR*
	802.11ac80-VHT0	42	5210	MCS0	15.00	NR*
	802.11ax80-HE0	42	5210	MCS0	15.00	NR*
	802.11be80-EHT0	42	5210	MCS0	15.00	NR*
	802.11ac160-VHT0	50	5250	MCS0	15.00	NR*
	802.11ax160-HE0	50	5250	MCS0	15.00	NR*
	802.11be160-EHT0	50	5250	MCS0	15.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.25-5.35 GHz	802.11a	52	5260	6Mbps	18.00	NR*
		56	5280		18.00	NR*
		60	5300		19.00	NR*
		64	5320		15.50	NR*
	802.11n20-HT0	52	5260	MCS0	18.50	NR*
		56	5280		19.00	NR*
		60	5300		15.50	NR*
		64	5320		15.50	NR*
	802.11ac20-VHT0	52	5260	MCS0	18.50	NR*
		56	5280		19.00	NR*
		60	5300		15.00	NR*
		64	5320		15.00	NR*
	802.11ax20-HE0	52	5260	MCS0	18.50	NR*
		56	5280		19.00	NR*
		60	5300		15.50	NR*
		64	5320		15.50	NR*
	802.11be20-EHT0	52	5260	MCS0	18.50	NR*
		56	5280		19.00	NR*
		60	5300		15.50	NR*
		64	5320		15.50	NR*
	802.11n40-HT0	54	5270	MCS0	19.50	19.16
		62	5310		14.50	14.42
	802.11ac40-VHT0	54	5270	MCS0	19.50	NR*
		62	5310		14.50	NR*
	802.11ax40-HE0	54	5270	MCS0	19.50	NR*
		62	5310		14.50	NR*
	802.11be40-EHT0	54	5270	MCS0	19.50	NR*
		62	5310		14.50	NR*
	802.11ac80-VHT0	58	5290	MCS0	15.50	NR*
	802.11ax80-HE0	58	5290	MCS0	15.50	NR*
	802.11be80-EHT0	58	5290	MCS0	15.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.6GHz	802.11a	100	5500	6Mbps	17.50	NR*
		120	5600		18.50	NR*
		140	5700		17.50	NR*
		144	5720		18.00	NR*
	802.11n20-HT0	100	5500	MCS0	17.00	NR*
		120	5600		18.50	NR*
		140	5700		17.00	NR*
		144	5720		18.50	NR*
	802.11ac20-VHT0	100	5500	MCS0	17.00	NR*
		120	5600		18.50	NR*
		140	5700		17.00	NR*
		144	5720		18.50	NR*
	802.11ax20-HE0	100	5500	MCS0	17.00	NR*
		120	5600		18.50	NR*
		140	5700		17.00	NR*
		144	5720		18.50	NR*
	802.11be20-EHT0	100	5500	MCS0	17.00	NR*
		120	5600		18.50	NR*
		140	5700		17.00	NR*
		144	5720		18.00	NR*
	802.11n40-HT0	102	5510	MCS0	15.50	15.49
		118	5590		21.00	20.88
		134	5670		17.50	17.09
		142	5710		19.50	19.24
	802.11ac40-VHT0	102	5510	MCS0	15.00	NR*
		118	5590		20.50	NR*
		134	5670		17.50	NR*
		142	5710		19.50	NR*
	802.11ax40-HE0	102	5510	MCS0	15.50	NR*
		118	5590		20.50	NR*
		134	5670		17.50	NR*
		142	5710		19.50	NR*
	802.11be40-EHT0	102	5510	MCS0	15.50	NR*
		118	5590		20.50	NR*
		134	5670		17.50	NR*
		142	5710		19.50	NR*
	802.11ac80-VHT0	106	5530	MCS0	17.00	NR*
		122	5610		18.50	NR*
		138	5690		19.00	NR*
	802.11ax80-HE0	106	5530	MCS0	17.00	NR*
		122	5610		18.50	NR*
		138	5690		17.00	NR*
	802.11be80-EHT0	106	5530	MCS0	17.50	NR*
		122	5610		18.50	NR*
		138	5690		19.00	NR*
	802.11ac160-VHT0	114	5570	MCS0	15.00	NR*
	802.11ax160-HE0	114	5570	MCS0	15.00	NR*
	802.11be160-EHT0	114	5570	MCS0	15.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.8GHz	802.11a	149	5745	6Mbps	22.00	21.66
		157	5785		22.00	21.63
		165	5825		22.00	21.69
	802.11n20-HT0	149	5745	MCS0	22.00	NR*
		157	5785		22.00	NR*
		165	5825		21.50	NR*
	802.11ac20-VHT0	149	5745	MCS0	22.00	NR*
		157	5785		21.50	NR*
		165	5825		21.50	NR*
	802.11ax20-HE0	149	5745	MCS0	22.00	NR*
		157	5785		22.00	NR*
		165	5825		21.50	NR*
	802.11be20-EHT0	149	5745	MCS0	22.00	NR*
		157	5785		22.00	NR*
		165	5825		21.50	NR*
	802.11n40-HT0	151	5755	MCS0	18.50	NR*
		159	5795		20.50	NR*
	802.11ac40-VHT0	151	5755	MCS0	18.50	NR*
		159	5795		20.50	NR*
	802.11ax40-HE0	151	5755	MCS0	18.50	NR*
		159	5795		20.50	NR*
	802.11be40-EHT0	151	5755	MCS0	18.50	NR*
		159	5795		20.50	NR*
	802.11ac80-VHT0	155	5775	MCS0	18.50	NR*
	802.11ax80-HE0	155	5775	MCS0	18.50	NR*
	802.11be80-EHT0	155	5775	MCS0	19.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.9GHz	802.11a	169	5845	6Mbps	21.50	NR*
		173	5865		21.50	NR*
		177	5885		21.50	NR*
	802.11n20-HT0	169	5845	MCS0	21.50	NR*
		173	5865		21.50	NR*
		177	5885		12.00	NR*
	802.11ac20-VHT0	169	5845	MCS0	21.50	NR*
		173	5865		21.50	NR*
		177	5885		12.00	NR*
	802.11ax20-HE0	169	5845	MCS0	22.00	21.96
		173	5865		21.50	21.44
		177	5885		12.00	NR*
	802.11be20-EHT0	169	5845	MCS0	22.00	NR*
		173	5865		22.00	NR*
		177	5885		12.00	NR*
	802.11n40-HT0	167	5835	MCS0	21.50	NR*
		175	5875		20.00	NR*
	802.11ac40-VHT0	167	5835	MCS0	21.50	NR*
		175	5875		20.00	NR*
	802.11ax40-HE0	167	5835	MCS0	21.50	NR*
		175	5875		20.00	NR*
	802.11be40-EHT0	167	5835	MCS0	21.50	NR*
		175	5875		20.00	NR*
	802.11ac80-VHT0	171	5855	MCS0	20.50	NR*
	802.11ax80-HE0	171	5855	MCS0	20.50	NR*
	802.11be80-EHT0	171	5855	MCS0	20.50	NR*
	802.11ac160-VHT0	163	5815	MCS0	17.00	NR*
	802.11ax160-HE0	163	5815	MCS0	17.00	NR*
	802.11be160-EHT0	163	5815	MCS0	17.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

DSI10_MIMO

Ant4+Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
2.45GHz	802.11b	1	2412	1Mbps	25.00	24.62
		6	2437		25.00	24.63
		11	2462		25.00	24.28
	802.11g	1	2412	6Mbps	21.00	NR*
		6	2437		23.50	NR*
		11	2462		20.50	NR*
	802.11n20-HT0	1	2412	MCS0	19.00	NR*
		6	2437		23.50	NR*
		11	2462		20.00	NR*
	802.11ax20-HE0	1	2412	MCS0	19.00	NR*
		6	2437		23.50	NR*
		11	2462		20.00	NR*
	802.11be20-EHT0	1	2412	MCS0	19.00	NR*
		6	2437		23.50	NR*
		11	2462		20.00	NR*
	802.11n40-HT0	3	2422	MCS0	20.00	NR*
		6	2437		21.50	NR*
		9	2452		20.50	NR*
	802.11ax40-HE0	3	2422	MCS0	20.00	NR*
		6	2437		22.00	NR*
		9	2452		20.50	NR*
	802.11be40-EHT0	3	2422	MCS0	20.00	NR*
		6	2437		22.00	NR*
		9	2452		20.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4+Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.15-5.25 GHz	802.11a	36	5180	6Mbps	20.50	NR*
		40	5200		20.50	NR*
		44	5220		22.00	NR*
		48	5240		22.00	NR*
	802.11n20-HT0	36	5180	MCS0	19.00	NR*
		40	5200		19.00	NR*
		44	5220		21.50	NR*
		48	5240		22.00	NR*
	802.11ac20-VHT0	36	5180	MCS0	19.00	NR*
		40	5200		19.00	NR*
		44	5220		21.50	NR*
		48	5240		22.00	NR*
	802.11ax20-HE0	36	5180	MCS0	19.50	NR*
		40	5200		19.50	NR*
		44	5220		22.00	NR*
		48	5240		22.00	NR*
	802.11be20-EHT0	36	5180	MCS0	19.50	NR*
		40	5200		19.50	NR*
		44	5220		22.00	NR*
		48	5240		22.00	NR*
	802.11n40-HT0	38	5190	MCS0	16.00	NR*
		46	5230		23.50	NR*
	802.11ac40-VHT0	38	5190	MCS0	16.00	NR*
		46	5230		23.50	NR*
	802.11ax40-HE0	38	5190	MCS0	16.50	16.24
		46	5230		24.00	23.83
	802.11be40-EHT0	38	5190	MCS0	16.50	NR*
		46	5230		24.00	NR*
	802.11ac80-VHT0	42	5210	MCS0	18.50	NR*
	802.11ax80-HE0	42	5210	MCS0	18.50	NR*
	802.11be80-EHT0	42	5210	MCS0	18.50	NR*
	802.11ac160-VHT0	50	5250	MCS0	19.00	NR*
	802.11ax160-HE0	50	5250	MCS0	19.00	NR*
	802.11be160-EHT0	50	5250	MCS0	19.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4+Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.25-5.35 GHz	802.11a	52	5260	6Mbps	22.00	NR*
		56	5280		22.00	NR*
		60	5300		23.00	NR*
		64	5320		19.50	NR*
	802.11n20-HT0	52	5260	MCS0	22.50	NR*
		56	5280		23.00	NR*
		60	5300		19.00	NR*
		64	5320		19.00	NR*
	802.11ac20-VHT0	52	5260	MCS0	22.50	NR*
		56	5280		23.00	NR*
		60	5300		19.00	NR*
		64	5320		19.00	NR*
	802.11ax20-HE0	52	5260	MCS0	22.50	NR*
		56	5280		23.00	NR*
		60	5300		19.00	NR*
		64	5320		19.00	NR*
	802.11be20-EHT0	52	5260	MCS0	22.50	NR*
		56	5280		23.00	NR*
		60	5300		19.50	NR*
		64	5320		19.50	NR*
	802.11n40-HT0	54	5270	MCS0	23.50	23.48
		62	5310		18.50	18.48
	802.11ac40-VHT0	54	5270	MCS0	23.50	NR*
		62	5310		18.50	NR*
	802.11ax40-HE0	54	5270	MCS0	23.50	NR*
		62	5310		18.50	NR*
	802.11be40-EHT0	54	5270	MCS0	23.50	NR*
		62	5310		18.50	NR*
	802.11ac80-VHT0	58	5290	MCS0	19.50	NR*
	802.11ax80-HE0	58	5290	MCS0	19.50	NR*
	802.11be80-EHT0	58	5290	MCS0	19.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant4+Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.6GHz	802.11a	100	5500	6Mbps	21.00	NR*
		120	5600		21.50	NR*
		140	5700		20.00	NR*
		144	5720		21.00	NR*
	802.11n20-HT0	100	5500	MCS0	20.50	NR*
		120	5600		21.50	NR*
		140	5700		19.50	NR*
		144	5720		21.50	NR*
	802.11ac20-VHT0	100	5500	MCS0	20.50	NR*
		120	5600		21.50	NR*
		140	5700		19.50	NR*
		144	5720		21.50	NR*
	802.11ax20-HE0	100	5500	MCS0	20.50	NR*
		120	5600		21.50	NR*
		140	5700		19.50	NR*
		144	5720		21.50	NR*
	802.11be20-EHT0	100	5500	MCS0	20.50	NR*
		120	5600		21.50	NR*
		140	5700		20.00	NR*
		144	5720		21.00	NR*
	802.11n40-HT0	102	5510	MCS0	19.00	18.25
		118	5590		24.00	23.81
		134	5670		20.50	20.14
		142	5710		22.50	21.48
	802.11ac40-VHT0	102	5510	MCS0	18.50	NR*
		118	5590		24.00	NR*
		134	5670		20.50	NR*
		142	5710		22.50	NR*
	802.11ax40-HE0	102	5510	MCS0	19.00	NR*
		118	5590		24.00	NR*
		134	5670		20.50	NR*
		142	5710		22.50	NR*
	802.11be40-EHT0	102	5510	MCS0	19.00	NR*
		118	5590		24.00	NR*
		134	5670		20.50	NR*
		142	5710		22.50	NR*
	802.11ac80-VHT0	106	5530	MCS0	20.50	NR*
		122	5610		21.50	NR*
		138	5690		22.00	NR*
	802.11ax80-HE0	106	5530	MCS0	20.50	NR*
		122	5610		21.50	NR*
		138	5690		21.00	NR*
	802.11be80-EHT0	106	5530	MCS0	21.00	NR*
		122	5610		21.50	NR*
		138	5690		22.00	NR*
	802.11ac160-VHT0	114	5570	MCS0	18.50	NR*
	802.11ax160-HE0	114	5570	MCS0	18.50	NR*
	802.11be160-EHT0	114	5570	MCS0	18.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4+Ant5						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.8GHz	802.11a	149	5745	6Mbps	24.50	NR*
		157	5785		24.50	NR*
		165	5825		24.50	NR*
	802.11n20-HT0	149	5745	MCS0	24.50	NR*
		157	5785		24.50	NR*
		165	5825		24.50	NR*
	802.11ac20-VHT0	149	5745	MCS0	24.50	NR*
		157	5785		24.00	NR*
		165	5825		24.50	NR*
	802.11ax20-HE0	149	5745	MCS0	24.50	24.49
		157	5785		24.50	24.19
		165	5825		24.50	24.37
	802.11be20-EHT0	149	5745	MCS0	24.50	NR*
		157	5785		24.50	NR*
		165	5825		24.50	NR*
	802.11n40-HT0	151	5755	MCS0	21.50	NR*
		159	5795		23.50	NR*
	802.11ac40-VHT0	151	5755	MCS0	21.50	NR*
		159	5795		23.50	NR*
	802.11ax40-HE0	151	5755	MCS0	21.50	NR*
		159	5795		23.50	NR*
	802.11be40-EHT0	151	5755	MCS0	21.50	NR*
		159	5795		23.50	NR*
	802.11ac80-VHT0	155	5775	MCS0	21.50	NR*
	802.11ax80-HE0	155	5775	MCS0	21.50	NR*
	802.11be80-EHT0	155	5775	MCS0	21.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4+Ant5						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.9GHz	802.11a	169	5845	6Mbps	24.50	NR*
		173	5865		24.50	NR*
		177	5885		24.50	NR*
	802.11n20-HT0	169	5845	MCS0	24.50	NR*
		173	5865		24.50	NR*
		177	5885		15.00	NR*
	802.11ac20-VHT0	169	5845	MCS0	24.50	NR*
		173	5865		24.50	NR*
		177	5885		15.00	NR*
	802.11ax20-HE0	169	5845	MCS0	25.00	24.86
		173	5865		24.50	24.33
		177	5885		15.00	14.94
	802.11be20-EHT0	169	5845	MCS0	25.00	NR*
		173	5865		25.00	NR*
		177	5885		15.00	NR*
	802.11n40-HT0	167	5835	MCS0	24.50	NR*
		175	5875		23.50	NR*
	802.11ac40-VHT0	167	5835	MCS0	24.50	NR*
		175	5875		23.50	NR*
	802.11ax40-HE0	167	5835	MCS0	24.50	NR*
		175	5875		23.50	NR*
	802.11be40-EHT0	167	5835	MCS0	24.50	NR*
		175	5875		23.50	NR*
	802.11ac80-VHT0	171	5855	MCS0	23.50	NR*
	802.11ax80-HE0	171	5855	MCS0	23.50	NR*
	802.11be80-EHT0	171	5855	MCS0	24.00	NR*
	802.11ac160-VHT0	163	5815	MCS0	20.00	NR*
	802.11ax160-HE0	163	5815	MCS0	20.00	NR*
	802.11be160-EHT0	163	5815	MCS0	20.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

DSI6_SA

Ant4						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
2.45GHz	802.11b	1	2412	1Mbps	19.00	18.89
		6	2437		19.00	18.98
		11	2462		19.00	18.93
	802.11g	1	2412	6Mbps	18.00	NR*
		6	2437		19.00	NR*
		11	2462		17.50	NR*
	802.11n20-HT0	1	2412	MCS0	16.00	NR*
		6	2437		19.00	NR*
		11	2462		17.00	NR*
	802.11ax20-HE0	1	2412	MCS0	16.00	NR*
		6	2437		19.00	NR*
		11	2462		17.00	NR*
	802.11be20-EHT0	1	2412	MCS0	16.00	NR*
		6	2437		19.00	NR*
		11	2462		17.00	NR*
	802.11n40-HT0	3	2422	MCS0	17.00	NR*
		6	2437		18.50	NR*
		9	2452		17.50	NR*
	802.11ax40-HE0	3	2422	MCS0	17.00	NR*
		6	2437		19.00	NR*
		9	2452		17.50	NR*
	802.11be40-EHT0	3	2422	MCS0	17.00	NR*
		6	2437		19.00	NR*
		9	2452		17.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.15-5.25 GHz	802.11a	36	5180	6Mbps	18.50	NR*
		40	5200		18.50	NR*
		44	5220		19.00	NR*
		48	5240		19.00	NR*
	802.11n20-HT0	36	5180	MCS0	17.00	NR*
		40	5200		17.00	NR*
		44	5220		19.00	NR*
		48	5240		19.00	NR*
	802.11ac20-VHT0	36	5180	MCS0	17.00	NR*
		40	5200		17.00	NR*
		44	5220		19.00	NR*
		48	5240		19.00	NR*
	802.11ax20-HE0	36	5180	MCS0	17.00	NR*
		40	5200		17.00	NR*
		44	5220		19.00	NR*
		48	5240		19.00	NR*
	802.11be20-EHT0	36	5180	MCS0	17.00	NR*
		40	5200		17.00	NR*
		44	5220		19.00	NR*
		48	5240		19.00	NR*
	802.11n40-HT0	38	5190	MCS0	13.50	13.45
		46	5230		19.00	18.97
	802.11ac40-VHT0	38	5190	MCS0	13.50	NR*
		46	5230		19.00	NR*
	802.11ax40-HE0	38	5190	MCS0	14.00	NR*
		46	5230		19.00	NR*
	802.11be40-EHT0	38	5190	MCS0	14.00	NR*
		46	5230		19.00	NR*
	802.11ac80-VHT0	42	5210	MCS0	16.50	NR*
	802.11ax80-HE0	42	5210	MCS0	16.50	NR*
	802.11be80-EHT0	42	5210	MCS0	16.50	NR*
	802.11ac160-VHT0	50	5250	MCS0	17.50	NR*
	802.11ax160-HE0	50	5250	MCS0	17.50	NR*
	802.11be160-EHT0	50	5250	MCS0	17.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.25-5.35 GHz	802.11a	52	5260	6Mbps	19.00	NR*
		56	5280		19.00	NR*
		60	5300		19.00	NR*
		64	5320		17.50	NR*
	802.11n20-HT0	52	5260	MCS0	19.00	NR*
		56	5280		19.00	NR*
		60	5300		17.00	NR*
		64	5320		17.00	NR*
	802.11ac20-VHT0	52	5260	MCS0	19.00	NR*
		56	5280		19.00	NR*
		60	5300		17.00	NR*
		64	5320		17.00	NR*
	802.11ax20-HE0	52	5260	MCS0	19.00	NR*
		56	5280		19.00	NR*
		60	5300		17.00	NR*
		64	5320		17.00	NR*
	802.11be20-EHT0	52	5260	MCS0	19.00	NR*
		56	5280		19.00	NR*
		60	5300		17.50	NR*
		64	5320		17.50	NR*
	802.11n40-HT0	54	5270	MCS0	19.00	18.98
		62	5310		16.50	16.48
	802.11ac40-VHT0	54	5270	MCS0	19.00	NR*
		62	5310		16.50	NR*
	802.11ax40-HE0	54	5270	MCS0	19.00	NR*
		62	5310		16.50	NR*
	802.11be40-EHT0	54	5270	MCS0	19.00	NR*
		62	5310		16.50	NR*
	802.11ac80-VHT0	58	5290	MCS0	17.50	NR*
	802.11ax80-HE0	58	5290	MCS0	17.50	NR*
	802.11be80-EHT0	58	5290	MCS0	17.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.6GHz	802.11a	100	5500	6Mbps	16.50	NR*
		120	5600		16.50	NR*
		140	5700		16.50	NR*
		144	5720		16.50	NR*
	802.11n20-HT0	100	5500	MCS0	16.50	NR*
		120	5600		16.50	NR*
		140	5700		16.50	NR*
		144	5720		16.50	NR*
	802.11ac20-VHT0	100	5500	MCS0	16.50	NR*
		120	5600		16.50	NR*
		140	5700		16.50	NR*
		144	5720		16.50	NR*
	802.11ax20-HE0	100	5500	MCS0	16.50	NR*
		120	5600		16.50	NR*
		140	5700		16.50	NR*
		144	5720		16.50	NR*
	802.11be20-EHT0	100	5500	MCS0	16.50	NR*
		120	5600		16.50	NR*
		140	5700		16.50	NR*
		144	5720		16.50	NR*
	802.11n40-HT0	102	5510	MCS0	16.50	NR*
		118	5590		16.50	NR*
		134	5670		16.50	NR*
		142	5710		16.50	NR*
	802.11ac40-VHT0	102	5510	MCS0	16.50	NR*
		118	5590		16.50	NR*
		134	5670		16.50	NR*
		142	5710		16.50	NR*
	802.11ax40-HE0	102	5510	MCS0	16.50	NR*
		118	5590		16.50	NR*
		134	5670		16.50	NR*
		142	5710		16.50	NR*
	802.11be40-EHT0	102	5510	MCS0	16.50	NR*
		118	5590		16.50	NR*
		134	5670		16.50	NR*
		142	5710		16.50	NR*
	802.11ac80-VHT0	106	5530	MCS0	16.50	16.25
		122	5610		16.50	16.35
		138	5690		16.50	16.48
	802.11ax80-HE0	106	5530	MCS0	16.50	NR*
		122	5610		16.50	NR*
		138	5690		16.50	NR*
	802.11be80-EHT0	106	5530	MCS0	16.50	NR*
		122	5610		16.50	NR*
		138	5690		16.50	NR*
	802.11ac160-VHT0	114	5570	MCS0	16.00	NR*
	802.11ax160-HE0	114	5570	MCS0	16.00	NR*
	802.11be160-EHT0	114	5570	MCS0	16.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.8GHz	802.11a	149	5745	6Mbps	17.00	NR*
		157	5785		17.00	NR*
		165	5825		17.00	NR*
	802.11n20-HT0	149	5745	MCS0	17.00	NR*
		157	5785		17.00	NR*
		165	5825		17.00	NR*
	802.11ac20-VHT0	149	5745	MCS0	17.00	NR*
		157	5785		17.00	NR*
		165	5825		17.00	NR*
	802.11ax20-HE0	149	5745	MCS0	17.00	NR*
		157	5785		17.00	NR*
		165	5825		17.00	NR*
	802.11be20-EHT0	149	5745	MCS0	17.00	NR*
		157	5785		17.00	NR*
		165	5825		17.00	NR*
	802.11n40-HT0	151	5755	MCS0	17.00	NR*
		159	5795		17.00	NR*
	802.11ac40-VHT0	151	5755	MCS0	17.00	NR*
		159	5795		17.00	NR*
	802.11ax40-HE0	151	5755	MCS0	17.00	NR*
		159	5795		17.00	NR*
	802.11be40-EHT0	151	5755	MCS0	17.00	NR*
		159	5795		17.00	NR*
	802.11ac80-VHT0	155	5775	MCS0	17.00	16.98
	802.11ax80-HE0	155	5775	MCS0	17.00	NR*
	802.11be80-EHT0	155	5775	MCS0	17.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.9GHz	802.11a	169	5845	6Mbps	17.00	NR*
		173	5865		17.00	NR*
		177	5885		17.00	NR*
	802.11n20-HT0	169	5845	MCS0	17.00	NR*
		173	5865		17.00	NR*
		177	5885		12.00	NR*
	802.11ac20-VHT0	169	5845	MCS0	17.00	NR*
		173	5865		17.00	NR*
		177	5885		12.00	NR*
	802.11ax20-HE0	169	5845	MCS0	17.00	NR*
		173	5865		17.00	NR*
		177	5885		12.00	NR*
	802.11be20-EHT0	169	5845	MCS0	17.00	NR*
		173	5865		17.00	NR*
		177	5885		12.00	NR*
	802.11n40-HT0	167	5835	MCS0	17.00	NR*
		175	5875		17.00	NR*
	802.11ac40-VHT0	167	5835	MCS0	17.00	NR*
		175	5875		17.00	NR*
	802.11ax40-HE0	167	5835	MCS0	17.00	NR*
		175	5875		17.00	NR*
	802.11be40-EHT0	167	5835	MCS0	17.00	NR*
		175	5875		17.00	NR*
	802.11ac80-VHT0	171	5855	MCS0	17.00	NR*
	802.11ax80-HE0	171	5855	MCS0	17.00	NR*
	802.11be80-EHT0	171	5855	MCS0	17.00	NR*
	802.11ac160-VHT0	163	5815	MCS0	17.00	16.95
	802.11ax160-HE0	163	5815	MCS0	17.00	NR*
	802.11be160-EHT0	163	5815	MCS0	17.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5					
Band	Mode	Channel	Frequency (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
2.45GHz	802.11b	1	2412	22.00	21.47
		6	2437	22.00	21.79
		11	2462	22.00	21.32
	802.11g	1	2412	18.00	NR*
		6	2437	20.50	NR*
		11	2462	17.50	NR*
	802.11n20-HT0	1	2412	16.00	NR*
		6	2437	20.50	NR*
		11	2462	17.00	NR*
	802.11ax20-HE0	1	2412	16.00	NR*
		6	2437	20.50	NR*
		11	2462	17.00	NR*
	802.11be20-EHT0	1	2412	16.00	NR*
		6	2437	20.50	NR*
		11	2462	17.00	NR*
	802.11n40-HT0	3	2422	17.00	NR*
		6	2437	18.50	NR*
		9	2452	17.50	NR*
	802.11ax40-HE0	3	2422	17.00	NR*
		6	2437	19.00	NR*
		9	2452	17.50	NR*
	802.11be40-EHT0	3	2422	17.00	NR*
		6	2437	19.00	NR*
		9	2452	17.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5					
Band	Mode	Channel	Frequency (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.15-5.25 GHz	802.11a	36	5180	17.00	NR*
		40	5200	17.00	NR*
		44	5220	18.00	NR*
		48	5240	18.00	NR*
	802.11n20-HT0	36	5180	15.50	NR*
		40	5200	15.50	NR*
		44	5220	18.00	NR*
		48	5240	18.00	NR*
	802.11ac20-VHT0	36	5180	15.50	NR*
		40	5200	15.50	NR*
		44	5220	18.00	NR*
		48	5240	18.00	NR*
	802.11ax20-HE0	36	5180	16.00	NR*
		40	5200	16.00	NR*
		44	5220	18.00	NR*
		48	5240	18.00	NR*
	802.11be20-EHT0	36	5180	16.00	NR*
		40	5200	16.00	NR*
		44	5220	18.00	NR*
		48	5240	18.00	NR*
	802.11n40-HT0	38	5190	13.00	12.99
		46	5230	19.50	19.49
	802.11ac40-VHT0	38	5190	13.00	NR*
		46	5230	19.50	NR*
	802.11ax40-HE0	38	5190	13.00	NR*
		46	5230	19.50	NR*
	802.11be40-EHT0	38	5190	13.00	NR*
		46	5230	19.50	NR*
	802.11ac80-VHT0	42	5210	15.00	NR*
	802.11ax80-HE0	42	5210	15.00	NR*
	802.11be80-EHT0	42	5210	15.00	NR*
	802.11ac160-VHT0	50	5250	15.00	NR*
	802.11ax160-HE0	50	5250	15.00	NR*
	802.11be160-EHT0	50	5250	15.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5					
Band	Mode	Channel	Frequency (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.25-5.35 GHz	802.11a	52	5260	18.00	NR*
		56	5280	18.00	NR*
		60	5300	19.00	NR*
		64	5320	15.50	NR*
	802.11n20-HT0	52	5260	18.50	NR*
		56	5280	19.00	NR*
		60	5300	15.50	NR*
		64	5320	15.50	NR*
	802.11ac20-VHT0	52	5260	18.50	NR*
		56	5280	19.00	NR*
		60	5300	15.00	NR*
		64	5320	15.00	NR*
	802.11ax20-HE0	52	5260	18.50	NR*
		56	5280	19.00	NR*
		60	5300	15.50	NR*
		64	5320	15.50	NR*
	802.11be20-EHT0	52	5260	18.50	NR*
		56	5280	19.00	NR*
		60	5300	15.50	NR*
		64	5320	15.50	NR*
	802.11n40-HT0	54	5270	19.50	19.16
		62	5310	14.50	14.42
	802.11ac40-VHT0	54	5270	19.50	NR*
		62	5310	14.50	NR*
	802.11ax40-HE0	54	5270	19.50	NR*
		62	5310	14.50	NR*
	802.11be40-EHT0	54	5270	19.50	NR*
		62	5310	14.50	NR*
	802.11ac80-VHT0	58	5290	15.50	NR*
	802.11ax80-HE0	58	5290	15.50	NR*
	802.11be80-EHT0	58	5290	15.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5					
Band	Mode	Channel	Frequency (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.6GHz	802.11a	100	5500	17.50	NR*
		120	5600	18.50	NR*
		140	5700	17.50	NR*
		144	5720	18.00	NR*
	802.11n20-HT0	100	5500	17.00	NR*
		120	5600	18.50	NR*
		140	5700	17.00	NR*
		144	5720	18.50	NR*
	802.11ac20-VHT0	100	5500	17.00	NR*
		120	5600	18.50	NR*
		140	5700	17.00	NR*
		144	5720	18.50	NR*
	802.11ax20-HE0	100	5500	17.00	NR*
		120	5600	18.50	NR*
		140	5700	17.00	NR*
		144	5720	18.50	NR*
	802.11be20-EHT0	100	5500	17.00	NR*
		120	5600	18.50	NR*
		140	5700	17.00	NR*
		144	5720	18.00	NR*
	802.11n40-HT0	102	5510	15.50	NR*
		118	5590	19.00	NR*
		134	5670	17.50	NR*
		142	5710	19.00	NR*
	802.11ac40-VHT0	102	5510	15.00	NR*
		118	5590	19.00	NR*
		134	5670	17.50	NR*
		142	5710	19.00	NR*
	802.11ax40-HE0	102	5510	15.50	NR*
		118	5590	19.00	NR*
		134	5670	17.50	NR*
		142	5710	19.00	NR*
	802.11be40-EHT0	102	5510	15.50	NR*
		118	5590	19.00	NR*
		134	5670	17.50	NR*
		142	5710	19.00	NR*
	802.11ac80-VHT0	106	5530	17.00	16.45
		122	5610	18.50	18.44
		138	5690	19.00	18.98
	802.11ax80-HE0	106	5530	17.00	NR*
		122	5610	18.50	NR*
		138	5690	17.00	NR*
	802.11be80-EHT0	106	5530	17.50	NR*
		122	5610	18.50	NR*
		138	5690	19.00	NR*
	802.11ac160-VHT0	114	5570	15.00	NR*
	802.11ax160-HE0	114	5570	15.00	NR*
	802.11be160-EHT0	114	5570	15.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant5					
Mode	Mode	Channel	Frequency (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.8GHz	802.11a	149	5745	18.50	NR*
		157	5785	18.50	NR*
		165	5825	18.50	NR*
	802.11n20-HT0	149	5745	18.50	NR*
		157	5785	18.50	NR*
		165	5825	18.50	NR*
	802.11ac20-VHT0	149	5745	18.50	NR*
		157	5785	18.50	NR*
		165	5825	18.50	NR*
	802.11ax20-HE0	149	5745	18.50	NR*
		157	5785	18.50	NR*
		165	5825	18.50	NR*
	802.11be20-EHT0	149	5745	18.50	NR*
		157	5785	18.50	NR*
		165	5825	18.50	NR*
	802.11n40-HT0	151	5755	18.50	NR*
		159	5795	18.50	NR*
	802.11ac40-VHT0	151	5755	18.50	NR*
		159	5795	18.50	NR*
	802.11ax40-HE0	151	5755	18.50	NR*
		159	5795	18.50	NR*
	802.11be40-EHT0	151	5755	18.50	NR*
		159	5795	18.50	NR*
	802.11ac80-VHT0	155	5775	18.50	18.45
	802.11ax80-HE0	155	5775	18.50	NR*
	802.11be80-EHT0	155	5775	18.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5					
Mode	Mode	Channel	Frequency (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.9GHz	802.11a	169	5845	18.50	NR*
		173	5865	18.50	NR*
		177	5885	18.50	NR*
	802.11n20-HT0	169	5845	18.50	NR*
		173	5865	18.50	NR*
		177	5885	12.00	NR*
	802.11ac20-VHT0	169	5845	18.50	NR*
		173	5865	18.50	NR*
		177	5885	12.00	NR*
	802.11ax20-HE0	169	5845	18.50	NR*
		173	5865	18.50	NR*
		177	5885	12.00	NR*
	802.11be20-EHT0	169	5845	18.50	NR*
		173	5865	18.50	NR*
		177	5885	12.00	NR*
	802.11n40-HT0	167	5835	18.50	NR*
		175	5875	18.50	NR*
	802.11ac40-VHT0	167	5835	18.50	NR*
		175	5875	18.50	NR*
	802.11ax40-HE0	167	5835	18.50	NR*
		175	5875	18.50	NR*
	802.11be40-EHT0	167	5835	18.50	NR*
		175	5875	18.50	NR*
	802.11ac80-VHT0	171	5855	18.50	18.49
	802.11ax80-HE0	171	5855	18.50	NR*
	802.11be80-EHT0	171	5855	18.50	NR*
	802.11ac160-VHT0	163	5815	17.00	NR*
	802.11ax160-HE0	163	5815	17.00	NR*
	802.11be160-EHT0	163	5815	17.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

DSI6_MIMO

Ant4+Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
2.45GHz	802.11b	1	2412	1Mbps	23.50	23.29
		6	2437		23.50	23.44
		11	2462		23.50	23.31
	802.11g	1	2412	6Mbps	21.00	NR*
		6	2437		22.50	NR*
		11	2462		20.50	NR*
	802.11n20-HT0	1	2412	MCS0	19.00	NR*
		6	2437		22.50	NR*
		11	2462		20.00	NR*
	802.11ax20-HE0	1	2412	MCS0	19.00	NR*
		6	2437		22.50	NR*
		11	2462		20.00	NR*
	802.11be20-EHT0	1	2412	MCS0	19.00	NR*
		6	2437		22.50	NR*
		11	2462		20.00	NR*
	802.11n40-HT0	3	2422	MCS0	20.00	NR*
		6	2437		21.50	NR*
		9	2452		20.50	NR*
	802.11ax40-HE0	3	2422	MCS0	20.00	NR*
		6	2437		22.00	NR*
		9	2452		20.50	NR*
	802.11be40-EHT0	3	2422	MCS0	20.00	NR*
		6	2437		22.00	NR*
		9	2452		20.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4+Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.15-5.25 GHz	802.11a	36	5180	6Mbps	20.50	NR*
		40	5200		20.50	NR*
		44	5220		21.50	NR*
		48	5240		21.50	NR*
	802.11n20-HT0	36	5180	MCS0	19.00	NR*
		40	5200		19.00	NR*
		44	5220		21.50	NR*
		48	5240		21.50	NR*
	802.11ac20-VHT0	36	5180	MCS0	19.00	NR*
		40	5200		19.00	NR*
		44	5220		21.50	NR*
		48	5240		21.50	NR*
	802.11ax20-HE0	36	5180	MCS0	19.50	NR*
		40	5200		19.50	NR*
		44	5220		21.50	NR*
		48	5240		21.50	NR*
	802.11be20-EHT0	36	5180	MCS0	19.50	NR*
		40	5200		19.50	NR*
		44	5220		21.50	NR*
		48	5240		21.50	NR*
	802.11n40-HT0	38	5190	MCS0	16.00	15.65
		46	5230		22.00	21.92
	802.11ac40-VHT0	38	5190	MCS0	16.00	NR*
		46	5230		22.00	NR*
	802.11ax40-HE0	38	5190	MCS0	16.50	NR*
		46	5230		22.00	NR*
	802.11be40-EHT0	38	5190	MCS0	16.50	NR*
		46	5230		22.00	NR*
	802.11ac80-VHT0	42	5210	MCS0	18.50	NR*
	802.11ax80-HE0	42	5210	MCS0	18.50	NR*
	802.11be80-EHT0	42	5210	MCS0	18.50	NR*
	802.11ac160-VHT0	50	5250	MCS0	19.00	NR*
	802.11ax160-HE0	50	5250	MCS0	19.00	NR*
	802.11be160-EHT0	50	5250	MCS0	19.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4+Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.25-5.35 GHz	802.11a	52	5260	6Mbps	21.50	NR*
		56	5280		21.50	NR*
		60	5300		22.00	NR*
		64	5320		19.50	NR*
	802.11n20-HT0	52	5260	MCS0	21.50	NR*
		56	5280		22.00	NR*
		60	5300		19.00	NR*
		64	5320		19.00	NR*
	802.11ac20-VHT0	52	5260	MCS0	21.50	NR*
		56	5280		22.00	NR*
		60	5300		19.00	NR*
		64	5320		19.00	NR*
	802.11ax20-HE0	52	5260	MCS0	21.50	NR*
		56	5280		22.00	NR*
		60	5300		19.00	NR*
		64	5320		19.00	NR*
	802.11be20-EHT0	52	5260	MCS0	21.50	NR*
		56	5280		22.00	NR*
		60	5300		19.50	NR*
		64	5320		19.50	NR*
	802.11n40-HT0	54	5270	MCS0	22.00	21.98
		62	5310		18.50	18.48
	802.11ac40-VHT0	54	5270	MCS0	22.00	NR*
		62	5310		18.50	NR*
	802.11ax40-HE0	54	5270	MCS0	22.00	NR*
		62	5310		18.50	NR*
	802.11be40-EHT0	54	5270	MCS0	22.00	NR*
		62	5310		18.50	NR*
	802.11ac80-VHT0	58	5290	MCS0	19.50	NR*
	802.11ax80-HE0	58	5290	MCS0	19.50	NR*
	802.11be80-EHT0	58	5290	MCS0	19.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4+Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.6GHz	802.11a	100	5500	6Mbps	20.00	NR*
		120	5600		20.50	NR*
		140	5700		20.00	NR*
		144	5720		20.00	NR*
	802.11n20-HT0	100	5500	MCS0	19.50	NR*
		120	5600		20.50	NR*
		140	5700		19.50	NR*
		144	5720		20.50	NR*
	802.11ac20-VHT0	100	5500	MCS0	19.50	NR*
		120	5600		20.50	NR*
		140	5700		19.50	NR*
		144	5720		20.50	NR*
	802.11ax20-HE0	100	5500	MCS0	19.50	NR*
		120	5600		20.50	NR*
		140	5700		19.50	NR*
		144	5720		20.50	NR*
	802.11be20-EHT0	100	5500	MCS0	19.50	NR*
		120	5600		20.50	NR*
		140	5700		19.50	NR*
		144	5720		20.00	NR*
	802.11n40-HT0	102	5510	MCS0	19.00	NR*
		118	5590		20.50	NR*
		134	5670		20.00	NR*
		142	5710		20.50	NR*
	802.11ac40-VHT0	102	5510	MCS0	18.50	NR*
		118	5590		20.50	NR*
		134	5670		20.00	NR*
		142	5710		20.50	NR*
	802.11ax40-HE0	102	5510	MCS0	19.00	NR*
		118	5590		20.50	NR*
		134	5670		20.00	NR*
		142	5710		20.50	NR*
	802.11be40-EHT0	102	5510	MCS0	19.00	NR*
		118	5590		20.50	NR*
		134	5670		20.00	NR*
		142	5710		20.50	NR*
	802.11ac80-VHT0	106	5530	MCS0	19.50	19.33
		122	5610		20.50	20.36
		138	5690		20.50	20.42
	802.11ax80-HE0	106	5530	MCS0	19.50	NR*
		122	5610		20.50	NR*
		138	5690		19.50	NR*
	802.11be80-EHT0	106	5530	MCS0	20.00	NR*
		122	5610		20.50	NR*
		138	5690		20.50	NR*
	802.11ac160-VHT0	114	5570	MCS0	18.50	NR*
	802.11ax160-HE0	114	5570	MCS0	18.50	NR*
	802.11be160-EHT0	114	5570	MCS0	18.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant4+Ant5						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.8GHz	802.11a	149	5745	6Mbps	20.50	NR*
		157	5785		20.50	NR*
		165	5825		20.50	NR*
	802.11n20-HT0	149	5745	MCS0	20.50	NR*
		157	5785		20.50	NR*
		165	5825		20.50	NR*
	802.11ac20-VHT0	149	5745	MCS0	20.50	NR*
		157	5785		20.50	NR*
		165	5825		20.50	NR*
	802.11ax20-HE0	149	5745	MCS0	20.50	NR*
		157	5785		20.50	NR*
		165	5825		20.50	NR*
	802.11be20-EHT0	149	5745	MCS0	20.50	NR*
		157	5785		20.50	NR*
		165	5825		20.50	NR*
	802.11n40-HT0	151	5755	MCS0	20.50	NR*
		159	5795		20.50	NR*
	802.11ac40-VHT0	151	5755	MCS0	20.50	NR*
		159	5795		20.50	NR*
	802.11ax40-HE0	151	5755	MCS0	20.50	NR*
		159	5795		20.50	NR*
	802.11be40-EHT0	151	5755	MCS0	20.50	NR*
		159	5795		20.50	NR*
	802.11ac80-VHT0	155	5775	MCS0	20.50	20.41
	802.11ax80-HE0	155	5775	MCS0	20.50	NR*
	802.11be80-EHT0	155	5775	MCS0	20.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4+Ant5						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.9GHz	802.11a	169	5845	6Mbps	20.50	NR*
		173	5865		20.50	NR*
		177	5885		20.50	NR*
	802.11n20-HT0	169	5845	MCS0	20.50	NR*
		173	5865		20.50	NR*
		177	5885		15.00	NR*
	802.11ac20-VHT0	169	5845	MCS0	20.50	NR*
		173	5865		20.50	NR*
		177	5885		15.00	NR*
	802.11ax20-HE0	169	5845	MCS0	20.50	NR*
		173	5865		20.50	NR*
		177	5885		15.00	NR*
	802.11be20-EHT0	169	5845	MCS0	20.50	NR*
		173	5865		20.50	NR*
		177	5885		15.00	NR*
	802.11n40-HT0	167	5835	MCS0	20.50	NR*
		175	5875		20.50	NR*
	802.11ac40-VHT0	167	5835	MCS0	20.50	NR*
		175	5875		20.50	NR*
	802.11ax40-HE0	167	5835	MCS0	20.50	NR*
		175	5875		20.50	NR*
	802.11be40-EHT0	167	5835	MCS0	20.50	NR*
		175	5875		20.50	NR*
	802.11ac80-VHT0	171	5855	MCS0	20.50	20.21
	802.11ax80-HE0	171	5855	MCS0	20.50	NR*
	802.11be80-EHT0	171	5855	MCS0	20.50	NR*
	802.11ac160-VHT0	163	5815	MCS0	20.00	NR*
	802.11ax160-HE0	163	5815	MCS0	20.00	NR*
	802.11be160-EHT0	163	5815	MCS0	20.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

DSI7_SLM

Ant4						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
2.45GHz	802.11b	1	2412	1Mbps	15.00	14.89
		6	2437		15.00	14.98
		11	2462		15.00	14.93
	802.11g	1	2412	6Mbps	15.00	NR*
		6	2437		15.00	NR*
		11	2462		15.00	NR*
	802.11n20-HT0	1	2412	MCS0	15.00	NR*
		6	2437		15.00	NR*
		11	2462		15.00	NR*
	802.11ax20-HE0	1	2412	MCS0	15.00	NR*
		6	2437		15.00	NR*
		11	2462		15.00	NR*
	802.11be20-EHT0	1	2412	MCS0	15.00	NR*
		6	2437		15.00	NR*
		11	2462		15.00	NR*
	802.11n40-HT0	3	2422	MCS0	15.00	NR*
		6	2437		15.00	NR*
		9	2452		15.00	NR*
	802.11ax40-HE0	3	2422	MCS0	15.00	NR*
		6	2437		15.00	NR*
		9	2452		15.00	NR*
	802.11be40-EHT0	3	2422	MCS0	15.00	NR*
		6	2437		15.00	NR*
		9	2452		15.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.15-5.25 GHz	802.11a	36	5180	6Mbps	15.00	NR*
		40	5200		15.00	NR*
		44	5220		15.00	NR*
		48	5240		15.00	NR*
	802.11n20-HT0	36	5180	MCS0	15.00	NR*
		40	5200		15.00	NR*
		44	5220		15.00	NR*
		48	5240		15.00	NR*
	802.11ac20-VHT0	36	5180	MCS0	15.00	NR*
		40	5200		15.00	NR*
		44	5220		15.00	NR*
		48	5240		15.00	NR*
	802.11ax20-HE0	36	5180	MCS0	15.00	NR*
		40	5200		15.00	NR*
		44	5220		15.00	NR*
		48	5240		15.00	NR*
	802.11be20-EHT0	36	5180	MCS0	15.00	NR*
		40	5200		15.00	NR*
		44	5220		15.00	NR*
		48	5240		15.00	NR*
	802.11n40-HT0	38	5190	MCS0	13.50	13.45
		46	5230		15.00	14.97
	802.11ac40-VHT0	38	5190	MCS0	13.50	NR*
		46	5230		15.00	NR*
	802.11ax40-HE0	38	5190	MCS0	14.00	NR*
		46	5230		15.00	NR*
	802.11be40-EHT0	38	5190	MCS0	14.00	NR*
		46	5230		15.00	NR*
	802.11ac80-VHT0	42	5210	MCS0	15.00	NR*
	802.11ax80-HE0	42	5210	MCS0	15.00	NR*
	802.11be80-EHT0	42	5210	MCS0	15.00	NR*
	802.11ac160-VHT0	50	5250	MCS0	15.00	NR*
	802.11ax160-HE0	50	5250	MCS0	15.00	NR*
	802.11be160-EHT0	50	5250	MCS0	15.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.25-5.35 GHz	802.11a	52	5260	6Mbps	15.00	NR*
		56	5280		15.00	NR*
		60	5300		15.00	NR*
		64	5320		15.00	NR*
	802.11n20-HT0	52	5260	MCS0	15.00	NR*
		56	5280		15.00	NR*
		60	5300		15.00	NR*
		64	5320		15.00	NR*
	802.11ac20-VHT0	52	5260	MCS0	15.00	NR*
		56	5280		15.00	NR*
		60	5300		15.00	NR*
		64	5320		15.00	NR*
	802.11ax20-HE0	52	5260	MCS0	15.00	NR*
		56	5280		15.00	NR*
		60	5300		15.00	NR*
		64	5320		15.00	NR*
	802.11be20-EHT0	52	5260	MCS0	15.00	NR*
		56	5280		15.00	NR*
		60	5300		15.00	NR*
		64	5320		15.00	NR*
	802.11n40-HT0	54	5270	MCS0	15.00	14.98
		62	5310		15.00	14.91
	802.11ac40-VHT0	54	5270	MCS0	15.00	NR*
		62	5310		15.00	NR*
	802.11ax40-HE0	54	5270	MCS0	15.00	NR*
		62	5310		15.00	NR*
	802.11be40-EHT0	54	5270	MCS0	15.00	NR*
		62	5310		15.00	NR*
	802.11ac80-VHT0	58	5290	MCS0	15.00	NR*
	802.11ax80-HE0	58	5290	MCS0	15.00	NR*
	802.11be80-EHT0	58	5290	MCS0	15.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.6GHz	802.11a	100	5500	6Mbps	12.50	NR*
		120	5600		12.50	NR*
		140	5700		12.50	NR*
		144	5720		12.50	NR*
	802.11n20-HT0	100	5500	MCS0	12.50	NR*
		120	5600		12.50	NR*
		140	5700		12.50	NR*
		144	5720		12.50	NR*
	802.11ac20-VHT0	100	5500	MCS0	12.50	NR*
		120	5600		12.50	NR*
		140	5700		12.50	NR*
		144	5720		12.50	NR*
	802.11ax20-HE0	100	5500	MCS0	12.50	NR*
		120	5600		12.50	NR*
		140	5700		12.50	NR*
		144	5720		12.50	NR*
	802.11be20-EHT0	100	5500	MCS0	12.50	NR*
		120	5600		12.50	NR*
		140	5700		12.50	NR*
		144	5720		12.50	NR*
	802.11n40-HT0	102	5510	MCS0	12.50	NR*
		118	5590		12.50	NR*
		134	5670		12.50	NR*
		142	5710		12.50	NR*
	802.11ac40-VHT0	102	5510	MCS0	12.50	NR*
		118	5590		12.50	NR*
		134	5670		12.50	NR*
		142	5710		12.50	NR*
	802.11ax40-HE0	102	5510	MCS0	12.50	NR*
		118	5590		12.50	NR*
		134	5670		12.50	NR*
		142	5710		12.50	NR*
	802.11be40-EHT0	102	5510	MCS0	12.50	NR*
		118	5590		12.50	NR*
		134	5670		12.50	NR*
		142	5710		12.50	NR*
	802.11ac80-VHT0	106	5530	MCS0	12.50	12.25
		122	5610		12.50	12.35
		138	5690		12.50	12.48
	802.11ax80-HE0	106	5530	MCS0	12.50	NR*
		122	5610		12.50	NR*
		138	5690		12.50	NR*
	802.11be80-EHT0	106	5530	MCS0	12.50	NR*
		122	5610		12.50	NR*
		138	5690		12.50	NR*
	802.11ac160-VHT0	114	5570	MCS0	12.50	12.48
	802.11ax160-HE0	114	5570	MCS0	12.50	NR*
	802.11be160-EHT0	114	5570	MCS0	12.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.8GHz	802.11a	149	5745	6Mbps	13.00	NR*
		157	5785		13.00	NR*
		165	5825		13.00	NR*
	802.11n20-HT0	149	5745	MCS0	13.00	NR*
		157	5785		13.00	NR*
		165	5825		13.00	NR*
	802.11ac20-VHT0	149	5745	MCS0	13.00	NR*
		157	5785		13.00	NR*
		165	5825		13.00	NR*
	802.11ax20-HE0	149	5745	MCS0	13.00	NR*
		157	5785		13.00	NR*
		165	5825		13.00	NR*
	802.11be20-EHT0	149	5745	MCS0	13.00	NR*
		157	5785		13.00	NR*
		165	5825		13.00	NR*
	802.11n40-HT0	151	5755	MCS0	13.00	NR*
		159	5795		13.00	NR*
	802.11ac40-VHT0	151	5755	MCS0	13.00	NR*
		159	5795		13.00	NR*
	802.11ax40-HE0	151	5755	MCS0	13.00	NR*
		159	5795		13.00	NR*
	802.11be40-EHT0	151	5755	MCS0	13.00	NR*
		159	5795		13.00	NR*
	802.11ac80-VHT0	155	5775	MCS0	13.00	12.98
	802.11ax80-HE0	155	5775	MCS0	13.00	NR*
	802.11be80-EHT0	155	5775	MCS0	13.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.9GHz	802.11a	169	5845	6Mbps	13.00	NR*
		173	5865		13.00	NR*
		177	5885		13.00	NR*
	802.11n20-HT0	169	5845	MCS0	13.00	NR*
		173	5865		13.00	NR*
		177	5885		13.00	NR*
	802.11ac20-VHT0	169	5845	MCS0	13.00	NR*
		173	5865		13.00	NR*
		177	5885		13.00	NR*
	802.11ax20-HE0	169	5845	MCS0	13.00	NR*
		173	5865		13.00	NR*
		177	5885		13.00	NR*
	802.11be20-EHT0	169	5845	MCS0	13.00	NR*
		173	5865		13.00	NR*
		177	5885		13.00	NR*
	802.11n40-HT0	167	5835	MCS0	13.00	NR*
		175	5875		13.00	NR*
	802.11ac40-VHT0	167	5835	MCS0	13.00	NR*
		175	5875		13.00	NR*
	802.11ax40-HE0	167	5835	MCS0	13.00	NR*
		175	5875		13.00	NR*
	802.11be40-EHT0	167	5835	MCS0	13.00	NR*
		175	5875		13.00	NR*
	802.11ac80-VHT0	171	5855	MCS0	13.00	NR*
	802.11ax80-HE0	171	5855	MCS0	13.00	NR*
	802.11be80-EHT0	171	5855	MCS0	13.00	NR*
	802.11ac160-VHT0	163	5815	MCS0	13.00	12.97
	802.11ax160-HE0	163	5815	MCS0	13.00	NR*
	802.11be160-EHT0	163	5815	MCS0	13.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
2.45GHz	802.11b	1	2412	1Mbps	18.00	17.92
		6	2437		18.00	17.99
		11	2462		18.00	17.89
	802.11g	1	2412	6Mbps	18.00	NR*
		6	2437		18.00	NR*
		11	2462		17.50	NR*
	802.11n20-HT0	1	2412	MCS0	16.00	NR*
		6	2437		18.00	NR*
		11	2462		17.00	NR*
	802.11ax20-HE0	1	2412	MCS0	16.00	NR*
		6	2437		18.00	NR*
		11	2462		17.00	NR*
	802.11be20-EHT0	1	2412	MCS0	16.00	NR*
		6	2437		18.00	NR*
		11	2462		17.00	NR*
	802.11n40-HT0	3	2422	MCS0	17.00	NR*
		6	2437		18.00	NR*
		9	2452		17.50	NR*
	802.11ax40-HE0	3	2422	MCS0	17.00	NR*
		6	2437		18.00	NR*
		9	2452		17.50	NR*
	802.11be40-EHT0	3	2422	MCS0	17.00	NR*
		6	2437		18.00	NR*
		9	2452		17.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.15-5.25 GHz	802.11a	36	5180	6Mbps	16.50	NR*
		40	5200		16.50	NR*
		44	5220		16.50	NR*
		48	5240		16.50	NR*
	802.11n20-HT0	36	5180	MCS0	15.50	NR*
		40	5200		15.50	NR*
		44	5220		16.50	NR*
		48	5240		16.50	NR*
	802.11ac20-VHT0	36	5180	MCS0	15.50	NR*
		40	5200		15.50	NR*
		44	5220		16.50	NR*
		48	5240		16.50	NR*
	802.11ax20-HE0	36	5180	MCS0	16.00	NR*
		40	5200		16.00	NR*
		44	5220		16.50	NR*
		48	5240		16.50	NR*
	802.11be20-EHT0	36	5180	MCS0	16.00	NR*
		40	5200		16.00	NR*
		44	5220		16.50	NR*
		48	5240		16.50	NR*
	802.11n40-HT0	38	5190	MCS0	13.00	12.99
		46	5230		16.50	16.49
	802.11ac40-VHT0	38	5190	MCS0	13.00	NR*
		46	5230		16.50	NR*
	802.11ax40-HE0	38	5190	MCS0	13.00	NR*
		46	5230		16.50	NR*
	802.11be40-EHT0	38	5190	MCS0	13.00	NR*
		46	5230		16.50	NR*
	802.11ac80-VHT0	42	5210	MCS0	15.00	NR*
	802.11ax80-HE0	42	5210	MCS0	15.00	NR*
	802.11be80-EHT0	42	5210	MCS0	15.00	NR*
	802.11ac160-VHT0	50	5250	MCS0	15.00	NR*
	802.11ax160-HE0	50	5250	MCS0	15.00	NR*
	802.11be160-EHT0	50	5250	MCS0	15.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.25-5.35 GHz	802.11a	52	5260	6Mbps	16.50	NR*
		56	5280		16.50	NR*
		60	5300		16.50	NR*
		64	5320		15.50	NR*
	802.11n20-HT0	52	5260	MCS0	16.50	NR*
		56	5280		16.50	NR*
		60	5300		15.50	NR*
		64	5320		15.50	NR*
	802.11ac20-VHT0	52	5260	MCS0	16.50	NR*
		56	5280		16.50	NR*
		60	5300		15.00	NR*
		64	5320		15.00	NR*
	802.11ax20-HE0	52	5260	MCS0	16.50	NR*
		56	5280		16.50	NR*
		60	5300		15.50	NR*
		64	5320		15.50	NR*
	802.11be20-EHT0	52	5260	MCS0	16.50	NR*
		56	5280		16.50	NR*
		60	5300		15.50	NR*
		64	5320		15.50	NR*
	802.11n40-HT0	54	5270	MCS0	16.50	16.46
		62	5310		14.50	14.42
	802.11ac40-VHT0	54	5270	MCS0	16.50	NR*
		62	5310		14.50	NR*
	802.11ax40-HE0	54	5270	MCS0	16.50	NR*
		62	5310		14.50	NR*
	802.11be40-EHT0	54	5270	MCS0	16.50	NR*
		62	5310		14.50	NR*
	802.11ac80-VHT0	58	5290	MCS0	15.50	NR*
	802.11ax80-HE0	58	5290	MCS0	15.50	NR*
	802.11be80-EHT0	58	5290	MCS0	15.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.6GHz	802.11a	100	5500	6Mbps	16.00	NR*
		120	5600		16.00	NR*
		140	5700		16.00	NR*
		144	5720		16.00	NR*
	802.11n20-HT0	100	5500	MCS0	16.00	NR*
		120	5600		16.00	NR*
		140	5700		16.00	NR*
		144	5720		16.00	NR*
	802.11ac20-VHT0	100	5500	MCS0	16.00	NR*
		120	5600		16.00	NR*
		140	5700		16.00	NR*
		144	5720		16.00	NR*
	802.11ax20-HE0	100	5500	MCS0	16.00	NR*
		120	5600		16.00	NR*
		140	5700		16.00	NR*
		144	5720		16.00	NR*
	802.11be20-EHT0	100	5500	MCS0	16.00	NR*
		120	5600		16.00	NR*
		140	5700		16.00	NR*
		144	5720		16.00	NR*
	802.11n40-HT0	102	5510	MCS0	15.50	NR*
		118	5590		16.00	NR*
		134	5670		16.00	NR*
		142	5710		16.00	NR*
	802.11ac40-VHT0	102	5510	MCS0	15.00	NR*
		118	5590		16.00	NR*
		134	5670		16.00	NR*
		142	5710		16.00	NR*
	802.11ax40-HE0	102	5510	MCS0	15.50	NR*
		118	5590		16.00	NR*
		134	5670		16.00	NR*
		142	5710		16.00	NR*
	802.11be40-EHT0	102	5510	MCS0	15.50	NR*
		118	5590		16.00	NR*
		134	5670		16.00	NR*
		142	5710		16.00	NR*
	802.11ac80-VHT0	106	5530	MCS0	16.00	15.95
		122	5610		16.00	15.84
		138	5690		16.00	15.98
	802.11ax80-HE0	106	5530	MCS0	16.00	NR*
		122	5610		16.00	NR*
		138	5690		16.00	NR*
	802.11be80-EHT0	106	5530	MCS0	16.00	NR*
		122	5610		16.00	NR*
		138	5690		16.00	NR*
	802.11ac160-VHT0	114	5570	MCS0	15.00	NR*
	802.11ax160-HE0	114	5570	MCS0	15.00	NR*
	802.11be160-EHT0	114	5570	MCS0	15.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.8GHz	802.11a	149	5745	6Mbps	15.50	NR*
		157	5785		15.50	NR*
		165	5825		15.50	NR*
	802.11n20-HT0	149	5745	MCS0	15.50	NR*
		157	5785		15.50	NR*
		165	5825		15.50	NR*
	802.11ac20-VHT0	149	5745	MCS0	15.50	NR*
		157	5785		15.50	NR*
		165	5825		15.50	NR*
	802.11ax20-HE0	149	5745	MCS0	15.50	NR*
		157	5785		15.50	NR*
		165	5825		15.50	NR*
	802.11be20-EHT0	149	5745	MCS0	15.50	NR*
		157	5785		15.50	NR*
		165	5825		15.50	NR*
	802.11n40-HT0	151	5755	MCS0	15.50	NR*
		159	5795		15.50	NR*
	802.11ac40-VHT0	151	5755	MCS0	15.50	NR*
		159	5795		15.50	NR*
	802.11ax40-HE0	151	5755	MCS0	15.50	NR*
		159	5795		15.50	NR*
	802.11be40-EHT0	151	5755	MCS0	15.50	NR*
		159	5795		15.50	NR*
	802.11ac80-VHT0	155	5775	MCS0	15.50	15.43
	802.11ax80-HE0	155	5775	MCS0	15.50	NR*
	802.11be80-EHT0	155	5775	MCS0	15.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.9GHz	802.11a	169	5845	6Mbps	15.50	NR*
		173	5865		15.50	NR*
		177	5885		15.50	NR*
	802.11n20-HT0	169	5845	MCS0	15.50	NR*
		173	5865		15.50	NR*
		177	5885		15.50	NR*
	802.11ac20-VHT0	169	5845	MCS0	15.50	NR*
		173	5865		15.50	NR*
		177	5885		15.50	NR*
	802.11ax20-HE0	169	5845	MCS0	15.50	NR*
		173	5865		15.50	NR*
		177	5885		15.50	NR*
	802.11be20-EHT0	169	5845	MCS0	15.50	NR*
		173	5865		15.50	NR*
		177	5885		15.50	NR*
	802.11n40-HT0	167	5835	MCS0	15.50	NR*
		175	5875		15.50	NR*
	802.11ac40-VHT0	167	5835	MCS0	15.50	NR*
		175	5875		15.50	NR*
	802.11ax40-HE0	167	5835	MCS0	15.50	NR*
		175	5875		15.50	NR*
	802.11be40-EHT0	167	5835	MCS0	15.50	NR*
		175	5875		15.50	NR*
	802.11ac80-VHT0	171	5855	MCS0	15.50	NR*
	802.11ax80-HE0	171	5855	MCS0	15.50	NR*
	802.11be80-EHT0	171	5855	MCS0	15.50	NR*
	802.11ac160-VHT0	163	5815	MCS0	15.50	15.48
	802.11ax160-HE0	163	5815	MCS0	15.50	NR*
	802.11be160-EHT0	163	5815	MCS0	15.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

DSI7_MIMO_SLM

Ant4+Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
2.45GHz	802.11b	1	2412	1Mbps	19.50	19.41
		6	2437		19.50	19.47
		11	2462		19.50	19.37
	802.11g	1	2412	6Mbps	19.50	NR*
		6	2437		19.50	NR*
		11	2462		19.00	NR*
	802.11n20-HT0	1	2412	MCS0	18.50	NR*
		6	2437		19.50	NR*
		11	2462		19.00	NR*
	802.11ax20-HE0	1	2412	MCS0	18.50	NR*
		6	2437		19.50	NR*
		11	2462		19.00	NR*
	802.11be20-EHT0	1	2412	MCS0	18.50	NR*
		6	2437		19.50	NR*
		11	2462		19.00	NR*
	802.11n40-HT0	3	2422	MCS0	19.00	NR*
		6	2437		19.50	NR*
		9	2452		19.00	NR*
	802.11ax40-HE0	3	2422	MCS0	19.00	NR*
		6	2437		19.50	NR*
		9	2452		19.00	NR*
	802.11be40-EHT0	3	2422	MCS0	19.00	NR*
		6	2437		19.50	NR*
		9	2452		19.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4+Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.15-5.25 GHz	802.11a	36	5180	6Mbps	18.50	NR*
		40	5200		18.50	NR*
		44	5220		18.50	NR*
		48	5240		18.50	NR*
	802.11n20-HT0	36	5180	MCS0	18.00	NR*
		40	5200		18.00	NR*
		44	5220		18.50	NR*
		48	5240		18.50	NR*
	802.11ac20-VHT0	36	5180	MCS0	18.00	NR*
		40	5200		18.00	NR*
		44	5220		18.50	NR*
		48	5240		18.50	NR*
	802.11ax20-HE0	36	5180	MCS0	18.50	NR*
		40	5200		18.50	NR*
		44	5220		18.50	NR*
		48	5240		18.50	NR*
	802.11be20-EHT0	36	5180	MCS0	18.50	NR*
		40	5200		18.50	NR*
		44	5220		18.50	NR*
		48	5240		18.50	NR*
	802.11n40-HT0	38	5190	MCS0	16.00	15.65
		46	5230		18.50	18.48
	802.11ac40-VHT0	38	5190	MCS0	16.00	NR*
		46	5230		18.50	NR*
	802.11ax40-HE0	38	5190	MCS0	16.50	NR*
		46	5230		18.50	NR*
	802.11be40-EHT0	38	5190	MCS0	16.50	NR*
		46	5230		18.50	NR*
	802.11ac80-VHT0	42	5210	MCS0	18.00	NR*
	802.11ax80-HE0	42	5210	MCS0	18.00	NR*
	802.11be80-EHT0	42	5210	MCS0	18.00	NR*
	802.11ac160-VHT0	50	5250	MCS0	18.00	NR*
	802.11ax160-HE0	50	5250	MCS0	18.00	NR*
	802.11be160-EHT0	50	5250	MCS0	18.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4+Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.25-5.35 GHz	802.11a	52	5260	6Mbps	18.50	NR*
		56	5280		18.50	NR*
		60	5300		18.50	NR*
		64	5320		18.00	NR*
	802.11n20-HT0	52	5260	MCS0	18.50	NR*
		56	5280		18.50	NR*
		60	5300		18.00	NR*
		64	5320		18.00	NR*
	802.11ac20-VHT0	52	5260	MCS0	18.50	NR*
		56	5280		18.50	NR*
		60	5300		18.00	NR*
		64	5320		18.00	NR*
	802.11ax20-HE0	52	5260	MCS0	18.50	NR*
		56	5280		18.50	NR*
		60	5300		18.00	NR*
		64	5320		18.00	NR*
	802.11be20-EHT0	52	5260	MCS0	18.50	NR*
		56	5280		18.50	NR*
		60	5300		18.00	NR*
		64	5320		18.00	NR*
	802.11n40-HT0	54	5270	MCS0	18.50	18.46
		62	5310		17.50	17.42
	802.11ac40-VHT0	54	5270	MCS0	18.50	NR*
		62	5310		17.50	NR*
	802.11ax40-HE0	54	5270	MCS0	18.50	NR*
		62	5310		17.50	NR*
	802.11be40-EHT0	54	5270	MCS0	18.50	NR*
		62	5310		17.50	NR*
	802.11ac80-VHT0	58	5290	MCS0	18.00	NR*
	802.11ax80-HE0	58	5290	MCS0	18.00	NR*
	802.11be80-EHT0	58	5290	MCS0	18.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4+Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.6GHz	802.11a	100	5500	6Mbps	17.50	NR*
		120	5600		17.50	NR*
		140	5700		17.50	NR*
		144	5720		17.50	NR*
	802.11n20-HT0	100	5500	MCS0	17.50	NR*
		120	5600		17.50	NR*
		140	5700		17.50	NR*
		144	5720		17.50	NR*
	802.11ac20-VHT0	100	5500	MCS0	17.50	NR*
		120	5600		17.50	NR*
		140	5700		17.50	NR*
		144	5720		17.50	NR*
	802.11ax20-HE0	100	5500	MCS0	17.50	NR*
		120	5600		17.50	NR*
		140	5700		17.50	NR*
		144	5720		17.50	NR*
	802.11be20-EHT0	100	5500	MCS0	17.50	NR*
		120	5600		17.50	NR*
		140	5700		17.50	NR*
		144	5720		17.50	NR*
	802.11n40-HT0	102	5510	MCS0	17.00	NR*
		118	5590		17.50	NR*
		134	5670		17.50	NR*
		142	5710		17.50	NR*
	802.11ac40-VHT0	102	5510	MCS0	16.50	NR*
		118	5590		17.50	NR*
		134	5670		17.50	NR*
		142	5710		17.50	NR*
	802.11ax40-HE0	102	5510	MCS0	17.00	NR*
		118	5590		17.50	NR*
		134	5670		17.50	NR*
		142	5710		17.50	NR*
	802.11be40-EHT0	102	5510	MCS0	17.00	NR*
		118	5590		17.50	NR*
		134	5670		17.50	NR*
		142	5710		17.50	NR*
	802.11ac80-VHT0	106	5530	MCS0	17.50	NR*
		122	5610		17.50	NR*
		138	5690		17.50	NR*
	802.11ax80-HE0	106	5530	MCS0	17.50	NR*
		122	5610		17.50	NR*
		138	5690		17.50	NR*
	802.11be80-EHT0	106	5530	MCS0	17.50	NR*
		122	5610		17.50	NR*
		138	5690		17.50	NR*
	802.11ac160-VHT0	114	5570	MCS0	16.50	NR*
	802.11ax160-HE0	114	5570	MCS0	16.50	NR*
	802.11be160-EHT0	114	5570	MCS0	17.00	16.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant4+Ant5						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.8GHz	802.11a	149	5745	6Mbps	17.00	NR*
		157	5785		17.00	NR*
		165	5825		17.00	NR*
	802.11n20-HT0	149	5745	MCS0	17.00	NR*
		157	5785		17.00	NR*
		165	5825		17.00	NR*
	802.11ac20-VHT0	149	5745	MCS0	17.00	NR*
		157	5785		17.00	NR*
		165	5825		17.00	NR*
	802.11ax20-HE0	149	5745	MCS0	17.00	NR*
		157	5785		17.00	NR*
		165	5825		17.00	NR*
	802.11be20-EHT0	149	5745	MCS0	17.00	NR*
		157	5785		17.00	NR*
		165	5825		17.00	NR*
	802.11n40-HT0	151	5755	MCS0	17.00	NR*
		159	5795		17.00	NR*
	802.11ac40-VHT0	151	5755	MCS0	17.00	NR*
		159	5795		17.00	NR*
	802.11ax40-HE0	151	5755	MCS0	17.00	NR*
		159	5795		17.00	NR*
	802.11be40-EHT0	151	5755	MCS0	17.00	NR*
		159	5795		17.00	NR*
	802.11ac80-VHT0	155	5775	MCS0	17.00	16.92
	802.11ax80-HE0	155	5775	MCS0	17.00	NR*
	802.11be80-EHT0	155	5775	MCS0	17.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant4+Ant5						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
5.9GHz	802.11a	169	5845	6Mbps	17.00	NR*
		173	5865		17.00	NR*
		177	5885		17.00	NR*
	802.11n20-HT0	169	5845	MCS0	17.00	NR*
		173	5865		17.00	NR*
		177	5885		17.00	NR*
	802.11ac20-VHT0	169	5845	MCS0	17.00	NR*
		173	5865		17.00	NR*
		177	5885		17.00	NR*
	802.11ax20-HE0	169	5845	MCS0	17.00	NR*
		173	5865		17.00	NR*
		177	5885		17.00	NR*
	802.11be20-EHT0	169	5845	MCS0	17.00	NR*
		173	5865		17.00	NR*
		177	5885		17.00	NR*
	802.11n40-HT0	167	5835	MCS0	17.00	NR*
		175	5875		17.00	NR*
	802.11ac40-VHT0	167	5835	MCS0	17.00	NR*
		175	5875		17.00	NR*
	802.11ax40-HE0	167	5835	MCS0	17.00	NR*
		175	5875		17.00	NR*
	802.11be40-EHT0	167	5835	MCS0	17.00	NR*
		175	5875		17.00	NR*
	802.11ac80-VHT0	171	5855	MCS0	17.00	NR*
	802.11ax80-HE0	171	5855	MCS0	17.00	NR*
	802.11be80-EHT0	171	5855	MCS0	17.00	NR*
	802.11ac160-VHT0	163	5815	MCS0	17.00	16.90
	802.11ax160-HE0	163	5815	MCS0	17.00	NR*
	802.11be160-EHT0	163	5815	MCS0	17.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

6.10 WLAN 6GHz

Head DSI6_SISO

Ant4						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
U-NII-5 6.2GHz	802.11a	1	5955	6Mbps	9.00	NR*
		45	6175		9.50	NR*
		93	6415		8.50	NR*
	802.11n20-HT0	1	5955	MCS0	9.50	NR*
		45	6175		10.50	NR*
		93	6415		8.00	NR*
	802.11ac20-VHT0	1	5955	MCS0	9.50	NR*
		45	6175		10.50	NR*
		93	6415		8.00	NR*
	802.11ax20-HE0	1	5955	MCS0	9.50	NR*
		45	6175		10.50	NR*
		93	6415		8.00	NR*
	802.11be20-EHT0	1	5955	MCS0	9.50	NR*
		45	6175		10.50	NR*
		93	6415		8.50	NR*
	802.11n40-HT0	3	5965	MCS0	12.00	NR*
		43	6165		12.50	NR*
		91	6405		11.50	NR*
	802.11ac40-VHT0	3	5965	MCS0	12.00	NR*
		43	6165		12.50	NR*
		91	6405		11.00	NR*
	802.11ax40-HE0	3	5965	MCS0	12.00	NR*
		43	6165		12.50	NR*
		91	6405		11.00	NR*
	802.11be40-EHT0	3	5965	MCS0	12.00	NR*
		43	6165		13.00	NR*
		91	6405		11.50	NR*
	802.11ac80-VHT0	7	5985	MCS0	15.50	NR*
		39	6145		16.00	NR*
		87	6385		15.00	NR*
	802.11ax80-HE0	7	5985	MCS0	15.50	NR*
		39	6145		16.00	NR*
		87	6385		15.00	NR*
	802.11be80-EHT0	7	5985	MCS0	16.00	NR*
		39	6145		16.00	NR*
		87	6385		15.00	NR*
	802.11ac160-VHT0	15	6025	MCS0	18.50	NR*
		47	6185		18.00	NR*
		79	6345		17.00	NR*
	802.11ax160-HE0	15	6025	MCS0	18.50	NR*
		47	6185		18.00	NR*
		79	6345		17.50	NR*
	802.11be160-EHT0	15	6025	MCS0	18.50	NR*
		47	6185		18.50	NR*
		79	6345		17.50	NR*
	802.11be320-EHT0	31	6105	MCS0	19.00	18.83
		63	6265		18.50	18.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
U-NII-6 6.5GHz	802.11a	97	6435	6Mbps	9.50	NR*
		105	6475		10.00	NR*
		113	6515		10.00	NR*
	802.11n20-HT0	97	6435	MCS0	9.50	NR*
		105	6475		10.00	NR*
		113	6515		10.50	NR*
	802.11ac20-VHT0	97	6435	MCS0	9.50	NR*
		105	6475		10.00	NR*
		113	6515		10.50	NR*
	802.11ax20-HE0	97	6435	MCS0	9.50	NR*
		105	6475		10.00	NR*
		113	6515		11.00	NR*
	802.11be20-EHT0	97	6435	MCS0	9.50	NR*
		105	6475		10.00	NR*
		113	6515		11.00	NR*
	802.11n40-HT0	99	6445	MCS0	13.00	NR*
		107	6485		13.00	NR*
	802.11ac40-VHT0	99	6445	MCS0	13.00	NR*
		107	6485		13.00	NR*
	802.11ax40-HE0	99	6445	MCS0	13.00	NR*
		107	6485		13.00	NR*
	802.11be40-EHT0	99	6445	MCS0	13.00	NR*
		107	6485		13.00	NR*
	802.11ac80-VHT0	103	6465	MCS0	15.50	NR*
		119	6545		14.50	NR*
	802.11ax80-HE0	103	6465	MCS0	15.50	NR*
		119	6545		14.50	NR*
	802.11be80-EHT0	103	6465	MCS0	15.50	NR*
		119	6545		14.50	NR*
	802.11ac160-VHT0	111	6505	MCS0	18.50	18.42
	802.11ax160-HE0	111	6505	MCS0	18.50	NR*
	802.11be160-EHT0	111	6505	MCS0	18.50	NR*
	802.11be320-EHT0	95	6425	MCS0	18.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
U-NII-7 6.7GHz	802.11a	117	6535	6Mbps	8.50	NR*
		149	6695		9.50	NR*
		181	6855		10.00	NR*
	802.11n20-HT0	117	6535	MCS0	8.50	NR*
		149	6695		10.00	NR*
		181	6855		11.00	NR*
	802.11ac20-VHT0	117	6535	MCS0	8.50	NR*
		149	6695		9.50	NR*
		181	6855		11.00	NR*
	802.11ax20-HE0	117	6535	MCS0	8.50	NR*
		149	6695		10.00	NR*
		181	6855		11.00	NR*
	802.11be20-EHT0	117	6535	MCS0	8.50	NR*
		149	6695		10.00	NR*
		181	6855		11.50	NR*
	802.11n40-HT0	115	6525	MCS0	13.50	NR*
		147	6685		12.50	NR*
		179	6845		13.00	NR*
	802.11ac40-VHT0	115	6525	MCS0	13.50	NR*
		147	6685		12.50	NR*
		179	6845		13.00	NR*
	802.11ax40-HE0	115	6525	MCS0	13.50	NR*
		147	6685		12.50	NR*
		179	6845		13.00	NR*
	802.11be40-EHT0	115	6525	MCS0	13.50	NR*
		147	6685		12.50	NR*
		179	6845		13.00	NR*
	802.11ac80-VHT0	135	6625	MCS0	14.00	NR*
		151	6705		15.50	NR*
		167	6785		16.00	NR*
	802.11ax80-HE0	135	6625	MCS0	14.00	NR*
		151	6705		15.50	NR*
		167	6785		16.00	NR*
	802.11be80-EHT0	135	6625	MCS0	14.50	NR*
		151	6705		16.00	NR*
		167	6785		16.00	NR*
	802.11ac160-VHT0	143	6665	MCS0	17.50	17.46
		175	6825		18.50	18.23
		143	6665	MCS0	17.50	NR*
	802.11ax160-HE0	175	6825		18.50	NR*
		143	6665	MCS0	17.50	NR*
	802.11be160-EHT0	175	6825		18.50	NR*
		127	6585	MCS0	17.50	NR*
		159	6745		18.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
U-NII-8 7.0GHz	802.11a	185	6875	6Mbps	10.00	NR*
		209	6995		9.00	NR*
		233	7115		-7.00	NR*
	802.11n20-HT0	185	6875	MCS0	10.00	NR*
		209	6995		9.00	NR*
		233	7115		-7.00	NR*
	802.11ac20-VHT0	185	6875	MCS0	10.00	NR*
		209	6995		9.00	NR*
		233	7115		-7.50	NR*
	802.11ax20-HE0	185	6875	MCS0	10.00	NR*
		209	6995		9.00	NR*
		233	7115		-7.00	NR*
	802.11be20-EHT0	185	6875	MCS0	10.00	NR*
		209	6995		9.00	NR*
		233	7115		-7.00	NR*
	802.11n40-HT0	187	6885	MCS0	12.50	NR*
		227	7085		11.50	NR*
	802.11ac40-VHT0	187	6885	MCS0	12.50	NR*
		227	7085		11.50	NR*
	802.11ax40-HE0	187	6885	MCS0	12.50	NR*
		227	7085		11.50	NR*
	802.11be40-EHT0	187	6885	MCS0	12.50	NR*
		227	7085		11.50	NR*
	802.11ac80-VHT0	183	6865	MCS0	16.00	NR*
		199	6945		15.00	NR*
		215	7025		14.50	NR*
	802.11ax80-HE0	183	6865	MCS0	16.00	NR*
		199	6945		15.00	NR*
		215	7025		14.50	NR*
	802.11be80-EHT0	183	6865	MCS0	16.00	NR*
		199	6945		15.00	NR*
		215	7025		14.50	NR*
	802.11ac160-VHT0	207	6985	MCS0	17.00	NR*
	802.11ax160-HE0	207	6985	MCS0	17.00	NR*
	802.11be160-EHT0	207	6985	MCS0	17.50	NR*
	802.11be320-EHT0	191	6905	MCS0	17.50	17.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
U-NII-5 6.2GHz	802.11a	1	5955	6Mbps	9.50	NR*
		45	6175		9.50	NR*
		93	6415		9.00	NR*
	802.11n20-HT0	1	5955	MCS0	9.50	NR*
		45	6175		10.50	NR*
		93	6415		8.50	NR*
	802.11ac20-VHT0	1	5955	MCS0	9.50	NR*
		45	6175		10.50	NR*
		93	6415		8.50	NR*
	802.11ax20-HE0	1	5955	MCS0	9.50	NR*
		45	6175		10.50	NR*
		93	6415		8.50	NR*
	802.11be20-EHT0	1	5955	MCS0	9.50	NR*
		45	6175		10.50	NR*
		93	6415		8.50	NR*
	802.11n40-HT0	3	5965	MCS0	12.00	NR*
		43	6165		13.00	NR*
		91	6405		11.50	NR*
	802.11ac40-VHT0	3	5965	MCS0	12.00	NR*
		43	6165		13.00	NR*
		91	6405		11.50	NR*
	802.11ax40-HE0	3	5965	MCS0	12.00	NR*
		43	6165		13.00	NR*
		91	6405		11.50	NR*
	802.11be40-EHT0	3	5965	MCS0	12.50	NR*
		43	6165		13.00	NR*
		91	6405		11.50	NR*
	802.11ac80-VHT0	7	5985	MCS0	15.00	NR*
		39	6145		15.50	NR*
		87	6385		15.00	NR*
	802.11ax80-HE0	7	5985	MCS0	15.00	NR*
		39	6145		15.50	NR*
		87	6385		15.00	NR*
	802.11be80-EHT0	7	5985	MCS0	15.00	NR*
		39	6145		15.50	NR*
		87	6385		15.00	NR*
	802.11ac160-VHT0	15	6025	MCS0	17.50	17.40
		47	6185		18.00	17.87
		79	6345		17.50	17.41
	802.11ax160-HE0	15	6025	MCS0	17.50	NR*
		47	6185		18.00	NR*
		79	6345		17.50	NR*
	802.11be160-EHT0	15	6025	MCS0	18.00	NR*
		47	6185		18.00	NR*
		79	6345		17.50	NR*
	802.11be320-EHT0	31	6105	MCS0	17.50	NR*
		63	6265		17.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
U-NII-6 6.5GHz	802.11a	97	6435	6Mbps	10.00	NR*
		105	6475		10.50	NR*
		113	6515		10.50	NR*
	802.11n20-HT0	97	6435	MCS0	10.00	NR*
		105	6475		10.50	NR*
		113	6515		11.00	NR*
	802.11ac20-VHT0	97	6435	MCS0	10.00	NR*
		105	6475		10.50	NR*
		113	6515		11.00	NR*
	802.11ax20-HE0	97	6435	MCS0	10.00	NR*
		105	6475		10.50	NR*
		113	6515		11.00	NR*
	802.11be20-EHT0	97	6435	MCS0	10.00	NR*
		105	6475		10.50	NR*
		113	6515		11.00	NR*
	802.11n40-HT0	99	6445	MCS0	13.00	NR*
		107	6485		13.00	NR*
	802.11ac40-VHT0	99	6445	MCS0	13.00	NR*
		107	6485		13.00	NR*
	802.11ax40-HE0	99	6445	MCS0	13.00	NR*
		107	6485		13.00	NR*
	802.11be40-EHT0	99	6445	MCS0	13.00	NR*
		107	6485		13.00	NR*
	802.11ac80-VHT0	103	6465	MCS0	15.50	NR*
		119	6545		14.50	NR*
	802.11ax80-HE0	103	6465	MCS0	15.50	NR*
		119	6545		14.50	NR*
	802.11be80-EHT0	103	6465	MCS0	16.00	NR*
		119	6545		14.50	NR*
	802.11ac160-VHT0	111	6505	MCS0	18.00	17.75
	802.11ax160-HE0	111	6505	MCS0	18.00	NR*
	802.11be160-EHT0	111	6505	MCS0	18.00	NR*
	802.11be320-EHT0	95	6425	MCS0	17.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
U-NII-7 6.7GHz	802.11a	117	6535	6Mbps	9.00	NR*
		149	6695		10.00	NR*
		181	6855		9.50	NR*
	802.11n20-HT0	117	6535	MCS0	9.00	NR*
		149	6695		10.00	NR*
		181	6855		10.50	NR*
	802.11ac20-VHT0	117	6535	MCS0	9.00	NR*
		149	6695		10.00	NR*
		181	6855		10.50	NR*
	802.11ax20-HE0	117	6535	MCS0	9.00	NR*
		149	6695		10.00	NR*
		181	6855		10.50	NR*
	802.11be20-EHT0	117	6535	MCS0	9.00	NR*
		149	6695		10.00	NR*
		181	6855		10.50	NR*
	802.11n40-HT0	115	6525	MCS0	13.50	NR*
		147	6685		13.00	NR*
		179	6845		13.00	NR*
	802.11ac40-VHT0	115	6525	MCS0	13.50	NR*
		147	6685		12.50	NR*
		179	6845		13.00	NR*
	802.11ax40-HE0	115	6525	MCS0	13.50	NR*
		147	6685		12.50	NR*
		179	6845		13.00	NR*
	802.11be40-EHT0	115	6525	MCS0	14.00	NR*
		147	6685		13.00	NR*
		179	6845		13.00	NR*
	802.11ac80-VHT0	135	6625	MCS0	14.50	NR*
		151	6705		16.00	NR*
		167	6785		15.50	NR*
	802.11ax80-HE0	135	6625	MCS0	14.50	NR*
		151	6705		16.00	NR*
		167	6785		15.50	NR*
	802.11be80-EHT0	135	6625	MCS0	14.50	NR*
		151	6705		16.00	NR*
		167	6785		16.00	NR*
	802.11ac160-VHT0	143	6665	MCS0	17.50	17.49
		175	6825		17.50	17.48
	802.11ax160-HE0	143	6665	MCS0	17.50	NR*
		175	6825		17.50	NR*
	802.11be160-EHT0	143	6665	MCS0	17.50	NR*
		175	6825		17.50	NR*
	802.11be320-EHT0	127	6585	MCS0	17.00	NR*
		159	6745		17.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
U-NII-8 7.0GHz	802.11a	185	6875	6Mbps	9.50	NR*
		209	6995		9.00	NR*
		233	7115		-8.50	NR*
	802.11n20-HT0	185	6875	MCS0	9.50	NR*
		209	6995		9.00	NR*
		233	7115		-8.50	NR*
	802.11ac20-VHT0	185	6875	MCS0	9.50	NR*
		209	6995		9.00	NR*
		233	7115		-8.50	NR*
	802.11ax20-HE0	185	6875	MCS0	9.50	NR*
		209	6995		8.00	NR*
		233	7115		-8.00	NR*
	802.11be20-EHT0	185	6875	MCS0	10.00	NR*
		209	6995		9.00	NR*
		233	7115		-8.00	NR*
	802.11n40-HT0	187	6885	MCS0	13.00	NR*
		227	7085		11.50	NR*
	802.11ac40-VHT0	187	6885	MCS0	13.00	NR*
		227	7085		11.50	NR*
	802.11ax40-HE0	187	6885	MCS0	12.50	NR*
		227	7085		11.50	NR*
	802.11be40-EHT0	187	6885	MCS0	12.50	NR*
		227	7085		11.50	NR*
	802.11ac80-VHT0	183	6865	MCS0	16.00	NR*
		199	6945		14.50	NR*
		215	7025		14.50	NR*
	802.11ax80-HE0	183	6865	MCS0	16.00	NR*
		199	6945		14.50	NR*
		215	7025		14.50	NR*
	802.11be80-EHT0	183	6865	MCS0	16.00	NR*
		199	6945		14.50	NR*
		215	7025		14.50	NR*
	802.11ac160-VHT0	207	6985	MCS0	17.00	16.98
	802.11ax160-HE0	207	6985	MCS0	17.00	NR*
	802.11be160-EHT0	207	6985	MCS0	17.00	NR*
	802.11be320-EHT0	191	6905	MCS0	16.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

DSI6 MIMO

Ant4+Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
U-NII-5 6.2GHz	802.11a	1	5955	6Mbps	12.00	NR*
		45	6175		12.50	NR*
		93	6415		11.50	NR*
	802.11n20-HT0	1	5955	MCS0	12.50	NR*
		45	6175		13.50	NR*
		93	6415		11.00	NR*
	802.11ac20-VHT0	1	5955	MCS0	12.50	NR*
		45	6175		13.50	NR*
		93	6415		11.00	NR*
	802.11ax20-HE0	1	5955	MCS0	12.50	NR*
		45	6175		13.50	NR*
		93	6415		11.00	NR*
	802.11be20-EHT0	1	5955	MCS0	12.50	NR*
		45	6175		13.50	NR*
		93	6415		11.50	NR*
	802.11n40-HT0	3	5965	MCS0	15.00	NR*
		43	6165		15.50	NR*
		91	6405		14.50	NR*
	802.11ac40-VHT0	3	5965	MCS0	15.00	NR*
		43	6165		15.50	NR*
		91	6405		14.00	NR*
	802.11ax40-HE0	3	5965	MCS0	15.00	NR*
		43	6165		15.50	NR*
		91	6405		14.00	NR*
	802.11be40-EHT0	3	5965	MCS0	15.00	NR*
		43	6165		16.00	NR*
		91	6405		14.50	NR*
	802.11ac80-VHT0	7	5985	MCS0	18.00	NR*
		39	6145		18.50	NR*
		87	6385		18.00	NR*
	802.11ax80-HE0	7	5985	MCS0	18.00	NR*
		39	6145		18.50	NR*
		87	6385		18.00	NR*
	802.11be80-EHT0	7	5985	MCS0	18.50	NR*
		39	6145		18.50	NR*
		87	6385		18.00	NR*
	802.11ac160-VHT0	15	6025	MCS0	21.00	NR*
		47	6185		21.00	NR*
		79	6345		20.00	NR*
	802.11ax160-HE0	15	6025	MCS0	21.00	NR*
		47	6185		21.00	NR*
		79	6345		20.50	NR*
	802.11be160-EHT0	15	6025	MCS0	21.00	NR*
		47	6185		21.00	NR*
		79	6345		20.50	NR*
	802.11be320-EHT0	31	6105	MCS0	21.00	20.97
		63	6265		21.00	20.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4+Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
U-NII-6 6.5GHz	802.11a	97	6435	6Mbps	12.50	NR*
		105	6475		13.00	NR*
		113	6515		13.00	NR*
	802.11n20-HT0	97	6435	MCS0	12.50	NR*
		105	6475		13.00	NR*
		113	6515		13.50	NR*
	802.11ac20-VHT0	97	6435	MCS0	12.50	NR*
		105	6475		13.00	NR*
		113	6515		13.50	NR*
	802.11ax20-HE0	97	6435	MCS0	12.50	NR*
		105	6475		13.00	NR*
		113	6515		14.00	NR*
	802.11be20-EHT0	97	6435	MCS0	12.50	NR*
		105	6475		13.00	NR*
		113	6515		14.00	NR*
	802.11n40-HT0	99	6445	MCS0	16.00	NR*
		107	6485		16.00	NR*
	802.11ac40-VHT0	99	6445	MCS0	16.00	NR*
		107	6485		16.00	NR*
	802.11ax40-HE0	99	6445	MCS0	16.00	NR*
		107	6485		16.00	NR*
	802.11be40-EHT0	99	6445	MCS0	16.00	NR*
		107	6485		16.00	NR*
	802.11ac80-VHT0	103	6465	MCS0	18.50	NR*
		119	6545		17.50	NR*
	802.11ax80-HE0	103	6465	MCS0	18.50	NR*
		119	6545		17.50	NR*
	802.11be80-EHT0	103	6465	MCS0	18.50	NR*
		119	6545		17.50	NR*
	802.11ac160-VHT0	111	6505	MCS0	21.00	20.87
	802.11ax160-HE0	111	6505	MCS0	21.00	NR*
	802.11be160-EHT0	111	6505	MCS0	21.00	NR*
	802.11be320-EHT0	95	6425	MCS0	20.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4+Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
U-NII-7 6.7GHz	802.11a	117	6535	6Mbps	11.50	NR*
		149	6695		12.50	NR*
		181	6855		12.50	NR*
	802.11n20-HT0	117	6535	MCS0	11.50	NR*
		149	6695		13.00	NR*
		181	6855		13.50	NR*
	802.11ac20-VHT0	117	6535	MCS0	11.50	NR*
		149	6695		12.50	NR*
		181	6855		13.50	NR*
	802.11ax20-HE0	117	6535	MCS0	11.50	NR*
		149	6695		13.00	NR*
		181	6855		13.50	NR*
	802.11be20-EHT0	117	6535	MCS0	11.50	NR*
		149	6695		13.00	NR*
		181	6855		14.00	NR*
	802.11n40-HT0	115	6525	MCS0	16.50	NR*
		147	6685		15.50	NR*
		179	6845		16.00	NR*
	802.11ac40-VHT0	115	6525	MCS0	16.50	NR*
		147	6685		15.50	NR*
		179	6845		16.00	NR*
	802.11ax40-HE0	115	6525	MCS0	16.50	NR*
		147	6685		15.50	NR*
		179	6845		16.00	NR*
	802.11be40-EHT0	115	6525	MCS0	16.50	NR*
		147	6685		15.50	NR*
		179	6845		16.00	NR*
	802.11ac80-VHT0	135	6625	MCS0	17.00	NR*
		151	6705		18.50	NR*
		167	6785		18.50	NR*
	802.11ax80-HE0	135	6625	MCS0	17.00	NR*
		151	6705		18.50	NR*
		167	6785		18.50	NR*
	802.11be80-EHT0	135	6625	MCS0	17.50	NR*
		151	6705		19.00	NR*
		167	6785		19.00	NR*
	802.11ac160-VHT0	143	6665	MCS0	20.50	NR*
		175	6825		21.00	20.85
	802.11ax160-HE0	143	6665	MCS0	20.50	NR*
		175	6825		21.00	NR*
	802.11be160-EHT0	143	6665	MCS0	20.50	NR*
		175	6825		21.00	NR*
	802.11be320-EHT0	127	6585	MCS0	20.00	NR*
		159	6745		20.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant4+Ant5						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
U-NII-8 7.0GHz	802.11a	185	6875	6Mbps	12.50	NR*
		209	6995		12.00	NR*
		233	7115		-5.00	NR*
	802.11n20-HT0	185	6875	MCS0	12.50	NR*
		209	6995		12.00	NR*
		233	7115		-5.00	NR*
	802.11ac20-VHT0	185	6875	MCS0	12.50	NR*
		209	6995		12.00	NR*
		233	7115		-5.00	NR*
	802.11ax20-HE0	185	6875	MCS0	12.50	NR*
		209	6995		11.50	NR*
		233	7115		-4.50	NR*
	802.11be20-EHT0	185	6875	MCS0	13.00	NR*
		209	6995		12.00	NR*
		233	7115		-4.50	NR*
	802.11n40-HT0	187	6885	MCS0	15.50	NR*
		227	7085		14.50	NR*
	802.11ac40-VHT0	187	6885	MCS0	15.50	NR*
		227	7085		14.50	NR*
	802.11ax40-HE0	187	6885	MCS0	15.50	NR*
		227	7085		14.50	NR*
	802.11be40-EHT0	187	6885	MCS0	15.50	NR*
		227	7085		14.50	NR*
	802.11ac80-VHT0	183	6865	MCS0	19.00	NR*
		199	6945		17.50	NR*
		215	7025		17.50	NR*
	802.11ax80-HE0	183	6865	MCS0	19.00	NR*
		199	6945		17.50	NR*
		215	7025		17.50	NR*
	802.11be80-EHT0	183	6865	MCS0	19.00	NR*
		199	6945		17.50	NR*
		215	7025		17.50	NR*
	802.11ac160-VHT0	207	6985	MCS0	20.00	NR*
	802.11ax160-HE0	207	6985	MCS0	20.00	NR*
	802.11be160-EHT0	207	6985	MCS0	20.00	NR*
	802.11be320-EHT0	191	6905	MCS0	20.00	19.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
U-NII-5 6.2GHz	802.11a	1	5955	6Mbps	9.00	NR*
		45	6175		9.50	NR*
		93	6415		8.50	NR*
	802.11n20-HT0	1	5955	MCS0	9.50	NR*
		45	6175		10.50	NR*
		93	6415		8.00	NR*
	802.11ac20-VHT0	1	5955	MCS0	9.50	NR*
		45	6175		10.50	NR*
		93	6415		8.00	NR*
	802.11ax20-HE0	1	5955	MCS0	9.50	NR*
		45	6175		10.50	NR*
		93	6415		8.00	NR*
	802.11be20-EHT0	1	5955	MCS0	9.50	NR*
		45	6175		10.50	NR*
		93	6415		8.50	NR*
	802.11n40-HT0	3	5965	MCS0	12.00	NR*
		43	6165		12.50	NR*
		91	6405		11.50	NR*
	802.11ac40-VHT0	3	5965	MCS0	12.00	NR*
		43	6165		12.50	NR*
		91	6405		11.00	NR*
	802.11ax40-HE0	3	5965	MCS0	12.00	NR*
		43	6165		12.50	NR*
		91	6405		11.00	NR*
	802.11be40-EHT0	3	5965	MCS0	12.00	NR*
		43	6165		13.00	NR*
		91	6405		11.50	NR*
	802.11ac80-VHT0	7	5985	MCS0	15.50	NR*
		39	6145		16.00	NR*
		87	6385		15.00	NR*
	802.11ax80-HE0	7	5985	MCS0	15.50	NR*
		39	6145		16.00	NR*
		87	6385		15.00	NR*
	802.11be80-EHT0	7	5985	MCS0	16.00	NR*
		39	6145		16.00	NR*
		87	6385		15.00	NR*
	802.11ac160-VHT0	15	6025	MCS0	16.00	NR*
		47	6185		16.00	NR*
		79	6345		16.00	NR*
	802.11ax160-HE0	15	6025	MCS0	16.00	NR*
		47	6185		16.00	NR*
		79	6345		16.00	NR*
	802.11be160-EHT0	15	6025	MCS0	16.00	NR*
		47	6185		16.00	NR*
		79	6345		16.00	NR*
	802.11be320-EHT0	31	6105	MCS0	16.00	15.98
		63	6265		16.00	15.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Ant4						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
U-NII-6 6.5GHz	802.11a	97	6435	6Mbps	9.50	NR*
		105	6475		10.00	NR*
		113	6515		10.00	NR*
	802.11n20-HT0	97	6435	MCS0	9.50	NR*
		105	6475		10.00	NR*
		113	6515		10.50	NR*
	802.11ac20-VHT0	97	6435	MCS0	9.50	NR*
		105	6475		10.00	NR*
		113	6515		10.50	NR*
	802.11ax20-HE0	97	6435	MCS0	9.50	NR*
		105	6475		10.00	NR*
		113	6515		11.00	NR*
	802.11be20-EHT0	97	6435	MCS0	9.50	NR*
		105	6475		10.00	NR*
		113	6515		11.00	NR*
	802.11n40-HT0	99	6445	MCS0	13.00	NR*
		107	6485		13.00	NR*
	802.11ac40-VHT0	99	6445	MCS0	13.00	NR*
		107	6485		13.00	NR*
	802.11ax40-HE0	99	6445	MCS0	13.00	NR*
		107	6485		13.00	NR*
	802.11be40-EHT0	99	6445	MCS0	13.00	NR*
		107	6485		13.00	NR*
	802.11ac80-VHT0	103	6465	MCS0	15.50	NR*
		119	6545		14.50	NR*
	802.11ax80-HE0	103	6465	MCS0	15.50	NR*
		119	6545		14.50	NR*
	802.11be80-EHT0	103	6465	MCS0	15.50	NR*
		119	6545		14.50	NR*
	802.11ac160-VHT0	111	6505	MCS0	15.50	15.42
	802.11ax160-HE0	111	6505	MCS0	15.50	NR*
	802.11be160-EHT0	111	6505	MCS0	15.50	NR*
	802.11be320-EHT0	95	6425	MCS0	15.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
U-NII-7 6.7GHz	802.11a	117	6535	6Mbps	8.50	NR*
		149	6695		9.50	NR*
		181	6855		10.00	NR*
	802.11n20-HT0	117	6535	MCS0	8.50	NR*
		149	6695		10.00	NR*
		181	6855		11.00	NR*
	802.11ac20-VHT0	117	6535	MCS0	8.50	NR*
		149	6695		9.50	NR*
		181	6855		11.00	NR*
	802.11ax20-HE0	117	6535	MCS0	8.50	NR*
		149	6695		10.00	NR*
		181	6855		11.00	NR*
	802.11be20-EHT0	117	6535	MCS0	8.50	NR*
		149	6695		10.00	NR*
		181	6855		11.50	NR*
	802.11n40-HT0	115	6525	MCS0	13.50	NR*
		147	6685		12.50	NR*
		179	6845		13.00	NR*
	802.11ac40-VHT0	115	6525	MCS0	13.50	NR*
		147	6685		12.50	NR*
		179	6845		13.00	NR*
	802.11ax40-HE0	115	6525	MCS0	13.50	NR*
		147	6685		12.50	NR*
		179	6845		13.00	NR*
	802.11be40-EHT0	115	6525	MCS0	13.50	NR*
		147	6685		12.50	NR*
		179	6845		13.00	NR*
	802.11ac80-VHT0	135	6625	MCS0	14.00	NR*
		151	6705		15.50	NR*
		167	6785		15.50	NR*
	802.11ax80-HE0	135	6625	MCS0	14.00	NR*
		151	6705		15.50	NR*
		167	6785		15.50	NR*
	802.11be80-EHT0	135	6625	MCS0	14.50	NR*
		151	6705		15.50	NR*
		167	6785		15.50	NR*
	802.11ac160-VHT0	143	6665	MCS0	15.50	15.46
		175	6825		15.50	15.23
	802.11ax160-HE0	143	6665	MCS0	15.50	NR*
		175	6825		15.50	NR*
	802.11be160-EHT0	143	6665	MCS0	15.50	NR*
		175	6825		15.50	NR*
	802.11be320-EHT0	127	6585	MCS0	15.50	NR*
		159	6745		15.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant4						
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
U-NII-8 7.0GHz	802.11a	185	6875	6Mbps	10.00	NR*
		209	6995		9.00	NR*
		233	7115		-7.00	NR*
	802.11n20-HT0	185	6875	MCS0	10.00	NR*
		209	6995		9.00	NR*
		233	7115		-7.00	NR*
	802.11ac20-VHT0	185	6875	MCS0	10.00	NR*
		209	6995		9.00	NR*
		233	7115		-7.50	NR*
	802.11ax20-HE0	185	6875	MCS0	10.00	NR*
		209	6995		9.00	NR*
		233	7115		-7.00	NR*
	802.11be20-EHT0	185	6875	MCS0	10.00	NR*
		209	6995		9.00	NR*
		233	7115		-7.00	NR*
	802.11n40-HT0	187	6885	MCS0	12.50	NR*
		227	7085		11.50	NR*
	802.11ac40-VHT0	187	6885	MCS0	12.50	NR*
		227	7085		11.50	NR*
	802.11ax40-HE0	187	6885	MCS0	12.50	NR*
		227	7085		11.50	NR*
	802.11be40-EHT0	187	6885	MCS0	12.50	NR*
		227	7085		11.50	NR*
	802.11ac80-VHT0	183	6865	MCS0	14.50	NR*
		199	6945		14.50	NR*
		215	7025		14.50	NR*
	802.11ax80-HE0	183	6865	MCS0	14.50	NR*
		199	6945		14.50	NR*
		215	7025		14.50	NR*
	802.11be80-EHT0	183	6865	MCS0	14.50	NR*
		199	6945		14.50	NR*
		215	7025		14.50	NR*
	802.11ac160-VHT0	207	6985	MCS0	14.50	NR*
	802.11ax160-HE0	207	6985	MCS0	14.50	NR*
	802.11be160-EHT0	207	6985	MCS0	14.50	NR*
	802.11be320-EHT0	191	6905	MCS0	14.50	14.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
U-NII-5 6.2GHz	802.11a	1	5955	6Mbps	9.50	NR*
		45	6175		9.50	NR*
		93	6415		9.00	NR*
	802.11n20-HT0	1	5955	MCS0	9.50	NR*
		45	6175		10.50	NR*
		93	6415		8.50	NR*
	802.11ac20-VHT0	1	5955	MCS0	9.50	NR*
		45	6175		10.50	NR*
		93	6415		8.50	NR*
	802.11ax20-HE0	1	5955	MCS0	9.50	NR*
		45	6175		10.50	NR*
		93	6415		8.50	NR*
	802.11be20-EHT0	1	5955	MCS0	9.50	NR*
		45	6175		10.50	NR*
		93	6415		8.50	NR*
	802.11n40-HT0	3	5965	MCS0	12.00	NR*
		43	6165		13.00	NR*
		91	6405		11.50	NR*
	802.11ac40-VHT0	3	5965	MCS0	12.00	NR*
		43	6165		13.00	NR*
		91	6405		11.50	NR*
	802.11ax40-HE0	3	5965	MCS0	12.00	NR*
		43	6165		13.00	NR*
		91	6405		11.50	NR*
	802.11be40-EHT0	3	5965	MCS0	12.50	NR*
		43	6165		13.00	NR*
		91	6405		11.50	NR*
	802.11ac80-VHT0	7	5985	MCS0	15.00	NR*
		39	6145		15.00	NR*
		87	6385		15.00	NR*
	802.11ax80-HE0	7	5985	MCS0	15.00	NR*
		39	6145		15.00	NR*
		87	6385		15.00	NR*
	802.11be80-EHT0	7	5985	MCS0	15.00	NR*
		39	6145		15.00	NR*
		87	6385		15.00	NR*
	802.11ac160-VHT0	15	6025	MCS0	15.00	14.94
		47	6185		15.00	14.99
		79	6345		15.00	14.81
	802.11ax160-HE0	15	6025	MCS0	15.00	NR*
		47	6185		15.00	NR*
		79	6345		15.00	NR*
	802.11be160-EHT0	15	6025	MCS0	15.00	NR*
		47	6185		15.00	NR*
		79	6345		15.00	NR*
	802.11be320-EHT0	31	6105	MCS0	15.00	NR*
		63	6265		15.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
U-NII-6 6.5GHz	802.11a	97	6435	6Mbps	10.00	NR*
		105	6475		10.50	NR*
		113	6515		10.50	NR*
	802.11n20-HT0	97	6435	MCS0	10.00	NR*
		105	6475		10.50	NR*
		113	6515		11.00	NR*
	802.11ac20-VHT0	97	6435	MCS0	10.00	NR*
		105	6475		10.50	NR*
		113	6515		11.00	NR*
	802.11ax20-HE0	97	6435	MCS0	10.00	NR*
		105	6475		10.50	NR*
		113	6515		11.00	NR*
	802.11be20-EHT0	97	6435	MCS0	10.00	NR*
		105	6475		10.50	NR*
		113	6515		11.00	NR*
	802.11n40-HT0	99	6445	MCS0	13.00	NR*
		107	6485		13.00	NR*
	802.11ac40-VHT0	99	6445	MCS0	13.00	NR*
		107	6485		13.00	NR*
	802.11ax40-HE0	99	6445	MCS0	13.00	NR*
		107	6485		13.00	NR*
	802.11be40-EHT0	99	6445	MCS0	13.00	NR*
		107	6485		13.00	NR*
	802.11ac80-VHT0	103	6465	MCS0	15.00	NR*
		119	6545		14.50	NR*
	802.11ax80-HE0	103	6465	MCS0	15.00	NR*
		119	6545		14.50	NR*
	802.11be80-EHT0	103	6465	MCS0	15.00	NR*
		119	6545		14.50	NR*
	802.11ac160-VHT0	111	6505	MCS0	15.00	14.75
	802.11ax160-HE0	111	6505	MCS0	15.00	NR*
	802.11be160-EHT0	111	6505	MCS0	15.00	NR*
	802.11be320-EHT0	95	6425	MCS0	15.00	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Ant5						
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
U-NII-7 6.7GHz	802.11a	117	6535	6Mbps	9.00	NR*
		149	6695		10.00	NR*
		181	6855		9.50	NR*
	802.11n20-HT0	117	6535	MCS0	9.00	NR*
		149	6695		10.00	NR*
		181	6855		10.50	NR*
	802.11ac20-VHT0	117	6535	MCS0	9.00	NR*
		149	6695		10.00	NR*
		181	6855		10.50	NR*
	802.11ax20-HE0	117	6535	MCS0	9.00	NR*
		149	6695		10.00	NR*
		181	6855		10.50	NR*
	802.11be20-EHT0	117	6535	MCS0	9.00	NR*
		149	6695		10.00	NR*
		181	6855		10.50	NR*
	802.11n40-HT0	115	6525	MCS0	13.50	NR*
		147	6685		13.00	NR*
		179	6845		13.00	NR*
	802.11ac40-VHT0	115	6525	MCS0	13.50	NR*
		147	6685		12.50	NR*
		179	6845		13.00	NR*
	802.11ax40-HE0	115	6525	MCS0	13.50	NR*
		147	6685		12.50	NR*
		179	6845		13.00	NR*
	802.11be40-EHT0	115	6525	MCS0	14.00	NR*
		147	6685		13.00	NR*
		179	6845		13.00	NR*
	802.11ac80-VHT0	135	6625	MCS0	14.50	NR*
		151	6705		14.50	NR*
		167	6785		14.50	NR*
	802.11ax80-HE0	135	6625	MCS0	14.50	NR*
		151	6705		14.50	NR*
		167	6785		14.50	NR*
	802.11be80-EHT0	135	6625	MCS0	14.50	NR*
		151	6705		14.50	NR*
		167	6785		14.50	NR*
	802.11ac160-VHT0	143	6665	MCS0	14.50	14.49
		175	6825		14.50	14.48
	802.11ax160-HE0	143	6665	MCS0	14.50	NR*
		175	6825		14.50	NR*
	802.11be160-EHT0	143	6665	MCS0	14.50	NR*
		175	6825		14.50	NR*
	802.11be320-EHT0	127	6585	MCS0	14.50	NR*
		159	6745		14.50	NR*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group