






DH5_Ant1_2480_30~1000




DH5_Ant1_2480_1000~26500






2DH5_Ant1_2402_0~Reference




2DH5_Ant1_2402_30~1000






2DH5_Ant1_2402_1000~26500




2DH5_Ant1_2441_0~Reference






2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500






2DH5_Ant1_2480_0~Reference




2DH5_Ant1_2480_30~1000





2DH5_Ant1_2480_1000~26500





A.8 Emissions in Restricted Bands

Test Result

TestMode	Antenna	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-58.27	≤-41.20	36.93	≤54	PASS
				AV	2380.010	-55.47	≤-41.20	39.73	≤54	PASS
				AV	2390.000	-56.39	≤-41.20	38.81	≤54	PASS
				Peak	2310.000	-53	≤-21.20	42.20	≤74	PASS
				Peak	2381.375	-44.98	≤-21.20	50.22	≤74	PASS
				Peak	2390.000	-52.05	≤-21.20	43.15	≤74	PASS
		High	2480	AV	2483.500	-48.33	≤-41.20	46.87	≤54	PASS
				AV	2498.240	-47.82	≤-41.20	47.38	≤54	PASS
				AV	2500.000	-49.04	≤-41.20	46.16	≤54	PASS
				Peak	2483.500	-44.32	≤-21.20	50.88	≤74	PASS
				Peak	2493.920	-43.75	≤-21.20	51.45	≤74	PASS
				Peak	2500.000	-48.16	≤-21.20	47.04	≤74	PASS
		Low	Hop_24 02	Peak	2310.000	-49.66	≤-21.20	45.54	≤74	PASS
				Peak	2387.255	-45.69	≤-21.20	49.51	≤74	PASS
				Peak	2390.000	-46.81	≤-21.20	48.39	≤74	PASS
		High	Hop_24 80	Peak	2483.500	-42.74	≤-21.20	52.46	≤74	PASS
				Peak	2484.400	-40.55	≤-21.20	54.65	≤74	PASS
				Peak	2500.000	-44.85	≤-21.20	50.35	≤74	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-58.06	≤-41.20	37.14	≤54	PASS
				AV	2381.795	-54.7	≤-41.20	40.50	≤54	PASS
				AV	2390.000	-55.99	≤-41.20	39.21	≤54	PASS
				Peak	2310.000	-52.66	≤-21.20	42.54	≤74	PASS
				Peak	2385.995	-47.2	≤-21.20	48.00	≤74	PASS
				Peak	2390.000	-52.06	≤-21.20	43.14	≤74	PASS
		High	2480	AV	2483.500	-49.23	≤-41.20	45.97	≤54	PASS
				AV	2483.520	-49.23	≤-41.20	45.97	≤54	PASS
				AV	2500.000	-52.3	≤-41.20	42.90	≤54	PASS
				Peak	2483.500	-40.32	≤-21.20	54.88	≤74	PASS
				Peak	2483.520	-40.32	≤-21.20	54.88	≤74	PASS
				Peak	2500.000	-46.01	≤-21.20	49.19	≤74	PASS
		Low	Hop_24 02	Peak	2310.000	-49.1	≤-21.20	46.10	≤74	PASS
				Peak	2389.460	-44.3	≤-21.20	50.90	≤74	PASS
				Peak	2390.000	-45.71	≤-21.20	49.49	≤74	PASS
		High	Hop_24 80	Peak	2483.500	-42.59	≤-21.20	52.61	≤74	PASS
				Peak	2489.200	-42.28	≤-21.20	52.92	≤74	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



				Peak	2500.000	-46.81	≤-21.20	48.39	≤74	PASS
--	--	--	--	------	----------	--------	---------	-------	-----	------

Note:


- 1. The Antenna Gain is compensated in the graph.
- 2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.






Test Graphs

DH5_Ant1_Low_2402_AV




DH5_Ant1_Low_2402_Peak




DH5_Ant1_High_2480_AV






DH5_Ant1_High_2480_Peak




DH5_Ant1_Low_Hop_2402_Peak





DH5_Ant1_High_Hop_2480_Peak



2DH5_Ant1_Low_2402_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




2DH5_Ant1_Low_2402_Peak




2DH5_Ant1_High_2480_AV






2DH5_Ant1_High_2480_Peak



2DH5_Ant1_Low_Hop_2402_Peak





2DH5_Ant1_High_Hop_2480_Peak

