



Product	Module		
Test Item	Conducted Spurious Emission		
Test Mode	Mode 13: LTE CA Band 41C (FCC)		
Date of Test	2020/08/26	Test Site	SR12-H
Temperature(°C)	24	Humidity (%RH)	66

CA_41C_CH39683+CH39800_5M+20M__QPSK_1RB24+1RB0_Above 1G




Date: 17.SEP.2020 16:01:34

CA_41C_CH39683+CH39800_5M+20M__QPSK_1RB24+1RB0_Below 1G




Date: 17.SEP.2020 16:04:50

CA_41C_CH40528+CH40645_5M+20M_QPSK_1RB24+1RB0_Above 1G




Date: 17.SEP.2020 16:02:58

CA_41C_CH40528+CH40645_5M+20M_QPSK_1RB24+1RB0_Below 1G




Date: 17.SEP.2020 16:05:30

CA_41C_CH41373+CH41490_5M+20M__QPSK_1RB24+1RB0_Above 1G




Date: 17.SEP.2020 16:03:56

CA_41C_CH41373+CH41490_5M+20M__QPSK_1RB24+1RB0_Below 1G




Date: 17.SEP.2020 16:06:36

CA_41C_CH39703+CH39823_10M+15M_QPSK_1RB49+1RB0_Above 1G




Date: 17.SEP.2020 16:18:49

CA_41C_CH39703+CH39823_10M+15M_QPSK_1RB49+1RB0_Below 1G




Date: 17.SEP.2020 16:15:33

CA_41C_CH40549+CH40669_10M+15M_QPSK_1RB49+1RB0_Above 1G




Date: 17.SEP.2020 16:19:31

CA_41C_CH40549+CH40669_10M+15M_QPSK_1RB49+1RB0_Below 1G




Date: 17.SEP.2020 16:16:44

CA_41C_CH41395+CH41515_10M+15M_QPSK_1RB49+1RB0_Above 1G




Date: 17.SEP.2020 16:20:08

CA_41C_CH41395+CH41515_10M+15M_QPSK_1RB49+1RB0_Below 1G




Date: 17.SEP.2020 16:17:54


CA_41C_CH39705+CH39849_10M+20M_QPSK_1RB49+1RB0_Above 1G



CA_41C_CH39705+CH39849_10M+20M_QPSK_1RB49+1RB0_Below 1G




CA_41C_CH40526+CH40670_10M+20M_QPSK_1RB49+1RB0_Above 1G




Date: 17.SEP.2020 16:24:40

CA_41C_CH40526+CH40670_10M+20M_QPSK_1RB49+1RB0_Below 1G




Date: 17.SEP.2020 16:26:39

CA_41C_CH41346+CH41490_10M+20M_QPSK_1RB49+1RB0_Above 1G




Date: 17.SEP.2020 16:25:24

CA_41C_CH41346+CH41490_10M+20M_QPSK_1RB49+1RB0_Below 1G




Date: 17.SEP.2020 16:27:16

CA_41C_CH39725+CH39845_15M+10M_QPSK_1RB74+1RB0_Above 1G




Date: 17.SEP.2020 16:30:57

CA_41C_CH39725+CH39845_15M+10M_QPSK_1RB74+1RB0_Below 1G




Date: 17.SEP.2020 16:28:26

CA_41C_CH40571+CH40691_15M+10M_QPSK_1RB74+1RB0_Above 1G




Date: 17.SEP.2020 16:31:43

CA_41C_CH40571+CH40691_15M+10M_QPSK_1RB74+1RB0_Below 1G




Date: 17.SEP.2020 16:29:19

CA_41C_CH41417+CH41537_15M+10M_QPSK_1RB74+1RB0_Above 1G




Date: 17.SEP.2020 16:32:16

CA_41C_CH41417+CH41537_15M+10M_QPSK_1RB74+1RB0_Below 1G




Date: 17.SEP.2020 16:30:17

CA_41C_CH39725+CH39875_15M+15M_QPSK_1RB74+1RB0_Above 1G




Date: 17.SEP.2020 16:33:28

CA_41C_CH39725+CH39875_15M+15M_QPSK_1RB74+1RB0_Below 1G




Date: 17.SEP.2020 16:37:24

CA_41C_CH40545+CH40695_15M+15M_QPSK_1RB74+1RB0_Above 1G




Date: 17.SEP.2020 16:34:05

CA_41C_CH40545+CH40695_15M+15M_QPSK_1RB74+1RB0_Below 1G




Date: 17.SEP.2020 16:36:11

CA_41C_CH41365+CH41515_15M+15M_QPSK_1RB74+1RB0_Above 1G




Date: 17.SEP.2020 16:35:04

CA_41C_CH41365+CH41515_15M+15M_QPSK_1RB74+1RB0_Below 1G




Date: 17.SEP.2020 16:35:34

CA_41C_CH39728+CH39899_15M+20M_QPSK_1RB74+1RB0_Above 1G




Date: 17.SEP.2020 16:42:45

CA_41C_CH39728+CH39899_15M+20M_QPSK_1RB74+1RB0_Below 1G




Date: 17.SEP.2020 16:38:29

CA_41C_CH40523+CH40694_15M+20M_QPSK_1RB74+1RB0_Above 1G




Date: 17.SEP.2020 16:45:25

CA_41C_CH40523+CH40694_15M+20M_QPSK_1RB74+1RB0_Below 1G




Date: 17.SEP.2020 16:39:26

CA_41C_CH41319+CH41490_15M+20M_QPSK_1RB74+1RB0_Above 1G




Date: 17.SEP.2020 16:46:23

CA_41C_CH41319+CH41490_15M+20M_QPSK_1RB74+1RB0_Below 1G




Date: 17.SEP.2020 16:41:42

CA_41C_CH39750+CH39867_20M+5M__QPSK_1RB99+1RB0_Above 1G




Date: 17.SEP.2020 16:47:32

CA_41C_CH39750+CH39867_20M+5M__QPSK_1RB99+1RB0_Below 1G




Date: 17.SEP.2020 16:50:10

CA_41C_CH40595+CH40712_20M+5M__QPSK_1RB99+1RB0_Above 1G




Date: 17.SEP.2020 16:48:14

CA_41C_CH40595+CH40712_20M+5M__QPSK_1RB99+1RB0_Below 1G




Date: 17.SEP.2020 16:50:49

CA_41C_CH41440+CH41557_20M+5M__QPSK_1RB99+1RB0_Above 1G




Date: 17.SEP.2020 16:49:25

CA_41C_CH41440+CH41557_20M+5M__QPSK_1RB99+1RB0_Below 1G



Date: 17.SEP.2020 16:51:24


CA_41C_CH39750+CH39894_20M+10M_QPSK_1RB99+1RB0_Above 1G



Date: 17.SEP.2020 16:55:09


1G

CA_41C_CH39750+CH39894_20M+10M_QPSK_1RB99+1RB0_Below 1G




Date: 17.SEP.2020 16:52:36

CA_41C_CH40571+CH40715_20M+10M_QPSK_1RB99+1RB0_Above 1G




Date: 17.SEP.2020 17:00:39

CA_41C_CH40571+CH40715_20M+10M_QPSK_1RB99+1RB0_Below 1G




Date: 17.SEP.2020 16:53:20

CA_41C_CH41391+CH41535_20M+10M_QPSK_1RB99+1RB0_Above 1G




Date: 17.SEP.2020 17:01:15

CA_41C_CH41391+CH41535_20M+10M_QPSK_1RB99+1RB0_Below 1G




Date: 17.SEP.2020 16:54:13

CA_41C_CH39750+CH39921_20M+15M_QPSK_1RB99+1RB0_Above 1G




Date: 17.SEP.2020 17:04:08

CA_41C_CH39750+CH39921_20M+15M_QPSK_1RB99+1RB0_Below 1G




Date: 17.SEP.2020 17:06:31

CA_41C_CH40546+CH40717_20M+15M_QPSK_1RB99+1RB0_Above 1G




Date: 17.SEP.2020 17:04:59

CA_41C_CH40546+CH40717_20M+15M_QPSK_1RB99+1RB0_Below 1G




Date: 17.SEP.2020 17:08:01

CA_41C_CH41341+CH41512_20M+15M_QPSK_1RB99+1RB0_Above 1G




Date: 17.SEP.2020 17:05:36

CA_41C_CH41341+CH41512_20M+15M_QPSK_1RB99+1RB0_Below 1G




Date: 17.SEP.2020 17:11:13

CA_41C_CH39750+CH39948_20M+20M_QPSK_1RB99+1RB0_Above 1G




Date: 17.SEP.2020 17:14:26

CA_41C_CH39750+CH39948_20M+20M_QPSK_1RB99+1RB0_Below 1G




Date: 17.SEP.2020 17:12:18

CA_41C_CH40521+CH40719_20M+20M_QPSK_1RB99+1RB0_Above 1G




Date: 17.SEP.2020 17:15:26

CA_41C_CH40521+CH40719_20M+20M_QPSK_1RB99+1RB0_Below 1G




Date: 17.SEP.2020 17:12:58

CA_41C_CH41292+CH41490_20M+20M_QPSK_1RB99+1RB0_Above 1G



Date: 17.SEP.2020 17:16:33

CA_41C_CH41292+CH41490_20M+20M_QPSK_1RB99+1RB0_Below 1G



Date: 17.SEP.2020 17:13:50

Product	Module		
Test Item	Radiated Spurious Emission		
Test Mode	Mode 1: LTE Band 2/25		
Date of Test	2020/08/26	Test Site	CB2-H
Temperature(°C)	24	Humidity (%RH)	54

BW20M_26140_QPSK_LTE Band25

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3720.000	-42.55	-13	-29.55	-50.64	12.61	4.52
	5580.000	-43.01	-13	-30.01	-50.45	13.12	5.68
	7440.000	-40.16	-13	-27.16	-44.84	11.28	6.61
V	3720.000	-41.75	-13	-28.75	-49.84	12.61	4.52
	5580.000	-38.50	-13	-25.50	-45.94	13.12	5.68
	7440.000	-37.14	-13	-24.14	-41.82	11.28	6.61

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW20M_26365_QPSK_LTE Band25

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3765.000	-46.31	-13	-33.31	-54.37	12.60	4.54
	5647.500	-48.15	-13	-35.15	-55.55	13.10	5.70
	7530.000	-40.11	-13	-27.11	-44.73	11.24	6.61
V	3765.000	-37.57	-13	-24.57	-45.63	12.60	4.54
	5647.500	-41.56	-13	-28.56	-48.96	13.10	5.70
	7530.000	-36.58	-13	-23.58	-41.20	11.24	6.61

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW20M_26590_QPSK_LTE Band25

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3810.000	-46.50	-13	-33.50	-54.54	12.60	4.56
	5715.000	-44.65	-13	-31.65	-52.01	13.08	5.72
	7620.000	-36.58	-13	-23.58	-41.22	11.24	6.60
V	3810.000	-37.66	-13	-24.66	-45.70	12.60	4.56
	5715.000	-41.53	-13	-28.53	-48.89	13.08	5.72
	7620.000	-32.63	-13	-19.63	-37.27	11.24	6.60

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

Product	Module		
Test Item	Radiated Spurious Emission		
Test Mode	Mode 2: LTE Band 4/66		
Date of Test	2020/08/26	Test Site	CB2-H
Temperature(°C)	24	Humidity (%RH)	54

BW20M_CH 132072_QPSK_LTE Band66

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3440.000	-44.35	-13	-31.35	-52.46	12.48	4.37
	5160.000	-42.06	-13	-29.06	-49.46	12.81	5.41
	6880.000	-42.22	-13	-29.22	-47.61	11.79	6.40
V	3440.000	-38.82	-13	-25.82	-46.93	12.48	4.37
	5160.000	-32.61	-13	-19.61	-40.01	12.81	5.41
	6880.000	-40.62	-13	-27.62	-46.01	11.79	6.40

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW20M_CH 132322_QPSK_LTE Band66

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3490.000	-47.62	-13	-34.62	-55.81	12.59	4.40
	5235.000	-36.44	-13	-23.44	-43.86	12.88	5.46
	6980.000	-43.85	-13	-30.85	-49.01	11.67	6.51
V	3490.000	-41.69	-13	-28.69	-49.88	12.59	4.40
	5235.000	-25.22	-13	-12.22	-32.64	12.88	5.46
	6980.000	-42.29	-13	-29.29	-47.45	11.67	6.51

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW20M_CH 132572_QPSK_LTE Band66

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3540.000	-45.37	-13	-32.37	-53.55	12.61	4.43
	5310.000	-38.26	-13	-25.26	-45.70	12.95	5.51
	7080.000	-43.34	-13	-30.34	-48.37	11.58	6.55
V	3540.000	-43.04	-13	-30.04	-51.22	12.61	4.43
	5310.000	-27.04	-13	-14.04	-34.48	12.95	5.51
	7080.000	-41.77	-13	-28.77	-46.80	11.58	6.55

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

Product	Module		
Test Item	Radiated Spurious Emission		
Test Mode	Mode 3: LTE Band 5/26 (Part 22)		
Date of Test	2020/08/25	Test Site	CB2-H
Temperature(°C)	25	Humidity (%RH)	54

BW15M_26865_QPSK_LTE Band26

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1663.000	-43.73	-13	-30.73	-50.06	9.33	3.00
	2494.500	-46.29	-13	-33.29	-53.19	10.60	3.70
	3326.000	-51.39	-13	-38.39	-59.34	12.23	4.28
V	1663.000	-29.81	-13	-16.81	-36.14	9.33	3.00
	2494.500	-41.19	-13	-28.19	-48.09	10.60	3.70
	3326.000	-50.78	-13	-37.78	-58.73	12.23	4.28

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW15M_26915_QPSK_LTE Band26

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1673.000	-43.70	-13	-30.70	-50.05	9.36	3.01
	2509.500	-45.53	-13	-32.53	-52.44	10.62	3.71
	3346.000	-50.71	-13	-37.71	-58.69	12.27	4.30
V	1673.000	-29.11	-13	-16.11	-35.46	9.36	3.01
	2509.500	-40.89	-13	-27.89	-47.80	10.62	3.71
	3346.000	-50.64	-13	-37.64	-58.62	12.27	4.30

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW15M_26965_QPSK_LTE Band26

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1683.000	-39.12	-13	-26.12	-45.49	9.39	3.02
	2524.500	-41.60	-13	-28.60	-48.52	10.65	3.72
	3366.000	-51.40	-13	-38.40	-59.41	12.32	4.31
V	1683.000	-25.55	-13	-12.55	-31.92	9.39	3.02
	2524.500	-36.36	-13	-23.36	-43.28	10.65	3.72
	3366.000	-48.69	-13	-35.69	-56.70	12.32	4.31

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

Product	Module		
Test Item	Radiated Spurious Emission		
Test Mode	Mode 4: LTE Band 7		
Date of Test	2020/09/04	Test Site	CB2-H
Temperature(°C)	25	Humidity (%RH)	54

BW20M_20850_QPSK_LTE Band07

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	5020.000	-47.69	-25	-22.69	-55.05	12.67	5.31
	7530.000	-41.04	-25	-16.04	-45.66	11.24	6.61
	10040.000	-38.36	-25	-13.36	-42.92	12.06	7.49
V	5020.000	-43.35	-25	-18.35	-50.71	12.67	5.31
	7530.000	-40.36	-25	-15.36	-44.98	11.24	6.61
	10040.000	-35.81	-25	-10.81	-40.37	12.06	7.49

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW20M_21100_QPSK_LTE Band7

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	5070.000	-46.69	-25	-21.69	-54.07	12.72	5.34
	7605.000	-40.29	-25	-15.29	-44.93	11.24	6.60
	10140.000	-37.90	-25	-12.90	-42.32	11.97	7.55
V	5070.000	-42.41	-25	-17.41	-49.79	12.72	5.34
	7605.000	-40.52	-25	-15.52	-45.16	11.24	6.60
	10140.000	-34.97	-25	-9.97	-39.39	11.97	7.55

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW20M_21350_QPSK_LTE Band7

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	5120.000	-46.91	-25	-21.91	-54.30	12.77	5.38
	7680.000	-39.22	-25	-14.22	-43.87	11.24	6.59
	10240.000	-36.68	-25	-11.68	-40.96	11.88	7.60
V	5120.000	-43.22	-25	-18.22	-50.61	12.77	5.38
	7680.000	-39.45	-25	-14.45	-44.10	11.24	6.59
	10240.000	-33.49	-25	-8.49	-37.77	11.88	7.60

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

Product	Module		
Test Item	Radiated Spurious Emission		
Test Mode	Mode 5: LTE Band 12		
Date of Test	2020/08/24	Test Site	CB2-H
Temperature(°C)	24	Humidity (%RH)	59

BW20M_23060_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1408.000	-48.76	-13	-35.76	-54.32	8.31	2.75
	2112.000	-51.88	-13	-38.88	-58.88	10.41	3.41
	2816.000	-63.18	-13	-50.18	-70.44	11.18	3.92
V	1408.000	-32.73	-13	-19.73	-38.29	8.31	2.75
	2112.000	-41.57	-13	-28.57	-48.57	10.41	3.41
	2816.000	-62.74	-13	-49.74	-70.00	11.18	3.92

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW20M_23095_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1415.000	-41.93	-13	-28.93	-47.53	8.35	2.75
	2122.500	-47.12	-13	-34.12	-54.11	10.41	3.42
	2830.000	-60.66	-13	-47.66	-67.94	11.21	3.93
V	1415.000	-24.04	-13	-11.04	-29.64	8.35	2.75
	2122.500	-33.60	-13	-20.60	-40.59	10.41	3.42
	2830.000	-57.08	-13	-44.08	-64.36	11.21	3.93

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW20M_23130_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1422.000	-40.50	-13	-27.50	-46.13	8.39	2.76
	2133.000	-43.85	-13	-30.85	-50.84	10.42	3.42
	2844.000	-58.77	-13	-45.77	-66.07	11.23	3.94
V	1422.000	-23.96	-13	-10.96	-29.59	8.39	2.76
	2133.000	-32.38	-13	-19.38	-39.37	10.42	3.42
	2844.000	-55.22	-13	-42.22	-62.52	11.23	3.94

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

Product	Module		
Test Item	Radiated Spurious Emission		
Test Mode	Mode 6: LTE Band 13		
Date of Test	2020/08/25	Test Site	CB2-H
Temperature(°C)	24	Humidity (%RH)	54

BW10M_23230_QPSK_LTE Band13

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1564.000	-30.30	-13	-17.30	-36.43	9.03	2.91
	2346.000	-28.56	-13	-15.56	-35.50	10.52	3.59
	3128.000	-44.66	-13	-31.66	-52.32	11.80	4.14
V	1564.000	-15.57	-13	-2.57	-21.70	9.03	2.91
	2346.000	-21.07	-13	-8.07	-28.01	10.52	3.59
	3128.000	-38.34	-13	-25.34	-46.00	11.80	4.14

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

Product	Module		
Test Item	Radiated Spurious Emission		
Test Mode	Mode 7: LTE Band 14		
Date of Test	2020/08/25	Test Site	CB2-H
Temperature(°C)	25	Humidity (%RH)	54

BW10M_23330_QPSK_LTE Band14

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1586.000	-25.33	-13	-12.33	-31.50	9.10	2.93
	2379.000	-29.73	-13	-16.73	-36.66	10.54	3.61
	3172.000	-41.66	-13	-28.66	-49.39	11.89	4.17
V	1586.000	-13.58	-13	-0.58	-19.75	9.10	2.93
	2379.000	-20.84	-13	-7.84	-27.77	10.54	3.61
	3172.000	-37.30	-13	-24.30	-45.03	11.89	4.17

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

Product	Module		
Test Item	Radiated Spurious Emission		
Test Mode	Mode 8: LTE Band 26 (Part 90)		
Date of Test	2020/08/25	Test Site	CB2-H
Temperature(°C)	25	Humidity (%RH)	54

BW15M_26965_QPSK_LTE Band26

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1638.000	-38.40	-13	-25.40	-44.68	9.26	2.98
	2457.000	-44.16	-13	-31.16	-51.07	10.58	3.67
	3276.000	-51.83	-13	-38.83	-59.71	12.12	4.25
V	1638.000	-24.10	-13	-11.10	-30.38	9.26	2.98
	2457.000	-34.11	-13	-21.11	-41.02	10.58	3.67
	3276.000	-49.14	-13	-36.14	-57.02	12.12	4.25

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

Product	Module		
Test Item	Radiated Spurious Emission		
Test Mode	Mode 9: LTE Band 41 (FCC)		
Date of Test	2020/08/26	Test Site	CB2-H
Temperature(°C)	24	Humidity (%RH)	54

BW20M_CH 39750_QPSK_LTE Band41

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	5012.000	-47.55	-25	-22.55	-54.91	12.66	5.30
	7518.000	-40.71	-25	-15.71	-45.33	11.24	6.61
	10024.000	-38.16	-25	-13.16	-42.75	12.07	7.48
V	5012.000	-43.61	-25	-18.61	-50.97	12.66	5.30
	7518.000	-41.14	-25	-16.14	-45.76	11.24	6.61
	10024.000	-34.74	-25	-9.74	-39.33	12.07	7.48

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW20M_CH 40620_QPSK_LTE Band41

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	5186.000	-47.09	-25	-22.09	-54.50	12.83	5.43
	7779.000	-40.61	-25	-15.61	-45.28	11.25	6.58
	10372.000	-34.89	-25	-9.89	-38.99	11.77	7.67
V	5186.000	-41.43	-25	-16.43	-48.84	12.83	5.43
	7779.000	-40.67	-25	-15.67	-45.34	11.25	6.58
	10372.000	-32.34	-25	-7.34	-36.44	11.77	7.67

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW20M_CH 41490_QPSK_LTE Band41

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	5360.000	-45.47	-25	-20.47	-52.92	13.00	5.55
	8040.000	-40.53	-25	-15.53	-45.27	11.31	6.57
	10720.000	-33.85	-25	-8.85	-37.64	11.60	7.81
V	5360.000	-41.17	-25	-16.17	-48.62	13.00	5.55
	8040.000	-40.01	-25	-15.01	-44.75	11.31	6.57
	10720.000	-29.37	-25	-4.37	-33.16	11.60	7.81

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

Product	Module		
Test Item	Radiated Spurious Emission		
Test Mode	Mode 9: LTE Band 41 (ISED)		
Date of Test	2020/08/26	Test Site	CB2-H
Temperature(°C)	24	Humidity (%RH)	54

BW20M_CH 39790_QPSK_LTE Band41

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	5020.000	-48.75	-25	-23.75	-56.11	12.67	5.31
	7530.000	-40.64	-25	-15.64	-45.26	11.24	6.61
	10040.000	-37.76	-25	-12.76	-42.32	12.06	7.49
V	5020.000	-44.00	-25	-19.00	-51.36	12.67	5.31
	7530.000	-40.84	-25	-15.84	-45.46	11.24	6.61
	10040.000	-34.58	-25	-9.58	-39.14	12.06	7.49

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

Product	Module		
Test Item	Radiated Spurious Emission		
Test Mode	Mode 10: LTE Band 71		
Date of Test	2020/08/26	Test Site	CB2-H
Temperature(°C)	24	Humidity (%RH)	54

BW20M_CH 133222_QPSK_LTE Band71

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1346.000	-56.33	-13	-43.33	-61.60	7.96	2.68
	2019.000	-53.34	-13	-40.34	-60.36	10.36	3.34
	2692.000	-53.20	-13	-40.20	-60.32	10.95	3.83
V	1346.000	-46.31	-13	-33.31	-51.58	7.96	2.68
	2019.000	-50.35	-13	-37.35	-57.37	10.36	3.34
	2692.000	-53.25	-13	-40.25	-60.37	10.95	3.83

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW20M_CH 133322_QPSK_LTE Band71

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1366.000	-53.08	-13	-40.08	-58.45	8.07	2.70
	2049.000	-52.62	-13	-39.62	-59.63	10.37	3.36
	2732.000	-52.80	-13	-39.80	-59.97	11.03	3.86
V	1366.000	-39.29	-13	-26.29	-44.66	8.07	2.70
	2049.000	-40.77	-13	-27.77	-47.78	10.37	3.36
	2732.000	-53.50	-13	-40.50	-60.67	11.03	3.86

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW20M_CH 133372_QPSK_LTE Band71

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1376.000	-50.81	-13	-37.81	-56.23	8.13	2.71
	2064.000	-53.30	-13	-40.30	-60.31	10.38	3.37
	2752.000	-53.21	-13	-40.21	-60.40	11.06	3.87
V	1376.000	-37.40	-13	-24.40	-42.82	8.13	2.71
	2064.000	-40.26	-13	-27.26	-47.27	10.38	3.37
	2752.000	-52.53	-13	-39.53	-59.72	11.06	3.87

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

Product	Module		
Test Item	Radiated Spurious Emission		
Test Mode	Mode 11: LTE CA Band 5B		
Date of Test	2020/08/26	Test Site	CB2-H
Temperature(°C)	24	Humidity (%RH)	54

BW10+10M_Ch20450+Ch20549_QPSK_LTE Band 5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1658.000	-56.85	-13	-43.85	-63.17	9.32	3.00
	1677.800	-56.42	-13	-43.42	-62.78	9.38	3.02
	2487.000	-44.85	-13	-31.85	-51.75	10.59	3.69
	2516.700	-44.91	-13	-31.91	-51.83	10.63	3.72
	3316.000	-51.28	-13	-38.28	-59.21	12.21	4.28
	3355.600	-51.53	-13	-38.53	-59.52	12.30	4.30
V	1658.000	-51.26	-13	-38.26	-57.58	9.32	3.00
	1677.800	-51.32	-13	-38.32	-57.68	9.38	3.02
	2487.000	-36.77	-13	-23.77	-43.67	10.59	3.69
	2516.700	-36.71	-13	-23.71	-43.63	10.63	3.72
	3316.000	-51.10	-13	-38.10	-59.03	12.21	4.28
	3355.600	-51.18	-13	-38.18	-59.17	12.30	4.30

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW10+10M_Ch20476+Ch20575_QPSK_LTE Band 5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1663.200	-56.06	-13	-43.06	-62.39	9.33	3.00
	1683.000	-56.17	-13	-43.17	-62.54	9.39	3.02
	2494.800	-41.55	-13	-28.55	-48.45	10.60	3.70
	2524.500	-41.20	-13	-28.20	-48.12	10.65	3.72
	3326.400	-51.67	-13	-38.67	-59.62	12.23	4.28
	3366.000	-51.23	-13	-38.23	-59.24	12.32	4.31
V	1663.200	-48.05	-13	-35.05	-54.38	9.33	3.00
	1683.000	-48.91	-13	-35.91	-55.28	9.39	3.02
	2494.800	-33.79	-13	-20.79	-40.69	10.60	3.70
	2524.500	-33.62	-13	-20.62	-40.54	10.65	3.72
	3326.400	-51.23	-13	-38.23	-59.18	12.23	4.28
	3366.000	-51.71	-13	-38.71	-59.72	12.32	4.31

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW10+10M_Ch20501+Ch20600_QPSK_LTE Band 5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1668.200	-56.21	-13	-43.21	-62.55	9.35	3.01
	1688.000	-56.08	-13	-43.08	-62.46	9.41	3.02
	2502.300	-38.38	-13	-25.38	-45.28	10.60	3.71
	2532.000	-38.39	-13	-25.39	-45.32	10.66	3.73
	3336.400	-50.88	-13	-37.88	-58.84	12.25	4.29
	3376.000	-50.93	-13	-37.93	-58.95	12.34	4.32
V	1668.200	-48.97	-13	-35.97	-55.31	9.35	3.01
	1688.000	-48.67	-13	-35.67	-55.05	9.41	3.02
	2502.300	-31.25	-13	-18.25	-38.15	10.60	3.71
	2532.000	-30.67	-13	-17.67	-37.60	10.66	3.73
	3336.400	-51.53	-13	-38.53	-59.49	12.25	4.29
	3376.000	-51.39	-13	-38.39	-59.41	12.34	4.32

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

Product	Module		
Test Item	Radiated Spurious Emission		
Test Mode	Mode 12: LTE CA Band 7C		
Date of Test	2020/08/26	Test Site	CB2-H
Temperature(°C)	24	Humidity (%RH)	54

BW20+20M_Ch20850+Ch21048_QPSK_LTE Band 7

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	5020.000	-47.55	-25	-22.55	-54.91	12.67	5.31
	5059.600	-47.72	-25	-22.72	-55.09	12.71	5.33
	7530.000	-40.70	-25	-15.70	-45.32	11.24	6.61
	7589.400	-40.20	-25	-15.20	-44.84	11.24	6.60
	10040.000	-41.46	-25	-16.46	-46.02	12.06	7.49
	10119.200	-40.37	-25	-15.37	-44.82	11.99	7.53
V	5020.000	-43.34	-25	-18.34	-50.70	12.67	5.31
	5059.600	-43.53	-25	-18.53	-50.90	12.71	5.33
	7530.000	-40.93	-25	-15.93	-45.55	11.24	6.61
	7589.400	-40.26	-25	-15.26	-44.90	11.24	6.60
	10040.000	-38.76	-25	-13.76	-43.32	12.06	7.49
	10119.200	-38.92	-25	-13.92	-43.37	11.99	7.53

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW20+20M_Ch21001+Ch21199_QPSK_LTE Band 7

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	5050.200	-48.26	-25	-23.26	-55.63	12.70	5.33
	5089.800	-48.55	-25	-23.55	-55.93	12.74	5.36
	7575.300	-40.25	-25	-15.25	-44.88	11.24	6.61
	7634.700	-40.35	-25	-15.35	-44.99	11.24	6.60
	10100.400	-38.79	-25	-13.79	-43.27	12.00	7.52
	10179.600	-38.95	-25	-13.95	-43.32	11.94	7.57
V	5050.200	-44.15	-25	-19.15	-51.52	12.70	5.33
	5089.800	-48.16	-25	-23.16	-55.54	12.74	5.36
	7575.300	-40.15	-25	-15.15	-44.78	11.24	6.61
	7634.700	-40.57	-25	-15.57	-45.21	11.24	6.60
	10100.400	-37.55	-25	-12.55	-42.03	12.00	7.52
	10179.600	-38.04	-25	-13.04	-42.41	11.94	7.57

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW20+20M_Ch21152+Ch21350_QPSK_LTE Band 7

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	5080.400	-48.99	-25	-23.99	-56.37	12.73	5.35
	5120.000	-49.24	-25	-24.24	-56.63	12.77	5.38
	7620.600	-40.27	-25	-15.27	-44.91	11.24	6.60
	7680.000	-40.39	-25	-15.39	-45.04	11.24	6.59
	10160.800	-39.84	-25	-14.84	-44.23	11.95	7.56
	10240.000	-38.50	-25	-13.50	-42.78	11.88	7.60
V	5080.400	-44.53	-25	-19.53	-51.91	12.73	5.35
	5120.000	-44.36	-25	-19.36	-51.75	12.77	5.38
	7620.600	-40.68	-25	-15.68	-45.32	11.24	6.60
	7680.000	-39.41	-25	-14.41	-44.06	11.24	6.59
	10160.800	-36.58	-25	-11.58	-40.97	11.95	7.56
	10240.000	-36.73	-25	-11.73	-41.01	11.88	7.60

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

Product	Module		
Test Item	Radiated Spurious Emission		
Test Mode	Mode 13: LTE CA Band 41C (FCC)		
Date of Test	2020/08/26	Test Site	CB2-H
Temperature(°C)	24	Humidity (%RH)	54

BW20+20M_Ch39750+Ch39948_QPSK_LTE Band 41

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	5012.000	-49.18	-25	-24.18	-56.54	12.66	5.30
	5051.600	-49.04	-25	-24.04	-56.41	12.70	5.33
	7518.000	-40.78	-25	-15.78	-45.40	11.24	6.61
	7577.400	-40.31	-25	-15.31	-44.94	11.24	6.61
	10024.000	-40.30	-25	-15.30	-44.89	12.07	7.48
	10103.200	-40.56	-25	-15.56	-45.04	12.00	7.53
V	5012.000	-45.41	-25	-20.41	-52.77	12.66	5.30
	5051.600	-44.60	-25	-19.60	-51.97	12.70	5.33
	7518.000	-40.99	-25	-15.99	-45.61	11.24	6.61
	7577.400	-40.45	-25	-15.45	-45.08	11.24	6.61
	10024.000	-35.41	-25	-10.41	-40.00	12.07	7.48
	10103.200	-36.01	-25	-11.01	-40.49	12.00	7.53

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW20+20M_Ch40521+Ch40719_QPSK_LTE Band 41

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	5166.200	-48.35	-25	-23.35	-55.75	12.81	5.41
	5205.800	-47.86	-25	-22.86	-55.27	12.85	5.44
	7749.300	-40.53	-25	-15.53	-45.20	11.25	6.58
	7808.700	-40.53	-25	-15.53	-45.21	11.25	6.57
	10332.400	-37.53	-25	-12.53	-41.68	11.80	7.65
	10411.600	-36.29	-25	-11.29	-40.33	11.74	7.69
V	5166.200	-42.15	-25	-17.15	-49.55	12.81	5.41
	5205.800	-42.17	-25	-17.17	-49.58	12.85	5.44
	7749.300	-40.12	-25	-15.12	-44.79	11.25	6.58
	7808.700	-40.24	-25	-15.24	-44.92	11.25	6.57
	10332.400	-34.65	-25	-9.65	-38.80	11.80	7.65
	10411.600	-33.88	-25	-8.88	-37.92	11.74	7.69

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW20+20M_Ch41292+Ch41490_QPSK_LTE Band 41

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	5320.400	-47.75	-25	-22.75	-55.19	12.96	5.52
	5360.000	-44.67	-25	-19.67	-52.12	13.00	5.55
	7980.600	-41.26	-25	-16.26	-45.97	11.26	6.55
	8040.000	-40.74	-25	-15.74	-45.48	11.31	6.57
	10640.800	-39.19	-25	-14.19	-43.02	11.62	7.79
	10720.000	-37.41	-25	-12.41	-41.20	11.60	7.81
V	5320.400	-39.56	-25	-14.56	-47.00	12.96	5.52
	5360.000	-39.52	-25	-14.52	-46.97	13.00	5.55
	7980.600	-40.24	-25	-15.24	-44.95	11.26	6.55
	8040.000	-39.92	-25	-14.92	-44.66	11.31	6.57
	10640.800	-36.10	-25	-11.10	-39.93	11.62	7.79
	10720.000	-32.57	-25	-7.57	-36.36	11.60	7.81

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

Product	Module		
Test Item	Radiated Spurious Emission		
Test Mode	Mode 13: LTE CA Band 41C (ISED)		
Date of Test	2020/08/26	Test Site	CB2-H
Temperature(°C)	24	Humidity (%RH)	54


BW20+20M_Ch39790+Ch39988_QPSK_LTE Band 41

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	5020.000	-44.35	-13	-31.35	-51.71	12.67	5.31
	5059.600	-48.98	-13	-35.98	-56.35	12.71	5.33
	7530.000	-40.62	-13	-27.62	-45.24	11.24	6.61
	7589.400	-41.02	-13	-28.02	-45.66	11.24	6.60
	10040.000	-36.23	-13	-23.23	-40.79	12.06	7.49
	10119.200	-39.99	-13	-26.99	-44.44	11.99	7.53
V	5020.000	-48.99	-13	-35.99	-56.35	12.67	5.31
	5059.600	-43.99	-13	-30.99	-51.36	12.71	5.33
	7530.000	-39.88	-13	-26.88	-44.50	11.24	6.61
	7589.400	-41.02	-13	-28.02	-45.66	11.24	6.60
	10040.000	-40.25	-13	-27.25	-44.81	12.06	7.49
	10119.200	-37.11	-13	-24.11	-41.56	11.99	7.53

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

7. Spurious Emissions at Antenna Terminals

7.1. Test Setup



7.2. Test Procedure

- Place the EUT on a bench and set it in transmitting mode.
- Connect a low loss RF cable from the antenna port to a spectrum analyzer and CMW500 by a Directional Couple.
- EUT Communicate with CMW500, then select a channel for testing.
- Add a correction factor to the display of spectrum, and then test.
- The resolution bandwidth of the spectrum analyzer was set at 1 MHz, sufficient scans were taken to show the out of band Emission if any up to 10th harmonic.


7.3. Test Method

KDB 971168 D01 Power Meas License Digital Systems v03 sub-clause 6.1
ANSI C63.26-2015 Sub-clause 5.7

7.4. Test Result


Product	Module		
Test Item	Spurious Emission at Antenna Terminals		
Test Mode	Mode 1: LTE Band 2/25		
Date of Test	2020/09/01	Test Site	SR12-H
Temperature(°C)	23	Humidity (%RH)	64

LTE_B25_CH26047_1.4M__QPSK_1RB0




Date: 1.SEP.2020 14:12:46

LTE_B25_CH26047_1.4M__QPSK_6RB0




Date: 1.SEP.2020 14:14:50

LTE_B25_CH26683_1.4M_QPSK_1RB5




Date: 1.SEP.2020 14:16:44

LTE_B25_CH26683_1.4M_QPSK_6RB0




Date: 1.SEP.2020 14:15:44

LTE_B25_CH26055_3M_QPSK_1RB0




Date: 1.SEP.2020 14:19:41

LTE_B25_CH26055_3M_QPSK_15RB0




Date: 1.SEP.2020 14:23:46

LTE_B25_CH26675_3M_QPSK_1RB14




Date: 1.SEP.2020 14:26:46

LTE_B25_CH26675_3M_QPSK_15RB0




Date: 1.SEP.2020 14:25:12

LTE_B25_CH26065_5M_QPSK_1RB0




Date: 1.SEP.2020 14:47:28

LTE_B25_CH26065_5M_QPSK_25RB0




Date: 1.SEP.2020 14:46:26

LTE_B25_CH26665_5M_QPSK_1RB24




Date: 1.SEP.2020 14:27:57

LTE_B25_CH26665_5M_QPSK_25RB0




Date: 1.SEP.2020 14:37:19

LTE_B25_CH26090_10M_QPSK_1RB0




Date: 1.SEP.2020 14:54:18

LTE_B25_CH26090_10M_QPSK_50RB0




Date: 1.SEP.2020 14:56:15

LTE_B25_CH26640_10M_QPSK_1RB49




Date: 1.SEP.2020 15:00:43

LTE_B25_CH26640_10M_QPSK_50RB0




Date: 1.SEP.2020 14:58:29

LTE_B25_CH26115_15M_QPSK_1RB0




Date: 1.SEP.2020 15:04:54

LTE_B25_CH26115_15M_QPSK_75RB0




Date: 1.SEP.2020 15:07:10

LTE_B25_CH26615_15M_QPSK_1RB74




Date: 1.SEP.2020 15:09:49

LTE_B25_CH26615_15M_QPSK_75RB0




Date: 1.SEP.2020 15:08:03

LTE_B25_CH26140_20M_QPSK_1RB0




Date: 1.SEP.2020 15:16:04

LTE_B25_CH26140_20M_QPSK_100RB0




Date: 1.SEP.2020 15:39:58

LTE_B25_CH26590_20M_QPSK_1RB99



Date: 1.SEP.2020 15:46:50


LTE_B25_CH26590_20M_QPSK_100RB0



Date: 1.SEP.2020 15:44:40


Product	Module		
Test Item	Spurious Emission at Antenna Terminals		
Test Mode	Mode 2: LTE Band 4/66		
Date of Test	2020/09/01	Test Site	SR12-H
Temperature(°C)	23	Humidity (%RH)	64

LTE_B66_CH131979_1.4M_QPSK_1RB0




Date: 1.SEP.2020 16:45:46

LTE_B66_CH131979_1.4M_QPSK_6RB0




Date: 1.SEP.2020 16:47:35

LTE_B66_CH132665_1.4M_QPSK_1RB5




Date: 1.SEP.2020 16:50:32

LTE_B66_CH132665_1.4M_QPSK_6RB0




Date: 1.SEP.2020 16:48:57

LTE_B66_CH131987_3M__QPSK_1RB0




Date: 1.SEP.2020 16:55:05

LTE_B66_CH131987_3M__QPSK_15RB0




Date: 1.SEP.2020 16:56:53

LTE_B66_CH132657_3M_QPSK_1RB14




Date: 1.SEP.2020 17:02:03

LTE_B66_CH132657_3M_QPSK_15RB0




Date: 1.SEP.2020 16:59:06

LTE_B66_CH131997_5M_QPSK_1RB0




Date: 1.SEP.2020 17:04:39

LTE_B66_CH131997_5M_QPSK_25RB0




Date: 1.SEP.2020 17:06:12

LTE_B66_CH132647_5M_QPSK_1RB24




Date: 1.SEP.2020 17:09:48

LTE_B66_CH132647_5M_QPSK_25RB0




Date: 1.SEP.2020 17:08:00

LTE_B66_CH132022_10M_QPSK_1RB0




Date: 1.SEP.2020 17:11:26

LTE_B66_CH132022_10M_QPSK_50RB0




Date: 1.SEP.2020 17:12:10

LTE_B66_CH132622_10M_QPSK_1RB49




Date: 1.SEP.2020 17:14:46

LTE_B66_CH132622_10M_QPSK_50RB0




Date: 1.SEP.2020 17:13:54

LTE_B66_CH132047_15M_QPSK_1RB0




Date: 1.SEP.2020 17:17:01

LTE_B66_CH132047_15M_QPSK_75RB0




Date: 1.SEP.2020 17:18:18

LTE_B66_CH132597_15M_QPSK_1RB74




Date: 1.SEP.2020 17:24:50

LTE_B66_CH132597_15M_QPSK_75RB0




Date: 1.SEP.2020 17:21:33

LTE_B66_CH132072_20M__QPSK_1RB0




Date: 1.SEP.2020 17:26:34

LTE_B66_CH132072_20M__QPSK_100RB0




Date: 1.SEP.2020 17:27:52

LTE_B66_CH132572_20M_QPSK_1RB99



Date: 1.SEP.2020 17:28:45

LTE_B66_CH132572_20M_QPSK_100RB0



Date: 1.SEP.2020 17:28:21