










































Appendix I: Duty Cycle


Test Result


Test Mode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
DH5	Ant1	2402	2.92	3.75	77.89	---	PASS
		2441	2.93	3.75	78.01	---	PASS
		2480	2.93	3.75	78.01	---	PASS
2DH5	Ant1	2402	2.93	3.75	78.12	---	PASS
		2441	2.93	3.75	78.12	---	PASS
		2480	2.93	3.75	78.12	---	PASS
3DH5	Ant1	2402	2.93	3.75	78.01	---	PASS
		2441	2.93	3.75	78.01	---	PASS
		2480	2.93	3.75	78.01	---	PASS

Test Graphs











Appendix J: Emissions in Restricted Bands

Test Result


Test Mode	Antenna	Ch Name	Channel	Detector	Freq	Result	Limit	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-54.71	<=-41.20	PASS
				AV	2390.000	-50.14	<=-41.20	PASS
				Peak	2310.000	-47.55	<=-21.20	PASS
				Peak	2390.000	-44.58	<=-21.20	PASS
		High	2480	AV	2483.500	-46.31	<=-41.20	PASS
				AV	2500.000	-53.61	<=-41.20	PASS
				Peak	2483.500	-41.89	<=-21.20	PASS
				Peak	2500.000	-46.72	<=-21.20	PASS
		Low	Hop_2402	Peak	2310.000	-41.78	<=-27.00	PASS
				Peak	2390.000	-42.62	<=-27.00	PASS
		High	Hop_2480	Peak	2483.500	-36.22	<=-27.00	PASS
				Peak	2500.000	-36.86	<=-27.00	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-54.86	<=-41.20	PASS
				AV	2390.000	-49.53	<=-41.20	PASS
				Peak	2310.000	-46.89	<=-21.20	PASS
				Peak	2390.000	-42.1	<=-21.20	PASS
		High	2480	AV	2483.500	-48.67	<=-41.20	PASS
				AV	2500.000	-53.59	<=-41.20	PASS
				Peak	2483.500	-41.65	<=-21.20	PASS
				Peak	2500.000	-46.19	<=-21.20	PASS
		Low	Hop_2402	Peak	2310.000	-40.26	<=-27.00	PASS
				Peak	2390.000	-42.69	<=-27.00	PASS
		High	Hop_2480	Peak	2483.500	-34.99	<=-27.00	PASS
				Peak	2500.000	-36.46	<=-27.00	PASS


3DH5	Ant1	Low	2402	AV	2310.000	-54.82	<=-41.20	PASS
				AV	2390.000	-49.37	<=-41.20	PASS
				Peak	2310.000	-48.16	<=-21.20	PASS
				Peak	2390.000	-42.95	<=-21.20	PASS
		High	2480	AV	2483.500	-48.67	<=-41.20	PASS
				AV	2500.000	-53.52	<=-41.20	PASS
				Peak	2483.500	-42.4	<=-21.20	PASS
				Peak	2500.000	-47.48	<=-21.20	PASS
		Low	Hop_2402	Peak	2310.000	-39.28	<=-27.00	PASS
				Peak	2390.000	-42.64	<=-27.00	PASS
		High	Hop_2480	Peak	2483.500	-35.25	<=-27.00	PASS
				Peak	2500.000	-36.08	<=-27.00	PASS


Note:


1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.


Test Graphs























*** End of Report ***