



ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART C REQUIREMENT

Applicant: ASKEY COMPUTER CORP.

10F, NO.119, JIANKANG RD., ZHONGHE DIST., NEW TAIPEI

CITY 23585, TAIWAN, R.O.C.

Product Name: Wireless module

Brand Name: Panasonic

Model No.: WLU5540B-D81(NB-RoHS)

Model Difference: N/A

FCC ID: H8N-WLU5540B-NB

Report Number: ER/2018/60110 FCC Rule Part: §15.247, Cat: DTS

Issue Date: Sep. 18, 2018

Date of Test: Jun. 25, 2018~ Sep. 06, 2018

Date of EUT Re-Jun. 25, 2018

ceived:

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Tested By:

Louis Chen / Engineer

Approved By:

Blue Yang / Supervisor





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279





Revision History

Report Number	Revision	Description	Effected Page	Issue Date	Revised By
ER/2018/60110	Rev.00	Initial creation of docu- ment	All	Sep. 18, 2018	Stefanie Yu / Clerk

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate of this decument is unauthorized alteration, however the unauthorized alteration, forgery or falsification of the content or approximate in unauthorized and provided and provid pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Table of Contents

1	GENERAL INFORMATION	4
2	SYSTEM TEST CONFIGURATION	6
3	SUMMARY OF TEST RESULTS	8
4	DESCRIPTION OF TEST MODES	9
5	MEASUREMENT UNCERTAINTY	11
6	CONDUCTED EMISSION TEST	12
7	DUTY CYCLE OF TEST SIGNAL	16
8	PEAK OUTPUT POWER MEASUREMENT	18
9	6DB & 99% BANDWIDTH MEASUREMENT	27
10	CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT	37
11	RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT	52
12	MAXIMUM POWER SPECTRAL DENSITY	117
13	ANTENNA REQUIREMENT	124

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



GENERAL INFORMATION

1.1 Product description

General:

/ireless module anasonic
onoconio
anasonic
/LU5540B-D81(NB-RoHS)
/A
EV2
/A
buntu 12.04.1
62132
0.0.4.26
1.0.1
Vdc from USB port

WLAN 2.4GHz:

WLAN	Frequency Range	Channels	Rated Power (dBm)	Modulation Technology		
802.11b			24.65	DSSS		
802.11g	2412-2462	11	27.74			
802.11n HT20			27.39 (MIMO)	OFDM		
802.11n HT40	2422-2452	7	24.59 (MIMO)			
Antenna Designation:		PCB Antenna, Gain: 2.76 (Main) / 2.69dBi (Aux)				
Modulation type:		CCK, DQPSK, DBPSK for DSSS 64QAM, 16QAM, QPSK, BPSK for OFDM				
Transition Rate:		802.11 b: 1/2/5.5/11 Mbps 802.11 g: 6/9/12/18/24/36/48/54 Mbps 802.11 n_20MHz: 6.5 – 144.4Mbps 802.11 n_40MHz: 13.5 – 300.0Mbps				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





1.2 Test Methodology of Applied Standards

FCC Part 15, Subpart C §15.247

FCC KDB 558074 D01 DTS Meas. Guidance v05

FCC KDB 662911 D01 Multiple Transmitter Output v02r01

ANSI C63.10:2013

Note: All test items have been performed and record as per the above standards.

1.3 Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803

(TAF code 0513)

FCC Registration Numbers are: 509634 / TW 0001

1.4 Special Accessories

There are no special accessories used while test was conducted.

1.5 Equipment Modifications

There was no modification incorporated into the EUT.

1.6 Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz

Radiated emission below 30MHz is measured in a 9m*9m*6m semi-anechoic chamber. the measurements correspond to those obtained at an open-field test site. There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. www.tw.sqs.com



SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 Test Procedure

2.3.1 **Conducted Emissions**

The EUT is a placed on as turn table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz., The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 **Radiated Emissions**

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level. Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. www.tw.sqs.com



2.5 Configuration of Tested System

Fig. 2-1 Radiated Emission Configuration



Fig. 2-2 Conducted (Antenna Port) Emission Configuration




Fig. 2-3 Conducted (AC powerline) **Emission Configuration**



Table 2-1 Equipment Used in Tested System

	Table 2 1 Equipment Good in Tooled Gyeleni					
Item	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
1.	WLAN Test Software	N/A	N/A	N/A	N/A	N/A
2.	Notebook	Lenovo	L430	R9-X11BG	Shielded	Unshielded
3.	DC Power Supply	Agilent	E3640A	MY53130054	N/A	Unshielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



SUMMARY OF TEST RESULTS

FCC Rules / IC Rules	Rules / IC Rules Description Of Test	
§15.207(a)	AC Power Line Conducted Emission	Compliant
§15.247(b) (3)	Peak Output Power	Compliant
§15.247(a)(2)	6dB & 99% Emission Bandwidth	Compliant
§15.247(d)	Conducted Band Edge and Spurious Emission	Compliant
§15.247(d)	Radiated Band Edge and Spurious Emission	Compliant
§15.247(e)	Power Spectral Density	Compliant
§15.203 §15.247(b)		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



DESCRIPTION OF TEST MODES

4.1 Operated in 2400 ~ 2483.5MHz Band

11 channels are provided for 802.11b, 802.11g and 802.11n HT20

are previded for edz.1118, edz.111g and edz.1111_11126					
CHANNEL	FREQUENCY	CHANNEL	FREQUENCY		
1	2412 MHz	8	2447 MHz		
2	2417 MHz	9	2452 MHz		
3	2422 MHz	10	2457 MHz		
4	2427 MHz	11	2462 MHz		
5	2432 MHz				
6	2437 MHz				
7	2442 MHz				

7 channels are provided for 802.11n_HT40

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
3	2422 MHz	8	2447 MHz
4	2427 MHz	9	2452 MHz
5	2432 MHz		
6	2437 MHz		
7	2442 MHz		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.

RADIATED EMISSION TEST:

MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT		
RADIATED EMISSION TEST (BELOW 1 GHz)							
802.11g	1 to 11	1,6,11	OFDM	6	2TX		
	RADIATED EMISSION TEST (ABOVE 1 GHz)						
802.11b	1 to 11	1,6,11	DSSS	1	2TX		
802.11g	1 to 11	1,2,6,10,11	OFDM	6	2TX		
802.11n (HT20)	1 to 11	1,2,6,10,11	OFDM	MCS 8	MIMO		
802.11n (HT40)	3 to 9	3,4,5,6,7,8,9	OFDM	MCS 8	MIMO		
N. I. A							

Note:

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11b/g/n WLAN Transmitter for channel Low, Mid and High, the worst case E1 position was reported.

ANTENNA PORT CONDUCTED MEASUREMENT:

	CONDUCTED TEST						
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT		
802.11b	1 to 11	1,6,11	DSSS	1	2TX		
802.11g	1 to 11	1,2,6,10,11	OFDM	6	2TX		
802.11n (HT20)	1 to 11	1,2,6,10,11	OFDM	MCS 8	MIMO		
802.11n (HT40)	3 to 9	3,4,5,6,7,8,9	OFDM	MCS 8	MIMO		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
AC Power Line Conducted Emission	+/- 2.586 dB
Peak Output Power	+/- 0.84 dB
6dB Bandwidth	+/- 51.33 Hz
100 KHz Bandwidth Of Frequency Band Edges	+/- 0.84 dB
Peak Power Density	+/- 1.3 dB
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC= +/- 0.2%

Radiated Spurious Emission:

	9kHz-30MHz: +/-2.87dB		
	30MHz - 180MHz: +/- 3.37dB		
Measurement uncertainty	180MHz -417MHz: +/- 3.19dB		
(Polarization : Vertical)	0.417GHz-1GHz: +/- 3.19dB		
	1GHz - 18GHz: +/- 4.04dB		
	18GHz - 40GHz: +/- 4.04dB		

	9kHz-30MHz: +/-2.87dB
	30MHz - 167MHz: +/- 4.22dB
Measurement uncertainty	167MHz -500MHz: +/- 3.44dB
(Polarization : Horizontal)	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



CONDUCTED EMISSION TEST

6.1 Standard Applicable

Frequency range within 150kHz to 30MHz shall not exceed the Limit table as below.

Frequency range	Lin dB(
MHz	Quasi-peak	Average
0.15 to 0.50	66 to 56	56 to 46
0.50 to 5	56	46
5 to 30	60	50

Note

- 1. The lower limit shall apply at the transition frequencies
- 2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50

6.2 Measurement Equipment Used

Conducted Emission Test Site											
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.						
IIFE			NOMBEK	-							
EMI Test Receiver	R&S	ESCI7	100335	2018/02/02	2018/08/28						
LISN	SCHWARZ- BECK	NSLK 8127	8127-649	2018/05/18	2018/08/28						
Notebook	Lenovo	L430	R9-WGNK5	2018/01/04	2019/01/03						

6.3 EUT Setup

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI 63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



6.4 Test SET-UP (Block Diagram of Configuration)



6.5 Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed

6.6 Measurement Result

Note: Refer to next page for measurement data and plots.

Note2: The * reveals the worst-case results that closet to the limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

SGS Taiwan Ltd.

www.tw.sgs.com




AC POWER LINE CONDUCTED EMISSION TEST DATA

Temperature: Site Conduction Room Phase: L1 Power: AC 120V/60Hz Humidity: 85 % Limit: FCC Class B Conduction(QP)

Mode: Operation

Note:



No. Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
	MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1	0.1660	48.25	0.04	48.29	65.16	-16.87	peak	
2 *	0.1900	47.82	0.04	47.86	64.04	-16.18	peak	
3	0.2380	42.11	0.04	42.15	62.17	-20.02	peak	
4	0.5100	37.1 1	0.04	37.15	56.00	-18.85	peak	
5	0.7060	35.91	0.05	35.96	56.00	-20.04	peak	
6	3.4020	36.40	0.13	36.53	56.00	-19.47	QP	
7	3.4020	29.40	0.13	29.53	46.00	-16.47	AVG	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Site Conduction Room


Limit: FCC Class B Conduction(QP)

Mode: Operation

Note:

Phase: Power: Temperature: 25 C

AC 120V/60Hz Humidity: 85 %



No. Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
	MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1 *	0.150	0 51.79	0.04	51.83	66.00	-14.17	peak	
2	0.158	0 47.92	0.04	47.96	65.57	-17.61	peak	
3	0.170	0 49.02	0.04	49.06	64.96	-15.90	peak	
4	0.182	0 48.07	0.04	48.11	64.39	-16.28	peak	
5	0.262	0 43.66	0.04	43.70	61.37	-17.67	peak	
6	3 270	n 38.41	0.12	38 53	56.00	-17 47	neak	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com



DUTY CYCLE OF TEST SIGNAL

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

Formula:

Duty Cycle = Ton / (Ton+Toff)

Measurement Procedure:

- Set span = Zero
- RBW = 8MHz2.
- 3. VBW = 8MHz,
- 4. Detector = Peak


Duty Cycle:

	Duty Cycle (%)	Duty Factor (dB)	1/T (kHz)	VBW setting (kHz)
802.11b	99.60	0.02	0.12	0.01
802.11g	97.50	0.11	0.72	1.00
802.11n_20	94.90	0.23	1.49	2.00
802.11n_40	90.60	0.43	2.87	3.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.







7.1 DUTY CYCLE TEST SIGNAL Measurement Result

Duty Cycle_802.11b







Duty Cycle_802.11g



Duty Cycle_802.11n_40MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sqs.com



PEAK OUTPUT POWER MEASUREMENT

8.1 Standard Applicable

For systems using digital modulation in the 2400-2483.5 MHz bands, the limit for peak output power is 1Watt.

If the transmitting antenna of directional gain greater than 6dBi are used the peak output power form the intentional radiator shall be reduced below the above stated value by the amount in dB that the directional gain of the Antenna exceeds 6dBi.

In case of point-to-point operation, the limit has to be reduced by 1dB for every 3dB that the directional gain of Antenna exceeds 6dBi.

Note:

As per FCC KDB 662911 D01

Unequal antenna gains, with equal transmit powers. For antenna gains given by G1, G2, ..., GN dBi.

(i) If transmit signals are correlated, then Directional gain

= 10 log[(10G1 /20 + 10G2 /20 + ... + 10GN /20) 2 /NANT] dBi

[Note the "20"s in the denominator of each exponent and the square of the sum of terms; the object is to combine the signal levels coherently.]

Frequency (MHz)	Effective Legacy Gain (dBi)	Conducted Power Limit (dBm)
2412~2462	5.74	30.00

8.2 Measurement Equipment Used

Conducted Emission Test Site												
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.							
TYPE		NUMBER	NUMBER	CAL.								
Power Meter	Anritsu	ML2496A	1242004	2017/10/16	2018/08/28							
Power Sensor	Anritsu	MA2411B	917032	2017/12/29	2018/08/28							
Attenuator	Mini-Circuit	BW-S10W2+	2	2017/11/29	2018/11/28							
DC Block	Mini-Circuits	BLK-18-S+	1	2018/01/04	2019/01/03							
Coaxial Cables	N/A	WK CE Cable	N/A	2017/12/20	2018/12/19							
Notebook	Lenovo	L420	LR-7HXZA	2017/12/29	2018/12/28							


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report feller only to the samples) less discussed in source and the samples of the sa Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



8.3 Test Set-up

Power Meter:



8.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter.

Power Meter:

It is used as the auxiliary test equipment to conduct the output power measurement.

4. Record the max. Reading as observed from Spectrum or Power Meter.

8.5 Measurement Result

802.1	802.11b Main											
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)	Peak Output Power (mW)	1	RESULT						
1	2412	1	23.76	237.68	1 Watt =	30.00	dBm	PASS				
6	2437	1	23.69	233.88	1 Watt =	30.00	dBm	PASS				
11	2462	1	24.17	261.22	1 Watt =	30.00	dBm	PASS				
802.1	1b Main											
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power (dBm)	Avg. Output Power (mW)	Limit			RESULT				
1	2412	1	21.90	154.73	1 Watt =	30.00	dBm	PASS				
6	2437	1	22.37	172.41	1 Watt =	30.00	dBm	PASS				
11	2462	1	22.47	176.43	1 Watt =	30.00	dBm	PASS				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless concribes stated the results shown in this test report reter only to the samples) rested and south samples) are recalled for the state of so days only.
Fix Rap 438 with the state of the samples of the results shown in this test report reter only to the samples of the results of the samples of the results of the samples of the results of the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



802.1	1b Aux	:1										
СН	Freq (MHz		ata ate	Po	Output wer Bm)		ak Output Power (mW)	Limit			RESULT	
1	2412		1	24	.15	15 260.02		1 W	att = 3	0.00	dBm	PASS
6	2437	'	1	24	.18	2	261.82	1 W	/att = 3	0.00	dBm	PASS
11	2462		1	24	.18	;	261.82	1 W	/att = 3	0.00	dBm	PASS
802.11b Aux1												
СН	Freq (MHz		ata ate	include tolerand	g. Output tune up ce Power 3m)	inclu	Avg. Output de tune up ance Power (mW)		Limit			RESULT
1	2412		1	21	.88	154.02		1 W	/att = 3	0.00	dBm	PASS
6	2437		1	22	.25		167.71		att = 3	0.00	dBm	PASS
11	2462		1	22	.34	171.22		1 W	/att = 3	0.00	dBm	PASS
802.11	b_2TX											
СН	Freq. (MHz)	Data Rate	P	Output ower IBm)	Output F	Total Peak To Output Power Output (dBm)				Limit		RESULT
1	2412	1	21.15		24.3	0	268.99		1 Watt =	30.00	dBm	PASS
6	2437	1	21.78	21.49	24.6	5	291.59		1 Watt =	30.00	dBm	PASS
11	2462	1	21.66	21.42	24.5	5	285.23		1 Watt =	30.00	dBm	PASS
802.11	b_2TX			•					•			•
СН	Freq. (MHz)	Data Rate	P (0	Output ower dBm)	Max. Avg. include to tolerance	ine up Power	Max. Avg. Ou include tune tolerance Po	up	up Limit			RESULT
			CH 0		(dBn		(mW)					
1	2412	1	19.18		22.1		164.30		1 Watt =	30.00	dBm	PASS
6	2437	1	19.66		22.5		178.42		1 Watt =	30.00	dBm	PASS
11	2462	1	19.72	19.39	22.5	8	181.30		1 Watt =	30.00	dBm	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate of this document is under the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



JOUZ. I	1g Main							
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)	Peak Output Power (mW)	l	_imit		RESULT
1	2412	6	24.89	308.03	1 Watt =	30.00	dBm	PASS
2	2417	6	25.33	341.19	1 Watt =	30.00	dBm	PASS
6	2437	6	25.31	339.63	1 Watt =	30.00	dBm	PASS
10	2457	6	25.21	331.89	1 Watt =	30.00	dBm	PASS
11	2462	6	24.68	293.76	1 Watt =	30.00	dBm	PASS
802.1	1g Main							
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power (dBm)	Avg. Output Power (mW)	Limit			RESULT
1	2412	6	17.69	58.78	1 Watt =	30.00	dBm	PASS
2	2417	6	19.69	93.16	1 Watt =	30.00	dBm	PASS
6	2437	6	19.75	94.45	1 Watt =	30.00	dBm	PASS
10	2457	6	20.06	101.44	1 Watt =	30.00	dBm	PASS
11	2462	6	17.69	58.78	1 Watt =	30.00	dBm	PASS
802.1	1g Aux1							
			Dook Output	Peak Output				
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)	Power (mW)		Limit		RESULT
CH	-		Power	Power	1 Watt =	Limit 30.00	dBm	RESULT PASS
	(MHz)	Rate	Power (dBm)	Power (mW)	1 Watt = 1 Watt =		dBm dBm	
1	(MHz) 2412	Rate 6	Power (dBm) 25.27	Power (mW) 336.51		30.00		PASS
1 2	(MHz) 2412 2417	Rate 6 6	Power (dBm) 25.27 25.76	Power (mW) 336.51 376.70	1 Watt =	30.00 30.00	dBm	PASS PASS
1 2 6	2412 2417 2437	6 6 6	Power (dBm) 25.27 25.76 25.69	Power (mW) 336.51 376.70 370.68	1 Watt = 1 Watt =	30.00 30.00 30.00	dBm dBm	PASS PASS PASS
1 2 6 10 11	2412 2417 2437 2457	6 6 6 6	Power (dBm) 25.27 25.76 25.69 25.69	Power (mW) 336.51 376.70 370.68 370.68	1 Watt = 1 Watt = 1 Watt =	30.00 30.00 30.00 30.00	dBm dBm dBm	PASS PASS PASS PASS
1 2 6 10 11	2412 2417 2437 2457 2462	6 6 6 6	Power (dBm) 25.27 25.76 25.69 25.69	Power (mW) 336.51 376.70 370.68 370.68 317.69	1 Watt = 1 Watt = 1 Watt = 1 Watt =	30.00 30.00 30.00 30.00	dBm dBm dBm	PASS PASS PASS PASS
1 2 6 10 11 802.1	2412 2417 2437 2457 2462 1g Aux1 Freq.	6 6 6 6 Data	Power (dBm) 25.27 25.76 25.69 25.69 25.02 Max. Avg. Output include tune up tolerance Power	Power (mW) 336.51 376.70 370.68 370.68 317.69 Max. Avg. Output include tune up tolerance Power	1 Watt = 1 Watt = 1 Watt = 1 Watt =	30.00 30.00 30.00 30.00 30.00	dBm dBm dBm	PASS PASS PASS PASS PASS
1 2 6 10 11 802.1 CH	2412 2417 2437 2457 2462 1g Aux1 Freq. (MHz)	6 6 6 6 Data Rate	Power (dBm) 25.27 25.76 25.69 25.69 25.02 Max. Avg. Output include tune up tolerance Power (dBm)	Power (mW) 336.51 376.70 370.68 370.68 317.69 Max. Avg. Output include tune up tolerance Power (mW)	1 Watt = 1 Watt = 1 Watt = 1 Watt =	30.00 30.00 30.00 30.00 30.00	dBm dBm dBm dBm	PASS PASS PASS PASS PASS
1 2 6 10 11 802.1 CH	2412 2417 2437 2457 2462 1g Aux1 Freq. (MHz)	6 6 6 6 Data Rate	Power (dBm) 25.27 25.76 25.69 25.69 25.02 Max. Avg. Output include tune up tolerance Power (dBm) 17.62	Power (mW) 336.51 376.70 370.68 370.68 317.69 Max. Avg. Output include tune up tolerance Power (mW) 57.84	1 Watt = 1 Watt = 1 Watt = 1 Watt =	30.00 30.00 30.00 30.00 30.00 Limit	dBm dBm dBm dBm	PASS PASS PASS PASS PASS
1 2 6 10 11 802.1 CH	2412 2417 2437 2457 2462 1g Aux1 Freq. (MHz)	6 6 6 CData Rate 6 6	Power (dBm) 25.27 25.76 25.69 25.69 25.02 Max. Avg. Output include tune up tolerance Power (dBm) 17.62 19.64	Power (mW) 336.51 376.70 370.68 370.68 317.69 Max. Avg. Output include tune up tolerance Power (mW) 57.84 92.09	1 Watt =	30.00 30.00 30.00 30.00 30.00 Limit	dBm dBm dBm dBm	PASS PASS PASS PASS PASS PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate of this decument is unauthorized alteration, however the unauthorized alteration, forgery or falsification of the content or approximate in unauthorized and provided and provid pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



802.1	1g_2TX											
СН	Freq. (MHz)	Data Rate	Po	Output wer 3m)	Total Output (dB	Power	Power Output Pow			Limit		RESULT
			CH 0	CH 1	(4.2	,	()					
1	2412	6	22.23	22.32	25.	29	337.72	2	1 Watt =	30.00	dBm	PASS
2	2417	6	24.56	24.68	27.	63	579.52	2	1 Watt =	30.00	dBm	PASS
6	2437	6	24.73	24.72	27.74		593.65	5	1 Watt =	30.00	dBm	PASS
10	2457	6	24.58	24.78	27.	69	587.69	9	1 Watt =	30.00	dBm	PASS
11	2462	6	21.87	22.01	24.	95	312.67	7	1 Watt =	30.00	dBm	PASS
802.11g_2TX												
СН	Freq. (MHz)	Data Rate	Po	Output wer Bm) CH 1	Max. Avg include tolerance (dB	tune up e Power	Max. Avg. C include tur tolerance F (mW)	ne up Power		Limit		RESULT
1	2412	6	15.14	14.68	18.	04	63.66		1 Watt =	30.00	dBm	PASS
2	2417	6	16.87	17.02	20.		101.58		1 Watt =	30.00	dBm	PASS
6	2437	6	17.27	17.03	20.27		106.52		1 Watt =	30.00	dBm	PASS
10	2457	6	17.25	17.16		20.33		1	1 Watt =	30.00	dBm	PASS
11	2462	6	14.76	14.67	17.	17.84			1 Watt =	30.00	dBm	PASS
802.1	1n_HT2	OM Ma	in	•			•					
СН	Freq. (MHz)	Da Ra		Peak C Pow (dB	/er	Peak Output Power (mW)			Limi	t		RESULT
1	2412	МС	S0	24.9	97	3′	14.05	1 Wa	ntt = 30	.00 c	lBm	PASS
2	2417	MC	S0	25.3	36	34	43.56	1 Wa	ntt = 30	.00 c	lBm	PASS
6	2437	MC	S0	25.3	31	33	39.63	1 Wa	ntt = 30	.00 c	lBm	PASS
10	2457	MC	S0	25.	34	34	11.98	1 Wa	ntt = 30	.00 c	lBm	PASS
11	2462	MC	S0	25.0	01	3′	16.96	1 Wa	ntt = 30	.00 c	lBm	PASS
802.1	1n_HT2	20M Ma	in									
СН	Freq. (MHz)	Da Ra	ta i	nclude 1	Power	_	tput Power mW)		Limi	t		RESULT
1	2412	МС	S0	16.	53	4	5.03	1 Wa	ntt = 30	.00 c	lBm	PASS
2	2417	MC		19.	11		1.56	1 Wa			lBm	PASS
6	2437	МС	S0	19.0	62	9	1.72	1 Wa	ntt = 30	.00 c	lBm	PASS
10	2457	MC	S0	20.3	38	10	09.26	1 Wa	ntt = 30	.00 c	lBm	PASS
11	2462	MC	S0	18.	15	6	5.38	1 Wa	ntt = 30	.00 c	lBm	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate of this decument is unauthorized alteration, however the unauthorized alteration, forgery or falsification of the content or approximate in unauthorized and provided and provid pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com



802.	I1n_HT	20M A	ux1									
СН	Freq (MHz		ata P		ak Output Peak Output Power Power (dBm) (mW)		Power	Limit				RESULT
1	2412	2 MC	CS0	25	341.98		341.98	1 W	/att = 3	0.00	dBm	PASS
2	2417	' MC	CS0	25	.83	;	382.82	1 W	/att = 3	0.00	dBm	PASS
6	2437	' MC	CS0	25	.75	;	375.84	1 W	/att = 3	0.00	dBm	PASS
10	2457	' MC	CS0	25	.83	;	382.82	1 W	/att = 3	0.00	dBm	PASS
11	2462	2 MC	CS0	25	.42	;	348.34	1 W	/att = 3	0.00	dBm	PASS
802.1	I1n_HT	20M A	ux1									
СН	Freq (MHz	-		include tolerand	tune up includ e Power tolerar		Avg. Output de tune up ance Power (mW)		Lir	nit		RESULT
1	2412	2 MC	CS0	16	.49		44.61	1 W	/att = 3	0.00	dBm	PASS
2	2417	' MC	CS0	19.08			80.99 1 W		/att = 3	0.00	dBm	PASS
6	2437	' MC	CS0	19	0.28 84		84.81	1 W	/att = 3	0.00	dBm	PASS
10	2457	' MC	CS0	20	.34 10		108.26	1 W	/att = 3	0.00	dBm	PASS
11	2462	2 MC	CS0	17	.99 63.0		63.02	1 W	/att = 3	0.00	dBm	PASS
802.1°	1n_HT20	M MIMC)									
СН	Freq. (MHz)	Data Rate	Po	Output ower Bm)	Total Peak Output Power (dBm)		Total Pea Output Pov (mW)			Limit		RESULT
1	2412	MCS8	21.25		24.2	29 268.56			1 Watt =	30.00	dBm	PASS
2	2417	MCS8	23.82	23.98	26.9		491.03		1 Watt =	30.00	dBm	PASS
6	2437	MCS8	23.87	23.84	26.8	7	485.88		1 Watt =	30.00	dBm	PASS
10	2457	MCS8	24.30	24.46	27.39		548.41		1 Watt =	30.00	dBm	PASS
11	2462	MCS8	21.49	21.72	24.6	2	289.52		1 Watt =	30.00	dBm	PASS
802.1°	1n_HT20	м мімс		•			•					•
СН	Freq. (MHz)	Data Rate	Po (d	Power inclu		rg. Output Max. Avg. O e tune up include tun ce Power tolerance P		up		Limit		RESULT
			CH 0		(dBn		(mW)					
1	2412	MCS8	13.86	_	16.8		48.70		1 Watt =	30.00	dBm	PASS
2	2417	MCS8	16.11	16.26	19.4		87.31		1 Watt =	30.00	dBm	PASS
6	2437	MCS8	16.63	_	19.7		93.59		1 Watt =	30.00	dBm	PASS
10	2457	MCS8	17.56		20.7		118.04		1 Watt =	30.00	dBm	PASS
11	2462	MCS8	15.11	1 15.04 18.30		0	67.61		1 Watt =	30.00	dBm	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate of this decument is unauthorized alteration, however the unauthorized alteration, forgery or falsification of the content or approximate in unauthorized and provided and provid pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sgs.com



802.1	802.11n_HT40M Main									
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)	Peak Output Power (mW)	l	_imit		RESULT		
3	2422	MCS0	22.44	175.39	1 Watt =	30.00	dBm	PASS		
4	2427	MCS0	22.48	177.01	1 Watt =	30.00	dBm	PASS		
5	2432	MCS0	22.51	178.24	1 Watt =	30.00	dBm	PASS		
6	2437	MCS0	22.40	173.78	1 Watt =	30.00	dBm	PASS		
7	2442	MCS0	22.64	183.65	1 Watt =	30.00	dBm	PASS		
8	2447	MCS0	23.78	238.78	1 Watt =	30.00	dBm	PASS		
9	2452	MCS0	23.67	232.81	1 Watt =	30.00	dBm	PASS		
802.1	1n_HT40	M Main								
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power (dBm)	Max. Avg. Output include tune up tolerance Power (mW)	l	_imit		RESULT		
3	2422	MCS0	15.10	32.33	1 Watt =	30.00	dBm	PASS		
4	2427	MCS0	15.60	36.28	1 Watt =	30.00	dBm	PASS		
5	2432	MCS0	15.81	38.07	1 Watt =	30.00	dBm	PASS		
6	2437	MCS0	17.43	55.29	1 Watt =	30.00	dBm	PASS		
7	2442	MCS0	17.47	55.80	1 Watt =	30.00	dBm	PASS		
8	2447	MCS0	17.10	51.24	1 Watt =	30.00	dBm	PASS		
9	2452	MCS0	16.73	47.06	1 Watt =	30.00	dBm	PASS		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate of this document is under the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



802.1	802.11n_HT40M Aux1									
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)	Peak Output Power (mW)	Limit		RESULT			
3	2422	MCS0	22.87	193.64	1 Watt =	30.00	dBm	PASS		
4	2427	MCS0	22.88	194.09	1 Watt =	30.00	dBm	PASS		
5	2432	MCS0	22.75	188.36	1 Watt =	30.00	dBm	PASS		
6	2437	MCS0	22.77	189.23	1 Watt =	30.00	dBm	PASS		
7	2442	MCS0	22.81	190.99	1 Watt =	30.00	dBm	PASS		
8	2447	MCS0	24.18	261.82	1 Watt =	30.00	dBm	PASS		
9	2452	MCS0	23.98	250.03	1 Watt =	30.00	dBm	PASS		
802.1	1n_HT40	M Aux1					•			
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power (dBm)	Max. Avg. Output include tune up tolerance Power (mW)	Limit			RESULT		
3	2422	MCS0	15.07	32.11	1 Watt =	30.00	dBm	PASS		
4	2427	MCS0	15.58	36.11	1 Watt =	30.00	dBm	PASS		
5	2432	MCS0	15.76	37.64	1 Watt =	30.00	dBm	PASS		
6	2437	MCS0	17.16	51.95	1 Watt =	30.00	dBm	PASS		
7	2442	MCS0	17.33	54.03	1 Watt =	30.00	dBm	PASS		
8	2447	MCS0	16.73	47.06	1 Watt =	30.00	dBm	PASS		
9	2452	MCS0	16.23	41.94	1 Watt =	30.00	dBm	PASS		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate of this document is under the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



802.1	1n_HT40	M MIMC)							
СН	Freq. (MHz)	Data Rate			Total Peak Output Power (dBm)	Total Peak Output Power (mW)	Limit			RESULT
			CH 0	CH 1	(dBIII)	(11111)				
3	2422	MCS8	20.74	20.68	23.72	235.53	1 Watt =	30.00	dBm	PASS
4	2427	MCS8	20.64	20.58	23.62	230.17	1 Watt =	30.00	dBm	PASS
5	2432	MCS8	20.55	20.35	23.46	221.89	1 Watt =	30.00	dBm	PASS
6	2437	MCS8	20.90	20.65	23.79	239.17	1 Watt =	30.00	dBm	PASS
7	2442	MCS8	20.62	20.45	23.55	226.26	1 Watt =	30.00	dBm	PASS
8	2447	MCS8	21.62	21.54	24.59	287.77	1 Watt =	30.00	dBm	PASS
9	2452	MCS8	21.49	21.25	24.38	274.28	1 Watt =	30.00	dBm	PASS
000 4	802.11n_HT40M MIMO									
802.1	1n_H140	M MIMC)							
802.1			Avg. (Output	Max. Avg. Output	Max. Avg. Output				
802.1	Freq.	Data Rate	Avg. (Output wer Bm)	Max. Avg. Output include tune up tolerance Power	Max. Avg. Output include tune up tolerance Power		Limit		RESULT
	Freq.	Data	Avg. (wer	include tune up	include tune up		Limit		RESULT
	Freq.	Data	Avg. (Po	wer 3m)	include tune up tolerance Power	include tune up tolerance Power	1 Watt =	Limit 30.00	dBm	RESULT PASS
СН	Freq. (MHz)	Data Rate	Avg. (Por (dE	wer Bm) CH 1	include tune up tolerance Power (dBm)	include tune up tolerance Power (mW)	1 Watt =		dBm dBm	
CH 3	Freq. (MHz)	Data Rate	Avg. (Por (dE CH 0 12.04	wer Bm) CH 1 11.57	include tune up tolerance Power (dBm)	include tune up tolerance Power (mW)		30.00		PASS
CH 3 4	Freq. (MHz) 2422 2427	Data Rate MCS8 MCS8	Avg. (Por (dE CH 0 12.04 12.54	wer Bm) CH 1 11.57 12.03	include tune up tolerance Power (dBm) 15.24 15.72	include tune up tolerance Power (mW) 33.40 37.32	1 Watt =	30.00 30.00	dBm	PASS PASS
CH 3 4 5	Freq. (MHz) 2422 2427 2432	Data Rate MCS8 MCS8 MCS8	Avg. (Por (dE CH 0 12.04 12.54 12.61	wer Bm) CH 1 11.57 12.03 12.24	include tune up tolerance Power (dBm) 15.24 15.72 15.86	include tune up tolerance Power (mW) 33.40 37.32 38.51	1 Watt = 1 Watt =	30.00 30.00 30.00	dBm dBm	PASS PASS PASS
CH 3 4 5 6	Freq. (MHz) 2422 2427 2432 2437	Data Rate MCS8 MCS8 MCS8 MCS8	Avg. (Por (dE CH 0 12.04 12.54 12.61 14.17	wer Bm) CH 1 11.57 12.03 12.24 14.09	include tune up tolerance Power (dBm) 15.24 15.72 15.86 17.56	include tune up tolerance Power (mW) 33.40 37.32 38.51 56.97	1 Watt = 1 Watt = 1 Watt =	30.00 30.00 30.00 30.00	dBm dBm dBm	PASS PASS PASS PASS

^{*} Note: The duty cycle factor is compensated to obtain the maximum value of measurement in average.



6DB & 99% BANDWIDTH MEASUREMENT


9.1 Standard Applicable

The minimum 6 dB bandwidth shall be at least 500 kHz.

9.2 Measurement Equipment Used

Conducted Emission Test Site									
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.				
EXA Spectrum Ana- lyzer	Agilent	N9010A	MY50420195	2018/05/03	2018/08/28				
Attenuator	Mini-Circuit	BW-S10W2+	2	2017/11/29	2018/11/28				
DC Block	Mini-Circuits	BLK-18-S+	1	2018/01/04	2019/01/03				
Coaxial Cables	N/A	WK CE Ca- ble	N/A	2017/12/20	2018/12/19				
Notebook	Lenovo	L420	LR-7HXZA	2017/12/29	2018/12/28				

9.3 Test Set-up



9.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- For 6dB Bandwidth:
 - Set the spectrum analyzer as RBW = 100 kHz, VBW = 3*RBW, Span = 30M/50MHz, Detector=peak, Sweep=auto.
- 5. Mark the peak frequency and –6dB (upper and lower) frequency.
- 6. For 99% Bandwidth:
 - Set the spectrum analyzer as RBW=1%, VBW = 3*RBW, Span = 30M/50MHz, Detector=Sample, Sweep=auto.
- 7. Turn on the 99% bandwidth function, max reading.
- 8. Repeat above procedures until all frequency of interest measured was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.




9.5 Measurement Result

802.11b	Main			802.11b Aux1					
Freq. (MHz)	6dB BW (kHz)	Limit (kHz)	Result	Freq. (MHz)	6dB BW (kHz)	Limit (kHz)	Result		
2412	9073.00	> 500	PASS	2412	9101.00	> 500	PASS		
2437	9115.00	> 500	PASS	2437	9101.00	> 500	PASS		
2462	9116.00	> 500	PASS	2462	8118.00	> 500	PASS		
802.11g	_I Main			802.11g	Aux1				
Freq. (MHz)	6dB BW (kHz)	Limit (kHz)	Result	Freq. (MHz)	6dB BW (kHz)	Limit (kHz)	Result		
2412	15100.00	> 500	PASS	2412	14470.00	> 500	PASS		
2417	15130.00	> 500	PASS	2417	15140.00	> 500	PASS		
2437	15140.00	> 500	PASS	2437	15120.00	> 500	PASS		
2457	15160.00	> 500	PASS	2457	15150.00	> 500	PASS		
2462	15120.00	> 500	PASS	2462	15140.00	> 500	PASS		
802.11_	n_HT20 Ma	in		802.11_n_HT20 Aux1					
Freq. (MHz)	6dB BW (kHz)	Limit (kHz)	Result	Freq. (MHz)	6dB BW (kHz)	Limit (kHz)	Result		
2412	15150.00	> 500	PASS	2412	15150.00	> 500	PASS		
2417	15160.00	> 500	PASS	2417	15140.00	> 500	PASS		
2437	15140.00	> 500	PASS	2437	15150.00	> 500	PASS		
2457	15130.00	> 500	PASS	2457	15140.00	> 500	PASS		
2462	15120.00	> 500	PASS	2462	15140.00	> 500	PASS		
802.11_	n_HT40 Ma	in		802.11_n_HT40 Aux1					
Freq. (MHz)	6dB BW (kHz)	Limit (kHz)	Result	Freq. (MHz)	6dB BW (kHz)	Limit (kHz)	Result		
2422	35180.00	> 500	PASS	2422	35150.00	> 500	PASS		
2427	35170.00	> 500	PASS	2427	35170.00	> 500	PASS		
2432	35160.00	> 500	PASS	2432	35170.00	> 500	PASS		
2437	35180.00	> 500	PASS	2437	35160.00	> 500	PASS		
2442	35170.00	> 500	PASS	2442	35170.00	> 500	PASS		
2447	35160.00	> 500	PASS	2447	35350.00	> 500	PASS		
2452	35915.00	> 500	PASS	2452	35906.00	> 500	PASS		

^{*}Refer to next page for plots

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






802.11b (Main)

6dB Band Width Test Data CH-Low (2412MHz)




802.11g (Main)

6dB Band Width Test Data CH-Low (2412MHz)



6dB Band Width Test Data CH-Mid (2437MHz)




6dB Band Width Test Data CH-Low (2417MHz)



6dB Band Width Test Data CH-High (2462MHz)



6dB Band Width Test Data CH-Mid (2437MHz)




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format the company's subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



6dB Band Width Test Data CH-High (2457MHz)




6dB Band Width Test Data CH-High (2462MHz)




802.11n_20M (Main)


6dB Band Width Test Data CH-Low (2412MHz)



6dB Band Width Test Data CH-Low (2417MHz)



6dB Band Width Test Data CH-Mid (2437MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format the company's subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




6dB Band Width Test Data CH-High (2457MHz)




802.11n_40M (Main)


6dB Band Width Test Data CH-Low (2422MHz)




6dB Band Width Test Data CH-High (2462MHz)



6dB Band Width Test Data CH-Low (2427MHz)



6dB Band Width Test Data CH-Low (2432MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format the company's subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sqs.com




6dB Band Width Test Data CH-Mid (2437MHz)




6dB Band Width Test Data CH-High (2452MHz)



6dB Band Width Test Data CH-High (2442MHz)




6dB Band Width Test Data CH-High (2447MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format the company's subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






802.11b (Aux)

6dB Band Width Test Data CH-Low (2412MHz)



802.11g (Aux)


6dB Band Width Test Data CH-Low (2412MHz)




6dB Band Width Test Data CH-Mid (2437MHz)




6dB Band Width Test Data CH-Low (2417MHz)



6dB Band Width Test Data CH-High (2462MHz)



6dB Band Width Test Data CH-Mid (2437MHz)




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format the company's subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



6dB Band Width Test Data CH-High (2457MHz)



6dB Band Width Test Data CH-High (2462MHz)



802.11n_20M (Aux)

6dB Band Width Test Data CH-Low (2412MHz)



6dB Band Width Test Data CH-Low (2417MHz)



6dB Band Width Test Data CH-Low (2437MHz)




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留⁹0天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format the company's subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



6dB Band Width Test Data CH- High (2457MHz)




6dB Band Width Test Data CH- High (2462MHz)




802.11n_40M (Aux)


6dB Band Width Test Data CH-Low (2422MHz)



6dB Band Width Test Data CH-Low (2427MHz)



6dB Band Width Test Data CH-Low (2432MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format the company's subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




6dB Band Width Test Data CH-Mid (2437MHz)




6dB Band Width Test Data CH-High (2452MHz)



6dB Band Width Test Data CH-High (2442MHz)



6dB Band Width Test Data CH-High (2447MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format the company's subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



10 CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT

10.1 Standard Applicable


In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits.

In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a).

10.2 Measurement Equipment Used

Conducted Emission Test Site					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
EXA Spectrum Analyzer	Agilent	N9010A	MY5042019 5	2018/05/03	2018/08/28
Attenuator	Mini-Circuit	BW-S10W2+	2	2017/11/29	2018/11/28
DC Block	Mini-Circuits	BLK-18-S+	1	2018/01/04	2019/01/03
Coaxial Cables	N/A	WK CE Ca- ble	N/A	2017/12/20	2018/12/19
Notebook	Lenovo	L420	LR-7HXZA	2017/12/29	2018/12/28

10.3 Test SET-UP




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488





10.4 Measurement Procedure

Reference Level of Emission Calculation:

- 1. Set analyzer center frequency to DTS channel center frequency.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas.
- 3. Set the span to 1.5 times the DTS channel bandwidth.
- **4.** Set the RBW = 100kHz & VBW = 300 kHz.
- **5.** Detector = peak.
- **6.** Sweep time = auto couple.
- 7. Trace mode = max hold.
- **8.** Allow trace to fully stabilize. Use the peak marker function to determine the maximum amplitude level.

Conducted Band Edge:

- To connect Antenna Port of EUT to Spectrum.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set start to edge frequency, and stop frequency of spectrum analyzer so as to encompass the spectrum to be examined.
- 5. Set the spectrum analyzer as RBW=100 kHz, VBW=300 kHz, Detector = Peak, Sweep = auto
- 6. Mark the highest reading of the emission as the reference level measurement.
- 7. Set DL as the limit = reading on marker 1 20dBm
- 8. Marker on frequency, 2.3999GHz and 2.4836GHz, and examine shall 100 kHz immediately outside the authorized (2400~2483.5) be attenuated by 20dB at least relative to the maximum emission of power.
- Repeat above procedures until all default test channel (low, middle, and high) was complete.

Conducted Spurious Emission:

- 1. To connect Antenna Port of EUT to Spectrum
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Set RBW = 100 kHz & VBW = 300 kHz, Detector = Peak, Sweep = Auto.
- 4. Allow trace to fully stabilize.
- 5. Use the peak marker function to determine the maximum power level in any 100 kHz band segment within the fundamental EBW.
- 6. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

> f (886-2) 2298-0488 www.tw.sqs.com

SGS Taiwan Ltd.



10.5 Measurement Result

Reference Level of Limit 802.11b mode					
Freq.	PSD	Reference Level of Limit			
(MHz)	(dBm)	(dBm)			
2412	13.31	-6.69			
2437	13.72	-6.28			
2462	13.67	-6.33			


Reference Level of Limit 802.11g mode					
Freq.	PSD	Reference Level of Limit			
(MHz)	(dBm)	(dBm)			
2412	7.75	-12.25			
2417	417 7.38 -12.6	-12.62			
2437	10.89	-9.11			
2457	9.90	-10.10			
2462	8.25	-11.75			

Reference Level of Limit 802.11n20 mode					
Freq.	PSD	Reference Level of Limit			
(MHz)	(dBm)	(dBm)			
2412	6.99	-13.01			
2417	2417 9.14	-10.86			
2437	10.18	-9.82			
2457	10.24 -9.76				
2462	8.35	-11.65			

Reference Level of Limit 802.11n40 MODE						
Freq.	PSD	Reference Level of Limit				
(MHz)	(dBm)	(dBm)				
2422	1.94	-18.06				
2427	2.00	-18.00				
2432	2.50	-17.50				
2437	2.97	-17.03				
2442	4.25	-15.75				
2447	3.57	-16.43				
2452	4.13	-15.87				

12.26 dB for MIMO mode offset

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





Reference Level 802.11b 20MHz Chain0 2412MHz




Reference Level_802.11b_20MHz_Chain0_2437MHz




Reference Level_802.11b_20MHz_Chain0_2462MHz



Reference Level 802.11g 20MHz Chain0 2412MHz



Reference Level 802.11g 20MHz Chain0 2417MHz




Reference Level_802.11g_20MHz_Chain0_2437MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format the company's subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Reference Level 802.11g 20MHz Chain0 2457MHz




Reference Level_802.11g_20MHz_Chain0_2462MHz




Reference Level 802.11n 20MHz Chain0 2412MHz



Reference Level 802.11n 20MHz Chain0 2417MHz




Reference Level_802.11n_20MHz_Chain0_2437MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format the company's subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Reference Level 802.11n 20MHz Chain0 2457MHz




Reference Level_802.11n_20MHz_Chain0_2462MHz




Reference Level 802.11n 40MHz Chain0 2422MHz



Reference Level 802.11n 40MHz Chain0 2427MHz




Reference Level_802.11n_40MHz_Chain0_2432MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format the company's subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Reference Level 802.11n 40MHz Chain0 2437MHz



Reference Level 802.11n 40MHz Chain0 2442MHz



Reference Level_802.11n_40MHz_Chain0_2447MHz




Reference Level 802.11n 40MHz Chain0 2452MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format the company's subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| No.134, WuKungRoad, NewTaipeiIndustrial Park, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號






802.11b Band Edge Test Data CH-Low-2412MHz




Band Edge Test Data CH-High-2462MHz



802.11g Band Edge Test Data CH-Low-2412MHz



Band Edge Test Data CH-Low-2417MHz




Band Edge Test Data CH-High-2457MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Band Edge Test Data CH-High-2462MHz



802.11n HT20 Band Edge Test Data CH-Low-2412HMz



Band Edge Test Data CH-Low-2417HMz




Band Edge Test Data CH-High-2457HMz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






Band Edge Test Data CH-High-2462HMz



802.11n HT40 Band Edge Test Data CH-Low-2422HMz



Band Edge Test Data CH-Low-2427HMz



Band Edge Test Data CH-Low-2432HMz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Band Edge Test Data CH-High-2442HMz



Band Edge Test Data CH-High-2447HMz




Band Edge Test Data CH-High-2452HMz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





802.11b


30M-26GHz Spurious Emission Test Data CH-Low-2412MHz




30M-26GHz Spurious Emission Test Data CH-Mid-2437MHz




30M-26GHz Spurious Emission Test Data CH-High-2462MHz




802.11g 30M-26GHz Spurious Emission Test Data CH-Low-2412MHz



30M-26GHz Spurious Emission Test Data CH-Low-2417MHz




30M-26GHz Spurious Emission Test Data CH-Mid-2437MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30M-26GHz Spurious Emission Test Data CH-High-2457 MHz




30M-26GHz Spurious Emission Test Data CH-High-2462 MHz



802.11n_HT20 30M-26GHz Spurious Emission Test Data CH-Low-2412MHz



30M-26GHz Spurious Emission Test Data CH-Low-2417MHz




30M-26GHz Spurious Emission Test Data CH-Mid-2437MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30M-26GHz Spurious Emission Test Data CH-High-2457 MHz




30M-26GHz Spurious Emission Test Data CH-High-2462 MHz



802.11n_HT40 30M-26GHz Spurious Emission Test Data CH-Low-2422MHz



30M-26GHz Spurious Emission Test Data CH-Low-2427MHz



30M-26GHz Spurious Emission Test Data CH-Mid-2432MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




30M-26GHz Spurious Emission Test Data CH-Mid-2437MHz




30M-26GHz Spurious Emission Test Data CH-High-2442MHz



30M-26GHz Spurious Emission Test Data CH-High-2447MHz



30M-26GHz Spurious Emission Test Data CH-High-2452 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



11 RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT

11.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands must also comply with the §15.209 limit as below.

And according to §15.33(a) (1), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Note:

- 1. The lower limit shall apply at the transition frequencies.
- 2. Emission level $(dB\mu V/m) = 20 \log Emission level (dB\mu V/m)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



11.2 Measurement Equipment Used:


966 Chamber					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Bi-log Antenna	SCHWAZBECK	VULB9168	378	2017/12/29	2018/12/28
Horn Antenna	Schwarzbeck	BBHA9120D	1441	2017/08/04	2018/08/03
Horn Antenna	Schwarzbeck	BBHA9170	184	2017/12/12	2018/12/11
Loop Antenna	ETS.LINDGREN	6502	148045	2017/09/26	2018/09/25
3m Site NSA	SGS	966 chamber	N/A	2018/01/02	2019/01/01
Spectrum Analyz- er	Agilent	E4446A	MY51100003	2018/05/15	2018/08/28
EMI Test Receiver	R&S	ESCI7	100335	2018/02/02	2018/08/28
Pre-Amplifier	HP	8449B	3008A00578	2017/11/29	2018/11/28
Pre-Amplifier	HP	8447D	2944A07676	2018/01/04	2019/01/03
Pre-Amplifier	EMC Instru- ments	EMC184045B	980135	2017/12/29	2018/12/28
Attenuator	Mini-Circuit	BW-S10W2+	2	2017/11/29	2018/11/28
Filter 2400-2483.5 MHz	EWT	EWT-14-0166	M1	2017/09/26	2018/09/25
Low Loss Cable	Huber Suhner	966_RX	9	2017/11/29	2018/11/28
Notebook	Lenovo	L430	R9-X11BG	2017/08/04	2018/08/03

NOTE: N.C.R refers to Not Calibrated Required.




11.3 Test SET-UP


(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



(C) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

t (886-2) 2299-3279

www.tw.sqs.com



11.4 Measurement Procedure

- 1. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guid-
- 2. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
- 3. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 5. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 6. Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) and Quasi-peak (QP) at frequency below 1 GHz.
- 7. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency above 1 GHz.
- 8. Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- 9. The test-receiver system was set to quasi-peak detect function and specified bandwidth with maximum hold mode when the test frequency is below 1 GHz.
- 10. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 11. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. On spectrum, change spectrum mode in linear display mode, and reduce VBW = 10Hz if average reading is measured.
- 12. Repeat above procedures until all default test channel measured were complete.

11.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where	S .	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	


Actual FS(dB μ V/m) = SPA. Reading level(dB μ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) – Pre Amplifier Gain(dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.





11.6 Test Results of Radiated Spurious Emissions form 9 kHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.


11.7 Measurement Result

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.





Radiated Band Edge Measurement Result

Operation Band :802.11b Fundamental Frequency :2412 MHz


Operation Mode :Bandedge CH LOW

EUT Pol. :E1 Plane **Test Date** :2018-07-04

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

:VERTICAL Measurement Antenna Pol.




Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2386.60	Average	52.65	0.19	52.84	54.00	-1.16
2386.60	Peak	59.28	0.19	59.47	74.00	-14.53
2390.00	Average	45.55	0.20	45.75	54.00	-8.25
2390.00	Peak	55.64	0.20	55.84	74.00	-18.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com





EUT Pol.

:802.11b :2412 MHz


:Bandedge CH LOW

:E1 Plane

Test Date :2018-07-04

Temp./Humi. :21 deg_C / 62 RH Engineer :Kane

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2386.08	Average	46.80	0.19	46.99	54.00	-7.01
2386.08	Peak	55.96	0.19	56.15	74.00	-17.85
2390.00	Average	41.39	0.20	41.59	54.00	-12.41
2390.00	Peak	53.21	0.20	53.41	74.00	-20.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488





:802.11b :2462 MHz


:Bandedge CH HIGH

:E1 Plane

Test Date :2018-07-04

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane Measurement Antenna Pol. :VERTICAL




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.50	Average	49.12	0.53	49.65	54.00	-4.35
2483.50	Peak	55.89	0.53	56.42	74.00	-17.58
2488.00	Average	52.40	0.54	52.94	54.00	-1.06
2488.00	Peak	59.05	0.54	59.59	74.00	-14.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488





EUT Pol.

:802.11b :2462 MHz

:Bandedge CH HIGH


:E1 Plane

Test Date :2018-07-04

Temp./Humi. :21 deg_C / 62 RH


Engineer :Kane

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.50	Average	46.14	0.53	46.67	54.00	-7.33
2483.50	Peak	54.67	0.53	55.20	74.00	-18.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





EUT Pol.

:802.11g :2412 MHz


:Bandedge CH LOW

:E1 Plane

Test Date :2018-07-05

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2388.24	Average	52.01	0.19	52.20	54.00	-1.80
2388.24	Peak	70.46	0.19	70.65	74.00	-3.35
2390.00	Average	52.25	0.20	52.45	54.00	-1.55
2390.00	Peak	69.24	0.20	69.44	74.00	-4.56


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488





EUT Pol.

:802.11g :2412 MHz

:Bandedge CH LOW


:E1 Plane

Test Date :2018-07-05

Temp./Humi. :21 deg_C / 62 RH


Engineer :Kane

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2390.00	Average	49.33	0.20	49.53	54.00	-4.47
2390.00	Peak	65.18	0.20	65.38	74.00	-8.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





Operation Band Fundamental Frequency

Operation Mode EUT Pol.

:802.11g :2417 MHz

:Bandedge CH LOW


:E1 Plane

Test Date :2018-07-05

Temp./Humi. :21 deg_C / 62 RH


Engineer :Kane

Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2390.00	Average	52.14	0.20	52.34	54.00	-1.66
2390.00	Peak	69.54	0.20	69.74	74.00	-4.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





Operation Band Fundamental Frequency

Operation Mode EUT Pol.

:802.11g :2417 MHz

:Bandedge CH LOW


:E1 Plane

Test Date :2018-07-05

Temp./Humi. :21 deg_C / 62 RH


Engineer :Kane

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2390.00	Average	49.25	0.20	49.45	54.00	-4.55
2390.00	Peak	66.02	0.20	66.22	74.00	-7.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





:802.11g :2457 MHz

:Bandedge CH HIGH


:E1 Plane

Test Date :2018-07-05

Temp./Humi. :21 deg_C / 62 RH


Engineer :Kane

Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.50	Average	52.31	0.53	52.84	54.00	-1.16
2483.50	Peak	69.99	0.53	70.52	74.00	-3.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





EUT Pol.

:802.11g :2457 MHz

:Bandedge CH HIGH


:E1 Plane

Test Date :2018-07-05

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.50	Average	47.02	0.53	47.55	54.00	-6.45
2483.50	Peak	62.93	0.53	63.46	74.00	-10.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488





EUT Pol.

:802.11g :2462 MHz

:Bandedge CH HIGH


:E1 Plane

Test Date :2018-07-05

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

Measurement Antenna Pol. :VERTICAL




Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.50	Average	51.57	0.53	52.10	54.00	-1.90
2483.50	Peak	71.63	0.53	72.16	74.00	-1.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com





EUT Pol.

:802.11g :2462 MHz

:Bandedge CH HIGH


:E1 Plane

Test Date :2018-07-05

Temp./Humi. :21 deg_C / 62 RH


Engineer :Kane

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.50	Average	45.98	0.53	46.51	54.00	-7.49
2483.50	Peak	65.29	0.53	65.82	74.00	-8.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





EUT Pol.

:802.11n20 :2412 MHz :Bandedge CH LOW :E1 Plane


Temp./Humi.

Test Date

:2018-07-04 :21 deg_C / 62 RH

Engineer :Kane

Measurement Antenna Pol. :VERTICAL




Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2390.00	Average	51.86	0.20	52.06	54.00	-1.94
2390.00	Peak	68.06	0.20	68.26	74.00	-5.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 www.tw.sgs.com





Operation Band Fundamental Frequency

Operation Mode EUT Pol.

:802.11n20 :2412 MHz

:Bandedge CH LOW


:E1 Plane

Test Date :2018-07-04

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

Measurement Antenna Pol. :HORIZONTAL




Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2390.00	Average	46.86	0.20	47.06	54.00	-6.94
2390.00	Peak	63.15	0.20	63.35	74.00	-10.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com





EUT Pol.

:802.11n20 :2417 MHz

:Bandedge CH LOW


:E1 Plane

Test Date :2018-07-04

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2390.00	Average	51.75	0.20	51.95	54.00	-2.05
2390.00	Peak	65.75	0.20	65.95	74.00	-8.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com





EUT Pol.

:802.11n20 :2417 MHz :Bandedge CH LOW


:E1 Plane

Test Date :2018-07-04

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

Measurement Antenna Pol. :HORIZONTAL




Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2390.00	Average	46.57	0.20	46.77	54.00	-7.23
2390.00	Peak	61.71	0.20	61.91	74.00	-12.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488





EUT Pol.

:802.11n20 :2457 MHz

:Bandedge CH HIGH


:E1 Plane

Test Date :2018-07-04

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.50	Average	51.94	0.53	52.47	54.00	-1.53
2483.50	Peak	67.33	0.53	67.86	74.00	-6.14


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279





EUT Pol.

:802.11n20 :2457 MHz

:Bandedge CH HIGH


:E1 Plane

Test Date :2018-07-04

Temp./Humi. :21 deg_C / 62 RH


Engineer :Kane

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.50	Average	48.55	0.53	49.08	54.00	-4.92
2483.50	Peak	63.87	0.53	64.40	74.00	-9.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





EUT Pol.

:802.11n20 :2462 MHz

:Bandedge CH HIGH


:E1 Plane

Test Date :2018-07-04

Temp./Humi. :21 deg_C / 62 RH


Engineer :Kane

Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.50	Average	52.40	0.53	52.93	54.00	-1.07
2483.50	Peak	67.52	0.53	68.05	74.00	-5.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





:802.11n20 :2462 MHz :Bandedge CH HIGH :E1 Plane

Temp./Humi.


Test Date

:2018-07-04

:21 deg_C / 62 RH

Engineer :Kane

Measurement Antenna Pol. :HORIZONTAL




Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.50	Average	47.68	0.53	48.21	54.00	-5.79
2483.50	Peak	64.98	0.53	65.51	74.00	-8.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 www.tw.sgs.com





EUT Pol.

:802.11n40 :2422 MHz

:Bandedge CH LOW


:E1 Plane

Test Date :2018-07-04

Temp./Humi. :21 deg_C / 62 RH


Engineer :Kane

Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2387.76	Average	51.49	0.19	51.68	54.00	-2.32
2387.76	Peak	71.78	0.19	71.97	74.00	-2.03
2390.00	Average	52.38	0.20	52.58	54.00	-1.42
2390.00	Peak	65.04	0.20	65.24	74.00	-8.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





EUT Pol.

:802.11n40 :2422 MHz


:Bandedge CH LOW

:E1 Plane

Test Date :2018-07-04

Temp./Humi. :21 deg_C / 62 RH Engineer :Kane

Measurement Antenna Pol. :HORIZONTAL




Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2388.60	Average	47.19	0.19	47.38	54.00	-6.62
2388.60	Peak	66.15	0.19	66.34	74.00	-7.66
2390.00	Average	47.67	0.20	47.87	54.00	-6.13
2390.00	Peak	63.30	0.20	63.50	74.00	-10.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279





EUT Pol.

:802.11n40 :2427 MHz

:Bandedge CH LOW


:E1 Plane

Test Date :2018-07-04

Temp./Humi. :21 deg_C / 62 RH


Engineer :Kane

Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2390.00	Average	52.56	0.20	52.76	54.00	-1.24
2390.00	Peak	69.08	0.20	69.28	74.00	-4.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





EUT Pol.


:802.11n40 :2427 MHz :Bandedge CH LOW

:E1 Plane

Test Date :2018-07-04

Temp./Humi. :21 deg_C / 62 RH Engineer :Kane

Measurement Antenna Pol. :HORIZONTAL




Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2390.00	Average	45.28	0.20	45.48	54.00	-8.52
2390.00	Peak	60.68	0.20	60.88	74.00	-13.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com





Operation Band Fundamental Frequency

Operation Mode EUT Pol.

:802.11n40 :2432 MHz

:Bandedge CH LOW


:E1 Plane

Test Date :2018-07-13

Temp./Humi. :21 deg_C / 62 RH


Engineer :Kane

Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2390.00	Average	51.85	0.20	52.05	54.00	-1.95
2390.00	Peak	68.63	0.20	68.83	74.00	-5.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





Operation Band Fundamental Frequency

Operation Mode EUT Pol.

:802.11n40 :2432 MHz

:Bandedge CH LOW


:E1 Plane

Test Date :2018-07-13

Temp./Humi. :21 deg_C / 62 RH


Engineer :Kane

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2390.00	Average	44.20	0.20	44.40	54.00	-9.60
2390.00	Peak	59.36	0.20	59.56	74.00	-14.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





EUT Pol.

:802.11n40 :2442 MHz

:Bandedge CH HIGH


:E1 Plane

Test Date :2018-07-13

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.50	Average	52.39	0.53	52.92	54.00	-1.08
2483.50	Peak	67.14	0.53	67.67	74.00	-6.33


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279





EUT Pol.

:802.11n40 :2442 MHz

:Bandedge CH HIGH


:E1 Plane

Test Date :2018-07-13

Temp./Humi. :21 deg_C / 62 RH


Engineer :Kane

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.50	Average	47.02	0.53	47.55	54.00	-6.45
2483.50	Peak	65.15	0.53	65.68	74.00	-8.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





EUT Pol.

:802.11n40 :2447 MHz

:Bandedge CH HIGH


:E1 Plane

Test Date :2018-07-04

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

Measurement Antenna Pol. :VERTICAL




Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.50	Average	52.35	0.53	52.88	54.00	-1.12
2483.50	Peak	71.52	0.53	72.05	74.00	-1.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com





EUT Pol.

:802.11n40 :2447 MHz

:Bandedge CH HIGH


:E1 Plane

Test Date :2018-07-04

Temp./Humi. :21 deg_C / 62 RH


Engineer :Kane

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.50	Average	47.28	0.53	47.81	54.00	-6.19
2483.50	Peak	66.61	0.53	67.14	74.00	-6.86
2484.50	Average	47.14	0.53	47.67	54.00	-6.33
2484.50	Peak	69.53	0.53	70.06	74.00	-3.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





EUT Pol.

:802.11n40 :2452 MHz

:Bandedge CH HIGH


:E1 Plane

Test Date :2018-07-04

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

Measurement Antenna Pol. :VERTICAL




Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.50	Average	52.39	0.53	52.92	54.00	-1.08
2483.50	Peak	70.45	0.53	70.98	74.00	-3.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279





EUT Pol.

:802.11n40 :2452 MHz

:Bandedge CH HIGH


:E1 Plane

Test Date :2018-07-04

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB	_
2483.50	Average	46.47	0.53	47.00	54.00	-7.00	_
2483.50	Peak	65.25	0.53	65.78	74.00	-8.22	
2484.90	Average	46.06	0.53	46.59	54.00	-7.41	
2484.90	Peak	67.21	0.53	67.74	74.00	-6.26	
2489.60	Average	45.39	0.54	45.93	54.00	-8.07	
2489.60	Peak	67.53	0.54	68.07	74.00	-5.93	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279






Below 1GHz Worst-Case Data: Radiated Spurious Emission Measurement Result

Operation Band :802.11g **Test Date** :2018-09-18

Fundamental Frequency Temp./Humi. :2437 MHz :21 deg_C / 62 RH

Operation Mode :Tx CH MID Engineer :Kane EUT Pol. :E1 Plane :VERTICAL Measurement Antenna Pol.




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
61.04	Peak	40.82	-8.05	32.77	40.00	-7.23
182.29	Peak	31.41	-8.37	23.04	43.50	-20.46
231.76	Peak	35.46	-8.42	27.04	46.00	-18.96
308.39	Peak	37.32	-5.28	32.04	46.00	-13.96
398.60	Peak	34.62	-3.41	31.21	46.00	-14.79
500.45	Peak	31.47	-2.36	29.11	46.00	-16.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279





EUT Pol.


:802.11g :2437 MHz :Tx CH MID :E1 Plane

Test Date :2018-07-16

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

Measurement Antenna Pol. :HORIZONTAL




Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
61.04	Peak	41.55	-8.05	33.50	40.00	-6.50
206.54	Peak	32.21	-9.25	22.96	43.50	-20.54
231.76	Peak	31.52	-8.42	23.10	46.00	-22.90
308.39	Peak	31.77	-5.28	26.49	46.00	-19.51
385.99	Peak	30.88	-3.77	27.11	46.00	-18.89
463.59	Peak	30.57	-2.16	28.41	46.00	-17.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279






EUT Pol.

:802.11n40 :2437 MHz :Tx CH MID :E1 Plane

Test Date :2018-09-18

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane Measurement Antenna Pol. :VERTICAL




Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
61.04	Peak	41.22	-8.05	33.17	40.00	-6.83
233.70	Peak	35.46	-8.24	27.22	46.00	-18.78
308.39	Peak	35.88	-5.28	30.60	46.00	-15.40
390.84	Peak	35.44	-3.62	31.82	46.00	-14.18
463.59	Peak	31.35	-2.16	29.19	46.00	-16.81
497.54	Peak	31.61	-2.64	28.97	46.00	-17.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279






EUT Pol.

:802.11n40 :2437 MHz :Tx CH MID :E1 Plane

Test Date :2018-09-18 Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

Measurement Antenna Pol. :HORIZONTAL




Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
61.04	Peak	39.97	-8.05	31.92	40.00	-8.08
231.76	Peak	33.94	-8.42	25.52	46.00	-20.48
308.39	Peak	33.89	-5.28	28.61	46.00	-17.39
398.60	Peak	32.55	-3.41	29.14	46.00	-16.86
521.79	Peak	31.52	-1.50	30.02	46.00	-15.98
616.85	Peak	29.56	0.17	29.73	46.00	-16.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279






Above 1GHz Data:

Radiated Spurious Emission Measurement Result

Test Date Operation Band :802.11b :2018-07-16

:2412 MHz Fundamental Frequency Temp./Humi. :21 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane EUT Pol. :E1 Plane Measurement Antenna Pol. :VERTICAL




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4822.00	Average	43.77	5.60	49.37	54.00	-4.63
4822.00	Peak	45.14	5.60	50.74	74.00	-23.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279





EUT Pol.


:802.11b :2412 MHz :Tx CH LOW :E1 Plane

Test Date :2018-07-16

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

Measurement Antenna Pol. :HORIZONTAL




Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4824.00	Average	44.62	5.61	50.23	54.00	-3.77
4824.00	Peak	46.21	5.61	51.82	74.00	-22.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號






:802.11b :2437 MHz :Tx CH MID :E1 Plane

Test Date :2018-07-16

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane Measurement Antenna Pol. :VERTICAL




Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4874.00	Average	43.68	5.85	49.53	54.00	-4.47
4874.00	Peak	45.28	5.85	51.13	74.00	-22.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com





EUT Pol.


:802.11b :2437 MHz :Tx CH MID :E1 Plane

Test Date :2018-07-16

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

Measurement Antenna Pol. :HORIZONTAL




Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB	
4874.00	Average	44.39	5.85	50.24	54.00	-3.76	
4874.00	Peak	46.10	5.85	51.95	74.00	-22.05	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com






EUT Pol.

:802.11b :2462 MHz :Tx CH HIGH :E1 Plane

Test Date :2018-07-16


Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4924.00	Average	42.82	5.82	48.64	54.00	-5.36
4924.00	Peak	45.29	5.82	51.11	74.00	-22.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






EUT Pol.

:802.11b :E1 Plane

:2462 MHz :Tx CH HIGH **Test Date** :2018-07-16 Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

Measurement Antenna Pol. :HORIZONTAL




Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4924.00	Average	43.70	5.82	49.52	54.00	-4.48
4924.00	Peak	45.70	5.82	51.52	74.00	-22.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com






EUT Pol.

:802.11g :2412 MHz :Tx CH LOW :E1 Plane

Test Date :2018-07-16

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane Measurement Antenna Pol. :VERTICAL




Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4824.00	Average	31.34	5.61	36.95	54.00	-17.05
4824.00	Peak	40.08	5.61	45.69	74.00	-28.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 www.tw.sqs.com






EUT Pol.

:802.11g :2412 MHz :Tx CH LOW :E1 Plane

Test Date :2018-07-16 Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

Measurement Antenna Pol. :HORIZONTAL




Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4824.00	Average	33.05	5.61	38.66	54.00	-15.34
4824.00	Peak	39.88	5.61	45.49	74.00	-28.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 www.tw.sqs.com






EUT Pol.

:802.11g :2437 MHz :Tx CH MID :E1 Plane

Test Date :2018-07-16


Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4874.00	Average	32.79	5.85	38.64	54.00	-15.36
4874.00	Peak	41.99	5.85	47.84	74.00	-26.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





EUT Pol.


:802.11g :2437 MHz :Tx CH MID :E1 Plane

Test Date :2018-07-16

Temp./Humi. :21 deg_C / 62 RH


Engineer :Kane

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4874.00	Average	33.77	5.85	39.62	54.00	-14.38
4874.00	Peak	41.11	5.85	46.96	74.00	-27.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






EUT Pol.

:802.11g :2462 MHz :Tx CH HIGH :E1 Plane

Test Date :2018-07-16


Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4924.00	Average	29.97	5.82	35.79	54.00	-18.21
4924.00	Peak	38.89	5.82	44.71	74.00	-29.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






EUT Pol.

:802.11g :2462 MHz :Tx CH HIGH :E1 Plane

Test Date :2018-07-16 Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

Measurement Antenna Pol. :HORIZONTAL




Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4924.00	Average	32.11	5.82	37.93	54.00	-16.07
4924.00	Peak	40.03	5.82	45.85	74.00	-28.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the first produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號






EUT Pol.

:802.11n20 :2412 MHz :Tx CH LOW :E1 Plane

Test Date :2018-07-16


Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4824.00	Average	28.89	5.61	34.50	54.00	-19.50
4824.00	Peak	38.03	5.61	43.64	74.00	-30.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






EUT Pol.

:802.11n20 :2412 MHz :Tx CH LOW :E1 Plane

Test Date :2018-07-16 Temp./Humi. :21 deg_C / 62 RH


Engineer :Kane

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4824.00	Average	29.88	5.61	35.49	54.00	-18.51
4824.00	Peak	37.65	5.61	43.26	74.00	-30.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.






:802.11n20 :2437 MHz :Tx CH MID :E1 Plane

Test Date :2018-07-16

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
4874.00	Average	30.21	5.85	36.06	54.00	-17.94
4874.00	Peak	40.48	5.85	46.33	74.00	-27.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.