

ELEMENT WASHINGTON DC LLC

7185 Oakland Mills Road, Columbia, MD 21046 USA Tel. 410.290.6652 / Fax 410.290.6654 http://www.element.com

RF EXPOSURE EVALUATION Maximum Permissible Exposure (MPE)

Applicant Name:

SONY Corporation 1-7-1 Konan Minato-ku

Tokyo, 108-0075, Japan

Date of Testing:

03/25/2022 - 05/19/2022 Test Report Issue Date:

05/19/2022

Test Site/Location:

Element lab. Columbia, MD, USA

Test Report Serial No.: 1M2201200003-30.PY7

FCC ID: PY7-57325M

APPLICANT: SONY Corporation

EUT Type: Portable Handset

FCC Classifications: PCS Licensed Transmitter Held to Ear (PCE)

Citizens Band End User Devices (CBE)
Digital Transmission System (DTS)

Part 15 Spread Spectrum Transmitter (DSS)

Unlicensed National Information Infrastructure TX (NII)

15E 6 GHz Low Power Indoor Client (6XD)

FCC Rule Part: FCC Part 1 (§1.1310) and Part 2 (§2.1091)

Test Procedure(s): KDB 447498 D01 v06

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in FCC KDB 447498 D01. Test results reported herein relate only to the item(s) tested.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.

RJ Ortanez Executive Vice President





| FCC ID: PY7-57325M | | Approved by: Technical Manager | | |
|---------------------|-------------------------|--------------------------------|-------------|--|
| Test Report S/N: | Test Dates: | EUT Type: | Dogo 1 of 6 | |
| 1M2201200003-30.PY7 | 03/25/2022 - 05/19/2022 | Portable Handset | Page 1 of 6 | |



TABLE OF CONTENTS

| 1.0 | RF E | XPOSURE EVALUATION – MAXIMUM PERMISSIBLE EXPOSURE (MPE) | 3 |
|-----|------|---|---|
| | 1.1 | Introduction | 3 |
| | 1.2 | EUT Description | 3 |
| | | Procedure | |
| | 1.4 | Test Results | 4 |
| 2.0 | CON | CLUSION | 6 |

| FCC ID: PY7-57325M | MAXIMUM PERMISSIBLE EXPOSURE REPORT | | Approved by: Technical Manager |
|---------------------|--|------------------|--------------------------------|
| Test Report S/N: | Test Dates: | EUT Type: | Dogo 2 of 6 |
| 1M2201200003-30.PY7 | 03/25/2022 - 05/19/2022 | Portable Handset | Page 2 of 6 |



1.0 RF EXPOSURE EVALUATION - MAXIMUM PERMISSIBLE EXPOSURE (MPE)

1.1 Introduction

This document is prepared to show compliance with the RF Exposure requirements as required in §1.1310 of the FCC Rules and Regulations and RSS-102 of Industry Canada.

The limit for Maximum Permissible Exposure (MPE), specified in FCC §1.1310, is listed in Table 1-1. According to FCC §1.1310 and RSS-102: the criteria listed in the following table shall be used to evaluate the environmental impact of human exposure to radio-frequency (RF) radiation as specified in §1.1307(b).

| Frequency Range (MHz) | Electric Field Strength (V/m) | Magnetic Field Strength (A/m) | Power Density (mW/cm²) | Average Time (Minutes) |
|--------------------------|----------------------------------|----------------------------------|---------------------------|---------------------------|
| (A | A) Limits For Occupa | ational / Control Exp | osures (f = frequenc | y) |
| 30-300 | 61.4 | 0.163 | 1.0 | 6 |
| 300-1500 | | | f/300 | 6 |
| 1500-100,000 | | | 5.0 | 6 |
| (B) Lim | its For General Pop | ulation / Uncontrolle | ed Exposure (f = freq | luency) |
| 30-300 | 27.5 | 0.073 | 0.2 | 30 |
| 300-1500 | | | f/1500 | 30 |
| 1500-100,000 | | | 1.0 | 30 |

Table 1-1. Limits for Maximum Permissible Exposure (MPE)

1.2 EUT Description

The **SONY FCC ID: PY7-57325M** is a Portable Handset containing 2.4GHz transmit output ports, 5GHz, and 6GHz transmit output ports capable for transmitting 802.11a/b/g/n/ac/ax modes and GSM/GPRS, WCDMA/HSPA, and Multi-band LTE, Multi-band 5G NR operation. This MPE evaluation will cover RF Exposure for simultaneous transmission modes of transmitters operating at maximum power.

EUT:

Company Name: SONY Corporation

FCC ID: PY7-57325M

Antenna(s): Please see technical description for list of available antenna options

| FCC ID: PY7-57325M | MAXIMUM PERMISSIBLE EXPOSURE REPORT | | Approved by: Technical Manager | |
|---------------------|--|------------------|-----------------------------------|--|
| Test Report S/N: | Test Dates: | EUT Type: | Page 3 of 6 | |
| 1M2201200003-30.PY7 | 03/25/2022 - 05/19/2022 | Portable Handset | raye 3 01 0 | |



1.3 Procedure

The procedure used to determine the RF power density was based upon a calculation for determining compliance with the MPE requirements.

The power generated by each transmitter used in this product was initially measured by a power meter or spectrum analyzer and the powers were recorded. Through use of the Friis transmission formula and knowledge of the maximum antenna gain to be used, the power density level is calculated at a distance of 20cm.

Friis Transmission Formula

Friis transmission formula: $P_d = (P_{out}*G) / (4\pi r^2)$

Where,

 P_d = Power Density (mW/cm²) π = 3.1416

P_{out} = output power to antenna (mW) r = distance between observation point and center of the radiator (cm)

G = gain of antenna in linear scale

1.4 Test Results

This device operates under several simultaneous transmission scenarios as shown in Table 1-6 in this section. The worst-case MPE is evaluated based on the worst-case operating modes as shown below.

The power density limit for General Population/Uncontrolled Exposure at each frequency is determined based on the information in Table 1-1.

| Tech | Max Power (dBm) | Max Power (mW) | Ant Gain (dBi) | MPE (mW/cm^2) | MPE Limit (mW/cm^2) | % MPE |
|-------------|-----------------------|-------------------|-------------------|------------------|------------------------|-------|
| LTE Band 12 | 24 | 251.189 | -9.50 | 0.006 | 0.466 | 0.012 |

Table 1-2. Calculated MPE Data for Worst-Case Cellular Band

| Tech | Max Power (dBm) | Max Power (mW) | Dir. Ant Gain (dBi) | MPE (mW/cm^2) | MPE Limit (mW/cm^2) | % MPE |
|-------------------------|-----------------------|-------------------|------------------------|------------------|------------------------|-------|
| 2.4GHz WiFi (Chain 0+1) | 18 | 63.096 | -1.88 | 0.00814 | 1.000 | 0.008 |

Table 1-3. Calculated MPE Data for 2.4GHz (MIMO) Band

| Tech | Max Power (dBm) | Max Power (mW) | Dir. Ant Gain (dBi) | MPE (mW/cm^2) | MPE Limit (mW/cm^2) | % MPE |
|-----------------------|-----------------------|-------------------|------------------------|------------------|------------------------|-------|
| 5GHz WiFi (Chain 0+1) | 14.5 | 28.184 | 1.79 | 0.00847 | 1.000 | 0.008 |

Table 1-4. Calculated MPE Data for 5GHz (MIMO) Band

| FCC ID: PY7-57325M | | Approved by: Technical Manager | |
|---------------------|-------------------------|--------------------------------|-------------|
| Test Report S/N: | Test Dates: | EUT Type: | Dogo 4 of 6 |
| 1M2201200003-30.PY7 | 03/25/2022 - 05/19/2022 | Portable Handset | Page 4 of 6 |



| Tech | EIRP (dBm) | Max Power (mW) | MPE (mW/cm^2) | MPE Limit (mW/cm^2) | % MPE |
|----------|---------------|-------------------|------------------|------------------------|-------|
| FR2 n260 | 33.8 | 2398.833 | 0.477 | 1.000 | 0.477 |

Table 1-5. Calculated MPE Data for NR n260 Band

| Simultaneous Scenarios | % MPE | |
|-----------------------------|--------|--|
| 2.4GHz + 5/6GHz + FR2 EN-DC | 50.59% | |

Table 1-6. Co-location MPE Data for Simultaneous Transmission

| FCC ID: PY7-57325M | | Approved by: Technical Manager | |
|---------------------|-------------------------|-----------------------------------|-------------|
| Test Report S/N: | Test Dates: | EUT Type: | Dogo 5 of 6 |
| 1M2201200003-30.PY7 | 03/25/2022 - 05/19/2022 | Portable Handset | Page 5 of 6 |



2.0 CONCLUSION

The device meets the mobile RF exposure limit at a 20cm separation distance as specified in §2.1091 of the FCC Rules and Regulations and Health Canada Safety Code 6. An appropriate RF exposure compliance statement will be placed in the user's manual.

| FCC ID: PY7-57325M | MAXIMUM PERMISSIBLE EXPOSURE REPORT | | Approved by: Technical Manager |
|---------------------|--|------------------|--------------------------------|
| Test Report S/N: | Test Dates: | EUT Type: | Page 6 of 6 |
| 1M2201200003-30.PY7 | 03/25/2022 - 05/19/2022 | Portable Handset | |