




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band12 16QAM BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Band12 16QAM BW=1.4MHz Channel=23095 RB Size=6 Position=#0




Band12 16QAM BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Band12 16QAM BW=10MHz Channel=23060 RB Size=50 Position=#0




Band12 16QAM BW=10MHz Channel=23095 RB Size=50 Position=#0




Band12 16QAM BW=10MHz Channel=23130 RB Size=50 Position=#0




Band12 16QAM BW=3MHz Channel=23025 RB Size=15 Position=#0




Band12 16QAM BW=3MHz Channel=23095 RB Size=15 Position=#0




Band12 16QAM BW=3MHz Channel=23165 RB Size=15 Position=#0




Band12 16QAM BW=5MHz Channel=23035 RB Size=25 Position=#0




Band12 16QAM BW=5MHz Channel=23095 RB Size=25 Position=#0




Band12 16QAM BW=5MHz Channel=23155 RB Size=25 Position=#0




Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Band12 QPSK BW=1.4MHz Channel=23095 RB Size=6 Position=#0




Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Band12 QPSK BW=10MHz Channel=23060 RB Size=50 Position=#0




Band12 QPSK BW=10MHz Channel=23095 RB Size=50 Position=#0




Band12 QPSK BW=10MHz Channel=23130 RB Size=50 Position=#0




Band12 QPSK BW=3MHz Channel=23025 RB Size=15 Position=#0




Band12 QPSK BW=3MHz Channel=23095 RB Size=15 Position=#0




Band12 QPSK BW=3MHz Channel=23165 RB Size=15 Position=#0




Band12 QPSK BW=5MHz Channel=23035 RB Size=25 Position=#0



Band12 QPSK BW=5MHz Channel=23095 RB Size=25 Position=#0




Band12 QPSK BW=5MHz Channel=23155 RB Size=25 Position=#0




Band13 16QAM BW=10MHz Channel=23230 RB Size=50 Position=#0



Band13 16QAM BW=5MHz Channel=23205 RB Size=25 Position=#0




Band13 16QAM BW=5MHz Channel=23230 RB Size=25 Position=#0




Band13 16QAM BW=5MHz Channel=23255 RB Size=25 Position=#0




Band13 QPSK BW=10MHz Channel=23230 RB Size=50 Position=#0




Band13 QPSK BW=5MHz Channel=23205 RB Size=25 Position=#0




Band13 QPSK BW=5MHz Channel=23230 RB Size=25 Position=#0




Band13 QPSK BW=5MHz Channel=23255 RB Size=25 Position=#0




Band17 16QAM BW=10MHz Channel=23780 RB Size=50 Position=#0




Band17 16QAM BW=10MHz Channel=23790 RB Size=50 Position=#0




Band17 16QAM BW=10MHz Channel=23800 RB Size=50 Position=#0




Band17 16QAM BW=5MHz Channel=23755 RB Size=25 Position=#0




Band17 16QAM BW=5MHz Channel=23790 RB Size=25 Position=#0




Band17 16QAM BW=5MHz Channel=23825 RB Size=25 Position=#0




Band17 QPSK BW=10MHz Channel=23780 RB Size=50 Position=#0




Band17 QPSK BW=10MHz Channel=23790 RB Size=50 Position=#0




Band17 QPSK BW=10MHz Channel=23800 RB Size=50 Position=#0




Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0




Band17 QPSK BW=5MHz Channel=23790 RB Size=25 Position=#0




Band17 QPSK BW=5MHz Channel=23825 RB Size=25 Position=#0




Band38 16QAM BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 16QAM BW=10MHz Channel=38000 RB Size=50 Position=#0




Band38 16QAM BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 16QAM BW=15MHz Channel=37825 RB Size=75 Position=#0



Band38 16QAM BW=15MHz Channel=38000 RB Size=75 Position=#0




Band38 16QAM BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 16QAM BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 16QAM BW=20MHz Channel=38000 RB Size=100 Position=#0




Band38 16QAM BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 16QAM BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 16QAM BW=5MHz Channel=38000 RB Size=25 Position=#0




Band38 16QAM BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QPSK BW=10MHz Channel=38000 RB Size=50 Position=#0




Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QPSK BW=15MHz Channel=38000 RB Size=75 Position=#0




Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QPSK BW=20MHz Channel=38000 RB Size=100 Position=#0




Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QPSK BW=5MHz Channel=38000 RB Size=25 Position=#0




Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0




Band66 16QAM BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 16QAM BW=10MHz Channel=132022 RB Size=50 Position=#0



Band66 16QAM BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 16QAM BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 16QAM BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 16QAM BW=15MHz Channel=132322 RB Size=75 Position=#0




Band66 16QAM BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 16QAM BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 16QAM BW=20MHz Channel=132322 RB Size=100 Position=#0




Band66 16QAM BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 16QAM BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 16QAM BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 16QAM BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 16QAM BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132322 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132322 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0



Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0



Band66 QPSK BW=5MHz Channel=132322 RB Size=25 Position=#0



Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0



RADIATED SPURIOUS EMISSION

LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3701.35	-26.48	7.00	12.93	-32.41	-13.00	-19.41	H
5551.83	-24.78	8.40	17.11	-33.49	-13.00	-20.49	H
7402.78	-27.34	8.10	22.20	-41.44	-13.00	-28.44	H
3701.35	-27.64	7.00	12.93	-33.57	-13.00	-20.57	V
5551.83	-28.58	8.40	17.11	-37.29	-13.00	-24.29	V
7402.78	-26.40	8.10	22.20	-40.50	-13.00	-27.50	V
LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.09	-28.11	7.00	12.93	-34.04	-13.00	-21.04	H
5639.87	-25.50	8.40	17.11	-34.21	-13.00	-21.21	H
7520.04	-27.51	8.10	22.20	-41.61	-13.00	-28.61	H
3760.09	-28.66	7.00	12.93	-34.59	-13.00	-21.59	V
5639.87	-27.15	8.40	17.11	-35.86	-13.00	-22.86	V
7520.04	-26.06	8.10	22.20	-40.16	-13.00	-27.16	V
LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3818.44	-26.83	7.00	12.93	-32.76	-13.00	-19.76	H
5727.49	-28.99	8.40	17.11	-37.70	-13.00	-24.70	H
7636.77	-26.43	8.10	22.20	-40.53	-13.00	-27.53	H
3818.44	-29.05	7.00	12.93	-34.98	-13.00	-21.98	V
5727.49	-26.16	8.40	17.11	-34.87	-13.00	-21.87	V
7636.77	-25.31	8.10	22.20	-39.41	-13.00	-26.41	V

LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3702.86	-26.45	7.00	12.93	-32.38	-13.00	-19.38	H
5554.38	-24.63	8.40	17.11	-33.34	-13.00	-20.34	H
7406.06	-27.12	8.10	22.20	-41.22	-13.00	-28.22	H
3702.86	-29.25	7.00	12.93	-35.18	-13.00	-22.18	V
5554.38	-28.78	8.40	17.11	-37.49	-13.00	-24.49	V
7406.06	-27.63	8.10	22.20	-41.73	-13.00	-28.73	V
LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.95	-24.07	7.00	12.93	-30.00	-13.00	-17.00	H
5640.00	-24.62	8.40	17.11	-33.33	-13.00	-20.33	H
7520.25	-22.68	8.10	22.20	-36.78	-13.00	-23.78	H
3759.95	-28.05	7.00	12.93	-33.98	-13.00	-20.98	V
5640.00	-27.81	8.40	17.11	-36.52	-13.00	-23.52	V
7520.25	-25.82	8.10	22.20	-39.92	-13.00	-26.92	V
LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3817.07	-25.16	7.00	12.93	-31.09	-13.00	-18.09	H
5725.37	-25.35	8.40	17.11	-34.06	-13.00	-21.06	H
7634.13	-23.57	8.10	22.20	-37.67	-13.00	-24.67	H
3817.07	-27.28	7.00	12.93	-33.21	-13.00	-20.21	V
5725.37	-25.59	8.40	17.11	-34.30	-13.00	-21.30	V
7634.13	-23.43	8.10	22.20	-37.53	-13.00	-24.53	V

LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3705.06	-26.82	7.00	12.93	-32.75	-13.00	-19.75	H
5557.36	-25.40	8.40	17.11	-34.11	-13.00	-21.11	H
7410.10	-23.75	8.10	22.20	-37.85	-13.00	-24.85	H
3705.06	-26.54	7.00	12.93	-32.47	-13.00	-19.47	V
5557.36	-27.95	8.40	17.11	-36.66	-13.00	-23.66	V
7410.10	-26.92	8.10	22.20	-41.02	-13.00	-28.02	V
LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.91	-25.63	7.00	12.93	-31.56	-13.00	-18.56	H
5640.12	-28.48	8.40	17.11	-37.19	-13.00	-24.19	H
7520.03	-24.61	8.10	22.20	-38.71	-13.00	-25.71	H
3759.91	-28.09	7.00	12.93	-34.02	-13.00	-21.02	V
5640.12	-25.71	8.40	17.11	-34.42	-13.00	-21.42	V
7520.03	-25.36	8.10	22.20	-39.46	-13.00	-26.46	V
LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3815.39	-25.10	7.00	12.93	-31.03	-13.00	-18.03	H
5722.40	-25.97	8.40	17.11	-34.68	-13.00	-21.68	H
7630.09	-25.85	8.10	22.20	-39.95	-13.00	-26.95	H
3815.39	-27.40	7.00	12.93	-33.33	-13.00	-20.33	V
5722.40	-29.10	8.40	17.11	-37.81	-13.00	-24.81	V
7630.09	-23.79	8.10	22.20	-37.89	-13.00	-24.89	V

LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3710.31	-28.87	7.00	12.93	-34.80	-13.00	-21.80	H
5565.30	-26.09	8.40	17.11	-34.80	-13.00	-21.80	H
7420.17	-24.57	8.10	22.20	-38.67	-13.00	-25.67	H
3710.31	-27.51	7.00	12.93	-33.44	-13.00	-20.44	V
5565.30	-24.30	8.40	17.11	-33.01	-13.00	-20.01	V
7420.17	-24.38	8.10	22.20	-38.48	-13.00	-25.48	V
LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.26	-26.96	7.00	12.93	-32.89	-13.00	-19.89	H
5640.09	-26.34	8.40	17.11	-35.05	-13.00	-22.05	H
7520.21	-27.12	8.10	22.20	-41.22	-13.00	-28.22	H
3760.26	-29.56	7.00	12.93	-35.49	-13.00	-22.49	V
5640.09	-26.37	8.40	17.11	-35.08	-13.00	-22.08	V
7520.21	-23.97	8.10	22.20	-38.07	-13.00	-25.07	V
LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3810.14	-28.73	7.00	12.93	-34.66	-13.00	-21.66	H
5714.72	-28.72	8.40	17.11	-37.43	-13.00	-24.43	H
7620.16	-24.41	8.10	22.20	-38.51	-13.00	-25.51	H
3810.14	-27.54	7.00	12.93	-33.47	-13.00	-20.47	V
5714.72	-27.65	8.40	17.11	-36.36	-13.00	-23.36	V
7620.16	-25.22	8.10	22.20	-39.32	-13.00	-26.32	V

LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3714.95	-27.99	7.00	12.93	-33.92	-13.00	-20.92	H
5572.23	-25.94	8.40	17.11	-34.65	-13.00	-21.65	H
7430.77	-27.05	8.10	22.20	-41.15	-13.00	-28.15	H
3714.95	-28.38	7.00	12.93	-34.31	-13.00	-21.31	V
5572.23	-28.45	8.40	17.11	-37.16	-13.00	-24.16	V
7430.77	-24.06	8.10	22.20	-38.16	-13.00	-25.16	V
LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.06	-27.16	7.00	12.93	-33.09	-13.00	-20.09	H
5639.88	-28.92	8.40	17.11	-37.63	-13.00	-24.63	H
7520.00	-26.66	8.10	22.20	-40.76	-13.00	-27.76	H
3760.06	-28.66	7.00	12.93	-34.59	-13.00	-21.59	V
5639.88	-28.18	8.40	17.11	-36.89	-13.00	-23.89	V
7520.00	-23.28	8.10	22.20	-37.38	-13.00	-24.38	V
LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3805.03	-26.02	7.00	12.93	-31.95	-13.00	-18.95	H
5707.64	-27.21	8.40	17.11	-35.92	-13.00	-22.92	H
7609.92	-23.95	8.10	22.20	-38.05	-13.00	-25.05	H
3805.03	-28.04	7.00	12.93	-33.97	-13.00	-20.97	V
5707.64	-24.40	8.40	17.11	-33.11	-13.00	-20.11	V
7609.92	-24.66	8.10	22.20	-38.76	-13.00	-25.76	V

LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.43	-27.28	7.00	12.93	-33.21	-13.00	-20.21	H
5580.56	-27.62	8.40	17.11	-36.33	-13.00	-23.33	H
7439.78	-24.26	8.10	22.20	-38.36	-13.00	-25.36	H
3720.43	-25.66	7.00	12.93	-31.59	-13.00	-18.59	V
5580.56	-25.15	8.40	17.11	-33.86	-13.00	-20.86	V
7439.78	-24.67	8.10	22.20	-38.77	-13.00	-25.77	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.82	-27.77	7.00	12.93	-33.70	-13.00	-20.70	H
5640.12	-24.67	8.40	17.11	-33.38	-13.00	-20.38	H
7519.82	-23.46	8.10	22.20	-37.56	-13.00	-24.56	H
3759.82	-27.93	7.00	12.93	-33.86	-13.00	-20.86	V
5640.12	-25.93	8.40	17.11	-34.64	-13.00	-21.64	V
7519.82	-24.32	8.10	22.20	-38.42	-13.00	-25.42	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3799.97	-25.82	7.00	12.93	-31.75	-13.00	-18.75	H
5699.98	-27.66	8.40	17.11	-36.37	-13.00	-23.37	H
7600.20	-26.33	8.10	22.20	-40.43	-13.00	-27.43	H
3799.97	-29.89	7.00	12.93	-35.82	-13.00	-22.82	V
5699.98	-25.77	8.40	17.11	-34.48	-13.00	-21.48	V
7600.20	-26.35	8.10	22.20	-40.45	-13.00	-27.45	V

LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3420.99	-25.77	7.20	12.56	-31.13	-13.00	-18.13	H
5131.71	-28.12	8.10	16.32	-36.34	-13.00	-23.34	H
6842.83	-27.01	8.30	21.13	-39.84	-13.00	-26.84	H
3420.99	-27.12	7.20	12.56	-32.48	-13.00	-19.48	V
5131.71	-25.64	8.10	16.32	-33.86	-13.00	-20.86	V
6842.83	-25.20	8.30	21.13	-38.03	-13.00	-25.03	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.61	-27.75	7.20	12.56	-33.11	-13.00	-20.11	H
5196.71	-28.57	8.10	16.32	-36.79	-13.00	-23.79	H
6930.27	-25.63	8.30	21.13	-38.46	-13.00	-25.46	H
3464.61	-28.49	7.20	12.56	-33.85	-13.00	-20.85	V
5196.71	-25.20	8.10	16.32	-33.42	-13.00	-20.42	V
6930.27	-27.37	8.30	21.13	-40.20	-13.00	-27.20	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3508.33	-25.29	7.20	12.56	-30.65	-13.00	-17.65	H
5262.18	-26.05	8.10	16.32	-34.27	-13.00	-21.27	H
7015.62	-27.33	8.30	21.13	-40.16	-13.00	-27.16	H
3508.33	-29.38	7.20	12.56	-34.74	-13.00	-21.74	V
5262.18	-25.01	8.10	16.32	-33.23	-13.00	-20.23	V
7015.62	-26.77	8.30	21.13	-39.60	-13.00	-26.60	V

LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3424.04	-25.67	7.20	12.56	-31.03	-13.00	-18.03	H
5136.21	-27.82	8.10	16.32	-36.04	-13.00	-23.04	H
6848.51	-25.95	8.30	21.13	-38.78	-13.00	-25.78	H
3424.04	-26.20	7.20	12.56	-31.56	-13.00	-18.56	V
5136.21	-26.22	8.10	16.32	-34.44	-13.00	-21.44	V
6848.51	-24.00	8.30	21.13	-36.83	-13.00	-23.83	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.60	-25.59	7.20	12.56	-30.95	-13.00	-17.95	H
5197.03	-26.25	8.10	16.32	-34.47	-13.00	-21.47	H
6929.92	-27.37	8.30	21.13	-40.20	-13.00	-27.20	H
3464.60	-28.46	7.20	12.56	-33.82	-13.00	-20.82	V
5197.03	-29.09	8.10	16.32	-37.31	-13.00	-24.31	V
6929.92	-27.02	8.30	21.13	-39.85	-13.00	-26.85	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3506.28	-26.63	7.20	12.56	-31.99	-13.00	-18.99	H
5261.72	-26.12	8.10	16.32	-34.34	-13.00	-21.34	H
7012.36	-23.59	8.30	21.13	-36.42	-13.00	-23.42	H
3506.28	-28.24	7.20	12.56	-33.60	-13.00	-20.60	V
5261.72	-26.30	8.10	16.32	-34.52	-13.00	-21.52	V
7012.36	-27.87	8.30	21.13	-40.70	-13.00	-27.70	V

LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3424.97	-25.06	7.20	12.56	-30.42	-13.00	-17.42	H
5137.21	-24.98	8.10	16.32	-33.20	-13.00	-20.20	H
6849.55	-24.96	8.30	21.13	-37.79	-13.00	-24.79	H
3424.97	-25.38	7.20	12.56	-30.74	-13.00	-17.74	V
5137.21	-27.71	8.10	16.32	-35.93	-13.00	-22.93	V
6849.55	-23.89	8.30	21.13	-36.72	-13.00	-23.72	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.36	-24.37	7.20	12.56	-29.73	-13.00	-16.73	H
5196.80	-25.78	8.10	16.32	-34.00	-13.00	-21.00	H
6929.80	-27.57	8.30	21.13	-40.40	-13.00	-27.40	H
3464.36	-26.28	7.20	12.56	-31.64	-13.00	-18.64	V
5196.80	-28.75	8.10	16.32	-36.97	-13.00	-23.97	V
6929.80	-27.32	8.30	21.13	-40.15	-13.00	-27.15	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3504.90	-28.29	7.20	12.56	-33.65	-13.00	-20.65	H
5256.76	-24.55	8.10	16.32	-32.77	-13.00	-19.77	H
7009.99	-24.30	8.30	21.13	-37.13	-13.00	-24.13	H
3504.90	-27.53	7.20	12.56	-32.89	-13.00	-19.89	V
5256.76	-24.71	8.10	16.32	-32.93	-13.00	-19.93	V
7009.99	-23.54	8.30	21.13	-36.37	-13.00	-23.37	V

LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3429.76	-26.15	7.20	12.56	-31.51	-13.00	-18.51	H
5144.99	-28.27	8.10	16.32	-36.49	-13.00	-23.49	H
6860.23	-26.30	8.30	21.13	-39.13	-13.00	-26.13	H
3429.76	-26.24	7.20	12.56	-31.60	-13.00	-18.60	V
5144.99	-27.00	8.10	16.32	-35.22	-13.00	-22.22	V
6860.23	-25.70	8.30	21.13	-38.53	-13.00	-25.53	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.82	-25.95	7.20	12.56	-31.31	-13.00	-18.31	H
5196.85	-28.68	8.10	16.32	-36.90	-13.00	-23.90	H
6929.68	-25.95	8.30	21.13	-38.78	-13.00	-25.78	H
3464.82	-29.41	7.20	12.56	-34.77	-13.00	-21.77	V
5196.85	-24.48	8.10	16.32	-32.70	-13.00	-19.70	V
6929.68	-25.27	8.30	21.13	-38.10	-13.00	-25.10	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3500.18	-24.73	7.20	12.56	-30.09	-13.00	-17.09	H
5250.04	-26.72	8.10	16.32	-34.94	-13.00	-21.94	H
6999.90	-25.09	8.30	21.13	-37.92	-13.00	-24.92	H
3500.18	-26.82	7.20	12.56	-32.18	-13.00	-19.18	V
5250.04	-27.00	8.10	16.32	-35.22	-13.00	-22.22	V
6999.90	-26.03	8.30	21.13	-38.86	-13.00	-25.86	V

LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3434.77	-25.85	7.20	12.56	-31.21	-13.00	-18.21	H
5152.60	-25.32	8.10	16.32	-33.54	-13.00	-20.54	H
6870.31	-26.76	8.30	21.13	-39.59	-13.00	-26.59	H
3434.77	-26.43	7.20	12.56	-31.79	-13.00	-18.79	V
5152.60	-25.31	8.10	16.32	-33.53	-13.00	-20.53	V
6870.31	-23.94	8.30	21.13	-36.77	-13.00	-23.77	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.63	-25.76	7.20	12.56	-31.12	-13.00	-18.12	H
5196.72	-26.42	8.10	16.32	-34.64	-13.00	-21.64	H
6929.75	-23.14	8.30	21.13	-35.97	-13.00	-22.97	H
3464.63	-27.53	7.20	12.56	-32.89	-13.00	-19.89	V
5196.72	-27.57	8.10	16.32	-35.79	-13.00	-22.79	V
6929.75	-27.46	8.30	21.13	-40.29	-13.00	-27.29	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3495.49	-24.28	7.20	12.56	-29.64	-13.00	-16.64	H
5242.26	-28.41	8.10	16.32	-36.63	-13.00	-23.63	H
6990.08	-27.06	8.30	21.13	-39.89	-13.00	-26.89	H
3495.49	-28.79	7.20	12.56	-34.15	-13.00	-21.15	V
5242.26	-26.53	8.10	16.32	-34.75	-13.00	-21.75	V
6990.08	-26.27	8.30	21.13	-39.10	-13.00	-26.10	V

LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3439.90	-26.39	7.20	12.56	-31.75	-13.00	-18.75	H
5160.11	-28.42	8.10	16.32	-36.64	-13.00	-23.64	H
6880.44	-23.89	8.30	21.13	-36.72	-13.00	-23.72	H
3439.90	-28.34	7.20	12.56	-33.70	-13.00	-20.70	V
5160.11	-26.51	8.10	16.32	-34.73	-13.00	-21.73	V
6880.44	-26.68	8.30	21.13	-39.51	-13.00	-26.51	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.99	-26.30	7.20	12.56	-31.66	-13.00	-18.66	H
5196.36	-27.41	8.10	16.32	-35.63	-13.00	-22.63	H
6929.53	-27.55	8.30	21.13	-40.38	-13.00	-27.38	H
3464.99	-26.54	7.20	12.56	-31.90	-13.00	-18.90	V
5196.36	-25.98	8.10	16.32	-34.20	-13.00	-21.20	V
6929.53	-27.64	8.30	21.13	-40.47	-13.00	-27.47	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.69	-27.05	7.20	12.56	-32.41	-13.00	-19.41	H
5235.16	-29.22	8.10	16.32	-37.44	-13.00	-24.44	H
6979.82	-23.60	8.30	21.13	-36.43	-13.00	-23.43	H
3490.69	-28.63	7.20	12.56	-33.99	-13.00	-20.99	V
5235.16	-25.74	8.10	16.32	-33.96	-13.00	-20.96	V
6979.82	-26.84	8.30	21.13	-39.67	-13.00	-26.67	V

LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1648.43	-27.16	7.40	9.72	-29.48	-13.00	-16.48	H
2473.51	-28.39	8.30	10.86	-30.95	-13.00	-17.95	H
3298.44	-27.51	7.20	11.57	-31.88	-13.00	-18.88	H
1648.43	-27.78	7.40	9.72	-30.10	-13.00	-17.10	V
2473.51	-26.52	8.30	10.86	-29.08	-13.00	-16.08	V
3298.44	-26.80	7.20	11.57	-31.17	-13.00	-18.17	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.86	-29.00	7.40	9.72	-31.32	-13.00	-18.32	H
2509.40	-28.68	8.30	10.86	-31.24	-13.00	-18.24	H
3345.44	-25.16	7.20	11.57	-29.53	-13.00	-16.53	H
1672.86	-27.52	7.40	9.72	-29.84	-13.00	-16.84	V
2509.40	-26.98	8.30	10.86	-29.54	-13.00	-16.54	V
3345.44	-28.21	7.20	11.57	-32.58	-13.00	-19.58	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1696.40	-29.47	7.40	9.72	-31.79	-13.00	-18.79	H
2544.73	-25.95	8.30	10.86	-28.51	-13.00	-15.51	H
3392.96	-26.48	7.20	11.57	-30.85	-13.00	-17.85	H
1696.40	-26.60	7.40	9.72	-28.92	-13.00	-15.92	V
2544.73	-27.70	8.30	10.86	-30.26	-13.00	-17.26	V
3392.96	-24.72	7.20	11.57	-29.09	-13.00	-16.09	V

LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1650.24	-25.26	7.40	9.72	-27.58	-13.00	-14.58	H
2475.76	-26.99	8.30	10.86	-29.55	-13.00	-16.55	H
3301.70	-25.24	7.20	11.57	-29.61	-13.00	-16.61	H
1650.24	-28.34	7.40	9.72	-30.66	-13.00	-17.66	V
2475.76	-30.10	8.30	10.86	-32.66	-13.00	-19.66	V
3301.70	-27.41	7.20	11.57	-31.78	-13.00	-18.78	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.24	-28.22	7.40	9.72	-30.54	-13.00	-17.54	H
2509.13	-29.31	8.30	10.86	-31.87	-13.00	-18.87	H
3345.82	-27.58	7.20	11.57	-31.95	-13.00	-18.95	H
1672.24	-29.47	7.40	9.72	-31.79	-13.00	-18.79	V
2509.13	-26.65	8.30	10.86	-29.21	-13.00	-16.21	V
3345.82	-27.25	7.20	11.57	-31.62	-13.00	-18.62	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1694.70	-25.77	7.40	9.72	-28.09	-13.00	-15.09	H
2542.10	-25.97	8.30	10.86	-28.53	-13.00	-15.53	H
3389.35	-26.05	7.20	11.57	-30.42	-13.00	-17.42	H
1694.70	-26.89	7.40	9.72	-29.21	-13.00	-16.21	V
2542.10	-29.56	8.30	10.86	-32.12	-13.00	-19.12	V
3389.35	-24.67	7.20	11.57	-29.04	-13.00	-16.04	V

LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.64	-25.75	7.40	9.72	-28.07	-13.00	-15.07	H
2478.87	-27.38	8.30	10.86	-29.94	-13.00	-16.94	H
3305.61	-24.79	7.20	11.57	-29.16	-13.00	-16.16	H
1652.64	-26.06	7.40	9.72	-28.38	-13.00	-15.38	V
2478.87	-26.68	8.30	10.86	-29.24	-13.00	-16.24	V
3305.61	-26.06	7.20	11.57	-30.43	-13.00	-17.43	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.34	-27.54	7.40	9.72	-29.86	-13.00	-16.86	H
2508.85	-26.33	8.30	10.86	-28.89	-13.00	-15.89	H
3345.20	-24.72	7.20	11.57	-29.09	-13.00	-16.09	H
1672.34	-27.61	7.40	9.72	-29.93	-13.00	-16.93	V
2508.85	-25.87	8.30	10.86	-28.43	-13.00	-15.43	V
3345.20	-27.55	7.20	11.57	-31.92	-13.00	-18.92	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1692.43	-27.22	7.40	9.72	-29.54	-13.00	-16.54	H
2538.78	-27.33	8.30	10.86	-29.89	-13.00	-16.89	H
3385.45	-23.90	7.20	11.57	-28.27	-13.00	-15.27	H
1692.43	-26.93	7.40	9.72	-29.25	-13.00	-16.25	V
2538.78	-25.54	8.30	10.86	-28.10	-13.00	-15.10	V
3385.45	-28.68	7.20	11.57	-33.05	-13.00	-20.05	V

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1657.48	-25.40	7.40	9.72	-27.72	-13.00	-14.72	H
2486.27	-26.79	8.30	10.86	-29.35	-13.00	-16.35	H
3315.17	-25.49	7.20	11.57	-29.86	-13.00	-16.86	H
1657.48	-29.14	7.40	9.72	-31.46	-13.00	-18.46	V
2486.27	-27.75	8.30	10.86	-30.31	-13.00	-17.31	V
3315.17	-26.81	7.20	11.57	-31.18	-13.00	-18.18	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.31	-27.43	7.40	9.72	-29.75	-13.00	-16.75	H
2509.08	-26.67	8.30	10.86	-29.23	-13.00	-16.23	H
3345.28	-25.70	7.20	11.57	-30.07	-13.00	-17.07	H
1672.31	-29.47	7.40	9.72	-31.79	-13.00	-18.79	V
2509.08	-26.62	8.30	10.86	-29.18	-13.00	-16.18	V
3345.28	-24.39	7.20	11.57	-28.76	-13.00	-15.76	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1687.74	-28.63	7.40	9.72	-30.95	-13.00	-17.95	H
2531.49	-26.99	8.30	10.86	-29.55	-13.00	-16.55	H
3375.52	-27.66	7.20	11.57	-32.03	-13.00	-19.03	H
1687.74	-26.24	7.40	9.72	-28.56	-13.00	-15.56	V
2531.49	-29.09	8.30	10.86	-31.65	-13.00	-18.65	V
3375.52	-28.37	7.20	11.57	-32.74	-13.00	-19.74	V

LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5005.33	-30.59	8.00	15.86	-38.45	-25.00	-13.45	H
7507.75	-27.64	8.30	19.28	-38.62	-25.00	-13.62	H
10010.48	-24.46	8.10	23.19	-39.55	-25.00	-14.55	H
5005.33	-29.03	8.00	15.86	-36.89	-25.00	-11.89	V
7507.75	-29.84	8.30	19.28	-40.82	-25.00	-15.82	V
10010.48	-29.03	8.10	23.19	-44.12	-25.00	-19.12	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5070.03	-28.38	8.00	15.86	-36.24	-25.00	-11.24	H
7605.13	-29.19	8.30	19.28	-40.17	-25.00	-15.17	H
10139.58	-24.36	8.10	23.19	-39.45	-25.00	-14.45	H
5070.03	-27.61	8.00	15.86	-35.47	-25.00	-10.47	V
7605.13	-25.57	8.30	19.28	-36.55	-25.00	-11.55	V
10139.58	-27.70	8.10	23.19	-42.79	-25.00	-17.79	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5133.84	-26.47	8.00	15.86	-34.33	-25.00	-9.33	H
7701.36	-27.95	8.30	19.28	-38.93	-25.00	-13.93	H
10268.42	-28.59	8.10	23.19	-43.68	-25.00	-18.68	H
5133.84	-29.28	8.00	15.86	-37.14	-25.00	-12.14	V
7701.36	-29.46	8.30	19.28	-40.44	-25.00	-15.44	V
10268.42	-28.38	8.10	23.19	-43.47	-25.00	-18.47	V

LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5010.14	-28.97	8.00	15.86	-36.83	-25.00	-11.83	H
7515.31	-29.09	8.30	19.28	-40.07	-25.00	-15.07	H
10020.56	-25.18	8.10	23.19	-40.27	-25.00	-15.27	H
5010.14	-29.48	8.00	15.86	-37.34	-25.00	-12.34	V
7515.31	-28.25	8.30	19.28	-39.23	-25.00	-14.23	V
10020.56	-24.91	8.10	23.19	-40.00	-25.00	-15.00	V
LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.92	-29.54	8.00	15.86	-37.40	-25.00	-12.40	H
7604.78	-27.78	8.30	19.28	-38.76	-25.00	-13.76	H
10139.82	-23.81	8.10	23.19	-38.90	-25.00	-13.90	H
5069.92	-30.23	8.00	15.86	-38.09	-25.00	-13.09	V
7604.78	-29.49	8.30	19.28	-40.47	-25.00	-15.47	V
10139.82	-25.10	8.10	23.19	-40.19	-25.00	-15.19	V
LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5128.94	-26.99	8.00	15.86	-34.85	-25.00	-9.85	H
7693.75	-27.15	8.30	19.28	-38.13	-25.00	-13.13	H
10258.69	-25.47	8.10	23.19	-40.56	-25.00	-15.56	H
5128.94	-30.96	8.00	15.86	-38.82	-25.00	-13.82	V
7693.75	-29.19	8.30	19.28	-40.17	-25.00	-15.17	V
10258.69	-29.16	8.10	23.19	-44.25	-25.00	-19.25	V

LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5015.52	-26.36	8.00	15.86	-34.22	-25.00	-9.22	H
7524.03	-27.80	8.30	19.28	-38.78	-25.00	-13.78	H
10031.81	-24.43	8.10	23.19	-39.52	-25.00	-14.52	H
5015.52	-31.50	8.00	15.86	-39.36	-25.00	-14.36	V
7524.03	-25.87	8.30	19.28	-36.85	-25.00	-11.85	V
10031.81	-24.75	8.10	23.19	-39.84	-25.00	-14.84	V
LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5070.05	-29.44	8.00	15.86	-37.30	-25.00	-12.30	H
7604.88	-26.91	8.30	19.28	-37.89	-25.00	-12.89	H
10139.81	-24.05	8.10	23.19	-39.14	-25.00	-14.14	H
5070.05	-30.79	8.00	15.86	-38.65	-25.00	-13.65	V
7604.88	-27.49	8.30	19.28	-38.47	-25.00	-13.47	V
10139.81	-28.68	8.10	23.19	-43.77	-25.00	-18.77	V
LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5123.37	-27.60	8.00	15.86	-35.46	-25.00	-10.46	H
7523.90	-25.50	8.30	19.28	-36.48	-25.00	-11.48	H
10032.21	-28.60	8.10	23.19	-43.69	-25.00	-18.69	H
5123.37	-28.84	8.00	15.86	-36.70	-25.00	-11.70	V
7523.90	-26.28	8.30	19.28	-37.26	-25.00	-12.26	V
10032.21	-27.78	8.10	23.19	-42.87	-25.00	-17.87	V

LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5021.05	-27.29	8.00	15.86	-35.15	-25.00	-10.15	H
7530.87	-27.77	8.30	19.28	-38.75	-25.00	-13.75	H
10258.66	-25.37	8.10	23.19	-40.46	-25.00	-15.46	H
5021.05	-28.76	8.00	15.86	-36.62	-25.00	-11.62	V
7530.87	-26.55	8.30	19.28	-37.53	-25.00	-12.53	V
10258.66	-24.81	8.10	23.19	-39.90	-25.00	-14.90	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.60	-28.88	8.00	15.86	-36.74	-25.00	-11.74	H
7604.97	-28.18	8.30	19.28	-39.16	-25.00	-14.16	H
10139.60	-24.85	8.10	23.19	-39.94	-25.00	-14.94	H
5069.60	-27.02	8.00	15.86	-34.88	-25.00	-9.88	V
7604.97	-26.91	8.30	19.28	-37.89	-25.00	-12.89	V
10139.60	-27.78	8.10	23.19	-42.87	-25.00	-17.87	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5118.62	-28.00	8.00	15.86	-35.86	-25.00	-10.86	H
7678.33	-28.11	8.30	19.28	-39.09	-25.00	-14.09	H
10237.56	-23.98	8.10	23.19	-39.07	-25.00	-14.07	H
5118.62	-29.54	8.00	15.86	-37.40	-25.00	-12.40	V
7678.33	-30.13	8.30	19.28	-41.11	-25.00	-16.11	V
10237.56	-25.25	8.10	23.19	-40.34	-25.00	-15.34	V

LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1398.94	-26.11	6.70	9.34	-28.75	-13.00	-15.75	H
2098.79	-29.71	7.80	10.42	-32.33	-13.00	-19.33	H
2798.33	-28.54	8.00	11.12	-31.66	-13.00	-18.66	H
1398.94	-27.19	6.70	9.34	-29.83	-13.00	-16.83	V
2098.79	-28.48	7.80	10.42	-31.10	-13.00	-18.10	V
2798.33	-24.98	8.00	11.12	-28.10	-13.00	-15.10	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.91	-29.33	6.70	9.34	-31.97	-13.00	-18.97	H
2122.47	-28.88	7.80	10.42	-31.50	-13.00	-18.50	H
2829.76	-25.07	8.00	11.12	-28.19	-13.00	-15.19	H
1414.91	-28.41	6.70	9.34	-31.05	-13.00	-18.05	V
2122.47	-27.81	7.80	10.42	-30.43	-13.00	-17.43	V
2829.76	-26.77	8.00	11.12	-29.89	-13.00	-16.89	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1430.58	-26.99	6.70	9.34	-29.63	-13.00	-16.63	H
2145.46	-28.23	7.80	10.42	-30.85	-13.00	-17.85	H
2861.14	-28.34	8.00	11.12	-31.46	-13.00	-18.46	H
1430.58	-29.05	6.70	9.34	-31.69	-13.00	-18.69	V
2145.46	-25.69	7.80	10.42	-28.31	-13.00	-15.31	V
2861.14	-27.39	8.00	11.12	-30.51	-13.00	-17.51	V

LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1401.00	-29.13	6.70	9.34	-31.77	-13.00	-18.77	H
2101.07	-25.83	7.80	10.42	-28.45	-13.00	-15.45	H
2801.60	-27.44	8.00	11.12	-30.56	-13.00	-17.56	H
1401.00	-29.09	6.70	9.34	-31.73	-13.00	-18.73	V
2101.07	-27.96	7.80	10.42	-30.58	-13.00	-17.58	V
2801.60	-28.04	8.00	11.12	-31.16	-13.00	-18.16	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.97	-26.94	6.70	9.34	-29.58	-13.00	-16.58	H
2122.12	-29.39	7.80	10.42	-32.01	-13.00	-19.01	H
2829.80	-27.65	8.00	11.12	-30.77	-13.00	-17.77	H
1414.97	-29.98	6.70	9.34	-32.62	-13.00	-19.62	V
2122.12	-28.12	7.80	10.42	-30.74	-13.00	-17.74	V
2829.80	-28.39	8.00	11.12	-31.51	-13.00	-18.51	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1428.90	-25.32	6.70	9.34	-27.96	-13.00	-14.96	H
2143.50	-28.11	7.80	10.42	-30.73	-13.00	-17.73	H
2857.60	-24.75	8.00	11.12	-27.87	-13.00	-14.87	H
1428.90	-29.65	6.70	9.34	-32.29	-13.00	-19.29	V
2143.50	-30.12	7.80	10.42	-32.74	-13.00	-19.74	V
2857.60	-28.75	8.00	11.12	-31.87	-13.00	-18.87	V

LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1402.53	-27.67	6.70	9.34	-30.31	-13.00	-17.31	H
2104.29	-30.12	7.80	10.42	-32.74	-13.00	-19.74	H
2805.99	-27.38	8.00	11.12	-30.50	-13.00	-17.50	H
1402.53	-27.93	6.70	9.34	-30.57	-13.00	-17.57	V
2104.29	-26.14	7.80	10.42	-28.76	-13.00	-15.76	V
2805.99	-27.27	8.00	11.12	-30.39	-13.00	-17.39	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.82	-25.22	6.70	9.34	-27.86	-13.00	-14.86	H
2122.41	-29.78	7.80	10.42	-32.40	-13.00	-19.40	H
2829.53	-28.10	8.00	11.12	-31.22	-13.00	-18.22	H
1414.82	-30.95	6.70	9.34	-33.59	-13.00	-20.59	V
2122.41	-29.73	7.80	10.42	-32.35	-13.00	-19.35	V
2829.53	-27.79	8.00	11.12	-30.91	-13.00	-17.91	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1426.83	-29.25	6.70	9.34	-31.89	-13.00	-18.89	H
2140.01	-25.79	7.80	10.42	-28.41	-13.00	-15.41	H
2853.98	-25.26	8.00	11.12	-28.38	-13.00	-15.38	H
1426.83	-29.19	6.70	9.34	-31.83	-13.00	-18.83	V
2140.01	-28.25	7.80	10.42	-30.87	-13.00	-17.87	V
2853.98	-26.60	8.00	11.12	-29.72	-13.00	-16.72	V

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1407.86	-25.93	6.70	9.34	-28.57	-13.00	-15.57	H
2111.61	-26.97	7.80	10.42	-29.59	-13.00	-16.59	H
2815.61	-24.83	8.00	11.12	-27.95	-13.00	-14.95	H
1407.86	-30.30	6.70	9.34	-32.94	-13.00	-19.94	V
2111.61	-27.07	7.80	10.42	-29.69	-13.00	-16.69	V
2815.61	-28.75	8.00	11.12	-31.87	-13.00	-18.87	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.77	-26.22	6.70	9.34	-28.86	-13.00	-15.86	H
2122.22	-27.81	7.80	10.42	-30.43	-13.00	-17.43	H
2829.80	-26.36	8.00	11.12	-29.48	-13.00	-16.48	H
1414.77	-28.67	6.70	9.34	-31.31	-13.00	-18.31	V
2122.22	-25.78	7.80	10.42	-28.40	-13.00	-15.40	V
2829.80	-25.27	8.00	11.12	-28.39	-13.00	-15.39	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.68	-26.23	6.70	9.34	-28.87	-13.00	-15.87	H
2132.95	-29.42	7.80	10.42	-32.04	-13.00	-19.04	H
2843.58	-24.87	8.00	11.12	-27.99	-13.00	-14.99	H
1421.68	-30.17	6.70	9.34	-32.81	-13.00	-19.81	V
2132.95	-28.21	7.80	10.42	-30.83	-13.00	-17.83	V
2843.58	-28.73	8.00	11.12	-31.85	-13.00	-18.85	V

LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1559.55	-45.34	7.40	9.72	-47.66	-40.00	-7.66	H
2338.27	-35.84	8.30	10.86	-38.40	-13.00	-25.40	H
3118.29	-35.83	7.70	11.57	-39.70	-13.00	-26.70	H
1559.55	-46.13	7.40	9.72	-48.45	-40.00	-8.45	V
2338.27	-39.22	8.30	10.86	-41.78	-13.00	-28.78	V
3118.29	-38.72	7.70	11.57	-42.59	-13.00	-29.59	V
LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1564.21	-48.66	7.40	9.72	-50.98	-40.00	-10.98	H
2345.95	-37.72	8.30	10.86	-40.28	-13.00	-27.28	H
3127.92	-39.21	7.70	11.57	-43.08	-13.00	-30.08	H
1564.21	-46.10	7.40	9.72	-48.42	-40.00	-8.42	V
2345.95	-37.66	8.30	10.86	-40.22	-13.00	-27.22	V
3127.92	-36.57	7.70	11.57	-40.44	-13.00	-27.44	V
LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1568.78	-45.82	7.40	9.72	-48.14	-40.00	-8.14	H
2353.06	-38.16	8.30	10.86	-40.72	-13.00	-27.72	H
3137.98	-36.44	7.70	11.57	-40.31	-13.00	-27.31	H
1568.78	-44.48	7.40	9.72	-46.80	-40.00	-6.80	V
2353.06	-38.38	8.30	10.86	-40.94	-13.00	-27.94	V
3137.98	-35.75	7.70	11.57	-39.62	-13.00	-26.62	V
LTE Band 13 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1564.05	-48.72	7.40	9.72	-51.04	-40.00	-11.04	H
2345.80	-37.86	8.30	10.86	-40.42	-13.00	-27.42	H
3127.86	-36.58	7.70	11.57	-40.45	-13.00	-27.45	H
1564.05	-46.55	7.40	9.72	-48.87	-40.00	-8.87	V
2345.80	-39.60	8.30	10.86	-42.16	-13.00	-29.16	V
3127.86	-37.03	7.70	11.57	-40.90	-13.00	-27.90	V

LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1413.09	-28.17	6.90	9.34	-30.61	-13.00	-17.61	H
2120.59	-27.07	8.00	10.42	-29.49	-13.00	-16.49	H
2826.36	-26.99	8.00	11.12	-30.11	-13.00	-17.11	H
1413.09	-28.41	6.90	9.34	-30.85	-13.00	-17.85	V
2120.59	-29.79	8.00	10.42	-32.21	-13.00	-19.21	V
2826.36	-26.51	8.00	11.12	-29.63	-13.00	-16.63	V
LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1419.82	-28.16	6.90	9.34	-30.60	-13.00	-17.60	H
2130.23	-28.30	8.00	10.42	-30.72	-13.00	-17.72	H
2840.24	-26.31	8.00	11.12	-29.43	-13.00	-16.43	H
1419.82	-30.35	6.90	9.34	-32.79	-13.00	-19.79	V
2130.23	-27.41	8.00	10.42	-29.83	-13.00	-16.83	V
2840.24	-29.12	8.00	11.12	-32.24	-13.00	-19.24	V
LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1426.33	-29.79	6.90	9.34	-32.23	-13.00	-19.23	H
2139.14	-28.34	8.00	10.42	-30.76	-13.00	-17.76	H
2852.33	-24.63	8.00	11.12	-27.75	-13.00	-14.75	H
1426.33	-27.64	6.90	9.34	-30.08	-13.00	-17.08	V
2139.14	-25.82	8.00	10.42	-28.24	-13.00	-15.24	V
2852.33	-27.34	8.00	11.12	-30.46	-13.00	-17.46	V

LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1418.20	-28.13	6.90	9.34	-30.57	-13.00	-17.57	H
2127.28	-25.61	8.00	10.42	-28.03	-13.00	-15.03	H
2836.71	-23.74	8.00	11.12	-26.86	-13.00	-13.86	H
1418.20	-30.89	6.90	9.34	-33.33	-13.00	-20.33	V
2127.28	-26.71	8.00	10.42	-29.13	-13.00	-16.13	V
2836.71	-24.70	8.00	11.12	-27.82	-13.00	-14.82	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1419.83	-30.57	6.90	9.34	-33.01	-13.00	-20.01	H
2130.19	-29.10	8.00	10.42	-31.52	-13.00	-18.52	H
2840.14	-26.23	8.00	11.12	-29.35	-13.00	-16.35	H
1419.83	-28.98	6.90	9.34	-31.42	-13.00	-18.42	V
2130.19	-27.73	8.00	10.42	-30.15	-13.00	-17.15	V
2840.14	-27.37	8.00	11.12	-30.49	-13.00	-17.49	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.21	-28.95	6.90	9.34	-31.39	-13.00	-18.39	H
2131.73	-28.26	8.00	10.42	-30.68	-13.00	-17.68	H
2842.59	-24.27	8.00	11.12	-27.39	-13.00	-14.39	H
1421.21	-27.12	6.90	9.34	-29.56	-13.00	-16.56	V
2131.73	-26.74	8.00	10.42	-29.16	-13.00	-16.16	V
2842.59	-27.79	8.00	11.12	-30.91	-13.00	-17.91	V

LTE Band 38 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5114.91	-33.98	8.10	15.86	-41.74	-25.00	-16.74	H
7672.49	-31.00	9.00	19.28	-41.28	-25.00	-16.28	H
10229.86	-28.70	8.70	23.19	-43.19	-25.00	-18.19	H
4996.94	-35.42	8.10	15.86	-43.18	-25.00	-18.18	V
7495.67	-31.81	9.00	19.28	-42.09	-25.00	-17.09	V
9994.28	-28.69	8.70	23.19	-43.18	-25.00	-18.18	V
LTE Band 38 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5210.04	-30.42	8.10	15.86	-38.18	-25.00	-13.18	H
7815.02	-35.48	9.00	19.28	-45.76	-25.00	-20.76	H
10420.06	-30.98	8.70	23.19	-45.47	-25.00	-20.47	H
5210.04	-35.91	8.10	15.86	-43.67	-25.00	-18.67	V
7815.02	-34.26	9.00	19.28	-44.54	-25.00	-19.54	V
10420.06	-31.78	8.70	23.19	-46.27	-25.00	-21.27	V
LTE Band 38 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5305.03	-30.28	8.10	15.86	-38.04	-25.00	-13.04	H
7957.42	-30.74	9.00	19.28	-41.02	-25.00	-16.02	H
10609.95	-33.56	8.70	23.19	-48.05	-25.00	-23.05	H
5305.03	-33.49	8.10	15.86	-41.25	-25.00	-16.25	V
7957.42	-31.93	9.00	19.28	-42.21	-25.00	-17.21	V
10609.95	-32.95	8.70	23.19	-47.44	-25.00	-22.44	V

LTE Band 38 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5120.07	-32.52	8.10	15.86	-40.28	-25.00	-15.28	H
7679.86	-33.61	9.00	19.28	-43.89	-25.00	-18.89	H
10239.93	-33.27	8.70	23.19	-47.76	-25.00	-22.76	H
5120.07	-35.88	8.10	15.86	-43.64	-25.00	-18.64	V
7679.86	-31.52	9.00	19.28	-41.80	-25.00	-16.80	V
10239.93	-30.20	8.70	23.19	-44.69	-25.00	-19.69	V
LTE Band 38 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5209.95	-32.20	8.10	15.86	-39.96	-25.00	-14.96	H
7815.11	-35.32	9.00	19.28	-45.60	-25.00	-20.60	H
10420.14	-30.79	8.70	23.19	-45.28	-25.00	-20.28	H
5209.95	-35.04	8.10	15.86	-42.80	-25.00	-17.80	V
7815.11	-33.54	9.00	19.28	-43.82	-25.00	-18.82	V
10420.14	-29.83	8.70	23.19	-44.32	-25.00	-19.32	V
LTE Band 38 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5300.28	-32.59	8.10	15.86	-40.35	-25.00	-15.35	H
7949.98	-35.46	9.00	19.28	-45.74	-25.00	-20.74	H
10600.05	-28.79	8.70	23.19	-43.28	-25.00	-18.28	H
5300.28	-36.00	8.10	15.86	-43.76	-25.00	-18.76	V
7949.98	-32.32	9.00	19.28	-42.60	-25.00	-17.60	V
10600.05	-32.51	8.70	23.19	-47.00	-25.00	-22.00	V

LTE Band 38 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5125.03	-31.39	8.10	15.86	-39.15	-25.00	-14.15	H
7687.64	-34.40	9.00	19.28	-44.68	-25.00	-19.68	H
10250.37	-33.32	8.70	23.19	-47.81	-25.00	-22.81	H
5125.03	-32.32	8.10	15.86	-40.08	-25.00	-15.08	V
7687.64	-33.58	9.00	19.28	-43.86	-25.00	-18.86	V
10250.37	-32.09	8.70	23.19	-46.58	-25.00	-21.58	V
LTE Band 38 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5209.84	-31.26	8.10	15.86	-39.02	-25.00	-14.02	H
7815.36	-33.79	9.00	19.28	-44.07	-25.00	-19.07	H
10419.99	-30.68	8.70	23.19	-45.17	-25.00	-20.17	H
5209.84	-34.55	8.10	15.86	-42.31	-25.00	-17.31	V
7815.36	-32.33	9.00	19.28	-42.61	-25.00	-17.61	V
10419.99	-28.50	8.70	23.19	-42.99	-25.00	-17.99	V
LTE Band 38 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5298.10	-30.19	8.10	15.86	-37.95	-25.00	-12.95	H
7942.68	-34.77	9.00	19.28	-45.05	-25.00	-20.05	H
10589.94	-30.60	8.70	23.19	-45.09	-25.00	-20.09	H
5298.10	-33.45	8.10	15.86	-41.21	-25.00	-16.21	V
7942.68	-30.83	9.00	19.28	-41.11	-25.00	-16.11	V
10589.94	-32.69	8.70	23.19	-47.18	-25.00	-22.18	V

LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5130.25	-32.47	8.10	15.86	-40.23	-25.00	-15.23	H
7694.88	-34.70	9.00	19.28	-44.98	-25.00	-19.98	H
10259.96	-33.60	8.70	23.19	-48.09	-25.00	-23.09	H
5130.25	-32.64	8.10	15.86	-40.40	-25.00	-15.40	V
7694.88	-32.26	9.00	19.28	-42.54	-25.00	-17.54	V
10259.96	-28.21	8.70	23.19	-42.70	-25.00	-17.70	V
LTE Band 38 /20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5209.88	-30.26	8.10	15.86	-38.02	-25.00	-13.02	H
7814.93	-32.61	9.00	19.28	-42.89	-25.00	-17.89	H
10420.04	-31.14	8.70	23.19	-45.63	-25.00	-20.63	H
5209.88	-33.61	8.10	15.86	-41.37	-25.00	-16.37	V
7814.93	-31.26	9.00	19.28	-41.54	-25.00	-16.54	V
10420.04	-31.12	8.70	23.19	-45.61	-25.00	-20.61	V
LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5290.08	-30.04	8.10	15.86	-37.80	-25.00	-12.80	H
7934.82	-35.00	9.00	19.28	-45.28	-25.00	-20.28	H
10580.00	-31.25	8.70	23.19	-45.74	-25.00	-20.74	H
5290.08	-31.92	8.10	15.86	-39.68	-25.00	-14.68	V
7934.82	-32.79	9.00	19.28	-43.07	-25.00	-18.07	V
10580.00	-28.33	8.70	23.19	-42.82	-25.00	-17.82	V

LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3421.48	-28.38	7.20	12.56	-33.74	-13.00	-20.74	H
5131.91	-26.23	8.10	16.32	-34.45	-13.00	-21.45	H
6842.85	-22.94	8.30	21.13	-35.77	-13.00	-22.77	H
3421.48	-25.16	7.20	12.56	-30.52	-13.00	-17.52	V
5131.91	-25.57	8.10	16.32	-33.79	-13.00	-20.79	V
6842.85	-26.85	8.30	21.13	-39.68	-13.00	-26.68	V
LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.01	-27.58	7.20	12.56	-32.94	-13.00	-19.94	H
5234.96	-27.66	8.10	16.32	-35.88	-13.00	-22.88	H
6980.04	-25.97	8.30	21.13	-38.80	-13.00	-25.80	H
3490.01	-27.15	7.20	12.56	-32.51	-13.00	-19.51	V
5234.96	-24.88	8.10	16.32	-33.10	-13.00	-20.10	V
6980.04	-27.50	8.30	21.13	-40.33	-13.00	-27.33	V
LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3558.00	-27.69	7.20	12.56	-33.05	-13.00	-20.05	H
5337.12	-27.54	8.10	16.32	-35.76	-13.00	-22.76	H
7116.90	-27.58	8.30	21.13	-40.41	-13.00	-27.41	H
3558.00	-29.89	7.20	12.56	-35.25	-13.00	-22.25	V
5337.12	-26.93	8.10	16.32	-35.15	-13.00	-22.15	V
7116.90	-25.95	8.30	21.13	-38.78	-13.00	-25.78	V

LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3423.27	-24.42	7.20	12.56	-29.78	-13.00	-16.78	H
5134.27	-26.93	8.10	16.32	-35.15	-13.00	-22.15	H
6845.77	-23.36	8.30	21.13	-36.19	-13.00	-23.19	H
3423.27	-28.00	7.20	12.56	-33.36	-13.00	-20.36	V
5134.27	-28.46	8.10	16.32	-36.68	-13.00	-23.68	V
6845.77	-26.63	8.30	21.13	-39.46	-13.00	-26.46	V
LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.85	-24.05	7.20	12.56	-29.41	-13.00	-16.41	H
5234.92	-27.82	8.10	16.32	-36.04	-13.00	-23.04	H
6979.93	-25.12	8.30	21.13	-37.95	-13.00	-24.95	H
3489.85	-26.49	7.20	12.56	-31.85	-13.00	-18.85	V
5234.92	-28.35	8.10	16.32	-36.57	-13.00	-23.57	V
6979.93	-23.89	8.30	21.13	-36.72	-13.00	-23.72	V
LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3557.14	-25.46	7.20	12.56	-30.82	-13.00	-17.82	H
5262.33	-25.71	8.10	16.32	-33.93	-13.00	-20.93	H
7113.98	-24.90	8.30	21.13	-37.73	-13.00	-24.73	H
3557.14	-27.31	7.20	12.56	-32.67	-13.00	-19.67	V
5262.33	-26.56	8.10	16.32	-34.78	-13.00	-21.78	V
7113.98	-23.82	8.30	21.13	-36.65	-13.00	-23.65	V

LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3425.32	-26.29	7.20	12.56	-31.65	-13.00	-18.65	H
5137.33	-26.85	8.10	16.32	-35.07	-13.00	-22.07	H
6850.27	-22.98	8.30	21.13	-35.81	-13.00	-22.81	H
3425.32	-25.53	7.20	12.56	-30.89	-13.00	-17.89	V
5137.33	-28.72	8.10	16.32	-36.94	-13.00	-23.94	V
6850.27	-25.62	8.30	21.13	-38.45	-13.00	-25.45	V
LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.97	-28.93	7.20	12.56	-34.29	-13.00	-21.29	H
5235.19	-26.87	8.10	16.32	-35.09	-13.00	-22.09	H
6980.04	-25.44	8.30	21.13	-38.27	-13.00	-25.27	H
3489.97	-27.57	7.20	12.56	-32.93	-13.00	-19.93	V
5235.19	-28.32	8.10	16.32	-36.54	-13.00	-23.54	V
6980.04	-25.47	8.30	21.13	-38.30	-13.00	-25.30	V
LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3558.07	-24.19	7.20	12.56	-29.55	-13.00	-16.55	H
5235.03	-24.69	8.10	16.32	-32.91	-13.00	-19.91	H
7110.13	-22.75	8.30	21.13	-35.58	-13.00	-22.58	H
3558.07	-27.77	7.20	12.56	-33.13	-13.00	-20.13	V
5235.03	-27.01	8.10	16.32	-35.23	-13.00	-22.23	V

LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3430.26	-27.31	7.20	12.56	-32.67	-13.00	-19.67	H
5145.18	-27.92	8.10	16.32	-36.14	-13.00	-23.14	H
6880.02	-24.15	8.30	21.13	-36.98	-13.00	-23.98	H
3430.26	-27.40	7.20	12.56	-32.76	-13.00	-19.76	V
5145.18	-27.16	8.10	16.32	-35.38	-13.00	-22.38	V
6880.02	-24.23	8.30	21.13	-37.06	-13.00	-24.06	V
LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.22	-28.35	7.20	12.56	-33.71	-13.00	-20.71	H
5235.03	-24.57	8.10	16.32	-32.79	-13.00	-19.79	H
6980.06	-26.58	8.30	21.13	-39.41	-13.00	-26.41	H
3490.22	-28.82	7.20	12.56	-34.18	-13.00	-21.18	V
5235.03	-25.04	8.10	16.32	-33.26	-13.00	-20.26	V
6980.06	-26.47	8.30	21.13	-39.30	-13.00	-26.30	V
LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3550.60	-26.43	7.20	12.56	-31.79	-13.00	-18.79	H
5235.10	-26.18	8.10	16.32	-34.40	-13.00	-21.40	H
7100.11	-27.57	8.30	21.13	-40.40	-13.00	-27.40	H
3550.60	-29.83	7.20	12.56	-35.19	-13.00	-22.19	V
5235.10	-27.62	8.10	16.32	-35.84	-13.00	-22.84	V
7100.11	-27.57	8.30	21.13	-40.40	-13.00	-27.40	V

LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3434.81	-28.13	7.20	12.56	-33.49	-13.00	-20.49	H
5152.65	-26.83	8.10	16.32	-35.05	-13.00	-22.05	H
6870.24	-24.06	8.30	21.13	-36.89	-13.00	-23.89	H
3434.81	-27.61	7.20	12.56	-32.97	-13.00	-19.97	V
5152.65	-24.27	8.10	16.32	-32.49	-13.00	-19.49	V
6870.24	-26.21	8.30	21.13	-39.04	-13.00	-26.04	V
LTE Band 66 /15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.20	-27.35	7.20	12.56	-32.71	-13.00	-19.71	H
5234.95	-27.60	8.10	16.32	-35.82	-13.00	-22.82	H
6980.08	-23.15	8.30	21.13	-35.98	-13.00	-22.98	H
3490.20	-26.15	7.20	12.56	-31.51	-13.00	-18.51	V
5234.95	-26.84	8.10	16.32	-35.06	-13.00	-22.06	V
6980.08	-24.98	8.30	21.13	-37.81	-13.00	-24.81	V
LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3545.15	-25.27	7.20	12.56	-30.63	-13.00	-17.63	H
5332.27	-25.81	8.10	16.32	-34.03	-13.00	-21.03	H
7090.22	-25.89	8.30	21.13	-38.72	-13.00	-25.72	H
3545.15	-26.46	7.20	12.56	-31.82	-13.00	-18.82	V
5332.27	-28.21	8.10	16.32	-36.43	-13.00	-23.43	V
7090.22	-24.74	8.30	21.13	-37.57	-13.00	-24.57	V

LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3440.16	-27.31	7.20	12.56	-32.67	-13.00	-19.67	H
5160.21	-25.80	8.10	16.32	-34.02	-13.00	-21.02	H
6879.79	-23.72	8.30	21.13	-36.55	-13.00	-23.55	H
3440.16	-27.17	7.20	12.56	-32.53	-13.00	-19.53	V
5160.21	-28.13	8.10	16.32	-36.35	-13.00	-23.35	V
6879.79	-24.71	8.30	21.13	-37.54	-13.00	-24.54	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.09	-26.03	7.20	12.56	-31.39	-13.00	-18.39	H
5235.00	-26.36	8.10	16.32	-34.58	-13.00	-21.58	H
6979.87	-27.55	8.30	21.13	-40.38	-13.00	-27.38	H
3490.09	-26.13	7.20	12.56	-31.49	-13.00	-18.49	V
5235.00	-26.92	8.10	16.32	-35.14	-13.00	-22.14	V
6979.87	-24.35	8.30	21.13	-37.18	-13.00	-24.18	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3539.95	-25.48	7.20	12.56	-30.84	-13.00	-17.84	H
5310.27	-28.95	8.10	16.32	-37.17	-13.00	-24.17	H
7080.73	-26.43	8.30	21.13	-39.26	-13.00	-26.26	H
3539.95	-27.03	7.20	12.56	-32.39	-13.00	-19.39	V
5310.27	-27.09	8.10	16.32	-35.31	-13.00	-22.31	V
7080.73	-27.25	8.30	21.13	-40.08	-13.00	-27.08	V

※※※※※END OF THE REPORT※※※※※