

# Specification For Approval

Date: 2023 / 12 / 11

File No.: 231211003


Version: 1.0

Customer : 磐旭智能股份有限公司

Customer P/N : 5650006020060M

INVAX P/N : LDS-PD602-060M

Description : PD602 BARCODE SCANNER ANTENNA HOLDER



Cortec Checked By:



Customer Approved By:



**INVAX System Technology Corp.**  
4F. No. 815.Chung Hsiao East Rd.,Sec.5  
Taipei, TAIWAN

TEL:886-2-2788-5218 FAX:886-2-2783-1658  
<http://www.invaxsystem.com>



**Cortec Technology Inc.**  
Xian-Xi Industrial, Sha-Tou Administration Zone,  
Chang-An Town, Dong-Guan City, Guangdong  
Province, China

TEL:86-769-85388261 FAX:86-769-85317869  
<http://www.cortec.com.cn>


**Index:**

- 1. Revision History / Page 3**
- 2. Mechanical and Packing Drawing / Page 4**
- 3. Material Description and RoHS Test Report / Page 5 ~ end**

1. Revision History





| Revision | Date       | Change Notification | Description |
|----------|------------|---------------------|-------------|
| 1.0      | 2023.12.11 | 初版                  |             |
|          |            |                     |             |
|          |            |                     |             |
|          |            |                     |             |
|          |            |                     |             |
|          |            |                     |             |
|          |            |                     |             |
|          |            |                     |             |
|          |            |                     |             |
|          |            |                     |             |

Sample Photo



|                |                                     |
|----------------|-------------------------------------|
| HF             | <input type="checkbox"/>            |
| RoHS           | <input checked="" type="checkbox"/> |
| REACH          | <input type="checkbox"/>            |
| CONFIDENTIAL 2 |                                     |

| SIGN | DATE | DESCRIPTION                                                                  | APPROVER |
|------|------|------------------------------------------------------------------------------|----------|
|      |      | 与仅供参考: <input checked="" type="checkbox"/> 无变更 <input type="checkbox"/> 有变更: |          |
|      |      |                                                                              |          |
|      |      |                                                                              |          |
|      |      |                                                                              |          |




**VIEW SHOWN**  
VIEW IS FOR REFERENCE ONLY  
SCALE: NONE

NOTES: UNLESS OTHERWISE SPECIFIED

1. PRIMARY DIMENSIONS ARE METRIC (MILLIMETERS). SECONDARY DIMENSIONS, SHOWN IN BRACKETS, UNIFIED (INCHES). INTERPRET PER ANSI Y14.5M.
2. MATERIAL: SABIC LNP THERMOCOMP COMPOUND DX11355, COLOUR BLACK C OR ENGINEER APPROVAL EQUIVALENT.  
FINISH: PARTS MUST BE CLEAN AND FREE OF CHIPS. NOT VISIABLE SINKMARK, SHRINKAGE, & WEDDING LINES.  
CORE/CAVITIE SIDE LASER DIRECT STRUCTURING ANTENNA AREAS SHALL BE POLISHED SPI-BI.
3. FOR NEXT ASSEMBLY AND USED ON APPLICATION, REFER TO LATEST APPROPRIATE DATA BASE.

\* The componet should be comply with the prohibit of hazardous substances in the RoHs and REACH Directive.

|                          |            |                                                                                       |                                                        |                                                                                       |            |
|--------------------------|------------|---------------------------------------------------------------------------------------|--------------------------------------------------------|---------------------------------------------------------------------------------------|------------|
| Invax System Group.      |            |                                                                                       | Cortec Technology Inc.                                 |                                                                                       |            |
| <b>Cortec</b>            |            |                                                                                       | Http://www.invaxsystem.com<br>E-mail:info@invax.com.tw |                                                                                       |            |
|                          |            |                                                                                       | Tel :886-2-27885218<br>Fax:886-2-27831658              |                                                                                       |            |
| TITLE: PD602             |            |                                                                                       |                                                        |                                                                                       |            |
| PART NO.: LDS-PD602-060M |            |                                                                                       | CUSTOMER P/N: /                                        |                                                                                       |            |
| APP BY                   | CHK BY     | RF BY                                                                                 | DES BY                                                 |  | Tolerance  |
| SF                       | YS         |  | LISA                                                   | UNITS: mm                                                                             | X.X ±0.1   |
| 2023.11.10               | 2023.11.10 |                                                                                       | 2023.11.10                                             | SCALE: 1/1                                                                            | X.XX ±0.05 |
|                          |            |                                                                                       |                                                        | REVISION: A                                                                           | X° ±1      |