















































































REPORT NO.: 4791508372-RF-3

Page 648 of 781

11.5.3. Test Result-SISO

						EIRP	
Test Mode	Antenna	Frequency	Result	Gain	EIRP	Limit	Verdict
	7	[MHz]	[dBm/MHz]	[dBi]	[dBm]	[dBm]	7 0 7 0 1 0 1
	Ant2	5975	3.68	0.98	4.66	≤5.00	PASS
		6135	3.28	0.98	4.26	≤5.00	PASS
		6375	3.38	0.98	4.36	≤5.00	PASS
		6455	3.08	1.06	4.14	≤5.00	PASS
11A		6535	3.22	1.42	4.64	≤5.00	PASS
IIA		6695	3.20	1.42	4.62	≤5.00	PASS
		6855	2.96	1.42	4.38	≤5.00	PASS
		6935	4.50	-0.1	4.4	≤5.00	PASS
		7015	4.56	-0.1	4.46	≤5.00	PASS
		7095	4.18	-0.1	4.08	≤5.00	PASS
		5955	3.30	0.98	4.28	≤5.00	PASS
		6175 6415	3.54	0.98	4.52	≤5.00	PASS PASS
		6435	3.33 3.02	0.98 1.06	4.31 4.08	≤5.00 ≤5.00	PASS
		6475	3.23	1.06	4.08	≤5.00 ≤5.00	PASS
		6515	3.15	1.06	4.21	≤5.00	PASS
11AX20SISO	Ant2	6535	3.27	1.42	4.69	≤5.00	PASS
11707200100	71112	6715	3.10	1.42	4.52	<u>≤</u> 5.00	PASS
		6855	2.77	1.42	4.19	≤5.00	PASS
		6875	4.22	-0.1	4.12	≤5.00	PASS
		7015	4.45	-0.1	4.35	≤5.00	PASS
		7095	4.38	-0.1	4.28	≤5.00	PASS
		7115	-0.53	-0.1	-0.63	≤5.00	PASS
	Ant2	5965	1.01	0.98	1.99	≤5.00	PASS
		6165	2.76	0.98	3.74	≤5.00	PASS
		6405	2.31	0.98	3.29	≤5.00	PASS
		6445	3.06	1.06	4.12	≤5.00	PASS
		6485	1.69	1.06	2.75	≤5.00	PASS
11AX40SISO		6525	1.73	1.06	2.79	≤5.00	PASS
1170/100100		6565	1.96	1.42	3.38	≤5.00	PASS
		6725	2.55	1.42	3.97	≤5.00	PASS
		6845 6885	1.65	1.42	3.07	≤5.00	PASS PASS
		7005	1.70	-0.1	1.6	≤5.00	PASS
		7005	2.20 1.99	-0.1 -0.1	2.1 1.89	≤5.00 ≤5.00	PASS
		5985	-1.90	0.98	-0.92	≤5.00	PASS
11AX80SISO	Ant2	6145	-1.36	0.98	-0.38	<u>≤</u> 5.00	PASS
		6385	-1.90	0.98	-0.92	≤5.00	PASS
		6465	-0.24	1.06	0.82	≤5.00	PASS
		6545	-1.15	1.42	0.27	≤5.00	PASS
		6705	0.03	1.42	1.45	≤5.00	PASS
		6785	-0.53	1.42	0.89	≤5.00	PASS
		6865	-1.58	-0.1	-1.68	≤5.00	PASS
		6945	-0.61	-0.1	-0.71	≤5.00	PASS
		7025	-0.71	-0.1	-0.81	≤5.00	PASS
11AX160SISO	Ant2	6025	-4.06	0.98	-3.08	≤5.00	PASS
		6185	-2.97	0.98	-1.99	≤5.00	PASS
		6345	-3.96	0.98	-2.98	≤5.00	PASS
		6505	-3.28	1.06	-2.22	≤5.00	PASS
		6665	-2.67	1.42	-1.25	≤5.00	PASS
		6825	-4.38	1.42	-2.96	≤5.00	PASS
		6985	-4.27	-0.1	-4.37	≤5.00	PASS
11BE20SISO	Ant2	5955	-2.62	0.98	-1.64	≤5.00	PASS
		6175	3.41	0.98	4.39	≤5.00 <5.00	PASS PASS
		6415	3.39	0.98	4.37	≤5.00	LA99

REPORT NO.: 4791508372-RF-3 Page 649 of 781

		6435	3.06	1.06	4.12	≤5.00	PASS
		6475	3.28	1.06	4.34	≤5.00	PASS
		6515	3.25	1.06	4.31	≤5.00	PASS
		6535	3.16	1.42	4.58	≤5.00	PASS
		6715	2.98	1.42	4.4	≤5.00	PASS
		6855	2.96	1.42	4.38	≤5.00	PASS
		6875	4.71	-0.1	4.61	≤5.00	PASS
		7015	4.74	-0.1	4.64	≤5.00	PASS
		7095	4.42	-0.1	4.32	≤5.00	PASS
		7115	-1.10	-0.1	-1.2	≤5.00	PASS
	Ant2	5965	1.89	0.98	2.87	≤5.00	PASS
		6165	1.56	0.98	2.54	≤5.00	PASS
		6405	1.82	0.98	2.8	≤5.00	PASS
		6445	2.63	1.06	3.69	≤5.00	PASS
		6485	1.37	1.06	2.43	≤5.00	PASS
44DE 400100		6525	1.68	1.06	2.74	≤5.00	PASS
11BE40SISO		6565	1.87	1.42	3.29	≤5.00	PASS
		6725	2.29	1.42	3.71	≤5.00	PASS
		6845	1.18	1.42	2.6	≤5.00	PASS
		6885	1.23	-0.1	1.13	≤5.00	PASS
		7005	1.85	-0.1	1.75	≤5.00	PASS
		7085	1.47	-0.1	1.37	≤5.00	PASS
	Ant2	5985	-2.43	0.98	-1.45	≤5.00	PASS
		6145	-1.74	0.98	-0.76	≤5.00	PASS
11BE80SISO		6385	-1.65	0.98	-0.67	≤5.00	PASS
		6465	-0.36	1.06	0.7	≤5.00	PASS
		6545	-1.50	1.42	-0.08	≤5.00	PASS
		6705	-0.48	1.42	0.94	≤5.00	PASS
		6785	-1.11	1.42	0.31	≤5.00	PASS
		6865	-2.00	-0.1	-2.1	≤5.00	PASS
		6945	-1.38	-0.1	-1.48	≤5.00	PASS
		7025	-0.73	-0.1	-0.83	≤5.00	PASS
11BE160SISO	Ant2	6025	-4.03	0.98	-3.05	≤5.00	PASS
		6185	-3.52	0.98	-2.54	≤5.00	PASS
		6345	-3.45	0.98	-2.47	≤5.00	PASS
		6505	-4.32	1.06	-3.26	≤5.00	PASS
		6665	-3.62	1.42	-2.2	≤5.00	PASS
		6825	-4.78	1.42	-3.36	≤5.00	PASS
		6985	-4.21	-0.1	-4.31	≤5.00	PASS

Note: 1.The Duty Cycle Factor and RBW Factor is compensated in the graph.



11.5.4. Test Graphs-SISO

















































































































