


## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240800162404

Page: 287 of 361

802.11ax(HE20)\_HCH\_5240MHz\_RU242\_Left\_Ant1\_NTNV



802.11ax(HE20)\_LCH\_5260MHz\_RU242\_Left\_Ant1\_NTNV




## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240800162404

Page: 288 of 361


802.11ax(HE20)\_MCH\_5300MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE20)\_HCH\_5320MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE40)\_LCH\_5190MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HE40)\_HCH\_5230MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HE40)\_LCH\_5270MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HE40)\_HCH\_5310MHz\_RU484\_Left\_Ant1\_NTNV



802.11ax(HE80)\_MCH\_5210MHz\_RU996\_Left\_Ant1\_NTNV



802.11ax(HE80)\_MCH\_5290MHz\_RU996\_Left\_Ant1\_NTNV



## 3. Maximum Conducted Output Power


### 3.1 Test Result

#### 3.1.1 Power


| Mode             | TX Type | Frequency (MHz) | RU    | RU Pos | Maximum Average Conducted Output Power (dBm) |         | Verdict |
|------------------|---------|-----------------|-------|--------|----------------------------------------------|---------|---------|
|                  |         |                 |       |        | ANT1                                         | Limit   |         |
| 802.11a          | SISO    | 5180            | /     | /      | 11.90                                        | <=23.98 | Pass    |
|                  |         | 5200            | /     | /      | 11.70                                        | <=23.98 | Pass    |
|                  |         | 5240            | /     | /      | 11.99                                        | <=23.98 | Pass    |
|                  |         | 5260            | /     | /      | 11.61                                        | <=23.98 | Pass    |
|                  |         | 5300            | /     | /      | 11.67                                        | <=23.98 | Pass    |
|                  |         | 5320            | /     | /      | 11.56                                        | <=23.98 | Pass    |
|                  |         | 5745            | /     | /      | 11.80                                        | <=30    | Pass    |
|                  |         | 5785            | /     | /      | 12.18                                        | <=30    | Pass    |
|                  |         | 5825            | /     | /      | 12.73                                        | <=30    | Pass    |
| 802.11ac (VHT20) | SISO    | 5180            | /     | /      | 11.40                                        | <=23.98 | Pass    |
|                  |         | 5200            | /     | /      | 13.46                                        | <=23.98 | Pass    |
|                  |         | 5240            | /     | /      | 12.62                                        | <=23.98 | Pass    |
|                  |         | 5260            | /     | /      | 12.40                                        | <=23.98 | Pass    |
|                  |         | 5300            | /     | /      | 10.91                                        | <=23.98 | Pass    |
|                  |         | 5320            | /     | /      | 10.71                                        | <=23.98 | Pass    |
|                  |         | 5745            | /     | /      | 10.72                                        | <=30    | Pass    |
|                  |         | 5785            | /     | /      | 13.71                                        | <=30    | Pass    |
|                  |         | 5825            | /     | /      | 13.48                                        | <=30    | Pass    |
| 802.11ac (VHT40) | SISO    | 5190            | /     | /      | 12.38                                        | <=23.98 | Pass    |
|                  |         | 5230            | /     | /      | 12.64                                        | <=23.98 | Pass    |
|                  |         | 5270            | /     | /      | 12.43                                        | <=23.98 | Pass    |
|                  |         | 5310            | /     | /      | 13.94                                        | <=23.98 | Pass    |
|                  |         | 5755            | /     | /      | 14.35                                        | <=30    | Pass    |
|                  |         | 5795            | /     | /      | 14.09                                        | <=30    | Pass    |
| 802.11ac (VHT80) | SISO    | 5210            | /     | /      | 14.27                                        | <=23.98 | Pass    |
|                  |         | 5290            | /     | /      | 11.76                                        | <=23.98 | Pass    |
|                  |         | 5775            | /     | /      | 14.36                                        | <=30    | Pass    |
| 802.11ax (HE20)  | SISO    | 5180            | RU242 | Left   | 13.21                                        | <=23.98 | Pass    |
|                  |         | 5200            | RU242 | Left   | 12.45                                        | <=23.98 | Pass    |
|                  |         | 5240            | RU242 | Left   | 12.70                                        | <=23.98 | Pass    |
|                  |         | 5260            | RU242 | Left   | 11.41                                        | <=23.98 | Pass    |
|                  |         | 5300            | RU242 | Left   | 11.46                                        | <=23.98 | Pass    |
|                  |         | 5320            | RU242 | Left   | 11.59                                        | <=23.98 | Pass    |
|                  |         | 5745            | RU242 | Left   | 14.27                                        | <=30    | Pass    |

|                                     |      |      |       |      |       |         |      |
|-------------------------------------|------|------|-------|------|-------|---------|------|
|                                     |      | 5785 | RU242 | Left | 13.02 | <=30    | Pass |
|                                     |      | 5825 | RU242 | Left | 12.56 | <=30    | Pass |
| 802.11ax<br>(HE40)                  | SISO | 5190 | RU484 | Left | 12.36 | <=23.98 | Pass |
|                                     |      | 5230 | RU484 | Left | 13.64 | <=23.98 | Pass |
|                                     |      | 5270 | RU484 | Left | 13.27 | <=23.98 | Pass |
|                                     |      | 5310 | RU484 | Left | 13.24 | <=23.98 | Pass |
|                                     |      | 5755 | RU484 | Left | 14.31 | <=30    | Pass |
|                                     |      | 5795 | RU484 | Left | 15.05 | <=30    | Pass |
| 802.11ax<br>(HE80)                  | SISO | 5210 | RU996 | Left | 13.36 | <=23.98 | Pass |
|                                     |      | 5290 | RU996 | Left | 12.74 | <=23.98 | Pass |
|                                     |      | 5775 | RU996 | Left | 13.31 | <=30    | Pass |
| Note1: Antenna Gain: Ant1: 3.00dBi; |      |      |       |      |       |         |      |


### 3.2 Test Graph 3.2.1 Power




802.11a\_HCH\_5240MHz\_Ant1\_NTNV




802.11a\_LCH\_5260MHz\_Ant1\_NTNV




802.11a\_MCH\_5300MHz\_Ant1\_NTNV




802.11a\_HCH\_5320MHz\_Ant1\_NTNV




802.11a\_LCH\_5745MHz\_Ant1\_NTNV




802.11a\_MCH\_5785MHz\_Ant1\_NTNV




802.11a\_HCH\_5825MHz\_Ant1\_NTNV




802.11ac(VHT20)\_LCH\_5180MHz\_Ant1\_NTNV




802.11ac(VHT20)\_MCH\_5200MHz\_Ant1\_NTNV




802.11ac(VHT20)\_HCH\_5240MHz\_Ant1\_NTNV




802.11ac(VHT20)\_LCH\_5260MHz\_Ant1\_NTNV




802.11ac(VHT20)\_MCH\_5300MHz\_Ant1\_NTNV




802.11ac(VHT20)\_HCH\_5320MHz\_Ant1\_NTNV




802.11ac(VHT20)\_LCH\_5745MHz\_Ant1\_NTNV




802.11ac(VHT20)\_MCH\_5785MHz\_Ant1\_NTNV




802.11ac(VHT20)\_HCH\_5825MHz\_Ant1\_NTNV




802.11ac(VHT40)\_LCH\_5190MHz\_Ant1\_NTNV




802.11ac(VHT40)\_HCH\_5230MHz\_Ant1\_NTNV




802.11ac(VHT40)\_LCH\_5270MHz\_Ant1\_NTNV




802.11ac(VHT40)\_HCH\_5310MHz\_Ant1\_NTNV




802.11ac(VHT40)\_LCH\_5755MHz\_Ant1\_NTNV




802.11ac(VHT40)\_HCH\_5795MHz\_Ant1\_NTNV




802.11ac(VHT80)\_MCH\_5210MHz\_Ant1\_NTNV




802.11ac(VHT80)\_MCH\_5290MHz\_Ant1\_NTNV




### 802.11ac(VHT80)\_MCH\_5775MHz\_Ant1\_NTNV




### 802.11ax(HE20)\_LCH\_5180MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE20)\_MCH\_5200MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE20)\_HCH\_5240MHz\_RU242\_Left\_Ant1\_NTNV



802.11ax(HE20)\_LCH\_5260MHz\_RU242\_Left\_Ant1\_NTNV



802.11ax(HE20)\_MCH\_5300MHz\_RU242\_Left\_Ant1\_NTNV




## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240800162404

Page: 310 of 361


802.11ax(HE20)\_HCH\_5320MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE20)\_LCH\_5745MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE20)\_MCH\_5785MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE20)\_HCH\_5825MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE40)\_LCH\_5190MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HE40)\_HCH\_5230MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HE40)\_LCH\_5270MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HE40)\_HCH\_5310MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HE40)\_LCH\_5755MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HE40)\_HCH\_5795MHz\_RU484\_Left\_Ant1\_NTNV



802.11ax(HE80)\_MCH\_5210MHz\_RU996\_Left\_Ant1\_NTNV



802.11ax(HE80)\_MCH\_5290MHz\_RU996\_Left\_Ant1\_NTNV




## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162404

Page: 316 of 361

### 802.11ax(HE80)\_MCH\_5775MHz\_RU996\_Left\_Ant1\_NTNV



## 4. Maximum Power Spectral Density

### 4.1 Test Result

#### 4.1.1 PSD

| Mode             | TX Type | Frequency (MHz) | RU    | RU Pos | Maximum PSD (dBm/MHz) |       | Verdict |
|------------------|---------|-----------------|-------|--------|-----------------------|-------|---------|
|                  |         |                 |       |        | ANT1                  | Limit |         |
| 802.11a          | SISO    | 5180            | /     | /      | 0.73                  | <=11  | Pass    |
|                  |         | 5200            | /     | /      | 0.58                  | <=11  | Pass    |
|                  |         | 5240            | /     | /      | 0.80                  | <=11  | Pass    |
|                  |         | 5260            | /     | /      | 0.47                  | <=11  | Pass    |
|                  |         | 5300            | /     | /      | 0.49                  | <=11  | Pass    |
|                  |         | 5320            | /     | /      | 0.36                  | <=11  | Pass    |
| 802.11ac (VHT20) | SISO    | 5180            | /     | /      | 0.00                  | <=11  | Pass    |
|                  |         | 5200            | /     | /      | 2.05                  | <=11  | Pass    |
|                  |         | 5240            | /     | /      | 1.22                  | <=11  | Pass    |
|                  |         | 5260            | /     | /      | 0.95                  | <=11  | Pass    |
|                  |         | 5300            | /     | /      | -0.47                 | <=11  | Pass    |
|                  |         | 5320            | /     | /      | -0.73                 | <=11  | Pass    |
| 802.11ac (VHT40) | SISO    | 5190            | /     | /      | -2.12                 | <=11  | Pass    |
|                  |         | 5230            | /     | /      | -1.79                 | <=11  | Pass    |
|                  |         | 5270            | /     | /      | -1.95                 | <=11  | Pass    |
|                  |         | 5310            | /     | /      | -0.37                 | <=11  | Pass    |
| 802.11ac (VHT80) | SISO    | 5210            | /     | /      | -3.07                 | <=11  | Pass    |
|                  |         | 5290            | /     | /      | -5.80                 | <=11  | Pass    |
| 802.11ax (HE20)  | SISO    | 5180            | RU242 | Left   | 1.53                  | <=11  | Pass    |
|                  |         | 5200            | RU242 | Left   | 0.77                  | <=11  | Pass    |
|                  |         | 5240            | RU242 | Left   | 0.98                  | <=11  | Pass    |
|                  |         | 5260            | RU242 | Left   | -0.26                 | <=11  | Pass    |
|                  |         | 5300            | RU242 | Left   | -0.20                 | <=11  | Pass    |
|                  |         | 5320            | RU242 | Left   | -0.09                 | <=11  | Pass    |
| 802.11ax (HE40)  | SISO    | 5190            | RU484 | Left   | -2.34                 | <=11  | Pass    |
|                  |         | 5230            | RU484 | Left   | -0.92                 | <=11  | Pass    |
|                  |         | 5270            | RU484 | Left   | -1.35                 | <=11  | Pass    |
|                  |         | 5310            | RU484 | Left   | -1.42                 | <=11  | Pass    |
| 802.11ax (HE80)  | SISO    | 5210            | RU996 | Left   | -4.21                 | <=11  | Pass    |
|                  |         | 5290            | RU996 | Left   | -4.55                 | <=11  | Pass    |

Note1: Antenna Gain: Ant1: 3.00dBi;

#### 4.1.2 PSD-Band3

| Mode | TX | Frequency | RU | RU | Maximum PSD (dBm/500kHz) | Verdict |
|------|----|-----------|----|----|--------------------------|---------|
|------|----|-----------|----|----|--------------------------|---------|



## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162404


Page: 318 of 361

|                     | Type | (MHz) |       | Pos  | ANT1  | Limit |      |
|---------------------|------|-------|-------|------|-------|-------|------|
| 802.11a             | SISO | 5745  | /     | /    | -2.65 | <=30  | Pass |
|                     |      | 5785  | /     | /    | -2.21 | <=30  | Pass |
|                     |      | 5825  | /     | /    | -1.77 | <=30  | Pass |
| 802.11ac<br>(VHT20) | SISO | 5745  | /     | /    | -3.96 | <=30  | Pass |
|                     |      | 5785  | /     | /    | -1.06 | <=30  | Pass |
|                     |      | 5825  | /     | /    | -1.39 | <=30  | Pass |
| 802.11ac<br>(VHT40) | SISO | 5755  | /     | /    | -3.52 | <=30  | Pass |
|                     |      | 5795  | /     | /    | -3.48 | <=30  | Pass |
| 802.11ac<br>(VHT80) | SISO | 5775  | /     | /    | -6.20 | <=30  | Pass |
| 802.11ax<br>(HE20)  | SISO | 5745  | RU242 | Left | -0.92 | <=30  | Pass |
|                     |      | 5785  | RU242 | Left | -1.92 | <=30  | Pass |
|                     |      | 5825  | RU242 | Left | -2.49 | <=30  | Pass |
| 802.11ax<br>(HE40)  | SISO | 5755  | RU484 | Left | -3.74 | <=30  | Pass |
|                     |      | 5795  | RU484 | Left | -2.63 | <=30  | Pass |
| 802.11ax<br>(HE80)  | SISO | 5775  | RU996 | Left | -6.64 | <=30  | Pass |


Note1: Antenna Gain: Ant1: 3.00dBi;

### 4.2 Test Graph


#### 4.2.1 PSD




802.11a\_HCH\_5240MHz\_Ant1\_NTNV




802.11a\_LCH\_5260MHz\_Ant1\_NTNV



802.11a\_MCH\_5300MHz\_Ant1\_NTNV



802.11a\_HCH\_5320MHz\_Ant1\_NTNV




## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240800162404

Page: 322 of 361


802.11ac(VHT20)\_LCH\_5180MHz\_Ant1\_NTNV




802.11ac(VHT20)\_MCH\_5200MHz\_Ant1\_NTNV




802.11ac(VHT20)\_HCH\_5240MHz\_Ant1\_NTNV




802.11ac(VHT20)\_LCH\_5260MHz\_Ant1\_NTNV




802.11ac(VHT20)\_MCH\_5300MHz\_Ant1\_NTNV




802.11ac(VHT20)\_HCH\_5320MHz\_Ant1\_NTNV



802.11ac(VHT40)\_LCH\_5190MHz\_Ant1\_NTNV



802.11ac(VHT40)\_HCH\_5230MHz\_Ant1\_NTNV




## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240800162404

Page: 326 of 361


802.11ac(VHT40)\_LCH\_5270MHz\_Ant1\_NTNV




802.11ac(VHT40)\_HCH\_5310MHz\_Ant1\_NTNV




802.11ac(VHT80)\_MCH\_5210MHz\_Ant1\_NTNV




802.11ac(VHT80)\_MCH\_5290MHz\_Ant1\_NTNV



802.11ax(HE20)\_LCH\_5180MHz\_RU242\_Left\_Ant1\_NTNV



802.11ax(HE20)\_MCH\_5200MHz\_RU242\_Left\_Ant1\_NTNV




## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240800162404

Page: 329 of 361

802.11ax(HE20)\_HCH\_5240MHz\_RU242\_Left\_Ant1\_NTNV



802.11ax(HE20)\_LCH\_5260MHz\_RU242\_Left\_Ant1\_NTNV




## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240800162404

Page: 330 of 361


802.11ax(HE20)\_MCH\_5300MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE20)\_HCH\_5320MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE40)\_LCH\_5190MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HE40)\_HCH\_5230MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HE40)\_LCH\_5270MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HE40)\_HCH\_5310MHz\_RU484\_Left\_Ant1\_NTNV




802.11ax(HE80)\_MCH\_5210MHz\_RU996\_Left\_Ant1\_NTNV




802.11ax(HE80)\_MCH\_5290MHz\_RU996\_Left\_Ant1\_NTNV




### 4.2.2 PSD-Band3



802.11a\_HCH\_5825MHz\_Ant1\_NTNV



802.11ac(VHT20)\_LCH\_5745MHz\_Ant1\_NTNV




## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240800162404

Page: 336 of 361


802.11ac(VHT20)\_MCH\_5785MHz\_Ant1\_NTNV




802.11ac(VHT20)\_HCH\_5825MHz\_Ant1\_NTNV




802.11ac(VHT40)\_LCH\_5755MHz\_Ant1\_NTNV




802.11ac(VHT40)\_HCH\_5795MHz\_Ant1\_NTNV



### 802.11ac(VHT80)\_MCH\_5775MHz\_Ant1\_NTNV



### 802.11ax(HE20)\_LCH\_5745MHz\_RU242\_Left\_Ant1\_NTNV




## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240800162404

Page: 339 of 361


802.11ax(HE20)\_MCH\_5785MHz\_RU242\_Left\_Ant1\_NTNV




802.11ax(HE20)\_HCH\_5825MHz\_RU242\_Left\_Ant1\_NTNV



802.11ax(HE40)\_LCH\_5755MHz\_RU484\_Left\_Ant1\_NTNV



802.11ax(HE40)\_HCH\_5795MHz\_RU484\_Left\_Ant1\_NTNV




## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162404

Page: 341 of 361

802.11ax(HE80)\_MCH\_5775MHz\_RU996\_Left\_Ant1\_NTNV



## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162404

Page: 342 of 361

### 5. Frequency Stability

#### 5.1 Test Result

##### 5.1.1 Ant1

| Ant1    |         |                 |    |        |                  |               |                          |              |         |
|---------|---------|-----------------|----|--------|------------------|---------------|--------------------------|--------------|---------|
| Mode    | TX Type | Frequency (MHz) | RU | RU Pos | Temperature (°C) | Voltage (VAC) | Measured Frequency (MHz) | Limit (MHz)  | Verdict |
| 802.11a | SISO    | 5180            | /  | /      | 20               | 102           | 5180.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        |                  | 120           | 5180.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        |                  | 138           | 5180.000                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -30              | 120           | 5179.960                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -20              | 120           | 5179.980                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -10              | 120           | 5179.980                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 0                | 120           | 5179.980                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 10               | 120           | 5180.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 30               | 120           | 5180.040                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 40               | 120           | 5180.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 50               | 120           | 5180.040                 | 5150 to 5250 | Pass    |
|         |         | 5200            | /  | /      | 20               | 102           | 5200.040                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        |                  | 120           | 5200.000                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        |                  | 138           | 5199.960                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -30              | 120           | 5200.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -20              | 120           | 5200.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -10              | 120           | 5200.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 0                | 120           | 5200.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 10               | 120           | 5199.980                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 30               | 120           | 5200.040                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 40               | 120           | 5200.000                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 50               | 120           | 5200.040                 | 5150 to 5250 | Pass    |
|         |         | 5240            | /  | /      | 20               | 102           | 5240.000                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        |                  | 120           | 5240.000                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        |                  | 138           | 5240.000                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -30              | 120           | 5240.000                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -20              | 120           | 5240.040                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -10              | 120           | 5240.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 0                | 120           | 5240.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 10               | 120           | 5239.980                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 30               | 120           | 5240.040                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 40               | 120           | 5240.040                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 50               | 120           | 5240.040                 | 5150 to 5250 | Pass    |

## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162404

Page: 343 of 361

|  |  |      |   |   |     |     |          |              |      |
|--|--|------|---|---|-----|-----|----------|--------------|------|
|  |  | 5260 | / | / | 20  | 102 | 5260.000 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 120 | 5260.000 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 138 | 5260.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | -30 | 120 | 5260.100 | 5250 to 5350 | Pass |
|  |  |      |   |   | -20 | 120 | 5260.020 | 5250 to 5350 | Pass |
|  |  |      |   |   | -10 | 120 | 5260.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | 0   | 120 | 5260.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | 10  | 120 | 5259.980 | 5250 to 5350 | Pass |
|  |  |      |   |   | 30  | 120 | 5260.020 | 5250 to 5350 | Pass |
|  |  |      |   |   | 40  | 120 | 5260.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | 50  | 120 | 5260.020 | 5250 to 5350 | Pass |
|  |  | 5300 | / | / | 20  | 102 | 5300.020 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 120 | 5300.000 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 138 | 5300.020 | 5250 to 5350 | Pass |
|  |  |      |   |   | -30 | 120 | 5300.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | -20 | 120 | 5300.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | -10 | 120 | 5300.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | 0   | 120 | 5300.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | 10  | 120 | 5300.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | 30  | 120 | 5300.020 | 5250 to 5350 | Pass |
|  |  |      |   |   | 40  | 120 | 5300.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | 50  | 120 | 5300.060 | 5250 to 5350 | Pass |
|  |  | 5320 | / | / | 20  | 102 | 5319.980 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 120 | 5320.040 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 138 | 5320.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | -30 | 120 | 5320.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | -20 | 120 | 5320.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | -10 | 120 | 5320.020 | 5250 to 5350 | Pass |
|  |  |      |   |   | 0   | 120 | 5320.020 | 5250 to 5350 | Pass |
|  |  |      |   |   | 10  | 120 | 5319.980 | 5250 to 5350 | Pass |
|  |  |      |   |   | 30  | 120 | 5320.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | 40  | 120 | 5320.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | 50  | 120 | 5320.060 | 5250 to 5350 | Pass |
|  |  | 5745 | / | / | 20  | 102 | 5745.020 | 5725 to 5850 | Pass |
|  |  |      |   |   |     | 120 | 5745.000 | 5725 to 5850 | Pass |
|  |  |      |   |   |     | 138 | 5745.000 | 5725 to 5850 | Pass |
|  |  |      |   |   | -30 | 120 | 5745.000 | 5725 to 5850 | Pass |
|  |  |      |   |   | -20 | 120 | 5745.040 | 5725 to 5850 | Pass |
|  |  |      |   |   | -10 | 120 | 5745.020 | 5725 to 5850 | Pass |
|  |  |      |   |   | 0   | 120 | 5745.000 | 5725 to 5850 | Pass |
|  |  |      |   |   | 10  | 120 | 5745.040 | 5725 to 5850 | Pass |
|  |  |      |   |   | 30  | 120 | 5745.020 | 5725 to 5850 | Pass |
|  |  |      |   |   | 40  | 120 | 5745.040 | 5725 to 5850 | Pass |
|  |  |      |   |   | 50  | 120 | 5744.980 | 5725 to 5850 | Pass |

# Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162404

Page: 344 of 361

|                     |      |      |   |   |     |     |          |              |      |
|---------------------|------|------|---|---|-----|-----|----------|--------------|------|
| 802.11ac<br>(VHT20) | SISO | 5785 | / | / | 20  | 102 | 5785.020 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5785.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 138 | 5785.060 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -30 | 120 | 5785.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -20 | 120 | 5785.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -10 | 120 | 5785.060 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 0   | 120 | 5785.020 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 10  | 120 | 5785.020 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 30  | 120 | 5784.980 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 40  | 120 | 5785.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 50  | 120 | 5785.020 | 5725 to 5850 | Pass |
|                     |      | 5825 | / | / | 20  | 102 | 5825.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5825.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 138 | 5825.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -30 | 120 | 5825.020 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -20 | 120 | 5824.980 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -10 | 120 | 5824.980 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 0   | 120 | 5825.060 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 10  | 120 | 5825.020 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 30  | 120 | 5824.980 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 40  | 120 | 5825.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 50  | 120 | 5825.020 | 5725 to 5850 | Pass |
|                     |      | 5180 | / | / | 20  | 102 | 5180.020 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 120 | 5179.980 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 138 | 5180.020 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -30 | 120 | 5180.040 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -20 | 120 | 5180.020 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -10 | 120 | 5180.080 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 0   | 120 | 5180.020 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 10  | 120 | 5180.020 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 30  | 120 | 5179.980 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 40  | 120 | 5180.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 50  | 120 | 5179.980 | 5150 to 5250 | Pass |
|                     |      | 5200 | / | / | 20  | 102 | 5200.060 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 120 | 5199.960 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 138 | 5200.040 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -30 | 120 | 5199.980 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -20 | 120 | 5200.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -10 | 120 | 5200.020 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 0   | 120 | 5199.960 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 10  | 120 | 5200.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 30  | 120 | 5200.040 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 40  | 120 | 5199.980 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 50  | 120 | 5200.000 | 5150 to 5250 | Pass |

# Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162404

Page: 345 of 361

|  |  |      |   |   |     |     |          |              |      |
|--|--|------|---|---|-----|-----|----------|--------------|------|
|  |  | 5240 | / | / | 20  | 102 | 5240.020 | 5150 to 5250 | Pass |
|  |  |      |   |   |     | 120 | 5240.020 | 5150 to 5250 | Pass |
|  |  |      |   |   |     | 138 | 5240.020 | 5150 to 5250 | Pass |
|  |  |      |   |   | -30 | 120 | 5240.040 | 5150 to 5250 | Pass |
|  |  |      |   |   | -20 | 120 | 5240.040 | 5150 to 5250 | Pass |
|  |  |      |   |   | -10 | 120 | 5240.020 | 5150 to 5250 | Pass |
|  |  |      |   |   | 0   | 120 | 5240.020 | 5150 to 5250 | Pass |
|  |  |      |   |   | 10  | 120 | 5240.020 | 5150 to 5250 | Pass |
|  |  |      |   |   | 30  | 120 | 5240.020 | 5150 to 5250 | Pass |
|  |  |      |   |   | 40  | 120 | 5240.040 | 5150 to 5250 | Pass |
|  |  |      |   |   | 50  | 120 | 5239.980 | 5150 to 5250 | Pass |
|  |  | 5260 | / | / | 20  | 102 | 5260.040 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 120 | 5260.040 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 138 | 5260.020 | 5250 to 5350 | Pass |
|  |  |      |   |   | -30 | 120 | 5260.060 | 5250 to 5350 | Pass |
|  |  |      |   |   | -20 | 120 | 5260.020 | 5250 to 5350 | Pass |
|  |  |      |   |   | -10 | 120 | 5260.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | 0   | 120 | 5260.080 | 5250 to 5350 | Pass |
|  |  |      |   |   | 10  | 120 | 5260.020 | 5250 to 5350 | Pass |
|  |  |      |   |   | 30  | 120 | 5260.020 | 5250 to 5350 | Pass |
|  |  |      |   |   | 40  | 120 | 5260.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | 50  | 120 | 5260.080 | 5250 to 5350 | Pass |
|  |  | 5300 | / | / | 20  | 102 | 5300.020 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 120 | 5300.020 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 138 | 5300.080 | 5250 to 5350 | Pass |
|  |  |      |   |   | -30 | 120 | 5300.100 | 5250 to 5350 | Pass |
|  |  |      |   |   | -20 | 120 | 5300.060 | 5250 to 5350 | Pass |
|  |  |      |   |   | -10 | 120 | 5300.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | 0   | 120 | 5300.060 | 5250 to 5350 | Pass |
|  |  |      |   |   | 10  | 120 | 5300.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | 30  | 120 | 5300.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | 40  | 120 | 5300.080 | 5250 to 5350 | Pass |
|  |  |      |   |   | 50  | 120 | 5300.040 | 5250 to 5350 | Pass |
|  |  | 5320 | / | / | 20  | 102 | 5320.020 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 120 | 5320.020 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 138 | 5320.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | -30 | 120 | 5320.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | -20 | 120 | 5320.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | -10 | 120 | 5320.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | 0   | 120 | 5320.020 | 5250 to 5350 | Pass |
|  |  |      |   |   | 10  | 120 | 5320.020 | 5250 to 5350 | Pass |
|  |  |      |   |   | 30  | 120 | 5320.020 | 5250 to 5350 | Pass |
|  |  |      |   |   | 40  | 120 | 5320.060 | 5250 to 5350 | Pass |
|  |  |      |   |   | 50  | 120 | 5320.040 | 5250 to 5350 | Pass |

# Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162404

Page: 346 of 361

|                     |      |      |   |   |     |     |          |              |      |
|---------------------|------|------|---|---|-----|-----|----------|--------------|------|
|                     |      | 5745 | / | / | 20  | 102 | 5745.060 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5745.020 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 138 | 5744.980 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -30 | 120 | 5745.020 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -20 | 120 | 5744.960 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -10 | 120 | 5745.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 0   | 120 | 5745.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 10  | 120 | 5745.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 30  | 120 | 5745.020 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 40  | 120 | 5745.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 50  | 120 | 5744.980 | 5725 to 5850 | Pass |
|                     |      | 5785 | / | / | 20  | 102 | 5785.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5785.060 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 138 | 5785.020 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -30 | 120 | 5785.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -20 | 120 | 5785.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -10 | 120 | 5785.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 0   | 120 | 5785.020 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 10  | 120 | 5785.020 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 30  | 120 | 5785.060 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 40  | 120 | 5785.020 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 50  | 120 | 5785.020 | 5725 to 5850 | Pass |
|                     |      | 5825 | / | / | 20  | 102 | 5825.060 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5825.060 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 138 | 5825.020 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -30 | 120 | 5825.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -20 | 120 | 5825.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -10 | 120 | 5825.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 0   | 120 | 5824.980 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 10  | 120 | 5824.980 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 30  | 120 | 5824.960 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 40  | 120 | 5825.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 50  | 120 | 5825.000 | 5725 to 5850 | Pass |
| 802.11ac<br>(VHT40) | SISO | 5190 | / | / | 20  | 102 | 5189.920 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 120 | 5189.960 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 138 | 5190.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -30 | 120 | 5190.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -20 | 120 | 5189.960 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -10 | 120 | 5190.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 0   | 120 | 5189.960 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 10  | 120 | 5190.120 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 30  | 120 | 5189.960 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 40  | 120 | 5189.960 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 50  | 120 | 5190.000 | 5150 to 5250 | Pass |

# Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162404

Page: 347 of 361

|  |  |      |   |   |     |     |          |              |      |
|--|--|------|---|---|-----|-----|----------|--------------|------|
|  |  | 5230 | / | / | 20  | 102 | 5230.000 | 5150 to 5250 | Pass |
|  |  |      |   |   |     | 120 | 5229.960 | 5150 to 5250 | Pass |
|  |  |      |   |   |     | 138 | 5230.000 | 5150 to 5250 | Pass |
|  |  |      |   |   | -30 | 120 | 5229.920 | 5150 to 5250 | Pass |
|  |  |      |   |   | -20 | 120 | 5229.960 | 5150 to 5250 | Pass |
|  |  |      |   |   | -10 | 120 | 5229.960 | 5150 to 5250 | Pass |
|  |  |      |   |   | 0   | 120 | 5230.080 | 5150 to 5250 | Pass |
|  |  |      |   |   | 10  | 120 | 5229.960 | 5150 to 5250 | Pass |
|  |  |      |   |   | 30  | 120 | 5230.040 | 5150 to 5250 | Pass |
|  |  |      |   |   | 40  | 120 | 5229.960 | 5150 to 5250 | Pass |
|  |  |      |   |   | 50  | 120 | 5229.920 | 5150 to 5250 | Pass |
|  |  | 5270 | / | / | 20  | 102 | 5270.040 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 120 | 5270.040 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 138 | 5270.000 | 5250 to 5350 | Pass |
|  |  |      |   |   | -30 | 120 | 5270.080 | 5250 to 5350 | Pass |
|  |  |      |   |   | -20 | 120 | 5270.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | -10 | 120 | 5270.080 | 5250 to 5350 | Pass |
|  |  |      |   |   | 0   | 120 | 5270.080 | 5250 to 5350 | Pass |
|  |  |      |   |   | 10  | 120 | 5270.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | 30  | 120 | 5270.120 | 5250 to 5350 | Pass |
|  |  |      |   |   | 40  | 120 | 5270.120 | 5250 to 5350 | Pass |
|  |  |      |   |   | 50  | 120 | 5270.120 | 5250 to 5350 | Pass |
|  |  | 5310 | / | / | 20  | 102 | 5310.160 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 120 | 5310.160 | 5250 to 5350 | Pass |
|  |  |      |   |   |     | 138 | 5310.120 | 5250 to 5350 | Pass |
|  |  |      |   |   | -30 | 120 | 5310.120 | 5250 to 5350 | Pass |
|  |  |      |   |   | -20 | 120 | 5310.120 | 5250 to 5350 | Pass |
|  |  |      |   |   | -10 | 120 | 5310.040 | 5250 to 5350 | Pass |
|  |  |      |   |   | 0   | 120 | 5310.120 | 5250 to 5350 | Pass |
|  |  |      |   |   | 10  | 120 | 5310.120 | 5250 to 5350 | Pass |
|  |  |      |   |   | 30  | 120 | 5310.160 | 5250 to 5350 | Pass |
|  |  |      |   |   | 40  | 120 | 5310.200 | 5250 to 5350 | Pass |
|  |  |      |   |   | 50  | 120 | 5310.080 | 5250 to 5350 | Pass |
|  |  | 5755 | / | / | 20  | 102 | 5755.080 | 5725 to 5850 | Pass |
|  |  |      |   |   |     | 120 | 5755.040 | 5725 to 5850 | Pass |
|  |  |      |   |   |     | 138 | 5755.080 | 5725 to 5850 | Pass |
|  |  |      |   |   | -30 | 120 | 5755.040 | 5725 to 5850 | Pass |
|  |  |      |   |   | -20 | 120 | 5755.080 | 5725 to 5850 | Pass |
|  |  |      |   |   | -10 | 120 | 5755.080 | 5725 to 5850 | Pass |
|  |  |      |   |   | 0   | 120 | 5755.040 | 5725 to 5850 | Pass |
|  |  |      |   |   | 10  | 120 | 5755.000 | 5725 to 5850 | Pass |
|  |  |      |   |   | 30  | 120 | 5755.120 | 5725 to 5850 | Pass |
|  |  |      |   |   | 40  | 120 | 5755.080 | 5725 to 5850 | Pass |
|  |  |      |   |   | 50  | 120 | 5755.120 | 5725 to 5850 | Pass |

# Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162404

Page: 348 of 361

|                     |      |      |   |   |     |     |          |              |      |
|---------------------|------|------|---|---|-----|-----|----------|--------------|------|
|                     |      | 5795 | / | / | 20  | 102 | 5795.120 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5795.120 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 138 | 5795.120 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -30 | 120 | 5795.160 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -20 | 120 | 5795.120 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -10 | 120 | 5795.120 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 0   | 120 | 5795.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 10  | 120 | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 30  | 120 | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 40  | 120 | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 50  | 120 | 5795.000 | 5725 to 5850 | Pass |
| 802.11ac<br>(VHT80) | SISO | 5210 | / | / | 20  | 102 | 5210.075 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 120 | 5210.075 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 138 | 5210.075 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -30 | 120 | 5210.150 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -20 | 120 | 5210.150 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -10 | 120 | 5210.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 0   | 120 | 5210.150 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 10  | 120 | 5210.075 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 30  | 120 | 5210.150 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 40  | 120 | 5210.075 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 50  | 120 | 5210.150 | 5150 to 5250 | Pass |
|                     |      | 5290 | / | / | 20  | 102 | 5290.150 | 5250 to 5350 | Pass |
|                     |      |      |   |   |     | 120 | 5290.150 | 5250 to 5350 | Pass |
|                     |      |      |   |   |     | 138 | 5290.150 | 5250 to 5350 | Pass |
|                     |      |      |   |   | -30 | 120 | 5290.225 | 5250 to 5350 | Pass |
|                     |      |      |   |   | -20 | 120 | 5290.150 | 5250 to 5350 | Pass |
|                     |      |      |   |   | -10 | 120 | 5290.150 | 5250 to 5350 | Pass |
|                     |      |      |   |   | 0   | 120 | 5290.150 | 5250 to 5350 | Pass |
|                     |      |      |   |   | 10  | 120 | 5290.075 | 5250 to 5350 | Pass |
|                     |      |      |   |   | 30  | 120 | 5290.150 | 5250 to 5350 | Pass |
|                     |      |      |   |   | 40  | 120 | 5290.150 | 5250 to 5350 | Pass |
|                     |      |      |   |   | 50  | 120 | 5290.150 | 5250 to 5350 | Pass |
|                     |      | 5775 | / | / | 20  | 102 | 5775.075 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5775.075 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 138 | 5775.150 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -30 | 120 | 5775.150 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -20 | 120 | 5775.150 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -10 | 120 | 5775.150 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 0   | 120 | 5775.075 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 10  | 120 | 5775.150 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 30  | 120 | 5775.150 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 40  | 120 | 5775.075 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 50  | 120 | 5775.075 | 5725 to 5850 | Pass |

# Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162404

Page: 349 of 361

|                    |      |      |       |      |     |     |          |              |      |
|--------------------|------|------|-------|------|-----|-----|----------|--------------|------|
| 802.11ax<br>(HE20) | SISO | 5180 | RU242 | Left | 20  | 102 | 5179.960 | 5150 to 5250 | Pass |
|                    |      |      |       |      |     | 120 | 5180.020 | 5150 to 5250 | Pass |
|                    |      |      |       |      |     | 138 | 5179.980 | 5150 to 5250 | Pass |
|                    |      |      |       |      | -30 | 120 | 5180.100 | 5150 to 5250 | Pass |
|                    |      |      |       |      | -20 | 120 | 5180.080 | 5150 to 5250 | Pass |
|                    |      |      |       |      | -10 | 120 | 5180.040 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 0   | 120 | 5180.000 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 10  | 120 | 5179.980 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 30  | 120 | 5180.020 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 40  | 120 | 5180.000 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 50  | 120 | 5180.060 | 5150 to 5250 | Pass |
|                    |      | 5200 | RU242 | Left | 20  | 102 | 5200.160 | 5150 to 5250 | Pass |
|                    |      |      |       |      |     | 120 | 5200.100 | 5150 to 5250 | Pass |
|                    |      |      |       |      |     | 138 | 5199.960 | 5150 to 5250 | Pass |
|                    |      |      |       |      | -30 | 120 | 5200.080 | 5150 to 5250 | Pass |
|                    |      |      |       |      | -20 | 120 | 5200.040 | 5150 to 5250 | Pass |
|                    |      |      |       |      | -10 | 120 | 5200.100 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 0   | 120 | 5200.000 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 10  | 120 | 5200.040 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 30  | 120 | 5200.020 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 40  | 120 | 5200.000 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 50  | 120 | 5200.060 | 5150 to 5250 | Pass |
|                    |      | 5240 | RU242 | Left | 20  | 102 | 5240.060 | 5150 to 5250 | Pass |
|                    |      |      |       |      |     | 120 | 5240.020 | 5150 to 5250 | Pass |
|                    |      |      |       |      |     | 138 | 5240.080 | 5150 to 5250 | Pass |
|                    |      |      |       |      | -30 | 120 | 5240.040 | 5150 to 5250 | Pass |
|                    |      |      |       |      | -20 | 120 | 5240.060 | 5150 to 5250 | Pass |
|                    |      |      |       |      | -10 | 120 | 5240.000 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 0   | 120 | 5239.940 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 10  | 120 | 5240.060 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 30  | 120 | 5240.100 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 40  | 120 | 5240.000 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 50  | 120 | 5240.060 | 5150 to 5250 | Pass |
|                    |      | 5260 | RU242 | Left | 20  | 102 | 5259.960 | 5250 to 5350 | Pass |
|                    |      |      |       |      |     | 120 | 5260.100 | 5250 to 5350 | Pass |
|                    |      |      |       |      |     | 138 | 5260.020 | 5250 to 5350 | Pass |
|                    |      |      |       |      | -30 | 120 | 5260.040 | 5250 to 5350 | Pass |
|                    |      |      |       |      | -20 | 120 | 5260.040 | 5250 to 5350 | Pass |
|                    |      |      |       |      | -10 | 120 | 5260.000 | 5250 to 5350 | Pass |
|                    |      |      |       |      | 0   | 120 | 5260.020 | 5250 to 5350 | Pass |
|                    |      |      |       |      | 10  | 120 | 5260.080 | 5250 to 5350 | Pass |
|                    |      |      |       |      | 30  | 120 | 5260.020 | 5250 to 5350 | Pass |
|                    |      |      |       |      | 40  | 120 | 5260.100 | 5250 to 5350 | Pass |
|                    |      |      |       |      | 50  | 120 | 5260.000 | 5250 to 5350 | Pass |

# Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162404

Page: 350 of 361

|  |  |      |       |      |     |     |          |              |      |
|--|--|------|-------|------|-----|-----|----------|--------------|------|
|  |  | 5300 | RU242 | Left | 20  | 102 | 5300.060 | 5250 to 5350 | Pass |
|  |  |      |       |      |     | 120 | 5300.100 | 5250 to 5350 | Pass |
|  |  |      |       |      |     | 138 | 5300.100 | 5250 to 5350 | Pass |
|  |  |      |       |      | -30 | 120 | 5300.100 | 5250 to 5350 | Pass |
|  |  |      |       |      | -20 | 120 | 5300.060 | 5250 to 5350 | Pass |
|  |  |      |       |      | -10 | 120 | 5300.060 | 5250 to 5350 | Pass |
|  |  |      |       |      | 0   | 120 | 5300.020 | 5250 to 5350 | Pass |
|  |  |      |       |      | 10  | 120 | 5300.060 | 5250 to 5350 | Pass |
|  |  |      |       |      | 30  | 120 | 5300.080 | 5250 to 5350 | Pass |
|  |  |      |       |      | 40  | 120 | 5300.020 | 5250 to 5350 | Pass |
|  |  |      |       |      | 50  | 120 | 5300.020 | 5250 to 5350 | Pass |
|  |  | 5320 | RU242 | Left | 20  | 102 | 5320.060 | 5250 to 5350 | Pass |
|  |  |      |       |      |     | 120 | 5320.120 | 5250 to 5350 | Pass |
|  |  |      |       |      |     | 138 | 5320.080 | 5250 to 5350 | Pass |
|  |  |      |       |      | -30 | 120 | 5320.000 | 5250 to 5350 | Pass |
|  |  |      |       |      | -20 | 120 | 5320.020 | 5250 to 5350 | Pass |
|  |  |      |       |      | -10 | 120 | 5319.980 | 5250 to 5350 | Pass |
|  |  |      |       |      | 0   | 120 | 5320.040 | 5250 to 5350 | Pass |
|  |  |      |       |      | 10  | 120 | 5320.080 | 5250 to 5350 | Pass |
|  |  |      |       |      | 30  | 120 | 5320.000 | 5250 to 5350 | Pass |
|  |  |      |       |      | 40  | 120 | 5320.000 | 5250 to 5350 | Pass |
|  |  |      |       |      | 50  | 120 | 5319.980 | 5250 to 5350 | Pass |
|  |  | 5745 | RU242 | Left | 20  | 102 | 5745.000 | 5725 to 5850 | Pass |
|  |  |      |       |      |     | 120 | 5745.060 | 5725 to 5850 | Pass |
|  |  |      |       |      |     | 138 | 5745.100 | 5725 to 5850 | Pass |
|  |  |      |       |      | -30 | 120 | 5745.020 | 5725 to 5850 | Pass |
|  |  |      |       |      | -20 | 120 | 5745.020 | 5725 to 5850 | Pass |
|  |  |      |       |      | -10 | 120 | 5744.980 | 5725 to 5850 | Pass |
|  |  |      |       |      | 0   | 120 | 5744.940 | 5725 to 5850 | Pass |
|  |  |      |       |      | 10  | 120 | 5745.000 | 5725 to 5850 | Pass |
|  |  |      |       |      | 30  | 120 | 5745.000 | 5725 to 5850 | Pass |
|  |  |      |       |      | 40  | 120 | 5745.000 | 5725 to 5850 | Pass |
|  |  |      |       |      | 50  | 120 | 5745.060 | 5725 to 5850 | Pass |
|  |  | 5785 | RU242 | Left | 20  | 102 | 5785.000 | 5725 to 5850 | Pass |
|  |  |      |       |      |     | 120 | 5785.000 | 5725 to 5850 | Pass |
|  |  |      |       |      |     | 138 | 5785.060 | 5725 to 5850 | Pass |
|  |  |      |       |      | -30 | 120 | 5784.960 | 5725 to 5850 | Pass |
|  |  |      |       |      | -20 | 120 | 5785.040 | 5725 to 5850 | Pass |
|  |  |      |       |      | -10 | 120 | 5785.000 | 5725 to 5850 | Pass |
|  |  |      |       |      | 0   | 120 | 5785.080 | 5725 to 5850 | Pass |
|  |  |      |       |      | 10  | 120 | 5785.020 | 5725 to 5850 | Pass |
|  |  |      |       |      | 30  | 120 | 5785.060 | 5725 to 5850 | Pass |
|  |  |      |       |      | 40  | 120 | 5785.060 | 5725 to 5850 | Pass |
|  |  |      |       |      | 50  | 120 | 5785.100 | 5725 to 5850 | Pass |

# Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162404

Page: 351 of 361

|                    |      |      |       |      |     |     |          |              |      |
|--------------------|------|------|-------|------|-----|-----|----------|--------------|------|
|                    |      | 5825 | RU242 | Left | 20  | 102 | 5825.040 | 5725 to 5850 | Pass |
|                    |      |      |       |      |     | 120 | 5825.060 | 5725 to 5850 | Pass |
|                    |      |      |       |      |     | 138 | 5825.020 | 5725 to 5850 | Pass |
|                    |      |      |       |      | -30 | 120 | 5825.040 | 5725 to 5850 | Pass |
|                    |      |      |       |      | -20 | 120 | 5825.020 | 5725 to 5850 | Pass |
|                    |      |      |       |      | -10 | 120 | 5825.020 | 5725 to 5850 | Pass |
|                    |      |      |       |      | 0   | 120 | 5824.960 | 5725 to 5850 | Pass |
|                    |      |      |       |      | 10  | 120 | 5825.040 | 5725 to 5850 | Pass |
|                    |      |      |       |      | 30  | 120 | 5825.100 | 5725 to 5850 | Pass |
|                    |      |      |       |      | 40  | 120 | 5825.120 | 5725 to 5850 | Pass |
|                    |      |      |       |      | 50  | 120 | 5825.020 | 5725 to 5850 | Pass |
| 802.11ax<br>(HE40) | SISO | 5190 | RU484 | Left | 20  | 102 | 5190.080 | 5150 to 5250 | Pass |
|                    |      |      |       |      |     | 120 | 5190.000 | 5150 to 5250 | Pass |
|                    |      |      |       |      |     | 138 | 5190.080 | 5150 to 5250 | Pass |
|                    |      |      |       |      | -30 | 120 | 5190.120 | 5150 to 5250 | Pass |
|                    |      |      |       |      | -20 | 120 | 5190.080 | 5150 to 5250 | Pass |
|                    |      |      |       |      | -10 | 120 | 5190.040 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 0   | 120 | 5190.000 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 10  | 120 | 5190.040 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 30  | 120 | 5190.080 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 40  | 120 | 5190.000 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 50  | 120 | 5190.080 | 5150 to 5250 | Pass |
|                    |      | 5230 | RU484 | Left | 20  | 102 | 5230.040 | 5150 to 5250 | Pass |
|                    |      |      |       |      |     | 120 | 5230.080 | 5150 to 5250 | Pass |
|                    |      |      |       |      |     | 138 | 5230.040 | 5150 to 5250 | Pass |
|                    |      |      |       |      | -30 | 120 | 5230.040 | 5150 to 5250 | Pass |
|                    |      |      |       |      | -20 | 120 | 5230.080 | 5150 to 5250 | Pass |
|                    |      |      |       |      | -10 | 120 | 5230.040 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 0   | 120 | 5230.080 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 10  | 120 | 5230.080 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 30  | 120 | 5230.160 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 40  | 120 | 5230.040 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 50  | 120 | 5230.000 | 5150 to 5250 | Pass |
|                    |      | 5270 | RU484 | Left | 20  | 102 | 5270.000 | 5250 to 5350 | Pass |
|                    |      |      |       |      |     | 120 | 5270.040 | 5250 to 5350 | Pass |
|                    |      |      |       |      |     | 138 | 5270.080 | 5250 to 5350 | Pass |
|                    |      |      |       |      | -30 | 120 | 5270.040 | 5250 to 5350 | Pass |
|                    |      |      |       |      | -20 | 120 | 5270.120 | 5250 to 5350 | Pass |
|                    |      |      |       |      | -10 | 120 | 5270.160 | 5250 to 5350 | Pass |
|                    |      |      |       |      | 0   | 120 | 5270.120 | 5250 to 5350 | Pass |
|                    |      |      |       |      | 10  | 120 | 5270.120 | 5250 to 5350 | Pass |
|                    |      |      |       |      | 30  | 120 | 5270.040 | 5250 to 5350 | Pass |
|                    |      |      |       |      | 40  | 120 | 5270.160 | 5250 to 5350 | Pass |
|                    |      |      |       |      | 50  | 120 | 5270.000 | 5250 to 5350 | Pass |

# Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162404

Page: 352 of 361

|                    |      |      |       |      |     |     |          |              |      |
|--------------------|------|------|-------|------|-----|-----|----------|--------------|------|
|                    |      | 5310 | RU484 | Left | 20  | 102 | 5310.080 | 5250 to 5350 | Pass |
|                    |      |      |       |      |     | 120 | 5310.040 | 5250 to 5350 | Pass |
|                    |      |      |       |      |     | 138 | 5310.080 | 5250 to 5350 | Pass |
|                    |      |      |       |      | -30 | 120 | 5310.040 | 5250 to 5350 | Pass |
|                    |      |      |       |      | -20 | 120 | 5310.080 | 5250 to 5350 | Pass |
|                    |      |      |       |      | -10 | 120 | 5310.080 | 5250 to 5350 | Pass |
|                    |      |      |       |      | 0   | 120 | 5310.080 | 5250 to 5350 | Pass |
|                    |      |      |       |      | 10  | 120 | 5310.080 | 5250 to 5350 | Pass |
|                    |      |      |       |      | 30  | 120 | 5310.000 | 5250 to 5350 | Pass |
|                    |      |      |       |      | 40  | 120 | 5310.160 | 5250 to 5350 | Pass |
|                    |      |      |       |      | 50  | 120 | 5310.080 | 5250 to 5350 | Pass |
|                    |      | 5755 | RU484 | Left | 20  | 102 | 5755.040 | 5725 to 5850 | Pass |
|                    |      |      |       |      |     | 120 | 5755.040 | 5725 to 5850 | Pass |
|                    |      |      |       |      |     | 138 | 5755.120 | 5725 to 5850 | Pass |
|                    |      |      |       |      | -30 | 120 | 5755.040 | 5725 to 5850 | Pass |
|                    |      |      |       |      | -20 | 120 | 5755.000 | 5725 to 5850 | Pass |
|                    |      |      |       |      | -10 | 120 | 5755.040 | 5725 to 5850 | Pass |
|                    |      |      |       |      | 0   | 120 | 5755.080 | 5725 to 5850 | Pass |
|                    |      |      |       |      | 10  | 120 | 5755.000 | 5725 to 5850 | Pass |
|                    |      |      |       |      | 30  | 120 | 5755.040 | 5725 to 5850 | Pass |
|                    |      |      |       |      | 40  | 120 | 5755.040 | 5725 to 5850 | Pass |
|                    |      |      |       |      | 50  | 120 | 5755.000 | 5725 to 5850 | Pass |
|                    |      | 5795 | RU484 | Left | 20  | 102 | 5795.120 | 5725 to 5850 | Pass |
|                    |      |      |       |      |     | 120 | 5795.040 | 5725 to 5850 | Pass |
|                    |      |      |       |      |     | 138 | 5795.120 | 5725 to 5850 | Pass |
|                    |      |      |       |      | -30 | 120 | 5795.120 | 5725 to 5850 | Pass |
|                    |      |      |       |      | -20 | 120 | 5795.120 | 5725 to 5850 | Pass |
|                    |      |      |       |      | -10 | 120 | 5795.080 | 5725 to 5850 | Pass |
|                    |      |      |       |      | 0   | 120 | 5795.120 | 5725 to 5850 | Pass |
|                    |      |      |       |      | 10  | 120 | 5795.040 | 5725 to 5850 | Pass |
|                    |      |      |       |      | 30  | 120 | 5795.040 | 5725 to 5850 | Pass |
|                    |      |      |       |      | 40  | 120 | 5795.040 | 5725 to 5850 | Pass |
|                    |      |      |       |      | 50  | 120 | 5795.120 | 5725 to 5850 | Pass |
| 802.11ax<br>(HE80) | SISO | 5210 | RU996 | Left | 20  | 102 | 5210.000 | 5150 to 5250 | Pass |
|                    |      |      |       |      |     | 120 | 5210.075 | 5150 to 5250 | Pass |
|                    |      |      |       |      |     | 138 | 5210.150 | 5150 to 5250 | Pass |
|                    |      |      |       |      | -30 | 120 | 5210.150 | 5150 to 5250 | Pass |
|                    |      |      |       |      | -20 | 120 | 5210.075 | 5150 to 5250 | Pass |
|                    |      |      |       |      | -10 | 120 | 5210.075 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 0   | 120 | 5210.150 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 10  | 120 | 5210.075 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 30  | 120 | 5210.075 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 40  | 120 | 5210.000 | 5150 to 5250 | Pass |
|                    |      |      |       |      | 50  | 120 | 5210.075 | 5150 to 5250 | Pass |



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162404

Page: 353 of 361

|  |  |      |       |      |     |     |          |              |      |
|--|--|------|-------|------|-----|-----|----------|--------------|------|
|  |  | 5290 | RU996 | Left | 20  | 102 | 5290.075 | 5250 to 5350 | Pass |
|  |  |      |       |      |     | 120 | 5290.150 | 5250 to 5350 | Pass |
|  |  |      |       |      |     | 138 | 5290.075 | 5250 to 5350 | Pass |
|  |  |      |       |      | -30 | 120 | 5290.150 | 5250 to 5350 | Pass |
|  |  |      |       |      | -20 | 120 | 5290.150 | 5250 to 5350 | Pass |
|  |  |      |       |      | -10 | 120 | 5290.075 | 5250 to 5350 | Pass |
|  |  |      |       |      | 0   | 120 | 5290.150 | 5250 to 5350 | Pass |
|  |  |      |       |      | 10  | 120 | 5290.075 | 5250 to 5350 | Pass |
|  |  |      |       |      | 30  | 120 | 5290.075 | 5250 to 5350 | Pass |
|  |  |      |       |      | 40  | 120 | 5290.075 | 5250 to 5350 | Pass |
|  |  |      |       |      | 50  | 120 | 5290.150 | 5250 to 5350 | Pass |
|  |  | 5775 | RU996 | Left | 20  | 102 | 5775.075 | 5725 to 5850 | Pass |
|  |  |      |       |      |     | 120 | 5775.075 | 5725 to 5850 | Pass |
|  |  |      |       |      |     | 138 | 5775.150 | 5725 to 5850 | Pass |
|  |  |      |       |      | -30 | 120 | 5775.075 | 5725 to 5850 | Pass |
|  |  |      |       |      | -20 | 120 | 5775.075 | 5725 to 5850 | Pass |
|  |  |      |       |      | -10 | 120 | 5775.075 | 5725 to 5850 | Pass |
|  |  |      |       |      | 0   | 120 | 5775.000 | 5725 to 5850 | Pass |
|  |  |      |       |      | 10  | 120 | 5775.075 | 5725 to 5850 | Pass |
|  |  |      |       |      | 30  | 120 | 5775.150 | 5725 to 5850 | Pass |
|  |  |      |       |      | 40  | 120 | 5775.075 | 5725 to 5850 | Pass |
|  |  |      |       |      | 50  | 120 | 5775.075 | 5725 to 5850 | Pass |



Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162404

Page: 354 of 361

6. Signal Calibration


6.1 Test Result

6.1.1 SC

| Band: 2A        |                 |                 |              |          |                     |       |
|-----------------|-----------------|-----------------|--------------|----------|---------------------|-------|
| Mode            | Bandwidth (MHz) | Frequency (MHz) | Radar Signal |          | Signal Calibration  |       |
|                 |                 |                 | Type         | Trial Id | Result              | Limit |
| 802.11ax (HE80) | 80              | 5290            | 0            | 0        | Refer To Test Graph | Pass  |
|                 |                 |                 | 1            | 0        | Refer To Test Graph | Pass  |
|                 |                 |                 | 2            | 0        | Refer To Test Graph | Pass  |
|                 |                 |                 | 3            | 0        | Refer To Test Graph | Pass  |
|                 |                 |                 | 4            | 0        | Refer To Test Graph | Pass  |
|                 |                 |                 | 5            | 0        | Refer To Test Graph | Pass  |
|                 |                 |                 | 6            | 0        | Refer To Test Graph | Pass  |

### 6.2 Test Graph

#### 6.2.1 SC






Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240800162404

Page: 356 of 361

Signal Calibration 802.11ax(HE80) 2A 5290MHz RadarType2 Trial0



Signal Calibration 802.11ax(HE80) 2A 5290MHz RadarType3 Trial0




## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023


Report No.: KSCR240800162404

Page: 357 of 361

Signal Calibration 802.11ax(HE80) 2A 5290MHz RadarType4 Trial0



Signal Calibration 802.11ax(HE80) 2A 5290MHz RadarType5 Trial0




## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162404

Page: 358 of 361

Signal Calibration 802.11ax(HE80) 2A 5290MHz RadarType6 Trial0





Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240800162404

Page: 359 of 361

7. Channel Loading (Payload)


7.1 Test Result

7.1.1 Payload

| Band: 2A        |                 |                 |                               |       |         |
|-----------------|-----------------|-----------------|-------------------------------|-------|---------|
| Mode            | Bandwidth (MHz) | Frequency (MHz) | Channel Loading (Payload) (%) |       | Verdict |
|                 |                 |                 | Result                        | Limit |         |
| 802.11ax (HE80) | 80              | 5290            | 46.03                         | >=17  | Pass    |

7.2 Test Graph

7.2.1 Payload



## 8. Channel Move Time and Closing Transmission Time


### 8.1 Test Result

#### 8.1.1 CMT\_CTT

| Band: 2A        |                 |                 |                                                 |       |         |
|-----------------|-----------------|-----------------|-------------------------------------------------|-------|---------|
| Mode            | Bandwidth (MHz) | Frequency (MHz) | Channel Move Time and Closing Transmission Time |       | Verdict |
|                 |                 |                 | Result                                          | Limit |         |
| 802.11ax (HE80) | 80              | 5290            | Refer To Test Graph                             |       | Pass    |

### 8.2 Test Graph

#### 8.2.1 CMT\_CTT



### 9. Non-Occupancy Period


#### 9.1 Test Result

##### 9.1.1 Period

| Band: 2A        |                 |                 |                      |       |         |
|-----------------|-----------------|-----------------|----------------------|-------|---------|
| Mode            | Bandwidth (MHz) | Frequency (MHz) | Non-Occupancy Period |       | Verdict |
|                 |                 |                 | Result               | Limit |         |
| 802.11ax (HE80) | 80              | 5290            | Refer To Test Graph  |       | Pass    |

#### 9.2 Test Graph

##### 9.2.1 Period



- End of the Report -