Host Unit Antenna Information

Document Number: FCC 19-0259-0

for ThinkPad T40 Series LCD 15 inch Model


1.	HO	OST PC INFORMATION	2
2.	но	OST PC LABELING	4
			ĺ
	3.1	TRANSMISSION ANTENNA ASSEMBLY OVERVIEW	5
	3.2	ANTENNA PHOTOS	6

1. Host PC Information

The main antenna, meander type, is built in the top side of LCD and the auxiliary antenna, meander type, is built in the right side of LCD as shown in the Photo.

The main antenna is used for both RF transmission and receiving with half duplex switching mode. The auxiliary antenna is used for RF receiver only.

When the Wireless LAN card is in RF receiving state, one of the antennas is selected automatically to have a good quality of radio communication.



IBM ThinkPad T40 Series, LCD 15 inch model



Front View



Rear View

2. Host PC Labeling



Document Number: FCC 19-0259-0

3. Antenna Specifications

3.1 Transmission Antenna assembly overview

Designator	Manufacture	Antenna type	Cable type and length	Gain (dBi) Note 1)
91P6841 Main antenna	Hitachi Cable Ltd. (Japan)	Dual Band Meander Antenna	coax 755mm	2400-2500MHz 1.24 dBi (peak)
91P6840 Auxiliary antenna (receiving only)	Hitachi Cable Ltd. (Japan)	Dual Band Meander Antenna	coax 580mm	2400-2500MHz 0.38 dBi (peak)

Document Number: FCC 19-0259-0

Notes:

¹a. Includes all cable losses.


¹b. Antenna type should be Omni Directional and have gain of 2.0 dBi or less for IEEE802.11b (2.4GHz band), regarding the IBM internal specification.

3.2 Antenna Photos

Antenna Locations

Main antenna Dual Band Meander Auxiliary antenna Dual Band Meander







Main antenna

Manufacturer: Hitachi Cable Ltd.

Parts Number: 91P6841 Dual Band Meander antenna Cable: coax 755 mm

Auxiliary antenna

Manufacturer: Hitachi Cable Ltd.

Parts Number: 91P6840 Dual Band Meander antenna Cable: coax 580 mm







