

Appendix: Bluetooth LE

Contents

Contents..... 2

Duty Cycle..... 3

Maximum Peak Conducted Output Power..... 7

-6dB Bandwidth..... 11

Occupied Channel Bandwidth..... 15


Maximum Power Spectral Density Level..... 19


Band Edge..... 23

Conducted RF Spurious Emission..... 28


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	BLE 1M	2402	Ant1	68.48	1.64	2.34
NVNT	BLE 1M	2440	Ant1	68.48	1.64	2.34
NVNT	BLE 1M	2480	Ant1	68.48	1.64	2.34
NVNT	BLE 2M	2402	Ant1	39.84	4.00	4.02
NVNT	BLE 2M	2440	Ant1	39.84	4.00	4.02
NVNT	BLE 2M	2480	Ant1	39.84	4.00	4.02







Date: 10.OCT.2022 22:59:35



Date: 10.OCT.2022 23:01:19




Date: 10.OCT.2022 23:03:24




Date: 10.OCT.2022 23:05:00


Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE 1M	2402	Ant1	2.34	0	2.34	30	Pass
NVNT	BLE 1M	2440	Ant1	2.00	0	2.00	30	Pass
NVNT	BLE 1M	2480	Ant1	2.06	0	2.06	30	Pass
NVNT	BLE 2M	2402	Ant1	2.35	0	2.35	30	Pass
NVNT	BLE 2M	2440	Ant1	2.00	0	2.00	30	Pass
NVNT	BLE 2M	2480	Ant1	2.05	0	2.05	30	Pass





Date: 10.OCT.2022 22:59:45





Date: 10.OCT.2022 23:01:38




-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE 1M	2402	Ant1	0.684	0.500	Pass
NVNT	BLE 1M	2440	Ant1	0.672	0.500	Pass
NVNT	BLE 1M	2480	Ant1	0.665	0.500	Pass
NVNT	BLE 2M	2402	Ant1	1.064	0.500	Pass
NVNT	BLE 2M	2440	Ant1	1.053	0.500	Pass
NVNT	BLE 2M	2480	Ant1	1.041	0.500	Pass







Date: 10.OCT.2022 23:00:07



Date: 10.OCT.2022 23:02:12




Date: 10.OCT.2022 23:03:56




Date: 10.OCT.2022 23:05:32


Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE 1M	2402	Ant1	1.030
NVNT	BLE 1M	2440	Ant1	1.017
NVNT	BLE 1M	2480	Ant1	1.014
NVNT	BLE 2M	2402	Ant1	2.017
NVNT	BLE 2M	2440	Ant1	1.995
NVNT	BLE 2M	2480	Ant1	2.007







Date: 10.OCT.2022 22:59:56



Date: 10.OCT.2022 23:02:01



Maximum Power Spectral Density Level

Condition	Mode	Frequenc y (MHz)	Antenna	Conducted PSD (dBm/3kHz)	Duty Factor (dB)	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	BLE 1M	2402	Ant1	-9.38	0	-9.38	8	Pass
NVNT	BLE 1M	2440	Ant1	-10.62	0	-10.62	8	Pass
NVNT	BLE 1M	2480	Ant1	-9.96	0	-9.96	8	Pass
NVNT	BLE 2M	2402	Ant1	-10.13	0	-10.13	8	Pass
NVNT	BLE 2M	2440	Ant1	-11.22	0	-11.22	8	Pass
NVNT	BLE 2M	2480	Ant1	-10.46	0	-10.46	8	Pass

