


802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	60.81	74.00	-13.19	53.48	3	Vertical	15	1.59	-	34.00	5.46	32.13
AV	5.4592G	47.84	54.00	-6.16	40.51	3	Vertical	15	1.59	-	34.00	5.46	32.13
PK	5.468G	63.00	68.20	-5.20	55.66	3	Vertical	15	1.59	-	34.00	5.47	32.13
PK	5.5848G	123.53	Inf	-Inf	116.16	3	Vertical	15	1.59	-	33.93	5.58	32.14
AV	5.5856G	111.86	Inf	-Inf	104.48	3	Vertical	15	1.59	-	33.93	5.59	32.14
PK	5.76G	62.46	68.20	-5.74	55.21	3	Vertical	15	1.59	-	33.80	5.60	32.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT X_4TX
Setting 108
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	57.98	74.00	-16.02	50.65	3	Horizontal	63	2.95	-	34.00	5.46	32.13
AV	5.4592G	45.39	54.00	-8.61	38.06	3	Horizontal	63	2.95	-	34.00	5.46	32.13
PK	5.4632G	58.14	68.20	-10.06	50.81	3	Horizontal	63	2.95	-	34.00	5.46	32.13
PK	5.5712G	119.90	Inf	-Inf	112.50	3	Horizontal	63	2.95	-	33.96	5.57	32.13
AV	5.572G	108.42	Inf	-Inf	101.02	3	Horizontal	63	2.95	-	33.96	5.57	32.13
PK	5.7576G	63.05	68.20	-5.15	55.80	3	Horizontal	63	2.95	-	33.80	5.60	32.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1598G	55.33	74.00	-18.67	42.06	3	Vertical	53	1.79	-	38.76	7.76	33.25
AV	11.1668G	42.28	54.00	-11.72	28.99	3	Vertical	53	1.79	-	38.77	7.77	33.25
PK	16.7519G	62.32	68.20	-5.88	45.23	3	Vertical	202	1.97	-	40.02	10.38	33.31

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1632G	61.28	74.00	-12.72	48.00	3	Horizontal	63	1.40	-	38.76	7.77	33.25
AV	11.1663G	48.55	54.00	-5.45	35.26	3	Horizontal	63	1.40	-	38.77	7.77	33.25
PK	16.7514G	68.12	68.20	-0.08	51.04	3	Horizontal	342	1.34	-	40.01	10.38	33.31

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT_X_4TX
Setting 70
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6984G	116.37	Inf	-Inf	109.01	3	Vertical	8	1.88	-	33.90	5.60	32.14
AV	5.6966G	103.21	Inf	-Inf	95.86	3	Vertical	8	1.88	-	33.89	5.60	32.14
PK	5.726G	67.33	68.20	-0.87	60.02	3	Vertical	8	1.88	-	33.85	5.60	32.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT_X_4TX
Setting 70
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7044G	115.62	Inf	-Inf	108.27	3	Horizontal	195	2.92	-	33.89	5.60	32.14
AV	5.7072G	103.24	Inf	-Inf	95.89	3	Horizontal	195	2.92	-	33.89	5.60	32.14
PK	5.7262G	67.41	68.20	-0.79	60.10	3	Horizontal	195	2.92	-	33.85	5.60	32.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT_X_4TX
Setting 70
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3984G	51.07	74.00	-22.93	37.64	3	Vertical	260	1.22	-	38.80	7.86	33.23
AV	11.4239G	38.19	54.00	-15.81	24.70	3	Vertical	260	1.22	-	38.85	7.87	33.23
PK	17.1188G	56.39	68.20	-11.81	37.72	3	Vertical	353	1.97	-	41.51	10.56	33.40

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT_X_4TX
Setting 70
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4242G	50.67	74.00	-23.33	37.18	3	Horizontal	323	2.59	-	38.85	7.87	33.23
AV	11.4205G	38.22	54.00	-15.78	24.74	3	Horizontal	323	2.59	-	38.84	7.87	33.23
PK	17.1071G	57.21	68.20	-10.99	38.64	3	Horizontal	294	2.78	-	41.44	10.55	33.42

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7208G	120.84	Inf	-Inf	113.52	3	Vertical	22	1.65	-	33.86	5.60	32.14
AV	5.7184G	109.67	Inf	-Inf	102.35	3	Vertical	22	1.65	-	33.86	5.60	32.14
PK	5.8904G	58.46	68.20	-9.74	50.88	3	Vertical	22	1.65	-	34.04	5.69	32.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7176G	122.36	Inf	-Inf	115.04	3	Horizontal	24	2.14	-	33.86	5.60	32.14
AV	5.7184G	111.11	Inf	-Inf	103.79	3	Horizontal	24	2.14	-	33.86	5.60	32.14
PK	5.8792G	59.56	68.20	-8.64	52.05	3	Horizontal	24	2.14	-	33.98	5.68	32.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.43G	56.60	74.00	-17.40	43.10	3	Vertical	21	1.80	-	38.86	7.87	33.23	
AV	11.4311G	43.67	54.00	-10.33	30.17	3	Vertical	21	1.80	-	38.86	7.87	33.23	
PK	17.1524G	61.12	68.20	-7.08	42.20	3	Vertical	175	2.08	-	41.71	10.58	33.37	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.4284G	62.59	74.00	-11.41	49.09	3	Horizontal	330	1.72	-	38.86	7.87	33.23	
AV	11.4303G	49.59	54.00	-4.41	36.09	3	Horizontal	330	1.72	-	38.86	7.87	33.23	
PK	17.1397G	67.30	68.20	-0.90	48.47	3	Horizontal	-0	1.75	-	41.64	10.57	33.38	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT X_4TX
Setting 98
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	64.29	74.00	-9.71	57.60	3	Vertical	60	1.56	-	33.59	5.25	32.15
AV	5.15G	50.31	54.00	-3.69	43.61	3	Vertical	60	1.56	-	33.60	5.25	32.15
PK	5.273G	118.95	Inf	-Inf	112.00	3	Vertical	60	1.56	-	33.75	5.34	32.14
AV	5.2688G	106.27	Inf	-Inf	99.34	3	Vertical	60	1.56	-	33.74	5.33	32.14
PK	5.3546G	67.87	74.00	-6.13	60.72	3	Vertical	60	1.56	-	33.91	5.38	32.14
AV	5.35G	53.78	54.00	-0.22	46.64	3	Vertical	60	1.56	-	33.90	5.38	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT X_4TX
Setting 98
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	64.90	74.00	-9.10	58.20	3	Horizontal	350	1.83	-	33.60	5.25	32.15
AV	5.1464G	50.18	54.00	-3.82	43.49	3	Horizontal	350	1.83	-	33.59	5.25	32.15
PK	5.2688G	118.82	Inf	-Inf	111.89	3	Horizontal	350	1.83	-	33.74	5.33	32.14
AV	5.2526G	106.18	Inf	-Inf	99.28	3	Horizontal	350	1.83	-	33.71	5.33	32.14
PK	5.35G	64.73	74.00	-9.27	57.59	3	Horizontal	350	1.83	-	33.90	5.38	32.14
AV	5.3504G	49.90	54.00	-4.10	42.76	3	Horizontal	350	1.83	-	33.90	5.38	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_X_4TX
Setting 98
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54048G	50.23	68.20	-17.97	37.22	3	Vertical	71	1.81	-	38.56	7.52	33.07
PK	15.81314G	52.59	74.00	-21.41	38.72	3	Vertical	277	2.75	-	37.47	9.92	33.52
AV	15.80528G	38.95	54.00	-15.05	25.06	3	Vertical	277	2.75	-	37.49	9.91	33.51

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_X_4TX
Setting 98
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54132G	49.71	68.20	-18.49	36.70	3	Horizontal	151	1.20	-	38.56	7.52	33.07
PK	15.80506G	54.13	74.00	-19.87	40.24	3	Horizontal	278	2.05	-	37.49	9.91	33.51
AV	15.805G	38.88	54.00	-15.12	24.99	3	Horizontal	278	2.05	-	37.49	9.91	33.51

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_X_4TX
Setting 91
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2928G	117.66	Inf	-Inf	110.66	3	Vertical	54.4	2.50	-	33.79	5.35	32.14
AV	5.2924G	105.13	Inf	-Inf	98.14	3	Vertical	54.4	2.50	-	33.78	5.35	32.14
PK	5.352G	68.02	74.00	-5.98	60.88	3	Vertical	54.4	2.50	-	33.90	5.38	32.14
AV	5.35G	53.83	54.00	-0.17	46.69	3	Vertical	54.4	2.50	-	33.90	5.38	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_X_4TX
Setting 91
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3024G	116.75	Inf	-Inf	109.74	3	Horizontal	128	2.88	-	33.80	5.35	32.14	
AV	5.3016G	104.13	Inf	-Inf	97.12	3	Horizontal	128	2.88	-	33.80	5.35	32.14	
PK	5.3612G	65.98	74.00	-8.02	58.82	3	Horizontal	128	2.88	-	33.92	5.38	32.14	
AV	5.35G	49.95	54.00	-4.05	42.81	3	Horizontal	128	2.88	-	33.90	5.38	32.14	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_X_4TX
Setting 91
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62114G	49.90	74.00	-24.10	36.95	3	Vertical	91	2.83	-	38.50	7.55	33.10
AV	10.61578G	36.44	54.00	-17.56	23.49	3	Vertical	91	2.83	-	38.50	7.55	33.10
PK	15.92742G	51.69	74.00	-22.31	38.07	3	Vertical	26	2.34	-	37.30	9.97	33.65
AV	15.9257G	38.01	54.00	-15.99	24.39	3	Vertical	26	2.34	-	37.30	9.97	33.65

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_X_4TX
Setting 91
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.61728G	50.25	74.00	-23.75	37.30	3	Horizontal	217	1.80	-	38.50	7.55	33.10	
AV	10.6159G	36.38	54.00	-17.62	23.43	3	Horizontal	217	1.80	-	38.50	7.55	33.10	
PK	15.93132G	52.50	74.00	-21.50	38.89	3	Horizontal	334	1.59	-	37.30	9.97	33.66	
AV	15.92564G	37.99	54.00	-16.01	24.37	3	Horizontal	334	1.59	-	37.30	9.97	33.65	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT X_4TX
Setting 87
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.458G	63.79	74.00	-10.21	56.46	3	Vertical	21	1.80	-	34.00	5.46	32.13	
AV	5.46G	49.54	54.00	-4.46	42.21	3	Vertical	21	1.80	-	34.00	5.46	32.13	
PK	5.4656G	67.48	68.20	-0.72	60.14	3	Vertical	21	1.80	-	34.00	5.47	32.13	
PK	5.5256G	116.94	Inf	-Inf	109.54	3	Vertical	21	1.80	-	34.00	5.53	32.13	
AV	5.5272G	103.54	Inf	-Inf	96.14	3	Vertical	21	1.80	-	34.00	5.53	32.13	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_X_4TX
Setting 87
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4588G	61.00	74.00	-13.00	53.67	3	Horizontal	8	2.52	-	34.00	5.46	32.13	
AV	5.46G	47.31	54.00	-6.69	39.98	3	Horizontal	8	2.52	-	34.00	5.46	32.13	
PK	5.4656G	62.17	68.20	-6.03	54.83	3	Horizontal	8	2.52	-	34.00	5.47	32.13	
PK	5.526G	113.75	Inf	-Inf	106.35	3	Horizontal	8	2.52	-	34.00	5.53	32.13	
AV	5.5252G	100.91	Inf	-Inf	93.51	3	Horizontal	8	2.52	-	34.00	5.53	32.13	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_X_4TX
Setting 87
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0217G	50.86	74.00	-23.14	37.80	3	Vertical	180	1.66	-	38.62	7.71	33.27
AV	11.0177G	37.10	54.00	-16.90	24.04	3	Vertical	180	1.66	-	38.62	7.71	33.27
PK	16.5498G	54.40	68.20	-13.80	38.00	3	Vertical	160	2.96	-	39.25	10.27	33.12

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_X_4TX
Setting 87
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0226G	50.83	74.00	-23.17	37.77	3	Horizontal	120	2.92	-	38.62	7.71	33.27
AV	11.0197G	37.09	54.00	-16.91	24.03	3	Horizontal	120	2.92	-	38.62	7.71	33.27
PK	16.5282G	55.09	68.20	-13.11	38.75	3	Horizontal	153	2.13	-	39.18	10.26	33.10

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT X_4TX
Setting 100
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4524G	65.03	74.00	-8.97	57.71	3	Vertical	19	1.80	-	34.00	5.45	32.13
AV	5.4564G	51.00	54.00	-3.00	43.67	3	Vertical	19	1.80	-	34.00	5.46	32.13
PK	5.466G	67.82	68.20	-0.38	60.48	3	Vertical	19	1.80	-	34.00	5.47	32.13
PK	5.5428G	119.48	Inf	-Inf	112.07	3	Vertical	19	1.80	-	34.00	5.54	32.13
AV	5.5388G	106.54	Inf	-Inf	99.13	3	Vertical	19	1.80	-	34.00	5.54	32.13
PK	5.7404G	60.47	68.20	-7.73	53.19	3	Vertical	19	1.80	-	33.82	5.60	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_X_4TX
Setting 100
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	62.30	74.00	-11.70	54.98	3	Horizontal	61	1.85	-	34.00	5.45	32.13
AV	5.4596G	49.23	54.00	-4.77	41.90	3	Horizontal	61	1.85	-	34.00	5.46	32.13
PK	5.4652G	65.49	68.20	-2.71	58.15	3	Horizontal	61	1.85	-	34.00	5.47	32.13
PK	5.5668G	114.12	Inf	-Inf	106.71	3	Horizontal	61	1.85	-	33.97	5.57	32.13
AV	5.5676G	102.13	Inf	-Inf	94.73	3	Horizontal	61	1.85	-	33.96	5.57	32.13
PK	5.7348G	57.54	68.20	-10.66	50.25	3	Horizontal	61	1.85	-	33.83	5.60	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_X_4TX
Setting 100
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1004G	52.31	74.00	-21.69	39.13	3	Vertical	259	2.27	-	38.70	7.74	33.26
AV	11.1002G	38.85	54.00	-15.15	25.67	3	Vertical	259	2.27	-	38.70	7.74	33.26
PK	16.6292G	59.10	68.20	-9.10	42.52	3	Vertical	31	1.80	-	39.46	10.31	33.19

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_X_4TX
Setting 100
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.0865G	57.06	74.00	-16.94	43.90	3	Horizontal	108	1.98	-	38.69	7.73	33.26	
AV	11.1225G	43.37	54.00	-10.63	30.16	3	Horizontal	108	1.98	-	38.72	7.75	33.26	
PK	16.6542G	64.89	68.20	-3.31	48.26	3	Horizontal	4	1.52	-	39.51	10.33	33.21	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT X_4TX
Setting 88
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6876G	116.10	Inf	-Inf	108.76	3	Vertical	21	1.63	-	33.88	5.60	32.14
AV	5.6876G	103.18	Inf	-Inf	95.84	3	Vertical	21	1.63	-	33.88	5.60	32.14
PK	5.7256G	67.56	68.20	-0.64	60.25	3	Vertical	21	1.63	-	33.85	5.60	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_X_4TX
Setting 88
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6524G	112.25	Inf	-Inf	104.99	3	Horizontal	175	2.06	-	33.80	5.60	32.14
AV	5.652G	99.80	Inf	-Inf	92.54	3	Horizontal	175	2.06	-	33.80	5.60	32.14
PK	5.7252G	67.19	68.20	-1.01	59.88	3	Horizontal	175	2.06	-	33.85	5.60	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_X_4TX
Setting 88
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3437G	50.78	74.00	-23.22	37.38	3	Vertical	314	1.96	-	38.80	7.84	33.24
AV	11.3615G	37.16	54.00	-16.84	23.75	3	Vertical	314	1.96	-	38.80	7.84	33.23
PK	17.0232G	55.92	68.20	-12.28	37.83	3	Vertical	39	2.55	-	41.09	10.51	33.51

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_X_4TX
Setting 88
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3486G	50.50	74.00	-23.50	37.10	3	Horizontal	302	2.92	-	38.80	7.84	33.24
AV	11.3642G	37.11	54.00	-16.89	23.69	3	Horizontal	302	2.92	-	38.80	7.85	33.23
PK	17.0312G	56.29	68.20	-11.91	38.15	3	Horizontal	329	2.59	-	41.12	10.52	33.50

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.706G	118.58	Inf	-Inf	111.23	3	Vertical	9	1.54	-	33.89	5.60	32.14	
AV	5.7076G	106.15	Inf	-Inf	98.81	3	Vertical	9	1.54	-	33.88	5.60	32.14	
PK	5.8524G	66.94	68.20	-1.26	59.63	3	Vertical	9	1.54	-	33.81	5.65	32.15	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.702G	122.00	Inf	-Inf	114.64	3	Horizontal	24	2.44	-	33.90	5.60	32.14
AV	5.7004G	109.42	Inf	-Inf	102.06	3	Horizontal	24	2.44	-	33.90	5.60	32.14
PK	5.8636G	65.00	68.20	-3.20	57.61	3	Horizontal	24	2.44	-	33.88	5.66	32.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3988G	55.04	74.00	-18.96	41.61	3	Vertical	148	1.68	-	38.80	7.86	33.23
AV	11.395G	41.92	54.00	-12.08	28.49	3	Vertical	148	1.68	-	38.80	7.86	33.23
PK	17.1066G	58.92	68.20	-9.28	40.35	3	Vertical	147	1.98	-	41.44	10.55	33.42

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 108
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.401G	59.66	74.00	-14.34	46.23	3	Horizontal	60	2.67	-	38.80	7.86	33.23
AV	11.3989G	46.36	54.00	-7.64	32.93	3	Horizontal	60	2.67	-	38.80	7.86	33.23
PK	17.1265G	65.57	68.20	-2.63	46.85	3	Horizontal	360	2.14	-	41.56	10.56	33.40

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT X_4TX
Setting 91
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	60.00	74.00	-14.00	53.33	3	Vertical	54.5	1.65	-	33.58	5.24	32.15
AV	5.1476G	48.27	54.00	-5.73	41.57	3	Vertical	54.5	1.65	-	33.60	5.25	32.15
PK	5.2828G	113.59	Inf	-Inf	106.62	3	Vertical	54.5	1.65	-	33.77	5.34	32.14
AV	5.282G	101.10	Inf	-Inf	94.14	3	Vertical	54.5	1.65	-	33.76	5.34	32.14
PK	5.35G	65.21	74.00	-8.79	58.07	3	Vertical	54.5	1.65	-	33.90	5.38	32.14
AV	5.35G	53.67	54.00	-0.33	46.53	3	Vertical	54.5	1.65	-	33.90	5.38	32.14
PK	5.4668G	55.65	68.20	-12.55	48.31	3	Vertical	54.5	1.65	-	34.00	5.47	32.13

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT X_4TX
Setting 91
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	64.96	74.00	-9.04	58.29	3	Horizontal	348.1	2.83	-	33.58	5.24	32.15
AV	5.1308G	51.16	54.00	-2.84	44.52	3	Horizontal	348.1	2.83	-	33.56	5.23	32.15
PK	5.2516G	115.96	Inf	-Inf	109.07	3	Horizontal	348.1	2.83	-	33.70	5.33	32.14
AV	5.2524G	103.12	Inf	-Inf	96.23	3	Horizontal	348.1	2.83	-	33.70	5.33	32.14
PK	5.3524G	61.78	74.00	-12.22	54.64	3	Horizontal	348.1	2.83	-	33.90	5.38	32.14
AV	5.3556G	49.20	54.00	-4.80	42.05	3	Horizontal	348.1	2.83	-	33.91	5.38	32.14
PK	5.4884G	56.34	68.20	-11.86	48.98	3	Horizontal	348.1	2.83	-	34.00	5.49	32.13

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_X_4TX
Setting 91
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58406G	51.11	68.20	-17.09	38.15	3	Vertical	298	1.87	-	38.52	7.53	33.09
PK	15.86816G	51.96	74.00	-22.04	38.24	3	Vertical	174	1.91	-	37.36	9.94	33.58
AV	15.86562G	38.37	54.00	-15.63	24.64	3	Vertical	174	1.91	-	37.37	9.94	33.58

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_X_4TX
Setting 91
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57904G	50.46	68.20	-17.74	37.49	3	Horizontal	234	2.19	-	38.52	7.53	33.08
PK	15.86536G	51.92	74.00	-22.08	38.19	3	Horizontal	188	2.99	-	37.37	9.94	33.58
AV	15.87138G	38.36	54.00	-15.64	24.65	3	Horizontal	188	2.99	-	37.36	9.94	33.59

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_X_4TX
Setting 91
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.299G	56.65	68.20	-11.55	49.64	3	Vertical	17.7	1.81	-	33.80	5.35	32.14
PK	5.456G	70.92	74.00	-3.08	63.59	3	Vertical	17.7	1.81	-	34.00	5.46	32.13
AV	5.452G	52.73	54.00	-1.27	45.41	3	Vertical	17.7	1.81	-	34.00	5.45	32.13
PK	5.467G	66.63	68.20	-1.57	59.29	3	Vertical	17.7	1.81	-	34.00	5.47	32.13
PK	5.539G	114.92	Inf	-Inf	107.51	3	Vertical	17.7	1.81	-	34.00	5.54	32.13
AV	5.54G	102.52	Inf	-Inf	95.11	3	Vertical	17.7	1.81	-	34.00	5.54	32.13
PK	5.728G	59.77	68.20	-8.43	52.47	3	Vertical	17.7	1.81	-	33.84	5.60	32.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT X_4TX
Setting 91
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.328G	57.04	68.20	-11.16	49.96	3	Horizontal	186.7	1.76	-	33.86	5.36	32.14
PK	5.459G	61.28	74.00	-12.72	53.95	3	Horizontal	186.7	1.76	-	34.00	5.46	32.13
AV	5.453G	47.01	54.00	-6.99	39.69	3	Horizontal	186.7	1.76	-	34.00	5.45	32.13
PK	5.463G	60.24	68.20	-7.96	52.91	3	Horizontal	186.7	1.76	-	34.00	5.46	32.13
PK	5.568G	111.54	Inf	-Inf	104.14	3	Horizontal	186.7	1.76	-	33.96	5.57	32.13
AV	5.567G	99.58	Inf	-Inf	92.17	3	Horizontal	186.7	1.76	-	33.97	5.57	32.13
PK	5.77G	60.23	68.20	-7.97	52.98	3	Horizontal	186.7	1.76	-	33.80	5.60	32.15

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_X_4TX
Setting 91
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.054G	50.56	74.00	-23.44	37.45	3	Vertical	144	2.25	-	38.65	7.72	33.26
AV	11.0388G	37.13	54.00	-16.87	24.04	3	Vertical	144	2.25	-	38.64	7.72	33.27
PK	16.5965G	54.30	68.20	-13.90	37.77	3	Vertical	262	2.08	-	39.39	10.30	33.16

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




05/05/2022

EUT_X_4TX
Setting 91
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0382G	50.90	74.00	-23.10	37.81	3	Horizontal	136	1.92	-	38.64	7.72	33.27
AV	11.0391G	37.12	54.00	-16.88	24.03	3	Horizontal	136	1.92	-	38.64	7.72	33.27
PK	16.5988G	54.78	68.20	-13.42	38.24	3	Horizontal	83	2.76	-	39.40	10.30	33.16

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT X_4TX
Setting 93
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	64.33	74.00	-9.67	57.00	3	Vertical	11.1	1.80	-	34.00	5.46	32.13
AV	5.459G	49.88	54.00	-4.12	42.55	3	Vertical	11.1	1.80	-	34.00	5.46	32.13
PK	5.464G	64.51	68.20	-3.69	57.18	3	Vertical	11.1	1.80	-	34.00	5.46	32.13
PK	5.6G	113.81	Inf	-Inf	106.45	3	Vertical	11.1	1.80	-	33.90	5.60	32.14
AV	5.602G	101.80	Inf	-Inf	94.44	3	Vertical	11.1	1.80	-	33.90	5.60	32.14
PK	5.747G	67.68	68.20	-0.52	60.41	3	Vertical	11.1	1.80	-	33.81	5.60	32.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT X_4TX
Setting 93
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	58.58	74.00	-15.42	51.25	3	Horizontal	176.7	1.63	-	34.00	5.46	32.13
AV	5.458G	45.68	54.00	-8.32	38.35	3	Horizontal	176.7	1.63	-	34.00	5.46	32.13
PK	5.463G	58.91	68.20	-9.29	51.58	3	Horizontal	176.7	1.63	-	34.00	5.46	32.13
PK	5.646G	110.87	Inf	-Inf	103.60	3	Horizontal	176.7	1.63	-	33.81	5.60	32.14
AV	5.643G	97.88	Inf	-Inf	90.61	3	Horizontal	176.7	1.63	-	33.81	5.60	32.14
PK	5.767G	64.66	68.20	-3.54	57.41	3	Horizontal	176.7	1.63	-	33.80	5.60	32.15

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_X_4TX
Setting 93
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2277G	50.37	74.00	-23.63	37.03	3	Vertical	280	2.62	-	38.80	7.79	33.25
AV	11.2141G	37.39	54.00	-16.61	24.05	3	Vertical	280	2.62	-	38.80	7.79	33.25
PK	16.848G	55.41	68.20	-12.79	37.85	3	Vertical	148	2.30	-	40.54	10.42	33.40

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_X_4TX
Setting 93
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2071G	50.81	74.00	-23.19	37.48	3	Horizontal	230	2.45	-	38.80	7.78	33.25
AV	11.213G	37.35	54.00	-16.65	24.01	3	Horizontal	230	2.45	-	38.80	7.79	33.25
PK	16.8426G	55.24	68.20	-12.96	37.68	3	Horizontal	159	2.91	-	40.53	10.42	33.39

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_4TX
Setting 97
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	60.95	74.00	-13.05	53.62	3	Vertical	16	1.55	-	34.00	5.46	32.13
AV	5.4584G	48.54	54.00	-5.46	41.21	3	Vertical	16	1.55	-	34.00	5.46	32.13
PK	5.4656G	61.75	68.20	-6.45	54.41	3	Vertical	16	1.55	-	34.00	5.47	32.13
PK	5.678G	114.56	Inf	-Inf	107.24	3	Vertical	16	1.55	-	33.86	5.60	32.14
AV	5.6792G	102.07	Inf	-Inf	94.75	3	Vertical	16	1.55	-	33.86	5.60	32.14
PK	5.852G	66.31	68.20	-1.89	59.00	3	Vertical	16	1.55	-	33.81	5.65	32.15

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 97
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4536G	57.40	74.00	-16.60	50.08	3	Horizontal	353.4	1.67	-	34.00	5.45	32.13	
AV	5.4548G	44.76	54.00	-9.24	37.44	3	Horizontal	353.4	1.67	-	34.00	5.45	32.13	
PK	5.4668G	57.21	68.20	-10.99	49.87	3	Horizontal	353.4	1.67	-	34.00	5.47	32.13	
PK	5.726G	113.79	Inf	-Inf	106.48	3	Horizontal	353.4	1.67	-	33.85	5.60	32.14	
AV	5.7284G	100.70	Inf	-Inf	93.40	3	Horizontal	353.4	1.67	-	33.84	5.60	32.14	
PK	5.852G	68.14	68.20	-0.06	60.83	3	Horizontal	353.4	1.67	-	33.81	5.65	32.15	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 97
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3961G	51.20	74.00	-22.80	37.77	3	Vertical	297	1.99	-	38.80	7.86	33.23
AV	11.3858G	37.74	54.00	-16.26	24.32	3	Vertical	297	1.99	-	38.80	7.85	33.23
PK	17.0888G	56.25	68.20	-11.95	37.79	3	Vertical	224	1.13	-	41.36	10.54	33.44

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 97
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.3654G	51.13	74.00	-22.87	37.71	3	Horizontal	77	2.41	-	38.80	7.85	33.23	
AV	11.4014G	37.69	54.00	-16.31	24.26	3	Horizontal	77	2.41	-	38.80	7.86	33.23	
PK	17.0497G	56.45	68.20	-11.75	38.21	3	Horizontal	325	2.51	-	41.20	10.52	33.48	

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_X_4TX
Setting 80
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1188G	72.61	74.00	-1.39	66.00	3	Vertical	47.4	1.46	-	33.54	5.22	32.15
AV	5.1492G	53.23	54.00	-0.77	46.53	3	Vertical	47.4	1.46	-	33.60	5.25	32.15
PK	5.2276G	109.90	Inf	-Inf	103.04	3	Vertical	47.4	1.46	-	33.70	5.31	32.15
AV	5.2244G	97.27	Inf	-Inf	90.41	3	Vertical	47.4	1.46	-	33.70	5.31	32.15
PK	5.3908G	67.81	74.00	-6.19	60.57	3	Vertical	47.4	1.46	-	33.98	5.40	32.14
AV	5.3508G	51.81	54.00	-2.19	44.67	3	Vertical	47.4	1.46	-	33.90	5.38	32.14
PK	5.594G	56.11	68.20	-12.09	48.75	3	Vertical	47.4	1.46	-	33.91	5.59	32.14

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_X_4TX
Setting 80
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1332G	73.36	74.00	-0.64	66.71	3	Horizontal	192.8	2.42	-	33.57	5.23	32.15
AV	5.106G	51.11	54.00	-2.89	44.54	3	Horizontal	192.8	2.42	-	33.51	5.21	32.15
PK	5.21G	110.32	Inf	-Inf	103.47	3	Horizontal	192.8	2.42	-	33.70	5.30	32.15
AV	5.2084G	98.34	Inf	-Inf	91.49	3	Horizontal	192.8	2.42	-	33.70	5.30	32.15
PK	5.3908G	67.66	74.00	-6.34	60.42	3	Horizontal	192.8	2.42	-	33.98	5.40	32.14
AV	5.3508G	48.33	54.00	-5.67	41.19	3	Horizontal	192.8	2.42	-	33.90	5.38	32.14
PK	5.5588G	56.46	68.20	-11.74	49.05	3	Horizontal	192.8	2.42	-	33.98	5.56	32.13

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_X_4TX
Setting 80
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49712G	49.98	68.20	-18.22	36.93	3	Vertical	252	2.76	-	38.60	7.50	33.05
PK	15.74686G	52.29	74.00	-21.71	38.34	3	Vertical	252	2.40	-	37.50	9.89	33.44
AV	15.75428G	38.75	54.00	-15.25	24.81	3	Vertical	252	2.40	-	37.50	9.89	33.45

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_X_4TX
Setting 80
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49658G	50.43	68.20	-17.77	37.38	3	Horizontal	131	1.62	-	38.60	7.50	33.05
PK	15.75058G	52.70	74.00	-21.30	38.76	3	Horizontal	349	1.81	-	37.50	9.89	33.45
AV	15.75436G	39.02	54.00	-14.98	25.08	3	Horizontal	349	1.81	-	37.50	9.89	33.45

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT X_4TX
Setting 76
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29G	56.09	68.20	-12.11	49.11	3	Vertical	17.9	1.80	-	33.78	5.34	32.14
PK	5.4436G	68.95	74.00	-5.05	61.64	3	Vertical	17.9	1.80	-	34.00	5.44	32.13
AV	5.4532G	47.33	54.00	-6.67	40.01	3	Vertical	17.9	1.80	-	34.00	5.45	32.13
PK	5.4628G	62.94	68.20	-5.26	55.61	3	Vertical	17.9	1.80	-	34.00	5.46	32.13
PK	5.5412G	109.01	Inf	-Inf	101.60	3	Vertical	17.9	1.80	-	34.00	5.54	32.13
AV	5.538G	96.12	Inf	-Inf	88.71	3	Vertical	17.9	1.80	-	34.00	5.54	32.13
PK	5.7252G	66.50	68.20	-1.70	59.19	3	Vertical	17.9	1.80	-	33.85	5.60	32.14

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_X_4TX
Setting 76
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2612G	56.08	68.20	-12.12	49.17	3	Horizontal	179.2	1.71	-	33.72	5.33	32.14
PK	5.45G	63.14	74.00	-10.86	55.82	3	Horizontal	179.2	1.71	-	34.00	5.45	32.13
AV	5.4468G	45.17	54.00	-8.83	37.85	3	Horizontal	179.2	1.71	-	34.00	5.45	32.13
PK	5.4692G	58.74	68.20	-9.46	51.40	3	Horizontal	179.2	1.71	-	34.00	5.47	32.13
PK	5.6468G	104.43	Inf	-Inf	97.16	3	Horizontal	179.2	1.71	-	33.81	5.60	32.14
AV	5.6452G	92.06	Inf	-Inf	84.79	3	Horizontal	179.2	1.71	-	33.81	5.60	32.14
PK	5.7716G	66.56	68.20	-1.64	59.31	3	Horizontal	179.2	1.71	-	33.80	5.60	32.15

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




05/05/2022

EUT_X_4TX
Setting 76
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1326G	50.64	74.00	-23.36	37.42	3	Vertical	288	1.56	-	38.73	7.75	33.26
AV	11.1207G	37.40	54.00	-16.60	24.19	3	Vertical	288	1.56	-	38.72	7.75	33.26
PK	16.724G	54.81	68.20	-13.39	37.94	3	Vertical	25	1.14	-	39.79	10.36	33.28

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



EUT_X_4TX
Setting 76
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1538G	50.97	74.00	-23.03	37.71	3	Horizontal	224	2.17	-	38.75	7.76	33.25
AV	11.1417G	37.43	54.00	-16.57	24.19	3	Horizontal	224	2.17	-	38.74	7.76	33.26
PK	16.7178G	54.90	68.20	-13.30	38.07	3	Horizontal	193	2.91	-	39.74	10.36	33.27