


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band25

1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.01	-13	Pass	2985
30	1000	0.1	RMS	978.898	-56.01	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.39	-13	Pass	830
1830	1925	1	RMS	1850.267	23.27	60	Pass	601
1925	3000	1	RMS	2667.691	-39.52	-13	Pass	1075
3000	12000	1	RMS	11911.99	-46.88	-13	Pass	9000
12000	20000	1	RMS	19848.981	-29.02	-13	Pass	8000



1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.56	-13	Pass	2985
30	1000	0.1	RMS	899.99	-56	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.42	-13	Pass	830
1830	1925	1	RMS	1851.217	23.21	60	Pass	601
1925	3000	1	RMS	2670.694	-39.5	-13	Pass	1075
3000	12000	1	RMS	11899.989	-46.88	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.99	-13	Pass	8000



1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.91	-13	Pass	2985
30	1000	0.1	RMS	969.597	-55.96	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.41	-13	Pass	830
1830	1925	1	RMS	1850.267	22.04	60	Pass	601
1925	3000	1	RMS	2671.695	-39.56	-13	Pass	1075
3000	12000	1	RMS	11912.99	-46.92	-13	Pass	9000
12000	20000	1	RMS	19847.981	-29	-13	Pass	8000



1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.04	-13	Pass	2985
30	1000	0.1	RMS	906.69	-56.01	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.41	-13	Pass	830
1830	1925	1	RMS	1851.217	22.08	60	Pass	601
1925	3000	1	RMS	2669.693	-39.55	-13	Pass	1075
3000	12000	1	RMS	11910.99	-46.94	-13	Pass	9000
12000	20000	1	RMS	19845.981	-29.04	-13	Pass	8000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.94	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.61	-13	Pass	2985
30	1000	0.1	RMS	892.789	-56.1	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.36	-13	Pass	830
1830	1925	1	RMS	1882.092	23.32	60	Pass	601
1925	3000	1	RMS	2669.693	-39.53	-13	Pass	1075
3000	12000	1	RMS	11908.99	-46.87	-13	Pass	9000
12000	20000	1	RMS	19849.981	-29	-13	Pass	8000



1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.89	-13	Pass	2985
30	1000	0.1	RMS	900.19	-55.96	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.37	-13	Pass	830
1830	1925	1	RMS	1882.883	23.3	60	Pass	601
1925	3000	1	RMS	2673.696	-39.54	-13	Pass	1075
3000	12000	1	RMS	11909.99	-46.92	-13	Pass	9000
12000	20000	1	RMS	19848.981	-29.01	-13	Pass	8000



1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.21	-13	Pass	2985
30	1000	.1	RMS	903.49	-56	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.35	-13	Pass	830
1830	1925	1	RMS	1882.092	22.44	60	Pass	601
1925	3000	1	RMS	2668.692	-39.51	-13	Pass	1075
3000	12000	1	RMS	11916.991	-46.9	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.96	-13	Pass	8000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.43	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.96	-13	Pass	2985
30	1000	0.1	RMS	898.69	-55.92	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.4	-13	Pass	830
1830	1925	1	RMS	1882.883	22.49	60	Pass	601
1925	3000	1	RMS	2669.693	-39.53	-13	Pass	1075
3000	12000	1	RMS	11913.99	-46.92	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.88	-13	Pass	8000



1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.69	-13	Pass	2985
30	1000	0.1	RMS	879.688	-55.99	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.41	-13	Pass	830
1830	1925	1	RMS	1913.917	22.64	60	Pass	601
1925	3000	1	RMS	2668.692	-39.53	-13	Pass	1075
3000	12000	1	RMS	11909.99	-46.9	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.93	-13	Pass	8000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.1	-13	Pass	2985
30	1000	0.1	RMS	986.999	-56.04	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.39	-13	Pass	830
1830	1925	1	RMS	1914.708	22.68	60	Pass	601
1925	3000	1	RMS	2668.692	-39.54	-13	Pass	1075
3000	12000	1	RMS	11907.99	-46.88	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.98	-13	Pass	8000



1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.99	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.83	-13	Pass	2985
30	1000	0.1	RMS	991.399	-55.93	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.42	-13	Pass	830
1830	1925	1	RMS	1913.917	22.05	60	Pass	601
1925	3000	1	RMS	2667.691	-39.52	-13	Pass	1075
3000	12000	1	RMS	11922.991	-46.9	-13	Pass	9000
12000	20000	1	RMS	19850.981	-29.02	-13	Pass	8000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.21	-13	Pass	2985
30	1000	0.1	RMS	985.298	-55.94	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.41	-13	Pass	830
1830	1925	1	RMS	1914.708	22.08	60	Pass	601
1925	3000	1	RMS	2668.692	-39.54	-13	Pass	1075
3000	12000	1	RMS	11917.991	-46.87	-13	Pass	9000
12000	20000	1	RMS	19850.981	-29.03	-13	Pass	8000



1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.25	-13	Pass	2985
30	1000	0.1	RMS	986.699	-55.91	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.41	-13	Pass	830
1830	1925	1	RMS	1850.267	23.26	60	Pass	601
1925	3000	1	RMS	2668.692	-39.52	-13	Pass	1075
3000	12000	1	RMS	11916.991	-46.87	-13	Pass	9000
12000	20000	1	RMS	19849.981	-29.03	-13	Pass	8000



1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.98	-13	Pass	2985
30	1000	0.1	RMS	998.1	-55.88	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.41	-13	Pass	830
1830	1925	1	RMS	1852.8	23.48	60	Pass	601
1925	3000	1	RMS	2669.693	-39.52	-13	Pass	1075
3000	12000	1	RMS	11911.99	-46.91	-13	Pass	9000
12000	20000	1	RMS	19846.981	-29.06	-13	Pass	8000



1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.3	-13	Pass	2985
30	1000	0.1	RMS	898.19	-55.95	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.42	-13	Pass	830
1830	1925	1	RMS	1850.267	22.12	60	Pass	601
1925	3000	1	RMS	2668.692	-39.53	-13	Pass	1075
3000	12000	1	RMS	11911.99	-46.92	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.98	-13	Pass	8000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.3	-13	Pass	2985
30	1000	0.1	RMS	917.491	-55.89	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.42	-13	Pass	830
1830	1925	1	RMS	1852.8	22.28	60	Pass	601
1925	3000	1	RMS	2669.693	-39.5	-13	Pass	1075
3000	12000	1	RMS	11903.989	-46.93	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.98	-13	Pass	8000



1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.92	-13	Pass	2985
30	1000	0.1	RMS	986.199	-56.03	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.4	-13	Pass	830
1830	1925	1	RMS	1881.3	23.12	60	Pass	601
1925	3000	1	RMS	2668.692	-39.55	-13	Pass	1075
3000	12000	1	RMS	11906.99	-46.92	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.99	-13	Pass	8000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.09	-13	Pass	2985
30	1000	0.1	RMS	993.399	-56.02	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.41	-13	Pass	830
1830	1925	1	RMS	1883.833	23.15	60	Pass	601
1925	3000	1	RMS	2669.693	-39.52	-13	Pass	1075
3000	12000	1	RMS	11904.989	-46.89	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.96	-13	Pass	8000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.93	-13	Pass	2985
30	1000	0.1	RMS	912.391	-55.97	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.39	-13	Pass	830
1830	1925	1	RMS	1881.3	22.54	60	Pass	601
1925	3000	1	RMS	2671.695	-39.52	-13	Pass	1075
3000	12000	1	RMS	11903.989	-46.9	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.97	-13	Pass	8000



1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.15	-13	Pass	2985
30	1000	0.1	RMS	928.093	-55.98	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.39	-13	Pass	830
1830	1925	1	RMS	1883.833	22.8	60	Pass	601
1925	3000	1	RMS	2668.692	-39.54	-13	Pass	1075
3000	12000	1	RMS	11916.991	-46.87	-13	Pass	9000
12000	20000	1	RMS	19849.981	-29.04	-13	Pass	8000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.29	-13	Pass	2985
30	1000	0.1	RMS	978.198	-56	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.39	-13	Pass	830
1830	1925	1	RMS	1912.175	22.93	60	Pass	601
1925	3000	1	RMS	2667.691	-39.51	-13	Pass	1075
3000	12000	1	RMS	11910.99	-46.92	-13	Pass	9000
12000	20000	1	RMS	19847.981	-29.03	-13	Pass	8000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.43	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.91	-13	Pass	2985
30	1000	0.1	RMS	902.89	-56.01	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.36	-13	Pass	830
1830	1925	1	RMS	1914.708	23.14	60	Pass	601
1925	3000	1	RMS	2673.696	-39.55	-13	Pass	1075
3000	12000	1	RMS	11905.99	-46.88	-13	Pass	9000
12000	20000	1	RMS	19849.981	-29.01	-13	Pass	8000



1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.96	-13	Pass	2985
30	1000	0.1	RMS	991.599	-55.93	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.42	-13	Pass	830
1830	1925	1	RMS	1912.175	22.49	60	Pass	601
1925	3000	1	RMS	2667.691	-39.55	-13	Pass	1075
3000	12000	1	RMS	11908.99	-46.9	-13	Pass	9000
12000	20000	1	RMS	19846.981	-29.03	-13	Pass	8000



1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.2	-13	Pass	2985
30	1000	0.1	RMS	998.2	-55.96	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.4	-13	Pass	830
1830	1925	1	RMS	1914.708	21.98	60	Pass	601
1925	3000	1	RMS	2667.691	-39.49	-13	Pass	1075
3000	12000	1	RMS	11909.99	-46.92	-13	Pass	9000
12000	20000	1	RMS	19848.981	-29.02	-13	Pass	8000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.9	-13	Pass	2985
30	1000	0.1	RMS	903.39	-56.05	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.39	-13	Pass	830
1830	1925	1	RMS	1850.267	23.04	60	Pass	601
1925	3000	1	RMS	2671.695	-39.54	-13	Pass	1075
3000	12000	1	RMS	11917.991	-46.86	-13	Pass	9000
12000	20000	1	RMS	19849.981	-29	-13	Pass	8000



1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.62	-13	Pass	2985
30	1000	0.1	RMS	997.1	-56	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.38	-13	Pass	830
1830	1925	1	RMS	1854.7	23.34	60	Pass	601
1925	3000	1	RMS	2668.692	-39.5	-13	Pass	1075
3000	12000	1	RMS	11912.99	-46.9	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.99	-13	Pass	8000



1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.33	-13	Pass	2985
30	1000	0.1	RMS	897.889	-56.02	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.39	-13	Pass	830
1830	1925	1	RMS	1850.267	21.7	60	Pass	601
1925	3000	1	RMS	2671.695	-39.54	-13	Pass	1075
3000	12000	1	RMS	11908.99	-46.93	-13	Pass	9000
12000	20000	1	RMS	19849.981	-29.03	-13	Pass	8000



1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.35	-13	Pass	2985
30	1000	0.1	RMS	991.399	-56.02	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.38	-13	Pass	830
1830	1925	1	RMS	1854.7	21.93	60	Pass	601
1925	3000	1	RMS	2668.692	-39.49	-13	Pass	1075
3000	12000	1	RMS	11908.99	-46.91	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.98	-13	Pass	8000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.5	-13	Pass	2985
30	1000	0.1	RMS	962.796	-55.88	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.39	-13	Pass	830
1830	1925	1	RMS	1880.35	23.09	60	Pass	601
1925	3000	1	RMS	2666.69	-39.52	-13	Pass	1075
3000	12000	1	RMS	11927.992	-46.93	-13	Pass	9000
12000	20000	1	RMS	19848.981	-29.01	-13	Pass	8000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.51	-13	Pass	2985
30	1000	0.1	RMS	978.398	-56.1	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.38	-13	Pass	830
1830	1925	1	RMS	1884.625	23.05	60	Pass	601
1925	3000	1	RMS	2673.696	-39.58	-13	Pass	1075
3000	12000	1	RMS	11913.99	-46.95	-13	Pass	9000
12000	20000	1	RMS	19852.982	-29.04	-13	Pass	8000



1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.82	-13	Pass	2985
30	1000	0.1	RMS	896.889	-55.97	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.41	-13	Pass	830
1830	1925	1	RMS	1880.35	22.55	60	Pass	601
1925	3000	1	RMS	2669.693	-39.54	-13	Pass	1075
3000	12000	1	RMS	11917.991	-46.94	-13	Pass	9000
12000	20000	1	RMS	19849.981	-29.04	-13	Pass	8000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.31	-13	Pass	2985
30	1000	0.1	RMS	894.089	-56	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.39	-13	Pass	830
1830	1925	1	RMS	1884.625	22.41	60	Pass	601
1925	3000	1	RMS	2672.696	-39.53	-13	Pass	1075
3000	12000	1	RMS	11910.99	-46.93	-13	Pass	9000
12000	20000	1	RMS	19846.981	-29.03	-13	Pass	8000



1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.77	-13	Pass	2985
30	1000	0.1	RMS	910.991	-55.64	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.39	-13	Pass	830
1830	1925	1	RMS	1910.275	22.97	60	Pass	601
1925	3000	1	RMS	2668.692	-39.55	-13	Pass	1075
3000	12000	1	RMS	11915.991	-46.87	-13	Pass	9000
12000	20000	1	RMS	19850.981	-29.02	-13	Pass	8000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.94	-13	Pass	2985
30	1000	0.1	RMS	987.899	-55.96	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.39	-13	Pass	830
1830	1925	1	RMS	1914.708	22.97	60	Pass	601
1925	3000	1	RMS	2669.693	-39.54	-13	Pass	1075
3000	12000	1	RMS	11915.991	-46.88	-13	Pass	9000
12000	20000	1	RMS	19843.98	-29.01	-13	Pass	8000



1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.08	-13	Pass	2985
30	1000	0.1	RMS	914.091	-56	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.41	-13	Pass	830
1830	1925	1	RMS	1910.275	21.79	60	Pass	601
1925	3000	1	RMS	2670.694	-39.54	-13	Pass	1075
3000	12000	1	RMS	11910.99	-46.89	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.98	-13	Pass	8000



1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.78	-13	Pass	2985
30	1000	0.1	RMS	951.595	-55.98	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.42	-13	Pass	830
1830	1925	1	RMS	1914.708	21.89	60	Pass	601
1925	3000	1	RMS	2673.696	-39.57	-13	Pass	1075
3000	12000	1	RMS	11903.989	-46.96	-13	Pass	9000
12000	20000	1	RMS	19848.981	-29.02	-13	Pass	8000



1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.61	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.4	-13	Pass	2985
30	1000	0.1	RMS	889.189	-55.99	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.38	-13	Pass	830
1830	1925	1	RMS	1850.583	23.66	60	Pass	601
1925	3000	1	RMS	2667.691	-39.51	-13	Pass	1075
3000	12000	1	RMS	11900.989	-46.89	-13	Pass	9000
12000	20000	1	RMS	19850.981	-29.06	-13	Pass	8000



1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.1	-13	Pass	2985
30	1000	0.1	RMS	997.8	-55.91	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.42	-13	Pass	830
1830	1925	1	RMS	1859.45	23.35	60	Pass	601
1925	3000	1	RMS	2669.693	-39.47	-13	Pass	1075
3000	12000	1	RMS	11912.99	-46.91	-13	Pass	9000
12000	20000	1	RMS	19850.981	-29.03	-13	Pass	8000



1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.25	-13	Pass	2985
30	1000	0.1	RMS	998.1	-56.03	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.37	-13	Pass	830
1830	1925	1	RMS	1850.583	22.23	60	Pass	601
1925	3000	1	RMS	2667.691	-39.47	-13	Pass	1075
3000	12000	1	RMS	11910.99	-46.9	-13	Pass	9000
12000	20000	1	RMS	19850.981	-29.05	-13	Pass	8000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.2	-13	Pass	2985
30	1000	0.1	RMS	958.696	-56.08	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.41	-13	Pass	830
1830	1925	1	RMS	1859.45	22.19	60	Pass	601
1925	3000	1	RMS	2667.691	-39.5	-13	Pass	1075
3000	12000	1	RMS	11910.99	-46.91	-13	Pass	9000
12000	20000	1	RMS	19849.981	-29	-13	Pass	8000



1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.19	-13	Pass	2985
30	1000	0.1	RMS	930.893	-55.85	-13	Pass	9700
1000	1830	1	RMS	1804.97	-44.36	-13	Pass	830
1830	1925	1	RMS	1878.133	23.48	60	Pass	601
1925	3000	1	RMS	2667.691	-39.51	-13	Pass	1075
3000	12000	1	RMS	11911.99	-46.91	-13	Pass	9000
12000	20000	1	RMS	19851.981	-29.02	-13	Pass	8000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.56	-13	Pass	2985
30	1000	0.1	RMS	896.589	-55.92	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.36	-13	Pass	830
1830	1925	1	RMS	1886.842	23.17	60	Pass	601
1925	3000	1	RMS	2666.69	-39.53	-13	Pass	1075
3000	12000	1	RMS	11910.99	-46.83	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.97	-13	Pass	8000



1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.92	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.46	-13	Pass	2985
30	1000	0.1	RMS	936.293	-56.02	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.41	-13	Pass	830
1830	1925	1	RMS	1878.133	22.97	60	Pass	601
1925	3000	1	RMS	2672.696	-39.51	-13	Pass	1075
3000	12000	1	RMS	11912.99	-46.87	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.94	-13	Pass	8000



1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.26	-13	Pass	2985
30	1000	0.1	RMS	962.196	-55.99	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.38	-13	Pass	830
1830	1925	1	RMS	1886.842	22.59	60	Pass	601
1925	3000	1	RMS	2664.688	-39.56	-13	Pass	1075
3000	12000	1	RMS	11921.991	-46.94	-13	Pass	9000
12000	20000	1	RMS	19851.981	-29.01	-13	Pass	8000



1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.91	-13	Pass	2985
30	1000	0.1	RMS	893.089	-55.92	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.37	-13	Pass	830
1830	1925	1	RMS	1905.525	23.05	60	Pass	601
1925	3000	1	RMS	2671.695	-39.54	-13	Pass	1075
3000	12000	1	RMS	11916.991	-46.9	-13	Pass	9000
12000	20000	1	RMS	19848.981	-29.01	-13	Pass	8000



1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.05	-13	Pass	2985
30	1000	0.1	RMS	905.69	-55.82	-13	Pass	9700
1000	1830	1	RMS	1822.992	-44.42	-13	Pass	830
1830	1925	1	RMS	1914.392	23.22	60	Pass	601
1925	3000	1	RMS	2668.692	-39.52	-13	Pass	1075
3000	12000	1	RMS	11901.989	-46.84	-13	Pass	9000
12000	20000	1	RMS	19848.981	-29.02	-13	Pass	8000



1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.98	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.46	-13	Pass	2985
30	1000	0.1	RMS	913.691	-55.92	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.39	-13	Pass	830
1830	1925	1	RMS	1905.525	22.18	60	Pass	601
1925	3000	1	RMS	2668.692	-39.53	-13	Pass	1075
3000	12000	1	RMS	11909.99	-46.9	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.98	-13	Pass	8000



1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.59	-13	Pass	2985
30	1000	0.1	RMS	890.689	-56.02	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.39	-13	Pass	830
1830	1925	1	RMS	1914.392	22.04	60	Pass	601
1925	3000	1	RMS	2669.693	-39.57	-13	Pass	1075
3000	12000	1	RMS	11904.989	-46.9	-13	Pass	9000
12000	20000	1	RMS	19845.981	-29.02	-13	Pass	8000




1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40	-13	Pass	2985
30	1000	0.1	RMS	994.299	-55.92	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.38	-13	Pass	830
1830	1925	1	RMS	1850.9	23.68	60	Pass	601
1925	3000	1	RMS	2672.696	-39.54	-13	Pass	1075
3000	12000	1	RMS	11913.99	-46.88	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.91	-13	Pass	8000




1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.34	-13	Pass	2985
30	1000	0.1	RMS	887.988	-55.96	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.38	-13	Pass	830
1830	1925	1	RMS	1864.2	23.35	60	Pass	601
1925	3000	1	RMS	2668.692	-39.52	-13	Pass	1075
3000	12000	1	RMS	11914.991	-46.89	-13	Pass	9000
12000	20000	1	RMS	19851.981	-29.04	-13	Pass	8000



1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.34	-13	Pass	2985
30	1000	0.1	RMS	903.49	-55.82	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.41	-13	Pass	830
1830	1925	1	RMS	1850.9	22.23	60	Pass	601
1925	3000	1	RMS	2668.692	-39.56	-13	Pass	1075
3000	12000	1	RMS	11912.99	-46.81	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.98	-13	Pass	8000




1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.09	-13	Pass	2985
30	1000	0.1	RMS	999.7	-55.85	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.38	-13	Pass	830
1830	1925	1	RMS	1864.2	22.42	60	Pass	601
1925	3000	1	RMS	2668.692	-39.52	-13	Pass	1075
3000	12000	1	RMS	11904.989	-46.94	-13	Pass	9000
12000	20000	1	RMS	19848.981	-29.03	-13	Pass	8000




1.53. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.96	-13	Pass	2985
30	1000	0.1	RMS	984.198	-55.95	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.38	-13	Pass	830
1830	1925	1	RMS	1875.917	23.33	60	Pass	601
1925	3000	1	RMS	2669.693	-39.54	-13	Pass	1075
3000	12000	1	RMS	11909.99	-46.91	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.94	-13	Pass	8000




1.54. LTE Transmitter Spurious Emissions(NTNV)(Subtest:54, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.37	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.07	-13	Pass	2985
30	1000	0.1	RMS	903.69	-56.04	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.39	-13	Pass	830
1830	1925	1	RMS	1889.217	23.1	60	Pass	601
1925	3000	1	RMS	2669.693	-39.5	-13	Pass	1075
3000	12000	1	RMS	11909.99	-46.88	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.97	-13	Pass	8000




1.55. LTE Transmitter Spurious Emissions(NTNV)(Subtest:55, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.97	-13	Pass	2985
30	1000	0.1	RMS	904.29	-56.04	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.39	-13	Pass	830
1830	1925	1	RMS	1875.917	22.84	60	Pass	601
1925	3000	1	RMS	2670.694	-39.53	-13	Pass	1075
3000	12000	1	RMS	11914.991	-46.9	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.98	-13	Pass	8000



1.56. LTE Transmitter Spurious Emissions(NTNV)(Subtest:56, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.61	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.54	-13	Pass	2985
30	1000	0.1	RMS	897.689	-56.06	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.38	-13	Pass	830
1830	1925	1	RMS	1889.217	22.61	60	Pass	601
1925	3000	1	RMS	2671.695	-39.5	-13	Pass	1075
3000	12000	1	RMS	11916.991	-46.89	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.94	-13	Pass	8000



1.57. LTE Transmitter Spurious Emissions(NTNV)(Subtest:57, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.5	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.15	-13	Pass	2985
30	1000	0.1	RMS	930.093	-55.94	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.44	-13	Pass	830
1830	1925	1	RMS	1900.775	22.94	60	Pass	601
1925	3000	1	RMS	2668.692	-39.52	-13	Pass	1075
3000	12000	1	RMS	11903.989	-46.91	-13	Pass	9000
12000	20000	1	RMS	19847.981	-29.03	-13	Pass	8000



1.58. LTE Transmitter Spurious Emissions(NTNV)(Subtest:58, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.86	-13	Pass	2985
30	1000	0.1	RMS	879.988	-56.02	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.42	-13	Pass	830
1830	1925	1	RMS	1914.233	22.78	60	Pass	601
1925	3000	1	RMS	2670.694	-39.53	-13	Pass	1075
3000	12000	1	RMS	11906.99	-46.87	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.98	-13	Pass	8000



1.59. LTE Transmitter Spurious Emissions(NTNV)(Subtest:59, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.74	-13	Pass	2985
30	1000	0.1	RMS	896.689	-55.89	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.39	-13	Pass	830
1830	1925	1	RMS	1900.775	21.56	60	Pass	601
1925	3000	1	RMS	2666.69	-39.54	-13	Pass	1075
3000	12000	1	RMS	11913.99	-46.9	-13	Pass	9000
12000	20000	1	RMS	19850.981	-29	-13	Pass	8000




1.60. LTE Transmitter Spurious Emissions(NTNV)(Subtest:60, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.72	-13	Pass	2985
30	1000	0.1	RMS	899.39	-55.88	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.38	-13	Pass	830
1830	1925	1	RMS	1914.233	22.09	60	Pass	601
1925	3000	1	RMS	2670.694	-39.5	-13	Pass	1075
3000	12000	1	RMS	11910.99	-46.85	-13	Pass	9000
12000	20000	1	RMS	19848.981	-29	-13	Pass	8000




1.61. LTE Transmitter Spurious Emissions(NTNV)(Subtest:61, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.46	-13	Pass	2985
30	1000	0.1	RMS	913.691	-55.97	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.36	-13	Pass	830
1830	1925	1	RMS	1851.058	23.3	60	Pass	601
1925	3000	1	RMS	2668.692	-39.51	-13	Pass	1075
3000	12000	1	RMS	11909.99	-46.91	-13	Pass	9000
12000	20000	1	RMS	19844.981	-29	-13	Pass	8000




1.62. LTE Transmitter Spurious Emissions(NTNV)(Subtest:62, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.32	-13	Pass	2985
30	1000	0.1	RMS	931.193	-55.99	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.35	-13	Pass	830
1830	1925	1	RMS	1868.95	23.21	60	Pass	601
1925	3000	1	RMS	2672.696	-39.51	-13	Pass	1075
3000	12000	1	RMS	11915.991	-46.89	-13	Pass	9000
12000	20000	1	RMS	19850.981	-29.01	-13	Pass	8000



1.63. LTE Transmitter Spurious Emissions(NTNV)(Subtest:63, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.43	-13	Pass	2985
30	1000	0.1	RMS	912.091	-55.99	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.39	-13	Pass	830
1830	1925	1	RMS	1851.058	22.59	60	Pass	601
1925	3000	1	RMS	2669.693	-39.54	-13	Pass	1075
3000	12000	1	RMS	11915.991	-46.88	-13	Pass	9000
12000	20000	1	RMS	19846.981	-29.02	-13	Pass	8000




1.64. LTE Transmitter Spurious Emissions(NTNV)(Subtest:64, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.76	-13	Pass	2985
30	1000	0.1	RMS	918.292	-55.88	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.39	-13	Pass	830
1830	1925	1	RMS	1868.95	22.61	60	Pass	601
1925	3000	1	RMS	2669.693	-39.54	-13	Pass	1075
3000	12000	1	RMS	11908.99	-46.89	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.99	-13	Pass	8000



1.65. LTE Transmitter Spurious Emissions(NTNV)(Subtest:65, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.17	-13	Pass	2985
30	1000	0.1	RMS	913.591	-55.89	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.35	-13	Pass	830
1830	1925	1	RMS	1873.542	23.58	60	Pass	601
1925	3000	1	RMS	2667.691	-39.46	-13	Pass	1075
3000	12000	1	RMS	11906.99	-46.91	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.96	-13	Pass	8000



1.66. LTE Transmitter Spurious Emissions(NTNV)(Subtest:66, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.83	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.93	-13	Pass	2985
30	1000	0.1	RMS	909.691	-56.06	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.37	-13	Pass	830
1830	1925	1	RMS	1891.433	23.29	60	Pass	601
1925	3000	1	RMS	2671.695	-39.51	-13	Pass	1075
3000	12000	1	RMS	11913.99	-46.83	-13	Pass	9000
12000	20000	1	RMS	19844.981	-29.04	-13	Pass	8000




1.67. LTE Transmitter Spurious Emissions(NTNV)(Subtest:67, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.86	-13	Pass	2985
30	1000	0.1	RMS	910.291	-55.99	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.4	-13	Pass	830
1830	1925	1	RMS	1873.542	21.94	60	Pass	601
1925	3000	1	RMS	2671.695	-39.53	-13	Pass	1075
3000	12000	1	RMS	11903.989	-46.88	-13	Pass	9000
12000	20000	1	RMS	19842.98	-28.98	-13	Pass	8000




1.68. LTE Transmitter Spurious Emissions(NTNV)(Subtest:68, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.59	-13	Pass	2985
30	1000	0.1	RMS	964.596	-55.99	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.41	-13	Pass	830
1830	1925	1	RMS	1891.433	21.76	60	Pass	601
1925	3000	1	RMS	2667.691	-39.52	-13	Pass	1075
3000	12000	1	RMS	11912.99	-46.94	-13	Pass	9000
12000	20000	1	RMS	19848.981	-29.02	-13	Pass	8000



1.69. LTE Transmitter Spurious Emissions(NTNV)(Subtest:69, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.17	-13	Pass	2985
30	1000	0.1	RMS	922.892	-56.03	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.41	-13	Pass	830
1830	1925	1	RMS	1896.025	22.84	60	Pass	601
1925	3000	1	RMS	2672.696	-39.54	-13	Pass	1075
3000	12000	1	RMS	11914.991	-46.92	-13	Pass	9000
12000	20000	1	RMS	19849.981	-29	-13	Pass	8000




1.70. LTE Transmitter Spurious Emissions(NTNV)(Subtest:70, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.66	-13	Pass	2985
30	1000	0.1	RMS	899.29	-55.98	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.41	-13	Pass	830
1830	1925	1	RMS	1913.917	22.89	60	Pass	601
1925	3000	1	RMS	2670.694	-39.53	-13	Pass	1075
3000	12000	1	RMS	11908.99	-46.91	-13	Pass	9000
12000	20000	1	RMS	19850.981	-29.05	-13	Pass	8000




1.71. LTE Transmitter Spurious Emissions(NTNV)(Subtest:71, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.01	-13	Pass	2985
30	1000	0.1	RMS	899.69	-56	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.38	-13	Pass	830
1830	1925	1	RMS	1896.025	22.54	60	Pass	601
1925	3000	1	RMS	2667.691	-39.57	-13	Pass	1075
3000	12000	1	RMS	11909.99	-46.89	-13	Pass	9000
12000	20000	1	RMS	19851.981	-29	-13	Pass	8000



1.72. LTE Transmitter Spurious Emissions(NTNV)(Subtest:72, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.19	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.89	-13	Pass	2985
30	1000	0.1	RMS	898.69	-56.04	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.4	-13	Pass	830
1830	1925	1	RMS	1913.917	22.52	60	Pass	601
1925	3000	1	RMS	2669.693	-39.49	-13	Pass	1075
3000	12000	1	RMS	11909.99	-46.92	-13	Pass	9000
12000	20000	1	RMS	19852.982	-29.05	-13	Pass	8000



END