


ATTACHMENT A.
ID LABEL INFORMATION AND LOCATION PHOTOS

1.1 ID Label Information

According to the requirement section 2.925 and 2.926,the sample label shown below shall be Permanently affixed at a conspicuous location on the device supplied to the user and be readily visible to the purchaser at the time purchase

Figure PRODUCT LABEL
Both the FCC ID and compliance statement are included in the product label





See installation instructions before connecting to the supply.

This device complies with Part 15 of the FCC Rules.

Operation is subject to the following two conditions :

(1) this device may not cause harmful interference, and

(2) this device must accept any interference received, including interference that may cause undesired operation.

"Product complies with DHHS Rules-21 CFR subchapter j-applicable at date of manufacture"

WARNUNG: Vor öffnen des Gerätes Netzstecker ziehen..

Disconnect power before opening.

HYUNDAI ELECTRONICS AMERICA

3101 North 1st Street, San Jose, CA95134

MANUFACTURED BY

HYUNDAI ELECTRONICS IND. CO., LTD.

631 2025 200 03

MADE IN KOREA



E142408

Listed
I.T.E
6K83

LR 65701



Model No. : S560
POWER : 100-240V~

POWER

1.3A 60/50Hz

FCC ID : CKLS560

Serial No. : 0

Manufactured NOVEMBER 1998

Die in diesem Gerät entstehende Röntgenstrahlung ist durch eine eigensichere Kathodenstrahlröhre nach Anlage III Röntgenverordnung ausreichend abgeschirmt.
Beschleunigungsspannung : Max. 27.5kV

Beschleunigungsspannung: Max. 27.5kV

This Class B digital annamatis meets all r

This Class B digital apparatus meets all requirements of the Canadian Interference-Causing Equipment Regulations. Cet appareil numérique de la classe B respecte toutes les exigences du Règlement sur le matériel brouilleur du Canada.

Apparaten skall anslutas till jordat nätuttag

Connect only to a properly grounded outlet.



1.2 Label Location Photos

The label shown shall be permanently affixed at a conspicuous location on the device and be readily visible to the user at the time purchase.(Labeling requirements per 2.925)



