


BLE_1M

Low Channel (Horizontal) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Limit	Level Factor	Line Limit	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2390.00	43.46	5.40	38.06	54.00	-10.54	344	197	Average	Horizontal	
2 *	2402.00	113.73	75.63	38.10	54.00	59.73	344	197	Average	Horizontal	
3	2898.94	42.34	3.35	38.99	54.00	-11.66	344	197	Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dB	cm	deg		
1	2337.73	42.32	4.45	37.87	54.00	-11.68	355	276 Average	Vertical
2 *	2402.00	107.86	69.76	38.10	54.00	53.86	355	276 Average	Vertical
3	2895.16	42.35	3.38	38.97	54.00	-11.65	355	276 Average	Vertical

BLE_1M


Middle Channel (Horizontal) Peak



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m)

Date: 2023-12-20




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2348.11	54.00	16.08	37.92	74.00	-20.00	374	360	Peak	Horizontal	
2 *	2440.00	116.31	78.01	38.30	74.00	42.31	374	360	Peak	Horizontal	
3	2897.52	55.38	16.39	38.99	74.00	-18.62	374	360	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m)

Date: 2023-12-20




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2380.56	53.96	15.93	38.03	74.00	-20.04	367	97	Peak	Vertical	
2 *	2440.00	111.63	73.33	38.30	74.00	37.63	367	97	Peak	Vertical	
3	2814.33	56.01	17.36	38.65	74.00	-17.99	367	97	Peak	Vertical	

BLE_1M

Middle Channel (Horizontal) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read dBm	Level dBm	Factor	Limit dBm	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm		dBuV/m	dB	cm	deg			
1	2337.61	41.11	3.24	37.87		54.00	-12.89	374	360	Average	Horizontal	
2 *	2440.00	114.63	76.33	38.30		54.00	60.63	374	360	Average	Horizontal	
3	2899.06	42.34	3.35	38.99		54.00	-11.66	374	360	Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Read Level	Line Limit	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dB	cm	deg		
1	2320.27	41.05	3.28	37.77	54.00	-12.95	367	97 Average	Vertical
2	* 2440.00	109.91	71.61	36.30	54.00	55.91	367	97 Average	Vertical
3	2890.94	42.26	3.27	38.99	54.00	-11.74	367	97 Average	Vertical

BLE_1M

High Channel (Horizontal) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Head	Foot	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBm	dBuV	dBm	dBm	Limit	dB	cm	deg		
1	2343.39	54.45	16.56	37.89	74.00	-19.55	325	87	Peak	Horizontal	
2 *	2480.00	118.33	80.00	38.33	74.00	44.33	325	87	Peak	Horizontal	
3	2483.50	64.67	26.35	38.32	74.00	-9.33	325	87	Peak	Horizontal	





TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Head	Factor	Limit	Over	APos	TPos			
	Hz	dBu/m	dBu	dB/m	Line	Limit	dB	cm	deg	Remark	Pol/Phase
											Note
1	2323.45	54.10	16.31	37.79	74.00	-19.90	264	176	Peak		Vertical
2	2480.00	112.66	74.33	38.33	74.00	38.66	264	176	Peak		Vertical
3	2484.05	60.09	21.77	38.32	74.00	-13.91	264	176	Peak		Vertical

	Freq	Level	Read Level	Head Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2380.45	40.91	2.88	38.03	54.00	-13.09	264	176	Average	Vertical	
2	2480.00	110.99	72.66	38.33	54.00	56.99	264	176	Average	Vertical	
3	2483.50	47.04	8.72	38.32	54.00	-6.96	264	176	Average	Vertical	





BLE_2M


Middle Channel (Horizontal) Peak



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m)

Date: 2023-12-20




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2318.14	54.91	17.15	37.76	74.00	-19.09	293	280	Peak	Horizontal	
2 *	2440.00	121.07	82.77	38.30	74.00	47.07	293	280	Peak	Horizontal	
3	2656.68	56.56	17.96	38.60	74.00	-17.44	293	280	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m)

Date: 2023-12-20




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2387.88	55.00	16.94	38.06	74.00	-19.00	340	188	Peak	Vertical	
2 *	2440.00	115.27	76.97	38.30	74.00	41.27	340	188	Peak	Vertical	
3	2661.29	55.70	17.10	38.60	74.00	-18.30	340	188	Peak	Vertical	

BLE_2M

Middle Channel (Horizontal) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2375.96	42.29	4.28	38.01	54.00	-11.71	293	200	Average	Horizontal
2 *	2440.00	117.80	79.50	38.30	54.00	63.80	293	200	Average	Horizontal
3	2487.35	42.98	4.48	38.32	54.00	-11.20	293	200	Average	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2338.79	41.06	3.18	37.88	54.00	-12.94	340	188	Average	Vertical	
2	2440.00	110.60	72.30	38.30	54.00	56.60	340	188	Average	Vertical	
3	2899.29	42.38	3.39	38.99	54.00	-11.62	340	188	Average	Vertical	

BLE_2M

High Channel (Horizontal) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Head	Limit	Over	APos	TPos			
			Factor	Line	Limit			Remark	Pol/Phase	Note
	MHz	dBm	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2335.84	54.98	17.13	37.85	74.00	-19.02	356	280	Peak	Horizontal
2 *	2478.00	120.62	82.30	38.32	74.00	46.62	356	280	Peak	Horizontal
3	2484.05	63.14	24.82	38.32	74.00	-10.86	356	280	Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Head	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2311.89	54.49	16.76	37.73	74.00	-19.51	261	368	Peak	Vertical	
2	2478.00	114.88	76.56	38.32	74.00	-40.88	261	368	Peak	Vertical	
3	2484.29	59.01	20.69	38.32	74.00	-14.99	261	368	Peak	Vertical	

BLE_2M

High Channel (Horizontal) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Limit	Level Limit	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	2362.51	42.00	4.02	37.98	54.00	-12.00	356	280	Average	Horizontal
2 *	2478.00	115.84	77.52	38.32	54.00	61.84	356	280	Average	Horizontal
3	2483.50	51.125	12.93	38.32	54.00	-2.75	356	280	Average	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Line	Factor	Limit Over	Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2325.10	40.90	3.10	37.00	54.00	-13.10	261	360	Average	Vertical	
2	2478.00	110.21	71.89	30.32	54.00	56.21	261	360	Average	Vertical	
3	2483.50	47.27	8.95	30.32	54.00	-6.73	261	360	Average	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

BLE_1M

Middle Channel (Open) 9kHz~150kHz

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m) Date: 2024-02-20

Frequency (MHz)

	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.03	67.14	47.33	19.81	119.13	-51.99	100	49 Peak	Open	
2	0.03	46.11	26.30	19.81	118.05	-71.94	100	308 Peak	Open	
3	0.05	44.94	25.64	19.30	113.11	-68.17	100	269 Peak	Open	
4	0.06	42.25	23.46	18.79	111.72	-69.47	100	356 Peak	Open	
5	0.08	30.86	12.31	18.55	109.21	-78.35	100	245 Peak	Open	
6	0.12	30.00	11.33	18.67	105.71	-75.71	100	88 Peak	Open	

Middle Channel (Open) 150kHz~30MHz

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m) Date: 2024-02-20

Frequency (MHz)

	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.93	47.43	28.29	19.14	68.27	-20.84	100	160 Peak	Open	
2	1.85	41.08	22.06	19.02	69.50	-20.42	100	166 Peak	Open	
3	8.66	34.01	13.22	20.79	69.50	-35.49	100	86 Peak	Open	
4	11.70	35.39	13.82	21.57	69.50	-34.11	100	254 Peak	Open	
5	21.07	37.95	15.57	22.38	69.50	-31.55	100	304 Peak	Open	
6	25.31	37.31	14.30	23.01	69.50	-32.19	100	32 Peak	Open	


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

BLE_1M

Middle Channel (Horizontal)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Factor	Limit Line	Over Limit	APos	LPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB	dBuV/m	dB	cm	deg		
1	119.24	33.95	43.14	-9.19	43.50	-9.55	200	24 Peak	Horizontal	
2	240.49	33.11	39.68	-6.57	46.00	-12.09	200	19 Peak	Horizontal	
3	480.08	32.96	34.53	-1.63	46.00	-13.10	100	139 Peak	Horizontal	
4	962.68	37.58	37.18	0.32	46.00	-8.50	100	223 Peak	Horizontal	
5	888.45	40.95	38.58	4.68	46.00	-1.90	100	139 Peak	Horizontal	
6	106.23	49.58	44.07	5.51	54.00	-4.42	100	199 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level Factor	Limit Line	Over Limit	Apos	Tpos	Remark	Pol/Phase	Note
	Hz	dBu/mV	dBu	dB/mV	dB	cm	deg			
1	59.18	34.27	48.59	-6.32	48.00	-5.73	100	348 QP	Vertical	
2	119.24	39.13	48.32	-0.19	43.50	-4.37	100	50 QP	Vertical	
3	260.86	39.27	36.48	-6.13	46.00	-15.73	200	320 QP	Vertical	
4	480.88	40.36	35.99	-1.33	45.00	-11.64	100	161 Peak	Vertical	
5	592.68	33.82	33.82	0.32	46.00	-19.18	100	280 QP	Vertical	
6	960.23	44.84	39.63	5.51	54.00	-9.16	100	230 Peak	Vertical	


Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

BLE 1M

Low Channel (Horizontal)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.00	48.23	56.24	-8.01	74.00	-25.77	100	43 Peak	Horizontal	
2	4804.00	44.67	54.00	-9.33	54.00	-19.33	100	43 Average	Horizontal	
3	12010.00	48.09	49.72	1.77	74.00	-25.01	100	33 Peak	Horizontal	
4	12010.00	42.31	48.54	1.77	54.00	-11.69	100	33 Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.00	46.84	57.85	-8.01	74.00	-24.16	298	339 Peak	Vertical	
2	4804.00	46.47	57.85	-8.01	54.00	-29.16	299	339 Average	Vertical	
3	12010.00	48.39	46.62	1.77	74.00	-25.61	300	356 Peak	Vertical	
4	12010.00	41.56	39.79	1.77	54.00	-12.44	300	356 Average	Vertical	

BLE_1M

Middle Channel (Horizontal)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	NHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cc	deg		
1	4880.0	50.93	58.85	-7.92	74.00	-23.07	100	52 Peak	Horizontal	
2	4880.0	50.67	58.85	-8.18	74.00	-23.33	100	52 Average	Horizontal	
3	7320.0	48.61	52.17	-3.56	74.00	-27.19	100	46 Peak	Horizontal	
4	7320.0	48.00	53.56	-5.56	74.00	-26.00	100	46 Average	Horizontal	
5	12200.0	53.41	51.05	2.36	74.00	-20.59	100	327 Peak	Horizontal	
6	12200.0	54.87	52.80	2.07	74.00	-21.13	100	327 Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBu/mV	dB	dBu/mV	dB	cm	deg			
1	4898.00	50.76	58.68	-7.92	74.00	-23.24	301	183 Peak	Vertical	
2	4898.00	47.96	58.68	-12.72	54.00	-6.64	301	183 Peak	Vertical	
3	7328.00	44.91	49.87	-5.76	74.00	-29.49	301	368 Peak	Vertical	
4	7328.00	50.50	43.86	-5.36	54.00	-15.50	301	368 Average	Vertical	
5	12300.00	51.29	48.93	2.36	74.00	-22.71	301	368 Peak	Vertical	
6	12300.00	44.73	48.93	2.36	54.00	-27.27	301	368 Average	Vertical	

BLE_1M


High Channel (Horizontal)

TÜVRheinland

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m)

Date: 2024-01-22



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.00	51.61	59.40	-7.79	74.00	-22.39	100	341 Peak	Horizontal	
2	4960.00	49.27	57.06	-7.79	54.00	-4.73	100	341 Average	Horizontal	


High Channel (Vertical)

TÜVRheinland


TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m)

Date: 2024-01-22



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.00	51.50	59.29	-7.79	74.00	-22.50	300	285 Peak	Vertical	
2	4960.00	49.61	57.40	-7.79	54.00	-4.39	300	285 Average	Vertical	




BLE_2M

Middle Channel (Horizontal)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Limit	Over	Apos	Tpos			
	Hz	dBuV	dBm	Line	Limit		Remark	Pol/Phase	Note
	Hz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg	
1	4880.00	51.34	59.26	-7.92	74.00	-22.66	354	59 Peak	Horizontal
2	4880.00	42.79	50.71	-7.92	54.00	-11.21	354	59 Average	Horizontal
3	7320.00	49.09	54.45	-5.36	54.00	-21.00	100	41 Peak	Horizontal
4	7320.00	41.12	46.48	-5.36	54.00	-12.88	100	41 Average	Horizontal
5	12200.00	56.98	54.45	2.36	74.00	-17.00	100	40 Peak	Horizontal
6	12200.00	48.13	45.77	2.36	54.00	-5.87	100	40 Average	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	sd Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4880.0	51.44	59.36	-7.92	74.00	-22.56	300	164	Peak	Vertical	
2	4880.0	43.90	51.82	-7.92	54.00	-19.10	180	166	Average	Vertical	
3	7320.0	47.80	53.16	-5.36	74.00	-26.20	270	360	Peak	Vertical	
4	7320.0	38.60	43.96	-5.36	54.00	-15.40	270	360	Average	Vertical	
5	12200.0	53.72	54.20	-0.36	74.00	-20.28	280	360	Peak	Vertical	
6	12200.0	46.46	44.20	-2.36	54.00	-7.44	280	360	Average	Vertical	

BLE_2M

High Channel (Horizontal)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Band	Level Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	NHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4935.0	49.11	56.90	-7.79	74.00	-24.89	100	103 Average	Horizontal	
2	4956.0	41.34	49.13	-7.79	54.00	-12.66	100	63 Average	Horizontal	
3	7434.0	50.18	55.49	-5.39	74.00	-23.90	100	18 Peak	Horizontal	
4	7434.0	44.54	46.93	-5.39	54.00	-12.46	100	18 Average	Horizontal	
5	12390.0	53.04	54.90	-2.55	74.00	-20.90	100	74 Peak	Horizontal	
6	12390.0	41.18	41.59	-2.59	54.00	-9.82	100	339 Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Hz	dBu/mV	dBu/mV	dB/mV	dBu/mV	dB	cm	deg		
1	4956.00	50.67	58.66	-7.79	74.00	-23.33	180	183 Peak	Vertical	
2	4956.00	42.17	49.06	-6.89	54.00	-11.83	180	168 Average	Vertical	
3	7434.00	48.22	53.61	-5.39	74.00	-25.78	282	363 Peak	Vertical	
4	7434.00	41.15	46.54	-5.39	54.00	-12.85	282	368 Average	Vertical	
5	12390.00	50.85	58.66	-2.59	74.00	-23.33	180	183 Peak	Vertical	
6	12390.00	42.94	49.35	-2.59	54.00	-11.86	300	188 Average	Vertical	


Mains Conducted Emission, Tx Mode 150kHz ~ 30MHz

Worst Band

(Line)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1	Frequency (MHz)									
	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark	Pol/Phase	Note	
	MHz	dBuV	dBuV	dB	dBuV	dB				
1	0.17	24.28	14.66	9.62	55.05	-30.77	Average	line1		
2	0.17	41.35	31.73	9.62	65.05	-23.03	QP	line1		
3	0.17	32.12	22.59	9.63	50.47	-26.75	Average	line1		
4	0.37	37.44	27.81	9.63	58.47	-21.78	QP	line1		
5	1.25	21.80	12.16	9.64	46.00	-24.28	Average	line1		
6	1.25	26.82	16.38	9.64	56.00	-29.98	QP	line1		
7	3.13	8.88	-9.80	9.66	46.00	-37.17	Average	line1		
8	3.13	17.48	7.80	9.68	56.00	-38.52	QP	line1		
9	8.33	12.19	2.45	9.74	50.00	-37.81	Average	line1		
10	8.33	19.27	9.53	9.74	60.00	-40.73	QP	line1		
11	17.86	13.12	3.44	9.76	50.00	-36.76	Average	line1		
12	17.86	20.88	11.13	9.76	60.00	-39.11	QP	line1		

(Neutral)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace:	Frequency (MHz)									
	Freq		Read Level Factor		Limit		Over Limit Remark		Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB				
1	0.16	38.25	20.63	9.62	55.42	-25.17	Average		neutral	
2	0.16	45.98	36.28		62.52	-14.25	QP		neutral	
3	0.38	39.89	21.26	9.63	48.38	-17.45	Average		neutral	
4	0.38	34.15	24.52	6.63	58.38	-24.52	QP		neutral	
5	1.53	20.76	11.10	9.66	46.46	-25.24	Average		neutral	
6	1.53	24.77	15.11	9.66	56.00	-31.23	QP		neutral	
7	3.68	45.95	-0.64	9.65	48.38	-17.45	Average		neutral	
8	3.68	18.13	8.44	9.69	56.00	-37.87	QP		neutral	
9	9.58	10.85	0.26	9.79	58.00	-39.95	Average		neutral	
10	9.58	16.54	6.75	9.79	68.00	-43.46	QP		neutral	
11	22.92	10.80	-5.21	9.87	68.00	-39.95	Average		neutral	
12	22.92	9.80	10.93	9.87	68.00	-39.92	QP		neutral	