



REPORT No.: SZ22100134S01

RF EXPOSURE EVALUATION REPORT

APPLICANT : Xingtera Inc.
PRODUCT NAME : Xingtera IP Camera Series
MODEL NAME : XTEE50216, XTEE51216
BRAND NAME : Xingtera
FCC ID : 2AWQ9-XTEE50216
STANDARD(S) : FCC 47 CFR Part 2(2.1091)
RECEIPT DATE : 2022-03-10
TEST DATE : 2022-03-15 to 2022-05-13
ISSUE DATE : 2022-11-29

Edited by:

Xie Yiyun
Xie Yiyun (Rapporteur)

Approved by:

Shen Junsheng
Shen Junsheng (Supervisor)

NOTE: This document is issued by Shenzhen Morlab Communications Technology Co., Ltd., the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen, Guangdong Province, P. R. China

Tel: 86-755-36698555

Http://www.morlab.cn

Fax: 86-755-36698525

E-mail: service@morlab.cn





DIRECTORY

1. Technical Information	3
1.1 Applicant and Manufacturer Information	3
1.2 Equipment under Test (EUT) Description	3
1.3 Applied Reference Documents	4
2. Device Category and RF Exposure Limit	5
3. RF Output Power	6
4. RF Exposure Assessment	6
Annex A General Information	8

Change History		
Version	Date	Reason for Change
1.0	2022-11-29	First edition



1. Technical Information

Note: Provide by applicant.

1.1 Applicant and Manufacturer Information

Applicant:	Xingtera Inc.
Applicant Address:	4633 Old Ironsides Dr, Suite 460, Santa Clara, California, USA, 95054
Manufacturer:	Xiamen Four-Faith Communication Technology Co., Ltd.
Manufacturer Address:	11th Floor, A-06 Area, No.370, Chengyi Street, Jimei District, Xiamen City, Fujian Province, China

1.2 Equipment under Test (EUT) Description

Product Name:	Xingtera IP Camera Series	
EUT No.:	N/A	
Hardware Version:	V1.0.1.0	
Software Version:	FFIPC_11.1.0.6-r29	
Frequency Bands:	LTE Band 2: 1850 MHz ~ 1910 MHz LTE Band 4: 1710 MHz ~ 1755 MHz LTE Band 48: 3550 MHz ~ 3700 MHz	
Modulation Mode:	LTE: QPSK, 16QAM, 64QAM, 256QAM	
Antenna Type:	Fixed External Antenna	
Antenna Gain:	Frequency Bands	Antenna Gain (dBi)
	LTE Band 2	2.42
	LTE Band 4	0.75
	LTE Band 48	3.49

Note:

1. This report was updated based on the original report SZ22090060S01, Model: F-SC241, both of them are different from applicant information, product name, brand name, model name and FCC ID.
2. There are two models XTEE50216 and XTEE51216 in this report, both of them are different from software function, XTEE51216 software support AI process function.
3. When the test result is a critical value, we will use the measurement uncertainty give the judgment result based on the 95% confidence intervals.



1.3 Applied Reference Documents

Leading reference documents for testing:

Identity	Document Title	Method determination /Remark
FCC 47 CFR Part 2(2.1091)	Radio Frequency Radiation Exposure Assessment: mobile devices	No deviation
KDB 447498 D01v06	General RF Exposure Guidance	No deviation
Note 1: The test item is not applicable. Note 2: Additions to, deviation, or exclusions from the method shall be judged in the "method determination" column of add, deviate or exclude from the specific method shall be explained in the "Remark" of the above table.		

2. Device Category and RF Exposure Limit

Per user manual, Based on 47CFR 2.1091, this device belongs to mobile device category with General Population/Uncontrolled exposure.

Mobile Devices:

47CFR 2.1091(b)

For purposes of this section, a mobile device is defined as a transmitting device designed to be used in other than fixed locations and to generally be used in such a way that a separation distance of at least 20 centimeters is normally maintained between the transmitter's radiating structure(s) and the body of the user or nearby persons. In this context, the term "fixed location" means that the device is physically secured at one location and is not able to be easily moved to another location. Transmitting devices designed to be used by consumers or workers that can be easily re-located, such as wireless devices associated with a personal computer, are considered to be mobile devices if they meet the 20 centimeter separation requirement.

General Population/Uncontrolled Exposure:

The general population/uncontrolled exposure limits are applicable to situations in which the general public may be exposed or in which persons who are exposed as a consequence of their employment may not be made fully aware of the potential for exposure or cannot exercise control over their exposure. Members of the general public would come under this category when exposure is not employment-related; for example, in the case of a wireless transmitter that exposes persons in its vicinity. Warning labels placed on low-power consumer devices such as cellular telephones are not considered sufficient to allow the device to be considered under the occupational/controlled category, and the general population/uncontrolled exposure limits apply to these devices.

Table 1—Limits for Maximum Permissible Exposure (MPE)

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm ²)	Averaging time (minutes)
(B) Limits for General Population/Uncontrolled Exposure				
0.3-1.34	614	1.63	*(100)	30
1.34-30	824/f	2.19/f	*(180/f ²)	30
30-300	27.5	0.073	0.2	30
300-1500	-	-	f/1500	30
1500-100,000	-	-	1.0	30

f = frequency in MHz* = Plane-wave equivalent power density

3. RF Output Power

➤ Maximum Output Power

Frequency Bands	Frequency (MHz)	Conducted Power (dBm)
LTE Band 2	1880	25.0
LTE Band 4	1710.7	25.0
LTE Band 48	3697.5	23.0

Note: The test results of all conducted test items please refer to the module FCC test report (FCC ID: ZMOFM160NA, Report No: DSS_SUZR20221002201), which issued on May 16,2022 by SGS-CSTC Standards Technical Services (Suzhou)Co.,Ltd. and the module FCC test report (FCC ID: ZMOFM160NA, Report No: FYCR220400010001), which issued on May 20,2022 by Compliance Certification Services (Kunshan) Inc. Shenzhen Branch. We only recorded the output power test result in this report.

4. RF Exposure Assessment

➤ Standalone Transmission Assessment

Bands	Frequency (MHz)	Tune-up Power (dBm)	Antenna Gain (dBi)	EIRP (mW)	PD (mW/cm ²)	Limit Value (mW/cm ²)
LTE Band 2	1880	25.0	2.42	552.08	0.110	1.0
LTE Band 4	1710.7	25.0	0.75	375.84	0.075	1.0
LTE Band 48	3697.5	23.0	3.49	445.66	0.089	1.0

Note:

1. According to KDB 447498, MPE assessment is based on source-based time-averaged maximum conducted output power of the RF channel requiring assessment, adjusted for tune-up tolerance, and the minimum test separation distance required for the exposure conditions.
2. MPE calculate method

$$S = PG/4\pi R^2$$

Where: S= Power density (in appropriate units, e.g. mW/cm²)

P = Time-average maximum tune-up power (in appropriate units, e.g. dBm)

G = numeric gain of the antenna (in appropriate units, e.g. dBi)

R = Separation distance to the centre of radiation of the antenna (20cm)



3. Declaration of Conformity

The output power test results in the report are provided by the manufacturer, and the test laboratory is not responsible for the accuracy of the information.

➤ **Simultaneous Transmission Assessment**

This device only incorporates a WWAN transmitter, therefore simultaneous assessment is not required.

➤ **Conclusion**

According to FCC 47 CFR Part 2(2.1091), this device complies with human exposure basic restrictions.



Annex A General Information

1. Identification of the Responsible Testing Laboratory

Laboratory Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Laboratory Address:	FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China
Telephone:	+86 755 36698555
Facsimile:	+86 755 36698525

2. Identification of the Responsible Testing Location

Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Address:	FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China

3. Facilities and Accreditations

The FCC designation number is CN1192, the test firm registration number is 226174.

_____ END OF REPORT _____