

For Occupied Bandwidth Part:

Test Mode	Test Channel	Verdict
11a	5180	PASS

Spectrum Analyzer 1
Occupied BW

+

Settings

KEYSIGHT

Input: RF

Coupling DC

Align: Auto

Input Z: 50 Ω

Atten: 30 dB

Trig: Free Run

Center Freq: 5.18000000 GHz

Corrections: Off

Preamp: Off

Gate: Off

Avg/Hold: 100/100

Freq Ref: Int (S)

#IF Gain: Low

Radio Std: None

1 Graph

Scale/Div 10.0 dB

Log

Ref Lvl Offset 10.12 dB

Ref Value 20.00 dBm

Mkr1 5.1756 GHz

6.49 dBm

Center 5.18 GHz

#Video BW 1.3000 MHz

Span 40 MHz

#Res BW 430.00 kHz

Sweep Time 1.33 ms (10001 pts)

2 Metrics

Occupied Bandwidth

17.045 MHz

Total Power

19.3 dBm

Transmit Freq Error

-39.578 kHz

% of OBW Power

99.00 %

x dB Bandwidth

23.71 MHz

x dB

-26.00 dB

Nov 16, 2024

2:47:59 PM

Frequency

Center Frequency

5.18000000 GHz

Span

40.000 MHz

CF Step

4.000000 MHz

Auto

Man

Freq Offset

0 Hz

Test Mode	Test Channel	Verdict
11a	5200	PASS

Spectrum Analyzer 1
Occupied BW

KEYSIGHT

Input: RF
Coupling: DC
Align: Auto

Input Z: 50 Ω
Corrections: Off
Freq Ref: Int (S)

Atten: 30 dB
Preamp: Off

Trig: Free Run
Gate: Off
#IF Gain: Low

Center Freq: 5.20000000 GHz
Avg/Hold: 100/100
Radio Std: None

1 Graph

Scale/Div 10.0 dB

Log

Ref Lvl Offset 10.12 dB
Ref Value 20.00 dBm

Mkr1 5.1954 GHz
6.20 dBm

Center 5.2 GHz
#Res BW 430.00 kHz

#Video BW 1.3000 MHz

Span 40 MHz
Sweep Time 1.33 ms (10001 pts)

2 Metrics

Occupied Bandwidth
17.097 MHz

Total Power
18.6 dBm

Transmit Freq Error
-24.704 kHz

% of OBW Power
99.00 %

x dB Bandwidth
24.41 MHz

x dB
-26.00 dB

Nov 16, 2024
2:50:03 PM

Frequency


Center Frequency
5.200000000 GHz


Span
40.000 MHz

CF Step
4.000000 MHz

Auto
Man

Freq Offset
0 Hz

Test Mode	Test Channel	Verdict
11a	5240	PASS
 <p>Spectrum Analyzer 1 KEYSIGHT Input: RF Input Z: 50 Ω Atten: 30 dB Trig: Free Run Center Freq: 5.24000000 GHz R/L → Coupling: DC Corrections: Off Freq Ref: Int (S) Preamp: Off Gate: Off Avg/Hold: 100/100 Radio Std: None Align: Auto 1 Graph Ref Lvl Offset 10.12 dB Mkr1 5.2354 GHz 6.45 dBm Scale/Div 10.0 dB Log 10.0 Center 5.24 GHz #Video BW 1.3000 MHz Span 40 MHz #Res BW 430.00 kHz Sweep Time 1.33 ms (10001 pts) 2 Metrics Occupied Bandwidth 17.002 MHz Total Power 18.2 dBm Transmit Freq Error -59.432 kHz % of OBIW Power 99.00 % x dB Bandwidth 23.47 MHz x dB -26.00 dB Nov 16, 2024 2:52:03 PM</p>		

Test Mode	Test Channel	Verdict
11a	5260	PASS
 <p>Spectrum Analyzer 1 KEYSIGHT Input: RF Input Z: 50 Ω Atten: 30 dB Trig: Free Run Center Freq: 5.26000000 GHz R/L → Coupling: DC Corrections: Off Freq Ref: Int (S) Preamp: Off Gate: Off Avg/Hold: 100/100 Radio Std: None Align: Auto 1 Graph Ref Lvl Offset 10.12 dB Mkr1 5.2527 GHz 5.74 dBm Scale/Div 10.0 dB Log 10.0 Center 5.26 GHz #Video BW 1.3000 MHz Span 40 MHz #Res BW 430.00 kHz Sweep Time 1.33 ms (10001 pts) 2 Metrics Occupied Bandwidth 17.032 MHz Total Power 18.5 dBm Transmit Freq Error -21.330 kHz % of OBIW Power 99.00 % x dB Bandwidth 22.92 MHz x dB -26.00 dB Nov 16, 2024 2:54:02 PM</p>		

Test Mode	Test Channel	Verdict
11a	5280	PASS
<div><div><div><div><div>Spectrum Analyzer 1</div><div>Occupied BW</div></div><div><div><div>KEYSIGHT</div><div>Input: RF</div><div>Coupling: DC</div><div>Align: Auto</div></div><div><div>Input Z: 50 Ω</div><div>Corrections: Off</div><div>Freq Ref: Int (S)</div></div><div><div>Atten: 30 dB</div><div>Preamp: Off</div><div></div></div><div><div>Trig: Free Run</div><div>Gate: Off</div><div>#IF Gain: Low</div></div><div><div>Center Freq: 5.280000000 GHz</div><div>Avg/Hold: 100/100</div><div>Radio Std: None</div></div></div></div><div><div>1 Graph</div><div>Scale/Div 10.0 dB</div><div>Log</div><div>Ref Lvl Offset 10.19 dB</div><div>Ref Value 20.00 dBm</div><div>Mkr1 5.2868 GHz</div><div>5.36 dBm</div><div>Center 5.28 GHz</div><div>#Res BW 430.00 kHz</div><div>#Video BW 1.3000 MHz</div><div>Sweep Time 1.33 ms (10001 pts)</div><div>Span 40 MHz</div></div><div><div>2 Metrics</div><div>Occupied Bandwidth</div><div>17.043 MHz</div><div>Transmit Freq Error</div><div>-14.833 kHz</div><div>x dB Bandwidth</div><div>21.45 MHz</div><div>Total Power</div><div>18.5 dBm</div><div>% of OBIW Power</div><div>99.00 %</div><div>x dB</div><div>-26.00 dB</div></div></div><div><div>Settings</div><div>Center Frequency</div><div>5.280000000 GHz</div><div>Span</div><div>40.000 MHz</div><div>CF Step</div><div>4.0000000 MHz</div><div>Auto</div><div>Man</div><div>Freq Offset</div><div>0 Hz</div></div></div> <div><div>Nov 16, 2024</div><div>2:56:27 PM</div></div>		

Test Mode	Test Channel	Verdict
11a	5320	PASS

Spectrum Analyzer 1
Occupied BW

KEYSIGHT

Input: RF
Coupling: DC
Align: Auto

Input Z: 50 Ω
Corrections: Off
Freq Ref: Int (S)

Atten: 30 dB
Preamp: Off

Trig: Free Run
Gate: Off
#F Gain: Low

Center Freq: 5.320000000 GHz
Avg/Hold: 100/100
Radio Std: None

1 Graph

Scale/Div 10.0 dB

Log

10.0
0.0
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
-70.0

Ref Lvl Offset 10.19 dB
Ref Value 20.00 dBm

Mkr1 5.3159 GHz
5.36 dBm

Center 5.32 GHz
#Res BW 430.00 kHz

#Video BW 1.3000 MHz

Span 40 MHz
Sweep Time 1.33 ms (10001 pts)

2 Metrics

Occupied Bandwidth

16.997 MHz

Total Power

18.0 dBm

Transmit Freq Error

-27.682 kHz

% of OBIW Power

99.00 %


x dB Bandwidth


20.22 MHz

x dB

-26.00 dB

<

Test Mode	Test Channel	Verdict
11a	5500	PASS
		

Test Mode	Test Channel	Verdict
11a	5580	PASS
		

Test Mode	Test Channel	Verdict
11a	5700	PASS
<div><div><div><div><div>Spectrum Analyzer 1</div><div>Occupied BW</div></div><div><div><div>KEYSIGHT</div><div>Input: RF</div><div>Coupling: DC</div><div>Align: Auto</div></div><div><div>Input Z: 50 Ω</div><div>Corrections: Off</div><div>Freq Ref: Int (S)</div></div><div><div>Atten: 30 dB</div><div>Preamp: Off</div><div></div></div><div><div>Trig: Free Run</div><div>Gate: Off</div><div>#IF Gain: Low</div></div><div><div>Center Freq: 5.700000000 GHz</div><div>Avg/Hold: 100/100</div><div>Radio Std: None</div></div></div></div><div><div>Frequency</div><div>Settings</div><div>Center Frequency</div><div>5.700000000 GHz</div><div>Span</div><div>40.000 MHz</div><div>CF Step</div><div>4.0000000 MHz</div><div>Auto</div><div>Man</div><div>Freq Offset</div><div>0 Hz</div></div></div><div><div>1 Graph</div><div>Ref Lvl Offset 10.53 dB</div><div>Mkr1 5.6954 GHz</div><div>Scale/Div 10.0 dB</div><div>Ref Value 20.00 dBm</div><div>4.86 dBm</div><div>Log</div><div>10.0</div><div>-10.0</div><div>-20.0</div><div>-30.0</div><div>-40.0</div><div>-50.0</div><div>-60.0</div><div>-70.0</div><div>Center 5.7 GHz</div><div>#Video BW 1.3000 MHz</div><div>Span 40 MHz</div><div>#Res BW 430.00 kHz</div><div>Sweep Time 1.33 ms (10001 pts)</div></div><div><div>2 Metrics</div><div>Occupied Bandwidth</div><div>17.019 MHz</div><div>Total Power</div><div>17.7 dBm</div><div>Transmit Freq Error</div><div>-34.156 kHz</div><div>% of OBIW Power</div><div>99.00 %</div><div>x dB Bandwidth</div><div>20.86 MHz</div><div>x dB</div><div>-26.00 dB</div></div><div><div>Nov 16, 2024</div><div>3:06:18 PM</div></div></div>		

Test Mode	Test Channel	Verdict
11a	5720	PASS
<div><div><div><div><div>Spectrum Analyzer 1</div><div>Occupied BW</div></div><div><div><div>KEYSIGHT</div><div>Input: RF</div><div>Coupling: DC</div><div>Align: Auto</div></div><div><div>Input Z: 50 Ω</div><div>Corrections: Off</div><div>Freq Ref: Int (S)</div></div><div><div>Atten: 30 dB</div><div>Preamp: Off</div><div></div></div><div><div>Trig: Free Run</div><div>Gate: Off</div><div>#IF Gain: Low</div></div><div><div>Center Freq: 5.720000000 GHz</div><div>Avg/Hold: 100/100</div><div>Radio Std: None</div></div></div></div><div><div>1 Graph</div><div>Scale/Div 10.0 dB</div><div>Log</div><div>Ref Lvl Offset 10.27 dB</div><div>Ref Value 20.00 dBm</div><div>Mkr1 5.7153 GHz</div><div>5.10 dBm</div><div>Center 5.72 GHz</div><div>#Res BW 430.00 kHz</div><div>#Video BW 1.3000 MHz</div><div>Sweep Time 1.33 ms (10001 pts)</div><div>Span 40 MHz</div></div><div><div>2 Metrics</div><div>Occupied Bandwidth</div><div>17.024 MHz</div><div>Total Power</div><div>17.2 dBm</div><div>Transmit Freq Error</div><div>-67.283 kHz</div><div>% of OBIW Power</div><div>99.00 %</div><div>x dB Bandwidth</div><div>20.23 MHz</div><div>x dB</div><div>-26.00 dB</div></div></div><div><div>Frequency</div><div>Settings</div><div>Center Frequency</div><div>5.720000000 GHz</div><div>Span</div><div>40.000 MHz</div><div>CF Step</div><div>4.0000000 MHz</div><div>Auto</div><div>Man</div><div>Freq Offset</div><div>0 Hz</div></div></div>		

Test Mode	Test Channel	Verdict
11a	5745	PASS

Spectrum Analyzer 1
Occupied BW

KEYSIGHT

Input: RF

Coupling DC

Align Auto

Input Z: 50 Ω

Corrections: Off

Freq Ref: Int (S)

Atten: 30 dB

Preamp: Off

Trig: Free Run

Gate: Off

#F Gain: Low

Center Freq: 5.74500000 GHz

Avg/Hold: 100/100

Radio Std: None

1 Graph

Scale/Div 10.0 dB

Log

Ref Lvl Offset 10.27 dB

Ref Value 20.00 dBm

Mkr1 5.7492 GHz

5.56 dBm

Center 5.745 GHz

#Video BW 1.3000 MHz

Span 40 MHz

#Res BW 430.00 kHz

Sweep Time 1.33 ms (10001 pts)

2 Metrics

Occupied Bandwidth

17.131 MHz

Total Power

18.2 dBm

Transmit Freq Error

-59.763 kHz

% of OBIW Power

99.00 %

x dB Bandwidth

28.52 MHz

x dB

-26.00 dB

Frequency

Settings

Center Frequency

5.74500000 GHz

Span

40.000 MHz

CF Step

4.000000 MHz

Auto

Man

Freq Offset

0 Hz

Nov 16, 2024

3:12:10 PM

Test Mode	Test Channel	Verdict
11a	5785	PASS

Spectrum Analyzer 1
Occupied BW

KEYSIGHT

Input: RF
R/L →

Coupling: DC
Align: Auto

Input Z: 50 Ω
Corrections: Off
Freq Ref: Int (S)

Atten: 30 dB
Preamp: Off

Trig: Free Run
Gate: Off
#F Gain: Low

Center Freq: 5.78500000 GHz
Avg/Hold: 100/100
Radio Std: None

1 Graph

Scale/Div 10.0 dB

Log

Ref Lvl Offset 10.27 dB
Ref Value 20.00 dBm

Mkr1 5.7886 GHz
5.56 dBm

Center 5.785 GHz
#Res BW 430.00 kHz

#Video BW 1.3000 MHz

Sweep Time 1.33 ms (10001 pts)

Span 40 MHz

2 Metrics

Occupied Bandwidth

17.104 MHz

Total Power

18.8 dBm

Transmit Freq Error

-33.174 kHz

% of OBIW Power

99.00 %

x dB Bandwidth

25.62 MHz

x dB

-26.00 dB

Frequency

Settings

Center Frequency

5.785000000 GHz

Span

40.000 MHz

CF Step

4.000000 MHz


Auto


Man


Freq Offset


0 Hz


Nov 16, 2024
3:14:51 PM


Test Mode	Test Channel	Verdict
11a	5825	PASS
		

Test Mode	Test Channel	Verdict
11ac VHT20	5180	PASS
		

Test Mode	Test Channel	Verdict
11ac VHT20	5200	PASS
 <p>The screenshot displays the Keysight Spectrum Analyzer 1 interface. The main plot shows a signal at 5.1951 GHz with a peak level of 5.34 dBm. The reference level is set to 20.00 dBm. The center frequency is 5.20000000 GHz, and the span is 40.000 MHz. The resolution bandwidth (Res BW) is 430.00 kHz, and the video bandwidth (Video BW) is 1.3000 MHz. The sweep time is 1.33 ms. The interface also shows various settings like Input Z, Atten, and Trig. The bottom status bar indicates the date and time as Nov 16, 2024, 3:21:48 PM.</p>		

Test Mode	Test Channel	Verdict
11ac VHT20	5240	PASS
 <p>The screenshot displays the Keysight Spectrum Analyzer 1 interface. The main plot shows a signal at 5.2360 GHz with a peak level of 5.52 dBm. The reference level is set to 20.00 dBm. The center frequency is 5.24000000 GHz, and the span is 40.000 MHz. The resolution bandwidth (Res BW) is 430.00 kHz, and the video bandwidth (Video BW) is 1.3000 MHz. The sweep time is 1.33 ms. The interface also shows various settings like Input Z, Atten, and Trig. The bottom status bar indicates the date and time as Nov 16, 2024, 3:23:49 PM.</p>		

Test Mode	Test Channel	Verdict
11ac VHT20	5260	PASS
		

Test Mode	Test Channel	Verdict
11ac VHT20	5280	PASS
		

Test Mode	Test Channel	Verdict
11ac VHT20	5320	PASS

Spectrum Analyzer 1
Occupied BW

KEYSIGHT

Input: RF

Coupling DC

Align: Auto

Input Z: 50 Ω

Corrections: Off

Freq Ref: Int (S)

Atten: 30 dB

Preamp: Off

Trig: Free Run

Gate: Off

#F Gain: Low

Center Freq: 5.32000000 GHz

Avg/Hold: 100/100

Radio Std: None

1 Graph

Scale/Div 10.0 dB

Log

10.0

0.00

-10.0

-20.0

-30.0

-40.0

-50.0

-60.0

-70.0

Ref Lvl Offset 10.19 dB

Ref Value 20.00 dBm

Mkr1 5.3164 GHz

5.06 dBm

Center 5.32 GHz

#Video BW 1.3000 MHz

Span 40 MHz

#Res BW 430.00 kHz

Sweep Time 1.33 ms (10001 pts)

2 Metrics

Occupied Bandwidth

17.953 MHz

Total Power

17.8 dBm

Transmit Freq Error

-40.951 kHz

% of OBW Power

99.00 %

x dB Bandwidth

20.71 MHz

x dB

-26.00 dB

Nov 16, 2024

3:32:19 PM

Frequency

Settings

Center Frequency

5.320000000 GHz

Span

40.000 MHz

CF Step

4.0000000 MHz

Auto

Man

Freq Offset

0 Hz

Test Mode	Test Channel	Verdict
11ac VHT20	5500	PASS

Spectrum Analyzer 1
Occupied BW

KEYSIGHT

Input: RF
R/L →

Coupling: DC
Align: Auto

Input Z: 50 Ω
Corrections: Off
Freq Ref: Int (S)

Atten: 30 dB
Preamp: Off

Trig: Free Run
Gate: Off
#F Gain: Low

Center Freq: 5.50000000 GHz
Avg/Hold: 100/100
Radio Std: None

1 Graph

Scale/Div 10.0 dB

Log

10.0
0.0
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
-70.0

Ref Lvl Offset 10.64 dB
Ref Value 20.00 dBm

Mkr1 5.4930 GHz
5.40 dBm

Center 5.5 GHz
#Res BW 430.00 kHz

#Video BW 1.3000 MHz

Span 40 MHz
Sweep Time 1.33 ms (10001 pts)

2 Metrics

Occupied Bandwidth
17.933 MHz

Total Power
18.5 dBm

Transmit Freq Error
-53.044 MHz

% of OBIW Power
99.00 %

x dB Bandwidth
20.84 MHz

x dB
-26.00 dB

Frequency

Settings

Center Frequency
5.500000000 GHz


Span
40.000 MHz


CF Step
4.0000000 MHz


Auto
Man


Freq Offset
0 Hz

Nov 16, 2024
3:34:17 PM

Test Mode	Test Channel	Verdict
11ac VHT20	5580	PASS
 <p>Spectrum Analyzer 1 KEYSIGHT Input: RF Input Z: 50 Ω Atten: 30 dB Trig: Free Run Center Freq: 5.58000000 GHz R/L → Coupling: DC Corrections: Off Freq Ref: Int (S) Preamp: Off Gate: Off Avg/Hold: 100/100 Radio Std: None Align: Auto 1 Graph Scale/Div: 10.0 dB Log Ref Lvl Offset: 10.64 dB Mkr1: 5.5721 GHz 5.37 dBm Center: 5.58 GHz #Video BW: 1.3000 MHz Span: 40 MHz #Res BW: 430.00 kHz Sweep Time: 1.33 ms (10001 pts) 2 Metrics Occupied Bandwidth: 17.931 MHz Total Power: 18.1 dBm Transmit Freq Error: -58.729 kHz % of OBIW Power: 99.00 % x dB Bandwidth: 21.57 MHz x dB: -26.00 dB</p>		

Test Mode	Test Channel	Verdict
11ac VHT20	5700	PASS
 <p>Spectrum Analyzer 1 KEYSIGHT Input: RF Input Z: 50 Ω Atten: 30 dB Trig: Free Run Center Freq: 5.70000000 GHz R/L → Coupling: DC Corrections: Off Freq Ref: Int (S) Preamp: Off Gate: Off Avg/Hold: 100/100 Radio Std: None Align: Auto 1 Graph Scale/Div: 10.0 dB Log Ref Lvl Offset: 10.53 dB Mkr1: 5.6967 GHz 4.69 dBm Center: 5.7 GHz #Video BW: 1.3000 MHz Span: 40 MHz #Res BW: 430.00 kHz Sweep Time: 1.33 ms (10001 pts) 2 Metrics Occupied Bandwidth: 17.939 MHz Total Power: 17.5 dBm Transmit Freq Error: -54.620 kHz % of OBIW Power: 99.00 % x dB Bandwidth: 20.84 MHz x dB: -26.00 dB</p>		

Test Mode	Test Channel	Verdict
11ac VHT20	5720	PASS
		

Test Mode	Test Channel	Verdict
11ac VHT20	5745	PASS
		

Test Mode	Test Channel	Verdict
11ac VHT20	5785	PASS
<div><div><div><div><div>Spectrum Analyzer 1</div><div>Occupied BW</div></div><div><div><div>+</div></div><div><div>KEYSIGHT</div><div>Input: RF</div><div>Coupling: DC</div><div>Align: Auto</div></div><div><div>Input Z: 50 Ω</div><div>Corrections: Off</div><div>Freq Ref: Int (S)</div></div><div><div>Atten: 30 dB</div><div>Preamp: Off</div><div></div></div><div><div>Trig: Free Run</div><div>Gate: Off</div><div>#F Gain: Low</div></div><div><div>Center Freq: 5.785000000 GHz</div><div>Avg/Hold: 100/100</div><div>Radio Std: None</div></div></div></div><div><div>1 Graph</div><div>Scale/Div: 10.0 dB</div><div>Log</div><div>Ref Lvl Offset: 10.27 dB</div><div>Ref Value: 20.00 dBm</div><div>Mkr1: 5.7889 GHz</div><div>5.51 dBm</div><div>Center: 5.785 GHz</div><div>#Res BW: 430.00 kHz</div><div>#Video BW: 1.3000 MHz</div><div>Span: 40 MHz</div><div>Sweep Time: 1.33 ms (10001 pts)</div><div>2 Metrics</div><div><div>Occupied Bandwidth</div><div>17.989 MHz</div><div>Transmit Freq Error</div><div>-30.419 kHz</div><div>x dB Bandwidth</div><div>29.00 MHz</div><div>Total Power</div><div>18.8 dBm</div><div>% of OBIW Power</div><div>99.00 %</div><div>x dB</div><div>-26.00 dB</div></div></div><div><div>Frequency</div><div>Settings</div><div><div>Center Frequency</div><div>5.785000000 GHz</div><div>Span</div><div>40.000 MHz</div><div>CF Step</div><div>4.0000000 MHz</div><div><div>Auto</div><div>Man</div></div><div>Freq Offset</div><div>0 Hz</div></div></div></div><div><div>Nov 16, 2024</div><div>3:47:35 PM</div></div></div>		

Test Mode	Test Channel	Verdict
11ac VHT20	5825	PASS

Spectrum Analyzer 1
Occupied BW

KEYSIGHT

Input: RF

Coupling DC

Align: Auto

Input Z: 50 Ω

Corrections: Off

Freq Ref: Int (S)

Atten: 30 dB

Preamp: Off

Trig: Free Run

Gate: Off

#F Gain: Low

Center Freq: 5.825000000 GHz

Avg/Hold: 100/100

Radio Std: None

1 Graph

Scale/Div 10.0 dB

Log

Ref Lvl Offset 10.36 dB

Ref Value 20.00 dBm

Mkr1 5.8216 GHz

4.83 dBm

Center 5.825 GHz

#Res BW 430.00 kHz

#Video BW 1.3000 MHz

Span 40 MHz

Sweep Time 1.33 ms (10001 pts)

2 Metrics

Occupied Bandwidth

18.053 MHz

Total Power

18.2 dBm

Transmit Freq Error

-48.300 kHz

% of OBIW Power

99.00 %

x dB Bandwidth

30.94 MHz

x dB

-26.00 dB

Nov 16, 2024

3:50:05 PM

Frequency

Settings

Center Frequency

5.825000000 GHz

Span

40.000 MHz

CF Step

4.0000000 MHz

Auto

Man

Freq Offset

0 Hz