

## Test Mode: LTE Band 7 Channel Bandwidth: 15MHz




## QPSK




# Test Mode: LTE Band 7 Channel Bandwidth: 20MHz




## QPSK




## Test Mode: LTE Band 12 Channel Bandwidth: 1.4MHz




## QPSK



## Test Mode: LTE Band 12 Channel Bandwidth: 3MHz




## QPSK




## Test Mode: LTE Band 12 Channel Bandwidth: 5MHz



## QPSK



## Test Mode: LTE Band 12 Channel Bandwidth: 10MHz



## **QPSK**



## Test Mode: LTE Band 41 Channel Bandwidth: 5MHz



## QPSK




## Test Mode: LTE Band 41 Channel Bandwidth: 10MHz



## **QPSK**





16-QAM 16-QAM

Note: All bandwidth and modulation are tested, only the worst results are reported.

## 4.6 MODULATION CHARACTERISTIC

According to FCC § 2.1047(d), Part 24E & Part 27 there is no specific requirement for digital modulation, therefore modulation characteristic is not presented.

According to RSS-130, RSS-132, RSS-133, RSS-139, RSS-199 the equipment certified under these standards shall employ digital modulation, but there is no specific requirement for digital modulation, therefore modulation characteristic is not presented.


## 4.7 Out of band emission at antenna terminals

Test Requirement:	FCC part22.913(a), FCC part24.238(a), FCC part27.53(h) and FCC part27.53(m), FCC part90.691, RSS-130 (4.7), RSS-132 (5.5), RSS-133 (6.5), RSS-139(6.6) and RSS-199(4.5)
Test Method:	ANSI C63.26:2015
Limit:	-13dBm
	Band 7/41: -25dBm
Test setup:	EUT Splitter Communication Tester  Filter  SPA
	Note: Measurement setup for testing on Antenna connector
Test Procedure:	<ol> <li>The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation.</li> <li>The resolution bandwidth of the spectrum analyzer was set at 1MHz, sufficient scans were taken to show the out of band Emissions if any up to 10th harmonic.</li> </ol>
	For the out of band: Set the RBW=1MHz, VBW = 3MHz, Start=30MHz, Stop= 10th harmonic.
	4 Band Edge Requirements: In the 1 MHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 1 percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to measure the out of band Emissions.
Test Instruments:	Refer to section 3 for details
Test mode:	Refer to section 4.1 for details
Test results:	Pass

Test plot as follows:

## **Conducted Spurious Emission:**

## Test Mode: LTE Band 2 / 1.4MHz /1RB




Test Mode: LTE Band 2 / 1.4MHz /6 RB





Lowest channel





Middle channel






Highest channel

## Test Mode: LTE Band 2 / 3MHz /1RB




Test Mode: LTE Band 2 / 3MHz /15RB




Lowest channel





Middle channel





Highest channel


## Test Mode: LTE Band 2 / 5MHz /1RB


## Test Mode: LTE Band 2 / 5MHz /25RB






Lowest channel





Middle channel






Highest channel









Lowest channel





Middle channel





Highest channel


## Test Mode: LTE Band 2 / 15MHz /1RB

## Test Mode: LTE Band 2 / 15MHz /75RB







## Lowest channel





#### Middle channel





Highest channel


## Test Mode: LTE Band 2 / 20MHz /1RB


## Test Mode: LTE Band 2 / 20MHz /100RB





Lowest channel





Middle channel





Highest channel


## Test Mode: LTE Band 4 / 1.4MHz /1RB



## Test Mode: LTE Band 4 / 1.4MHz /6RB



Lowest channel





Middle channel





Highest channel