
Report No.:ER/2021/20085 Page: 128 of 758





802.11n 40MHz Chain1 5670MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd. N	0.134, Wu Kung Road, New Taipei Industrial Park, Wuku Dist	rict, New Taipei City, Taiwan/新北市五股區新步	上產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group

Report No.:ER/2021/20085 Page: 129 of 758





802.11ac 80MHz Chain0 5290MHz ctrum Analy . 3.5 • + Ö Center F 5.29000 tings o Ref. let (S 5pan 120.000000 MH 5.287 24 G Ref Lvi Offset 12.45 dB Ref Level 20.00 dBm Scale/Div 10 dl -6.563 d Swept Span Zero Span Full Span Start Freq 5.2300000 top Fred 5 31 AUTO TUNE #Video BW 3.0 MHz Center 5.29000 GH #Res BW 1.0 MHz Auto Man Mode Trace Scale X Y 5.287 24 GHz -6.563 dBm Freq Offset 0 Hz X Axis Scale Mar 18, 2021 X .:: 😵 802.11ac_80MHz_Chain0_5530MHz ٥ . 3.5 Frequ KEYSIGHT Input Center Frequency 5.53000000 GHz Settings req Ref. Int (S) Span 120.000000 MHz Ref Lvi Offset 12.45 dB Ref Level 20.00 dBm Div 10 de Swept Span Zero Span Full Span Start Freq 5.4700000 00 GHz Stop Freq 5.59000000 GHz AUTO TUNE Center 5.53000 #Res BW 1.0 Mi CF Step 12.000000 1 Auto Man Mode Trace Scale Function Function Width X Y 5.518 84 GHz -3.020 dBm Freq Offset 0 Hz X Axis Scal ■ ? C ■ ? Mar 24, 2021 ● .:: 🖹 🗄 🗙 802.11ac_80MHz_Chain0_5610MHz Spectrum Analyzer Swept SA ø . 3.5 • + Swept SA KEYSIGHT Input RF R Align Auto er Frequency 10000000 GHz Center F 5.61000 ttings Freq Ref. Int (S) 5 00 G 000 MH




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd. N	0.134, Wu Kung Road, New Taipei Industrial Park, Wuku Distric	t, New Taipei City, Taiwan/新北市五股區新北	產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group

Report No.:ER/2021/20085 Page: 130 of 758








Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd. N	∮0.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號			
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw	
_			Member of SGS Group	

Report No.:ER/2021/20085 Page: 131 of 758








Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd. N	p.134,Wu Kung Road, New Taipei Industrial Park, Wuku Distr	rict, New Taipei City, Taiwan/新北市五股區新:	比產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group

Report No.:ER/2021/20085 Page: 132 of 758





802.11ax 20MHz Chain0 5240MHz . 24 • + Ö KEYSIGHT Input Center F 5.24000 tings an Ref. Int (S span 50.00 5.242 65 G 00000 MH Ref LvI Offset 12.45 dB Ref Level 20.00 dBm Scale/Div 10 dl 2.912 d Swept Span Zero Span ٠ Full Span et Freq 5.21500 Stop Free 5 26500 AUTO TUNE Video BW 3.0 MHz Center 5.24000 GH Res BW 1.0 MHz Auto Man Mode Trace Scale X Y 5.242 65 GHz 2.912 dBm Freq Offset 0 Hz X Axis Scale Mar 18, 2021 X .:: 🖎 802.11ax_20MHz_Chain0_5260MHz ٥ . 3.5 Freq KEYSIGHT Input Center Frequency 5.250000000 GHz Settings eq Ref. Inf (S) Span 50.0000000 MHz Ref Lvi Offset 12.45 dB Ref Level 20.00 dBm Div 10 de 2.815 0 Swept Span ٠ Full Span Start Freq 5.2350004 00 GHz Stop Freq 5.28500000 GHz AUTO TUNE Center 5.26000 #Res BW 1.0 Mi CF Step Auto Man Mode Trace Scale Function Width X Y 5 257 35 GHz 2.815 dBm Freq Offset 0 Hz X Axis Sca Log ■ つ C ■ ? Mar 18, 2021 ● .:: 😵 X 802.11ax_20MHz_Chain0_5300MHz Spectrum Swept SA ø . 33 + Swept SA KEYSIGHT Input RF R Align Auto er Frequency 10000000 GHz Center i 5.3000 ttings Freiz Ref. Int (S) LNI. 1 Spectrum Scale/Div 10 dB 6 10 G 000 MH Ref LvI Offset 12.45 dB Ref Level 20.00 dBm 1.6 38 Swept Span Zero Span ٠ Full Spar tart Freq 5.27500 Stop Freq 5.325000 N CH AUTO TUN Center 5.30000 Ge #Res BW 1.0 MHz #Video BW 3.0 MH 50.00 Auto Man Mode Trace Scale Function Value X 5.296 10 GHz 1.698 dBr Freq Offset 0 Hz X Axis Sca Log 「 C^I II ? Mar 18, 2021 の BX 4 .:: 🖎

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


台

SGS Taiwan Ltd.	.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號			
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw	
			Member of SGS Group	



Report No.:ER/2021/20085 Page: 133 of 758





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd. N	p.134,Wu Kung Road, New Taipei Industrial Park, Wuku Dis	strict, New Taipei City, Taiwan/新北市五股區新	北產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group

Report No.:ER/2021/20085 Page: 134 of 758








Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd. N	0.134,Wu Kung Road, New Taipei Industrial Park, Wuku Di	istrict, New Taipei City, Taiwan/新北市五股區新:	北產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group

Report No.:ER/2021/20085 Page: 135 of 758








Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd. N	0.134,Wu Kung Road, New Taipei Industrial Park, Wuku Di	istrict, New Taipei City, Taiwan/新北市五股區新:	北產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group



Report No.:ER/2021/20085 Page: 136 of 758






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd. N	▶.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號			
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw	
			Member of SGS Group	



Report No.:ER/2021/20085 Page: 137 of 758






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd. N	0.134, Wu Kung Road, New Taipei Industrial Park, Wuku Distric	t, New Taipei City, Taiwan/新北市五股區新北	產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group



Report No.: ER/2021/20085 Page: 138 of 758





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


台


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnielectronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/1erms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipei Industrial P	'ark, Wuku District, New Taipei City, Taiwan/新北市五股區新北点	產業園區五工路 134 號	
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw	
			Member of SGS Group	



Report No.:ER/2021/20085 Page: 139 of 758





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


台

SGS Taiwan Ltd.	p.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號			
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw	
			Member of SGS Group	



Report No.:ER/2021/20085 Page: 140 of 758






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd. N	No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號			
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw	
			Member of SGS Group	

Report No.:ER/2021/20085 Page: 141 of 758





802.11ax 20MHz Chain1 5785MHz ctrum Analyz . 3.5 · + Ö KEYSIGHT Input Senter i 5.7850 tings an Ref. Int (S 50.00 786 45 G 00000 MI-Ref Lvi Offset 12.45 dB Ref Level 20.00 dBm Scale/Div 10 dl 4.249 d Swept Span Zero Span • Full Span art Freq 5.76000 op Fred 5.81 AUTO TUNE Center 5.78500 GH Res BW 300 kHz Video BW 1.0 MHz Auto Man Mode Trace Scale X Y 5.785 45 GHz 4.249 dBm Freq Offset 0 Hz X Axis Scale HX .: 😜 802.11ax_20MHz_Chain1_5825MHz ٥ . 3.5 Frequ KEYSIGHT Input Center Frequency 5.825000000 GHz Settings eq Ref. Inf (S) Span 50.0000000 MHz Ref Lvi Offset 12.45 dB Ref Level 20.00 dBm Div 10 de 5.133 Swept Span Zero Span ٥ Full Span rt Freq 5.80 00 GHz Stop Freq 5.85000000 GHz AUTO TUNE Span 50.00 Center 5.82500 GH #Res BW 300 kHz CF Step Auto Man Mode Trace Scale Function Function Width X Y 5.818 75 GHz 5.133 dBm Freq Offset 0 Hz X Axis Sca 10 C 1 ? Mar 18, 2021 .:: 🖹 🗄 🗙 802.11ax_20MHz_Chain1_5825MHz_RU106_54 ø . 32 . + ctrum. KEYSIGHT Input. RF er Fred Center 5.8250 quency 000 GHz rtings Algn Auto Freiz Ref. Int (S) Span 50.00 5.831 55 G 000 MH Ref Lvi Offset 12.45 dB Ref Level 20.00 dBm Scale/Div 10 dB -1.844 c Swept Span Zero Span ٠ Full Spar art Freq 5.800 Stop Freq 5.850000 AUTO TUN Video BW 1.0 MH Center 5.82500 GH #Res BW 300 kHz Span 50.00 M Sweep 1.73 ms (1001 p Auto Man Mode Trace Scale Function Width Function Value X 5.831 55 GHz -1,844 dBr Freq Offset 0 Hz X Axis Sca Log 「 C I I ? Mar 18, 2021 の BX -.:: 🖎


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd. N	№.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號			
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw	
			Member of SGS Group	



Report No.:ER/2021/20085 Page: 142 of 758



802.11ax 40MHz Chain0 5190MHz RU242 61 ø . 34 KEYSIGHT Input. Fit Senter 5.1900 tings o Ref. let (S 5.186 8 G Ref Lvi Offset 12.45 dB Ref Level 20.00 dBm Scale/Div 10 dl -3.205 d Swept Span Zero Span 4 Full Span Start Freq 5.1400000 top Freq 5.2 AUTO TUNE #Video BW 3.0 MHz Center 5.19000 GH Res BW 1.0 MHz Auto Man Mode Trace Scale X Y 5.186 8 GHz -3.205 dBm Freq Offset 0 Hz X Axis Scale X .:: 😵 802.11ax_40MHz_Chain0_5230MHz ٥ . 3.5 Frequ KEYSIGHT Input Center Frequency 5.23000000 GHz Settings req Ref. Int (S) Span 100.000000 MHz Ref Lvi Offset 12.45 dB Ref Level 20.00 dBm Div 10 di Swept Span ٥ Full Span Start Freq 5.180000 00 GHz Stop Freq 5.28000000 GHz AUTO TUNE Center 5.23000 (#Res BW 1.0 MF CF Step 10.000 Auto Man Mode Trace Scale Function Function Width X Y 5.243 9 GHz -3.361 dBm Freq Offset 0 Hz X Axis Scal .:: 😵 410:12 PM HX 802.11ax_40MHz_Chain0_5270MHz Spectrum Analyzer Swept SA ø . 3.5 • + Swept SA KEYSIGHT Input RF R Align Auto er Frequency 70000000 GHz Center F 5,27000 ttings Freiz Ref. Int (S) LNI. Span 100 r 1 Spectrum Scale/Div 10 dB 9 6 G 000 MH Ref LvI Offset 12.45 dB Ref Level 20.00 dBm -2.564 Swept Span Zero Span Full Span tart Freq 5.22000 Stop Freq 5.320000 AUTO TUN Center 5.27000 GH Res BW 1.0 MHz #Video BW 3.0 MH Auto Man Mode Trace Scale Function Width Function Value X Y 5.259 6 GHz -2.564 dBm Freq Offset 0 Hz X Axis Sca Log 4 5 C 1 ? Mar 18, 2021 BX .:: 🖎

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

台

SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipei Industrial F	Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北,	產業園區五工路 134 號	
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw	
			Member of SGS Group	



Report No.:ER/2021/20085 Page: 143 of 758





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


SGS Taiwan Ltd. N	№.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號			
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw	
			Member of SGS Group	

Report No.:ER/2021/20085 Page: 144 of 758

. 3.5

Ö






802.11ax_40MHz_Chain0_5755MHz

ctrum Analyze

· +




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號				
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw	
			Member of SGS Group	

Report No.: ER/2021/20085 Page: 145 of 758





ctrum Analyze . 3.5 · + Ö Center Fi 5.23000 tings an Ref. Int (S) Span 100.000000 MH 5.243 1 G Ref LvI Offset 12.45 dB Ref Level 20.00 dBm Scale/Div 10 dl -0.815 d Swept Span Zero Span ٥ Full Span art Freq 5.18000 top Fred 5 2 AUTO TUNE #Video BW 3.0 MHz Center 5.23000 GH Res BW 1.0 MHz Auto Man Mode Trace Scale X Y 5.243 1 GHz -0.8149 dBm Freq Offset 0 Hz X Axis Scale

802.11ax 40MHz Chain1 5230MHz

LNI .

X .:: 😵 802.11ax_40MHz_Chain1_5270MHz ٥ . 3.5 Frequ KEYSIGHT Input Center Frequency 5.27000000 GHz Settings req Ref. Int (S) Span 100.000000 MHz Ref Lvi Offset 12.45 dB Ref Level 20.00 dBm Div 10 de Swept Span ٥ Full Span Start Freq 5.220000 00 GHz Stop Freq 5.32000000 GHz AUTO TUNE Center 5.27000 G #Res BW 1.0 MHz CF Step 10.000 Auto Man Mode Trace Scale Function Function Width Func X Y 5.277 6 GHz -0.3212 dBm Freq Offset 0 Hz X Axis Sca Log 1 5 C 1 ? Mar 18, 2021 .:: 🖹 🗄 🗙 802.11ax_40MHz_Chain1_5310MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

SGS Taiwan Ltd. N	No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號			
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw	
			Member of SGS Group	

Report No.:ER/2021/20085 Page: 146 of 758





802.11ax 40MHz Chain1 5550MHz ctrum Analyze . 3.5 · + Ö Senter 5.5500 tings an Ref. Int (S £M 5.551 3 G Ref Lvi Offset 12.45 dB Ref Level 20.00 dBm Scale/Div 10 dB -1.383 d Swept Span Zero Span Full Span art Freq 5.50000 top Fred AUTO TUNE #Video BW 3.0 MHz Center 5.55000 GH Res BW 1.0 MHz Auto Man Mode Trace Scale X Y 5.551 3 GHz +1.383 dBm Freq Offset 0 Hz X Axis Scale Mar 18, 2021 X .:: 😵 802.11ax_40MHz_Chain1_5670MHz ٥ . 3.5 Frequ KEYSIGHT Input Center Frequency 5.67000000 GHz Settings eq Ref. Inf (S) Span 100.000000 MHz Ref Lvi Offset 12.45 dB Ref Level 20.00 dBm Div 10 de Swept Span ٠ Full Span Start Freq 5.620000 00 GHz Stop Freq 5.72000000 GHz AUTO TUNE Center 5.67000 G #Res BW 1.0 MHz CF Step 10.000000 1 Auto Man Mode Trace Scale Function Function Width X Y 5.672 7 GHz 0.5571 dBm Freq Offset 0 Hz X Axis Sca 1 5 C 1 ? Mar 18, 2021 .:: 🖹 🗄 🗙 802.11ax_40MHz_Chain1_5670MHz_RU242_62 trum A ø . 32 . + KEYSIGHT Input. RF ter Frequency 70000000 GHz Center I 5.6700 ettings Algn Auto Freiz Ref. Int (S) Span 100.0 5.679 9 G 000 MH Ref Lvi Offset 12.45 dB Ref Level 20.00 dBm Scale/Div 10 dB -3.335 c Swept Span Zero Span Full Spar Start Freq 5.620000 Stop Freq 5.720000 00.04 AUTO TUN Center 5.67000 Ge #Res BW 1.0 MHz #Video BW 3.0 MH Auto Man Mode Trace Scale Function Width Function Value X Y 5.679 9 GHz -3.335 dBm Freq Offset 0 Hz X Axis Sca Log 「 C I I ? Mar 18, 2021 の BX -.:: 🖎


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd. N	No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號			
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw	
			Member of SGS Group	



Report No.:ER/2021/20085 Page: 147 of 758





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

台

SGS Taiwan Ltd.	.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號			
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw	
			Member of SGS Group	



Report No.:ER/2021/20085 Page: 148 of 758



802.11ax 80MHz Chain0 5290MHz RU484 66 ø . 34 KEYSIGHT Input. Fit Center 5.2900 tings en Ref. Int (S) 5pan 120.000000 MH 5.328 28 G Ref Lvi Offset 12.45 dB Ref Level 20.00 dBm Scale/Div 10 dl -11.973 d Swept Span Zero Span Full Span et Freq 5.23000 top Freq 5 31 AUTO TUNE #Video BW 3.0 MHz Center 5.29000 GH Res BW 1.0 MHz Auto Man Mode Trace Scale X Y 5.328 28 GHz -11.97 dBm Freq Offset 0 Hz X Axis Scale ■ つ C ■ ? Mar 18, 2021 ● X .:: 😵 802.11ax_80MHz_Chain0_5530MHz ٥ . 3.5 Frequency KEYSIGHT Input Center Frequency 5.53000000 GHz Settings req Ref. Int (S) Span 120.000000 MHz Ref Lvi Offset 12.45 dB Ref Level 20.00 dBm Div 10 de Swept Span Zero Span Full Span ٠ Start Freq 5.4700000 00 GHz Stop Freq 5.59000000 GHz AUTO TUNE Center 5.53000 G #Res BW 1.0 MHz CF Step 12.000000 1 Auto Man Mode Trace Scale Function Width X Y 5.520 88 GHz -8.244 dBm Freq Offset 0 Hz X Axis Sca 11:32:02 AM .:: 🖹 🗄 🗙 802.11ax 80MHz Chain0 5530MHz RU484 65 ø . 32 · + KEYSIGHT Input. RF ter Frequency 30000000 GHz Center F 5.53000 ettings + Align Auto Freiz Ref. Int (S) Span 120.0 54 4 12 G 000 MH Ref Lvi Offset 12.45 dB Ref Level 20.00 dBm Scale/Div 10 dB -11.277 d Swept Span Zero Span Full Spar art Freq 5.47000 Stop Freq 5.590000 N CH AUTO TUN Center 5.53000 Ge #Res BW 1.0 MHz Video BW 3.0 MH Span 120.0 N Sweep 1.00 ms (1001 p Auto Man Mode Trace Scale Function Width Function Value X 5.494 12 GHz -11.28 dBr Freq Offset 0 Hz X Axis Sca Log € 5 C ■ ? Mar 18, 2021 BX .:: 🖎

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd. N	0.134, Wu Kung Road, New Taipei Industrial Park, Wuku Distri	ct, New Taipei City, Taiwan/新北市五股區新	北產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group

Report No.:ER/2021/20085 Page: 149 of 758







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


台灣

SGS Taiwan Ltd.	No.134,Wu Kung Road, New Taipei Industrial P	'ark, Wuku District, New Taipei City, Taiwan/新北市五股區新北方	產業園區五工路 134 號	
灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw	
_			Member of SGS Group	

Report No.:ER/2021/20085 Page: 150 of 758







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd. N	LC. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號			
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw	
			Member of SGS Group	

Report No.: ER/2021/20085 Page: 151 of 758



Mideo RW 30 MH

Center 5.61000 G #Res BW 1.0 MHz



Auto Man Mode Trace Scale Function Function Width X Y 5.614 32 GHz -4.465 dBm Freq Offset 0 Hz X Axis Scale 4 らで

11:37:18 AM .: 🗑 🗄 🗙 802.11ax_80MHz_Chain1_5610MHz RU484 66 ø Frequ • + KEYSIGHT Input. RF w1 Z 50 0 er Frec Center Frequency 5.61000000 GHz Settings · Align Auto Freq Ref. Int (S) Span 120.00 1 Spectrum Scale/Div 10 dB 16 12 GH Ref Lvi Offset 12.45 dB Ref Level 20.00 dBm 5.352 Swept Span Zero Span Full Span Start Freq 5.5500000 Stop Freq 5.67000000 GHg AUTO TUNE Video BW 3.0 MHz Center 5.61000 G Res BW 1.0 MHz CF Step Auto Man Mode Trace Scale Function Value X Y 5.646 12 GHz -5.352 dBm Freq Offset 0 Hz X Axis Scale € 5 C ■ ? Mar 18, 2021 HX .:: 😵

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnielectronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/1erms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. N	No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號			
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw	
			Member of SGS Group	

.

ttings

Frequency •

Full Span

Stop Freq 5.67000000 GHz

AUTO TUNE

12.000000 MH

CF Step

Settings

Frequency



wept SA +					Frequence	a . E
Danating DO	Input Z. 50 () #Alle Freq Ref. Int (S)	en 30 dB PNO Fæst Caste Off IF Gaun Lor Sig Track C			" 5,775000000 GHz	Settings
Spectrum •	Petty	Offset 12,45 dB	Mkr		Span	
ale/Div 10 dB		vel 20.00 dBm	_	-14.870 dBr	Swept Span Zero Span	
00					Full Span	1
	min	~			Start Freq 5.715000000 GHz	1
		Parma			Stop Freq 5.835000000 GHz	1
0.0					AUTO TUNE	1
enter 5.77500 GHz Res BW 300 kHz Market Table	#Vide	eo BW 1.0 MHz	Swe	Span 120.0 MH ep 4.07 ms (1001 pt		1
Mode Trace Scale	x	Y Function	Function Width	Function Value	Auto	
1 N 1 1 2 3	5.758 80 GHz -1	4.87 dBm			Freq Offset 0 Hz	-
4 5 6					X Axis Scale	-
8 02.11ax_	all	_Chain1		N X /Hz_RU	J484_66	
BO2.11ax 802.11ax + + EYSIGHT head RF	_80MHz	n 30 dB PNO Fast Gate Off IF Gain Lo	_5775N	/Hz_RU	Juni Figural Track Seen June J484_66 Frequent Center Frequency 5.775000000 GHz	10
BO2.11ax south analyzer 1 + EYSIGHT head fif 	2:33:37 PM 2. 80MHz Input Z: 50 0 8Ade Freq Ref. Int (5)	er: 30 dB PNO. Fast Cate Of IF Gam. Lo Sig Track. (_5775N		J484_66	10
BO2.11ax BO2.11ax extrum Analyzer 1 extra Analyzer 1 + EYSIGHT hour fit Age Ado Section Sectio	2:33:37 PM 22 	n 30 dB PNO Fast Gate Off IF Gain Lo	_5775N	/Hz_RU	Juni Signal Track Track Prequent J484_66 Center Frequency 5.775000000 GHz Span 120.00000 MHz Sweet Span	10
BO2.11ax BO2.11ax EYSIGHT Pout IF Aggi Auto Soctum Soctum Soctum Soctum	2:33:37 PM 22 	en 30 dB PNO Fæst Gate Off IF Gann Lo Sig Track (_5775N	Power 12345	Lin Bignat Track J484_66 Center Frequency 5.775000000 GHz Span 120.000000 MHz Swept Span Swept Span	
BO2.11ax BO2.11ax + Mgs.Adv EVSIGHT Prod. ff - Mgs.Adv - Mgs.Adv	2:33:37 PM 22 	en 30 dB PNO Fæst Gate Off IF Gann Lo Sig Track (_5775N	Power 12345	Un Signa frack	cy •
BO2.11ax section Analyzer 1 + EYSIGHT Proof IF 	2:33:37 PM 22 	en 30 dB PNO Fæst Gate Off IF Gann Lo Sig Track (_5775N	Power 12345	In In	10
BO2.11ax BO2.11ax erstantion in the second s	23337 PM 2 80MHz Inqui Z. 50 0 Reg Ref. bit (5) Ref Liv Ref Liv	n: 50 dB PhO Fand Diata OT Sigina C Sigina C Sigina C C Sigina C Sigina C C Sigina C C	_5775N	AHz_RU	Im Im	10
BO2.11ax BO2.11ax BO2.11ax Mgn.Ado Sector Paul of Mgn.Ado	23337 PM 2 80MHz Inqui Z. 50 0 Reg Ref. bit (5) Ref Liv Ref Liv	en 30 dB PNO Fæst Gate Off IF Gann Lo Sig Track (_5775N	Power 12345	In In	1
BO2.11ax Body Aug Aug Soctom	2:3337 PM 2 80MHz Inquit 2: 50 0 Reg Ref. bit (5) Ref Liv Ref Liv Ref Liv	er: 30 dB PHO Field Clean Off IF Cleans LO Control 12,45 dB Vel 20,00 dBm Photo BW 1,0 MHz	Arg type tog	AHz_RU	In In	1
BOO2.11ax BOO2.11ax BOO2.11ax Provide 1 Provide 1 Social Provide 1 Social	2:3337 PM 2 80MHz Ingel Z: 50 0 Reg Ref Let (5) Ref Ly Ref Ly Ref Ly	n: 50 dB PhO Fand Diata OT Sigina C Sigina C Sigina C C Sigina C Sigina C C Sigina C C	_5775N	AHz_RU	In Im Im	10
Booten Ange Ange Ange Ange Ange Ange Ange An	2:3337 PM 2 80MHz Ingel Z: 50 0 Reg Ref Let (5) Ref Ly Ref Ly Ref Ly	er 30 dB PNO Fed Gate Of B' Garn Log Sig Tack C COffset 12.45 dB Vel 20.00 dBm eo BW 1.0 MHz Y Function	Arg type tog	AHz_RU	In In In In In In In In	10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd.	IO.134, Wu Kung Road, New Taipei Industrial Park, \	Nuku District, New Taipei City, Taiwan/新北市五股區新北点	重業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group



10.6 **CDD Mode Measurement Result**

Power spectral density 10.6.1

	POWER DENSITY 802.11a MODE							
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)	
5180.00	4.07	5.75	0.30	8.:	30	11.00 dBm/MHz	-2.70	
5220.00	4.89	5.81	0.30	8.	68	11.00 dBm/MHz	-2.32	
5240.00	5.56	4.66	0.30	8.4	44	11.00 dBm/MHz	-2.56	
5260.00	4.31	5.99	0.30	8.	54	11.00 dBm/MHz	-2.46	
5300.00	4.09	4.69	0.30	7.1	71	11.00 dBm/MHz	-3.29	
5320.00	4.15	6.19	0.30	8.	60	11.00 dBm/MHz	-2.40	
5500.00	5.93	3.24	0.30	8.	10	11.00 dBm/MHz	-2.90	
5580.00	4.32	5.11	0.30	8.	04	11.00 dBm/MHz	-2.96	
5700.00	5.13	3.41	0.30	7.	66	11.00 dBm/MHz	-3.34	
5720 (U-NII 2C)	4.34	2.78	0.30	6.9	94	11.00 dBm/MHz	-4.06	
Frequency (MHz)	ch0 meas PSD (dBm/300kHz)	ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)	
5720 (U-NII 3)	-2.66	-3.19	0.30	2.22	2.61	30.00 dBm/500kHz	-27.39	
5745.00	6.64	5.86	0.30	2.22	11.80	30.00 dBm/500kHz	-18.20	
5785.00	8.68	5.00	0.30	2.22	12.75	30.00 dBm/500kHz	-17.25	
5825.00	6.64	6.36	0.30	2.22	12.03	30.00 dBm/500kHz	-17.97	

		POWER	R DENSITY 802.1	1n HT20 MODE			
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5180.00	4.25	5.33	0.23	8.0	06	11.00 dBm/MHz	-2.94
5220.00	4.24	4.68	0.23	7.	71	11.00 dBm/MHz	-3.29
5240.00	3.79	5.85	0.23	8.	18	11.00 dBm/MHz	-2.82
5260.00	4.94	4.62	0.23	8.0	02	11.00 dBm/MHz	-2.98
5300.00	5.67	4.20	0.23	8.:	24	11.00 dBm/MHz	-2.76
5320.00	4.19	2.13	0.23	6.	52	11.00 dBm/MHz	-4.48
5500.00	4.09	4.05	0.23	7.:	31	11.00 dBm/MHz	-3.69
5580.00	5.84	4.48	0.23	8.4	45	11.00 dBm/MHz	-2.55
5700.00	4.73	4.68	0.23	7.9	95	11.00 dBm/MHz	-3.05
5720 (U-NII 2C)	3.34	5.07	0.23	7.	53	11.00 dBm/MHz	-3.47
Frequency (MHz)	ch0 meas PSD (dBm/300kHz)	ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD(dBm/500k Hz)	Limit	Margin (dB)
5720 (U-NII 3)	0.87	-0.95	0.23	2.22	5.51	30.00 dBm/500kHz	-24.49
5745.00	3.87	6.68	0.23	2.22	10.96	30.00 dBm/500kHz	-19.04
5785.00	6.50	3.77	0.23	2.22	10.81	30.00 dBm/500kHz	-19.19
5825.00	6.61	5.70	0.23	2.22	11.64	30.00 dBm/500kHz	-18.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

W 카 方 打 お document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. N	0.134, Wu Kung Road, New Taipei Industrial Park,	Wuku District, New Taipei City, Taiwan/新北市五股區新北	產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group

Report No.: ER/2021/20085 Page: 154 of 758



	POWER DENSITY 802.11ax 20 MODE								
Frequency (MHz)	RU config.	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd F	PSD(dBm/MHz)	Limit	Margin (dB)	
	full	3.65	5.84	0.20	8.	09	11.00 dBm/MHz	-2.91	
5400	26/0	4.77	6.25	0.20	8.	78	11.00 dBm/MHz	-2.22	
5180	52/37	5.27	4.75	0.20	8.	23	11.00 dBm/MHz	-2.77	
	106/53	2.87	5.80	0.20	7.	79	11.00 dBm/MHz	-3.21	
5220	full	4.16	4.78	0.20	7.	69	11.00 dBm/MHz	-3.31	
5240	full	4.81	5.42	0.20	8.	34	11.00 dBm/MHz	-2.66	
5260	full	4.89	5.89	0.20	8.	63	11.00 dBm/MHz	-2.37	
5300	full	4.24	5.04	0.20	7.	87	11.00 dBm/MHz	-3.13	
	full	5.16	6.18	0.20	8.	91	11.00 dBm/MHz	-2.09	
5000	26/8	5.50	5.81	0.20	8.	87	11.00 dBm/MHz	-2.13	
5320	52/40	5.84	4.73	0.20	8.	53	11.00 dBm/MHz	-2.47	
	106/54	1.75	3.39	0.20	5.	86	11.00 dBm/MHz	-5.14	
	full	4.75	3.97	0.20	7.	59	11.00 dBm/MHz	-3.41	
	26/0	5.44	3.25	0.20	7.	69	11.00 dBm/MHz	-3.31	
5500	52/37	2.91	4.32	0.20	6.	88	11.00 dBm/MHz	-4.12	
	106/53	-2.70	0.78	0.20	2.	59	11.00 dBm/MHz	-8.41	
5580	full	6.18	4.89	0.20	8.	79	11.00 dBm/MHz	-2.21	
	full	5.54	4.88	0.20	8.	43	11.00 dBm/MHz	-2.57	
5700	26/8	6.07	4.39	0.20	8.	52	11.00 dBm/MHz	-2.48	
5700	52/40	6.30	4.64	0.20	8.	76	11.00 dBm/MHz	-2.24	
	106/54	0.54	1.29	0.20	4.	14	11.00 dBm/MHz	-6.86	
5720 (U-NII 2C)	full	4.84	6.49	0.20	8.	95	11.00 dBm/MHz	-2.05	
Frequency (MHz)	RU config.	ch0 meas PSD (dBm/300kHz)	ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD(dBm/500kHz)	Limit	Margin (dB)	
5720 (U-NII 3)	full	-0.16	-3.23	0.20	2.22	4.00	30.00 dBm/500kHz	-26.00	
	full	7.61	6.86	0.20	2.22	12.68	30.00 dBm/500kHz	-17.32	
5745	26/0	6.76	5.96	0.20	2.22	11.81	30.00 dBm/500kHz	-18.19	
5745	52/37	9.37	7.70	0.20	2.22	14.05	30.00 dBm/500kHz	-15.95	
	106/53	-0.12	4.36	0.20	2.22	8.10	30.00 dBm/500kHz	-21.90	
5785	full	7.22	5.50	0.20	2.22	11.87	30.00 dBm/500kHz	-18.13	
	full	7.12	7.45	0.20	2.22	12.72	30.00 dBm/500kHz	-17.28	
5825	26/8	6.51	4.77	0.20	2.22	11.16	30.00 dBm/500kHz	-18.84	
3023	52/40	7.72	7.84	0.20	2.22	13.21	30.00 dBm/500kHz	-16.79	
	106/54	4.67	0.31	0.20	2.22	8.45	30.00 dBm/500kHz	-21.55	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd. N	iku District, New Taipei City, Taiwan/新北市五股區新北	產業園區五工路 134 號
台灣檢驗科技股份有限公司	f (886-2) 2298-0488	WWW.Sgs.com.tw
		Member of SGS Group

Report No.: ER/2021/20085 Page: 155 of 758



	POWER DENSITY 802.11n HT40 MODE								
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)		
5190.00	2.08	0.90	0.31	4.8	35	11.00 dBm/MHz	-6.15		
5230.00	2.52	3.96	0.31	6.6	62	11.00 dBm/MHz	-4.38		
5270.00	0.85	1.36	0.31	4.4	13	11.00 dBm/MHz	-6.57		
5310.00	3.16	1.75	0.31	5.8	33	11.00 dBm/MHz	-5.17		
5510.00	3.21	2.71	0.31	6.2	29	11.00 dBm/MHz	-4.71		
5550.00	2.85	3.19	0.31	6.3	34	11.00 dBm/MHz	-4.66		
5670.00	4.17	2.12	0.31	6.5	59	11.00 dBm/MHz	-4.41		
5710 (U-NII 2C)	1.69	0.77	0.31	4.5	57	11.00 dBm/MHz	-6.43		
Frequency (MHz)	ch0 meas PSD (dBm/300kHz)	ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD(dBm/500k Hz)	Limit	Margin (dB)		
5710 (U-NII 3)	-7.15	-6.25	0.31	2.22	-1.14	30.00 dBm/500kHz	-31.14		
5755.00	2.31	2.09	0.31	2.22	7.74	30.00 dBm/500kHz	-22.26		
5795.00	3.84	0.95	0.31	2.22	8.17	30.00 dBm/500kHz	-21.83		

			POW	ER DENSITY 802.1	1ax 40 MODE			
Frequency (MHz)	RU config.	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5190	full	2.39	1.55	0.23	5.	23	11.00 dBm/MHz	-5.77
5190	242/61	-2.84	2.00	0.23	3.	46	11.00 dBm/MHz	-7.54
5230	full	2.49	1.54	0.23	5.	28	11.00 dBm/MHz	-5.72
5270	full	-0.78	2.37	0.23	4.	31	11.00 dBm/MHz	-6.69
5240	full	-2.83	-2.47	0.23	0.	59	11.00 dBm/MHz	-10.41
5310	242/62	1.39	2.42	0.23	5.	18	11.00 dBm/MHz	-5.82
5540	full	0.43	1.22	0.23	4.	08	11.00 dBm/MHz	-6.92
5510	242/61	-0.38	-0.84	0.23	2.	64	11.00 dBm/MHz	-8.36
5550	full	2.77	1.14	0.23	5.	27	11.00 dBm/MHz	-5.73
5670	full	3.68	1.42	0.23	5.	94	11.00 dBm/MHz	-5.06
5670	242/62	1.06	0.90	0.23	4.	22	11.00 dBm/MHz	-6.78
5710 (U-NII 2C)	full	3.49	3.00	0.23	6.	49	11.00 dBm/MHz	-4.51
Frequency (MHz)	RU config.	ch0 meas PSD (dBm/300kHz)	ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD(dBm/500kHz)	Limit	Margin (dB)
5710 (U-NII 3)	full	-3.49	-6.06	0.23	2.22	0.87	30.00 dBm/500kHz	-29.13
5755	full	3.17	-2.56	0.23	2.22	6.65	30.00 dBm/500kHz	-23.35
5755	242/61	0.23	-1.60	0.23	2.22	4.87	30.00 dBm/500kHz	-25.13
5795	full	3.52	2.56	0.23	2.22	8.53	30.00 dBm/500kHz	-21.47
5795	242/62	-1.98	-2.62	0.23	2.22	3.17	30.00 dBm/500kHz	-26.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd. N	0.134, Wu Kung Road, New Taipei Industrial Park, V	Wuku District, New Taipei City, Taiwan/新北市五股區新北;	產業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw
			Member of SGS Group

Report No.: ER/2021/20085 Page: 156 of 758




	POWER DENSITY 802.11ac VHT80 MODE							
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)	
5210.00	-1.50	-0.22	0.30	2.5	50	11.00 dBm/MHz	-8.50	
5290.00	-2.30	-3.15	0.30	0.0	51	11.00 dBm/MHz	-10.39	
5530.00	-2.93	-4.90	0.30	-0.49		11.00 dBm/MHz	-11.49	
5610.00	0.74	-1.51	0.30	3.0)7	11.00 dBm/MHz	-7.93	
5690 (U-NII 2C)	2.55	0.55	0.30	4.9	97	11.00 dBm/MHz	-6.03	
Frequency (MHz)	ch0 meas PSD (dBm/300kHz)	ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD(dBm/500k Hz)	Limit	Margin (dB)	
5690 (U-NII 3)	-6.65	-8.77	0.30	2.22	-2.05	30.00 dBm/500kHz	-32.05	
5775.00	-3.91	-4.81	0.30	2.22	1.19	30.00 dBm/500kHz	-28.81	

			POWE	R DENSITY 802.	11ax 80 MODE			
Frequency (MHz)	RU config.	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5210	full	-1.85	-1.18	0.22	1.7	73	11.00 dBm/MHz	-9.27
5210	484/65	-9.93	-11.24	0.22	-7.	31	11.00 dBm/MHz	-18.31
5290	full	-4.60	-0.28	0.22	1.3	31	11.00 dBm/MHz	-9.69
5290	484/66	-13.43	-11.13	0.22	-8.	90	11.00 dBm/MHz	-19.90
5530	full	-3.61	-5.96	0.22	-1.	40	11.00 dBm/MHz	-12.40
5530	484/65	-8.04	-8.41	0.22	-4.	99	11.00 dBm/MHz	-15.99
5610	full	-1.59	-1.65	0.22	1.0	61	11.00 dBm/MHz	-9.39
0100	484/66	0.42	-4.15	0.22	1.9	94	11.00 dBm/MHz	-9.06
5690 (U-NII 2C	full	1.53	0.18	0.22	4.1	14	11.00 dBm/MHz	-6.86
Frequency (MHz)	RU config.	ch0 meas PSD (dBm/300kHz)	ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD(dBm/500k Hz)	Limit	Margin (dB)
5690 (U-NII 3)	full	-8.41	-8.65	0.22	2.22	-3.08	30.00 dBm/500kHz	-33.08
	full	-4.01	-6.11	0.22	2.22	0.52	30.00 dBm/500kHz	-29.48
5775	484/65	-11.73	-10.93	0.22	2.22	-5.86	30.00 dBm/500kHz	-35.86
	484/66	-11.87	-11.70	0.22	2.22	-6.33	30.00 dBm/500kHz	-36.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份復製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions at the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SCS Taiwan Life. Not 204 Withour Dead New Torpi Individue Dead Within their fully there if the Terms in the inter if the Terms i

SGS Taiwan Lid. N	0.134,Wu Kung Road, New Taipei Industrial Park, Wuku E	District, New Taipei City, Taiwan/新北市五股區新J	と産業園區五工路 134 號
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	WWW.Sgs.com.tw
			Member of SGS Group






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnielectronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/1erms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No	φ.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號			
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw	
			Member of SGS Group	





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

台

SGS Taiwan Ltd.	No.134, Wu Kung Road, New Taipei Industrial Pa	ark, Wuku District, New Taipei City, Taiwan/新北市五股區新北点	產業園區五工路 134 號	
台灣檢驗科技股份有限公司	t (886-2) 2299-3279	f (886-2) 2298-0488	www.sgs.com.tw	
			Member of SGS Group	