

SPECIFICATION

SHEET FOR APPROVAL

(Revision: R: A2)

	CUSTOMER(客户名称)	高盛达	
	CS P/N(客户机种)	WC0D	
	PART NAME(品名)	WIFI 天线组件	L=300mm
	FREQUENCY(频率)	2400-2500MHz / 5150-5850 MHz	
	ZTX NO.(物料编号)	2.00001341	
	DATE(日期)	2020-03-28	

CUSTOMER			
QA CHECKED	ME CHECKED	RF CHECKED	MANAGER CHECKED

Remark(备注):

Sign(客户确认签字盖章):

ZHONG TIAN XUN TECHNOLOGY CO., LTD				
MANAGER CHECKED	MANAGER CHECKED	ME CHECKED	RF CHECKED	LISTER
		邹一麟	刘蒋军	



深圳市中天迅通信科技股份有限公司

SHENZHEN ZHONGTIAN XUN Communication Technology Co.,Ltd.

地址: 深圳市宝安区石岩镇石龙大道 34 号(腾达工业园) 邮编: 518000
电话: 0755-27588320 传真: 0755-27588045 <http://www.chinaztx.com>

ANTENNA SPECIFICATION

CUS P/N :WC0D

ZTX P/N :WC0D

ApplicationDate:Mar,28,2020

Editor:

Rev: R:A2

Page 1 of 11

Revision history

版本	日期	状态
A1	2017-08-30	首版
A2	2020-03-28	更新出货标签



ANTENNA SPECIFICATION

CUS P/N :WC0D
ZTX P/N :WC0D

ApplicationDate:Mar,28,2020
Editor:

Rev: R:A2
Page 2 of 11

Index

		Revision history	1
1		Test equipment	3
2		Electrical Specifications	4
	2-1	Frequency Band	4
	2-2	VSWR And GAIN	4
3		Antenna test data	4
	3-1	VSWR	4
	3-2	mith Chart	5
	3-3	Matching circuit	5
	3-4	No-source test data	5
	3-5	Directional drawing of horizontal plane of	6
4		Mechanical Specification	7
	4-1	Mechanical Specification (WIFI2.4G/5.8G)	7
	4-2	Mechanical Specification (WIFI 组件)	8
5		Environment Characteristic	9
6		Material list	9
7		The packing way	10
		附页：出货标签模板	11



ANTENNA SPECIFICATION

CUS P/N :WC0D

ZTX P/N :WC0D


ApplicationDate:Mar,28,2020

Editor:

Rev: R:A2

Page 3 of 11


1. Test equipment



Owned 6 microwave dark room, equipped 2 sets world leading France Satimo SG24 OTA certification test systems (one in SHENZHEN, another one in Shanghai), ETS OTA Standard test system, Blue test reverberation test system which is High repeatability, high accuracy and high resolution. It can quickly provide accurate test reports, fully meet the CITA standards.

Testing range:

Support active, passive testing of
GSM/CDMA/WCDMA/TD-
SCDMA/LTE/WIFI/WLAN/WiMax/BT
/GPS/MIMO/UWB within 0.4-6G.



Test standard:

Antenna performance	Radiation efficiency	IEEE Standard Test Procedures for Antennas	ANSI/IEEE Std 149-2021
---------------------	----------------------	--	------------------------

Equipment list:

Equipment	Manufacturer	Model No.	Last Cal.	Due Date
Network Analyzer	Agilent	E5071C	2020.01.20	2022.01.19

Test Procedure

Test Step Flow

1. Maintain the test ambient temperature of 23±2 C, the instrument is powered on and preheated for more than 30 minutes
2. Turn on the darkroom power supply, connect the test cable, and set up the sample according to the standard
3. Outline sets the test content objectives and conducts calibration tests
4. Run the EMQuest OTA software, the test is complete, export the corresponding test diagram and test data, and save to the corresponding directory

Test Principle

The test principle can be seen in accordance with the standard ANSI/IEEE std 149-2021

Test Conditions

1. The analyte, the network analyzer for testing, the test equipment and the test cable connector should have good reliability, stability, dynamic range and measurement accuracy to ensure the correctness of the measurement accuracy
2. The measuring instrument should have a certificate of conformity and be within the effective calibration period
3. The analyte should be complete and undamaged, and the test environment should be kept clean

ANTENNA SPECIFICATION

CUS P/N :WC0D
ZTX P/N :WC0D

ApplicationDate:Mar,28,2020
Editor:

Rev: R:A2
Page 4 of 11

2. Electrical Specifications

2-1 Frequency Band

Frequency Band	Frequency
BT & 2.4G WIFI	2400-2500MHZ
WIFI 5.8G	5150-5850MHZ

2-2 VSWR And GAIN


VSWR			GAIN		
Freq. Band	OPEN	SPEC	Band Freq.	OPEN	SPEC
2400MHz	≤ 2.0		2400MHz	$\geq -1.0\text{dBi}$	
2500MHz	≤ 2.0		2500MHz	$\geq -1.0\text{dBi}$	
5150MHz	≤ 2.0		5150MHz	$\geq -1.0\text{dBi}$	
5850MHz	≤ 2.0		5850MHz	$\geq -1.0\text{dBi}$	

※Measuring a 50 Ω test jig is connected to a network analyzer to measure the VSWR.

※※All test value is done in customer approval fixture.

3.Antenna test data

3-1 VSWR



ANTENNA SPECIFICATION

CUS P/N :WC0D

ApplicationDate:Mar,28,2020


Rev: R:A2

ZTX P/N :WC0D


Editor:

Page 5 of 11

3-2 Smith Chart



3-3 Matching circuit



3-4 No-source test data

Frequency (MHz)	2400	2450	2500	5150	5850
Average Gain Efficiency (dB)	1.42 (44%)	1.72 (48%)	1.65 (45%)	2.34 (61%)	2.57 (66%)



ANTENNA SPECIFICATION

CUS P/N :WC0D

ApplicationDate:Mar,28,2020


Rev: R:A2

ZTX P/N :WC0D


Editor:

Page 6 of 11


3-5 Directional drawing of horizontal plane of



Theta 90deg



Phi 0deg



Phi 90deg



ANTENNA SPECIFICATION

CUS P/N :WC0D

ZTX P/N :WC0D

ApplicationDate:Mar,28,2020

Editor:

Rev: R:A2

Page 7 of 11

4. Mechanical Specification

4-1 Mechanical Configuration(WIFI2.4G/5.8G)


[illegible]

 深圳市中天迅通信技术有限公司
SHENZHEN ZHONGTIAN XUN Communication Technology Co.,Ltd.

Rev: R:A2

Page 8 of 11

材质说明:



注:带*号尺寸为CPK检测尺寸

序号	结构说明	材质	工 艺	备 注
①	RF同轴线	PEP (F46) / 黑色		料号:SY113/50-055
②	WIFI弹片	SUS304 T=0.30mm	镀锌	
③	支撑泡棉	防水EVA 3M 9495		
④	固定泡棉胶	泡棉胶 3M RP45		
⑤	护套	黑色护套		
⑥	IPEX端子1代	磷青铜	镀金 厚度 ≥1U"	料号: CW-555-C113-Y-B-BU-40

深圳市中天迅通信科技股份有限公司						制料编号: 2,00001341	
未注明公差			制图	日期	审核	A1	比例 1:1
5 UNO	≤ 100	± 0.08		2017.8.30			
5-10	≤ 1000	± 0.10	第一版				
10~35	≤ 1000	± 0.12	时规				
35~50	≤ 1000	± 0.15	学校				
50~100	≤ 1000	± 0.18	刘蒋军				
100 07E	≤ 1000	± 0.20	批准				
PBDE	≤ 1000		龙秋霖				
			工艺	材料	SUS304 T=0.30mm (板)	产品名称	WCDD-3D(长轴) 规格: 规格: 规格: 规格: RD-018
			纸张				

ANTENNA SPECIFICATION

CUS P/N :WC0D
ZTX P/N :WC0D

ApplicationDate:Mar,28,2020
Editor:

Rev: R:A2
Page 9 of 11

5. Environment Characteristic

NO.	ITEM	TEST CONDITION	SPECIFICATION
5-1	High Temperature/Humidity Storage Test(non operating)	1.Temperature: $+80 \pm 2^{\circ}\text{C}$ 2.Humidity: $90 \sim 95\% \text{RH}$ 3.Time: 48hrs	No material deformation is allowed.
5-2	Low Temperature/Humidity Storage Test(non operating)	1.Temperature: $-30 \pm 2^{\circ}\text{C}$ 2.Humidity: $0\% \text{RH}$ 3.Time:48hrs	The VSWR, Gain, Radiation Pattern must be met specifications after these test.

6.Material list

序号	材料（原料） 名称	第三方公证化学报 告测试编号	第三方公证化学报 告测试单位	第三方公证化学 报告测试日期	状态	文档
1	SUS304	SZXEC1800784502	SGS	2019/5/23	有效	PDF
2	泡棉	C190319038001	SGS	2019/03/07	有效	PDF
3	3M 背胶	SHAEC1700965201	SGS	2019/3/25	有效	PDF
4	I-PEX	CANEC1907229906	SGS	2020/5/5	有效	PDF
		A2180247064101002	SGS	2019/12/17	有效	PDF
		A2180247064101001	SGS	2019/12/17	有效	PDF
		CE201876126	SGS	2019/8/6	有效	PDF
5	镀锡铜线	A2180105069201	CTI	2019/6/26	有效	PDF
6	热缩套管	CANEC1925862106	CTI	2020/06/02	有效	PDF



ANTENNA SPECIFICATION

CUS P/N :WC0D

ZTX P/N :WC0D

ApplicationDate:Mar,28,2020

Editor:

Rev: R:A2

Page 10 of 11

7.The packing way

深圳市中天迅通信技术股份有限公司

SHENZHEN ZHONGTIAN XUN Communication Technology Co.,Ltd.

产品名称

产品型号

文件编号

版本

工序序号/名称

工序工时

日产量

WiFi天线

WC0D-30(长虹)

ZTX-QD-WI-

A1

包装/装箱

/

/

图1：确认数量/橡皮筋包扎/贴标签

PIN: 850186575

QTY: 40

Part Name: R-Connecting line of RF WC0D/PFA2 4G+5G/ 1300mmWC0D/PFA2 4G+5G/ 1300mm

Supplier: GaoShengDa

2020/3/27

18450

2662

图2：装袋/贴标签

PIN: 850186575

QTY: 360

Part Name: R-Connecting line of RF WC0D/PFA2 4G+5G/ 2300mmWC0D/PFA2 4G+5G/ 300mm

Supplier: GaoShengDa

2020/3/27

18450

2663

图3：装箱/贴标签

PIN: 850186575

QTY: 720

Part Name: R-Connecting line of RF WC0D/PFA2 4G+5G/ 2300mmWC0D/PFA2 4G+5G/ 300mm

Supplier: GaoShengDa

2020/3/27

18450

2664

图4：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 40

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 360

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 720

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图5：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图6：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图7：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图8：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图9：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图10：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图11：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图12：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图13：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图14：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图15：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图16：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图17：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图18：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图19：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图20：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图21：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图22：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图23：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图24：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图25：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图26：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图27：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图28：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图29：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图30：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图31：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图32：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图33：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图34：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图35：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图36：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图37：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图38：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图39：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图40：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图41：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图42：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图43：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图44：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图45：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图46：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图47：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图48：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图49：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图50：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图51：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图52：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图53：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图54：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图55：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图56：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图57：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图58：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图59：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图60：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图61：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图62：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图63：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图64：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图65：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图66：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图67：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图68：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图69：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图70：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图71：封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果: 合格

检验人: 张三

检验地点: 深圳

图72：贴现品票/封箱

合格证

物料名称: 射频连接器

物料编码: 850186575

数量: 3600

生产日期: 2020/3/27

检验日期: 2020/3/27

检验结果

PIN: 850186575	18450	2063
QTY: 360		
Part Name: R-Connecting line of RF WC0D/PFA2.4G+5G/300mm\$WC0D/PFA2.4G+5G/300mm		
Supplier: GaoShengDa		



图2: 装袋/贴标签

PIN: 850186575	18450	2662
QTY: 40		
Part Name: R-Connecting line of RF WC0D/PFA2.4G+5G/300mm\$WC0D/PFA2.4G+5G/300mm		
Supplier: GaoShengDa		



图1: 确认数量/橡皮筋包扎/贴标签



图4: 贴现品票/封箱

PIN: 850186575	18450	2664
QTY: 720		
Part Name: R-Connecting line of RF WC0D/PFA2.4G+5G/300mm\$WC0D/PFA2.4G+5G/300mm		
Supplier: GaoShengDa		



图3: 装箱/贴标签



ANTENNA SPECIFICATION

CUS P/N :WC0D

ZTX P/N :WC0D

ApplicationDate:Mar,28,2020

Editor:

Rev: R:A2

Page 11 of 11

附页：出货标签模板

[1] Y001 TVJ-202003 20-03-28 09:11:48		合格证			
供货厂家 惠州高盛达科技有限公司(18450)					
长虹物料代码 850186575		供方物料代码			
物资名称 R-射频连接线		型号规格		WC0D/PIFA/2.4G+5G/外拉 /300mm\$WC0D/PIFA/2.4G+5G /外拉/300mm/长虹	
订单号 4502587576		订单总数量		95000	
数量 3600		箱号/箱数		第18箱(包),共10箱(包)	
生产日期 供方批次 2020/3/28		净重/毛重		11.12KG / 11.9KG	
检验员 1		备注			
盖检验合格章					

			
PN: G. 5. 13. WC0DXXBXX			
LOT NO:1205-1905060006 Date Code: 200327			
		VENDOR: ZTX	
		QTY: 3600	
REEL NO: 201004420032790000			
PART DESC: WC0D-30(长虹) WIFI天线组件			
深圳市中天迅通信技术股份有限公司			

P/N:	850186575	
QTY:	720	
Part Name:	R-Connecting line of RF WC0D/PIFA/2.4G+5G/ /300mm\$WC0D/PIFA/2.4G+5G/ /300mm/	
Supplier:	GaoShengDa	

2020/3/27 18450 2664

P/N:	850186575	
QTY:	360	
Part Name:	R-Connecting line of RF WC0D/PIFA/2.4G+5G/ /300mm\$WC0D/PIFA/2.4G+5G/ /300mm/	
Supplier:	GaoShengDa	

2020/3/27 18450 2663

P/N:	850186575	
QTY:	40	
Part Name:	R-Connecting line of RF WC0D/PIFA/2.4G+5G/ /300mm\$WC0D/PIFA/2.4G+5G/ /300mm/	
Supplier:	GaoShengDa	

2020/3/27 18450 2662

