

BW 5M_CH 133447_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1391.000	-56.36	-13	-43.36	-61.85	8.21	2.73
	2086.500	-44.10	-13	-31.10	-51.10	10.39	3.39
	2782.000	-38.66	-13	-25.66	-45.88	11.12	3.89
	3477.500	-46.61	-13	-33.61	-54.78	12.56	4.39
	4173.000	-52.07	-13	-39.07	-59.92	12.62	4.78
	4868.500	-50.51	-13	-37.51	-57.95	12.65	5.22
V	1391.000	-55.90	-13	-42.90	-61.39	8.21	2.73
	2086.500	-45.21	-13	-32.21	-52.21	10.39	3.39
	2782.000	-37.32	-13	-24.32	-44.54	11.12	3.89
	3477.500	-42.73	-13	-29.73	-50.90	12.56	4.39
	4173.000	-51.14	-13	-38.14	-58.99	12.62	4.78
	4868.500	-51.27	-13	-38.27	-58.71	12.65	5.22

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 133172_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1336.000	-47.96	-13	-34.96	-53.19	7.90	2.67
	2004.000	-48.26	-13	-35.26	-55.29	10.35	3.33
	2672.000	-30.36	-13	-17.36	-37.46	10.92	3.82
	3340.000	-40.80	-13	-27.80	-48.77	12.26	4.29
	4008.000	-52.66	-13	-39.66	-60.60	12.60	4.66
	4676.000	-51.55	-13	-38.55	-59.10	12.66	5.10
V	1336.000	-49.44	-13	-36.44	-54.67	7.90	2.67
	2004.000	-45.96	-13	-32.96	-52.99	10.35	3.33
	2672.000	-28.78	-13	-15.78	-35.88	10.92	3.82
	3340.000	-34.28	-13	-21.28	-42.25	12.26	4.29
	4008.000	-50.92	-13	-37.92	-58.86	12.60	4.66
	4676.000	-49.03	-13	-36.03	-56.58	12.66	5.10

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 133297_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1361.000	-52.57	-13	-39.57	-57.92	8.04	2.70
	2041.500	-42.69	-13	-29.69	-49.71	10.37	3.35
	2722.000	-31.38	-13	-18.38	-38.53	11.01	3.85
	3402.500	-36.97	-13	-23.97	-45.03	12.40	4.34
	4083.000	-52.69	-13	-39.69	-60.59	12.61	4.71
	4763.500	-51.48	-13	-38.48	-58.98	12.65	5.15
V	1361.000	-48.33	-13	-35.33	-53.68	8.04	2.70
	2041.500	-41.43	-13	-28.43	-48.45	10.37	3.35
	2722.000	-32.21	-13	-19.21	-39.36	11.01	3.85
	3402.500	-31.71	-13	-18.71	-39.77	12.40	4.34
	4083.000	-52.17	-13	-39.17	-60.07	12.61	4.71
	4763.500	-51.22	-13	-38.22	-58.72	12.65	5.15

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 10M_CH 133422_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1386.000	-57.53	-13	-44.53	-62.99	8.19	2.72
	2079.000	-44.29	-13	-31.29	-51.30	10.39	3.38
	2772.000	-41.35	-13	-28.35	-48.56	11.10	3.89
	3465.000	-43.71	-13	-30.71	-51.86	12.53	4.38
	4158.000	-50.55	-13	-37.55	-58.40	12.62	4.77
	4851.000	-51.09	-13	-38.09	-58.54	12.65	5.21
V	1386.000	-59.89	-13	-46.89	-65.35	8.19	2.72
	2079.000	-44.14	-13	-31.14	-51.15	10.39	3.38
	2772.000	-37.98	-13	-24.98	-45.19	11.10	3.89
	3465.000	-38.64	-13	-25.64	-46.79	12.53	4.38
	4158.000	-52.17	-13	-39.17	-60.02	12.62	4.77
	4851.000	-50.76	-13	-37.76	-58.21	12.65	5.21

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 15M_CH 133197_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1341.000	-50.78	-13	-37.78	-56.03	7.93	2.68
	2011.500	-49.68	-13	-36.68	-56.70	10.36	3.33
	2682.000	-30.69	-13	-17.69	-37.80	10.93	3.83
	3352.500	-41.20	-13	-28.20	-49.19	12.29	4.30
	4023.000	-52.32	-13	-39.32	-60.25	12.60	4.67
	4693.500	-51.65	-13	-38.65	-59.19	12.66	5.11
V	1341.000	-51.98	-13	-38.98	-57.23	7.93	2.68
	2011.500	-46.78	-13	-33.78	-53.80	10.36	3.33
	2682.000	-31.61	-13	-18.61	-38.72	10.93	3.83
	3352.500	-36.09	-13	-23.09	-44.08	12.29	4.30
	4023.000	-51.28	-13	-38.28	-59.21	12.60	4.67
	4693.500	-50.71	-13	-37.71	-58.25	12.66	5.11

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 15M_CH 133297_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1361.000	-53.15	-13	-40.15	-58.50	8.04	2.70
	2041.500	-43.25	-13	-30.25	-50.27	10.37	3.35
	2722.000	-31.32	-13	-18.32	-38.47	11.01	3.85
	3402.500	-38.39	-13	-25.39	-46.45	12.40	4.34
	4083.000	-52.02	-13	-39.02	-59.92	12.61	4.71
	4763.500	-51.08	-13	-38.08	-58.58	12.65	5.15
V	1361.000	-49.36	-13	-36.36	-54.71	8.04	2.70
	2041.500	-40.82	-13	-27.82	-47.84	10.37	3.35
	2722.000	-30.95	-13	-17.95	-38.10	11.01	3.85
	3402.500	-31.83	-13	-18.83	-39.89	12.40	4.34
	4083.000	-51.86	-13	-38.86	-59.76	12.61	4.71
	4763.500	-49.98	-13	-36.98	-57.48	12.65	5.15

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 15M_CH 133397_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1381.000	-58.06	-13	-45.06	-63.50	8.16	2.72
	2071.500	-49.01	-13	-36.01	-56.02	10.39	3.38
	2762.000	-35.89	-13	-22.89	-43.09	11.08	3.88
	3452.500	-37.24	-13	-24.24	-45.37	12.51	4.38
	4143.000	-52.18	-13	-39.18	-60.04	12.62	4.75
	4833.500	-50.50	-13	-37.50	-57.96	12.65	5.20
V	1381.000	-57.39	-13	-44.39	-62.83	8.16	2.72
	2071.500	-46.78	-13	-33.78	-53.79	10.39	3.38
	2762.000	-33.20	-13	-20.20	-40.40	11.08	3.88
	3452.500	-34.22	-13	-21.22	-42.35	12.51	4.38
	4143.000	-50.16	-13	-37.16	-58.02	12.62	4.75
	4833.500	-51.05	-13	-38.05	-58.51	12.65	5.20

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 20M_CH 133222_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1346.000	-54.17	-13	-41.17	-59.44	7.96	2.68
	2019.000	-52.26	-13	-39.26	-59.28	10.36	3.34
	2692.000	-34.39	-13	-21.39	-41.51	10.95	3.83
	3365.000	-41.20	-13	-28.20	-49.20	12.32	4.31
	4038.000	-52.05	-13	-39.05	-59.97	12.60	4.68
	4711.000	-51.38	-13	-38.38	-58.91	12.66	5.12
V	1346.000	-54.04	-13	-41.04	-59.31	7.96	2.68
	2019.000	-49.16	-13	-36.16	-56.18	10.36	3.34
	2692.000	-33.26	-13	-20.26	-40.38	10.95	3.83
	3365.000	-34.89	-13	-21.89	-42.89	12.32	4.31
	4038.000	-49.49	-13	-36.49	-57.41	12.60	4.68
	4711.000	-50.48	-13	-37.48	-58.01	12.66	5.12

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 20M_CH 133297_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1361.000	-52.65	-13	-39.65	-58.00	8.04	2.70
	2041.500	-42.50	-13	-29.50	-49.52	10.37	3.35
	2722.000	-31.58	-13	-18.58	-38.73	11.01	3.85
	3402.500	-36.77	-13	-23.77	-44.83	12.40	4.34
	4083.000	-52.10	-13	-39.10	-60.00	12.61	4.71
	4763.500	-51.36	-13	-38.36	-58.86	12.65	5.15
V	1361.000	-48.82	-13	-35.82	-54.17	8.04	2.70
	2041.500	-41.80	-13	-28.80	-48.82	10.37	3.35
	2722.000	-31.91	-13	-18.91	-39.06	11.01	3.85
	3402.500	-31.48	-13	-18.48	-39.54	12.40	4.34
	4083.000	-51.62	-13	-38.62	-59.52	12.61	4.71
	4763.500	-50.45	-13	-37.45	-57.95	12.65	5.15

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.

BW 20M_CH 133371_QPSK_1RB0

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1376.000	-53.57	-13	-40.57	-58.99	8.13	2.71
	2064.000	-46.35	-13	-33.35	-53.36	10.38	3.37
	2752.000	-35.68	-13	-22.68	-42.87	11.06	3.87
	3440.000	-39.92	-13	-26.92	-48.03	12.48	4.37
	4128.000	-51.32	-13	-38.32	-59.19	12.62	4.74
	4816.000	-51.07	-13	-38.07	-58.54	12.65	5.18
V	1376.000	-53.02	-13	-40.02	-58.44	8.13	2.71
	2064.000	-47.00	-13	-34.00	-54.01	10.38	3.37
	2752.000	-33.52	-13	-20.52	-40.71	11.06	3.87
	3440.000	-35.75	-13	-22.75	-43.86	12.48	4.37
	4128.000	-49.08	-13	-36.08	-56.95	12.62	4.74
	4816.000	-50.22	-13	-37.22	-57.69	12.65	5.18

Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.