

Page: 1 of 236

# **ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT**

## INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART E REQUIREMENT

0F

Applicant: ASKEY COMPUTER CORP.

10F, NO.119, JIANKANG RD., ZHONGHE DIST., NEW TAIPEI CITY

23585, TAIWAN, R.O.C.

**Product Name:** Wireless module

**Brand Name:** Panasonic

Model No.: WLU5540B-D81(NB-RoHS)

**Model Difference:** 

FCC ID: H8N-WLU5540B-NB

**Report Number:** ER/2018/60111 **FCC Rule Part:** §15.407, Cat: NII Issue Date: Nov. 19, 2018

Date of Test: Jun. 25, 2018~ Sep. 06, 2018

Date of EUT Received: Jun. 25, 2018

#### We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10: 2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Tested By:

Louis Chen / Engineer

Approved By:

Blue Yang / Supervisor





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Page: 2 of 236

# **Revision History**

Report Number	Revision	Description	Effected Page	Issue Date	Revised By
ER/2018/60111	Rev.00	Initial creation of docu- ment	All	Sep. 18, 2018	Stefanie Yu / Clerk
ER/2018/60111	Rev.01	Update information for chapter 1.1	5	Nov. 16, 2018	Stefanie Yu / Clerk
ER/2018/60111	Rev.02	Update information for chapter 4	10~13	Nov. 19, 2018	Stefanie Yu / Clerk

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\*\* No 134 WulkungRand.NewTaipeiIndustrialPark. WulkupDistrict. NewTaipeiCity.Taiwan24803/新·t.市 无股區新·t.產業園區 无工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

www.tw.sgs.com



Page: 3 of 236

## **Contents**

1	GENERAL INFORMATION	4
2	SYSTEM TEST CONFIGURATION	7
3	SUMMARY OF TEST RESULT	9
4	DESCRIPTION OF TEST MODES	10
5	MEASUREMENT UNCERTAINTY	14
6	CONDUCTED EMISSION TEST	15
7	DUTY CYCLE TEST SIGNAL	19
8	26dB & 6dB EMISSION BANDWIDTH MEASUREMENT	23
9	MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT	46
10	MAXIMUM POWER SPECTRAL DENSITY	54
11	UNDESIRABLE RADIATED EMISSION MEASUREMENT	66
12	TRANSMISSION IN THE ABSENCE OF DATA	217
13	FREQUENCY STABILITY	218
14	ANTENNA REQUIREMENT	236

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\*\* No 134 WulkungRand.NewTaipeiIndustrialPark. WulkupDistrict. NewTaipeiCity.Taiwan24803/新·t.市 无股區新·t.產業園區 无工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279

台灣檢驗科技股份有限公司



Page: 4 of 236

## **GENERAL INFORMATION**

## 1.1 Product Description

#### General:

General.	
Product Name:	Wireless module
Brand Name:	Panasonic
Model No.:	WLU5540B-D81(NB-RoHS)
Model Difference:	N/A
Product HW version:	REV2
Product SW version:	N/A
Operating system:	Ubuntu 12.04.1
QA tool version:	v.62132
QA driver version:	v 0.0.4.26
Linux driver version:	v.1.0.1
Power Supply:	5Vdc from USB Port

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\*\* No 134 WulkungRand.NewTaipeiIndustrialPark. WulkupDistrict. NewTaipeiCity.Taiwan24803/新·t.市 无股區新·t.產業園區 无工路 134 號

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Page: 5 of 236

### WLAN 5GHz:

WLAN 802.11	Frequency Range	Channels	Rated Power (Avg.) (dBm)	Modulation Technology
	5180~5240	4	21.28	
	5260~5320	4	21.07	OFDM
а	5500~5720	12	19.48	OFDIVI
	5745-5825	5	25.47	
	5180~5240	4	HT: 21.26 (Worst case)	
n_HT	5260~5320	4	HT: 21.01 (Worst case)	OFDM
ac_VHT 20M	5500~5720	12	HT: 19.57 (Worst case)	OFDM
20	5745-5825	5	HT: 25.43 (Worst case)	
	5190~5230	2	HT: 21.39 (Worst case)	
n_HT	5270~5310	2	HT: 21.16 (Worst case)	OFDM
ac_VHT 40M	5510~5710	6	HT: 19.68 (Worst case)	
	5755~5795	2	HT: 25.40 (Worst case)	
	5210	1	13.01	
ac_VHT	5290	1	1 12.63	
80M	5530~5690	3	19.42	OFDM
	5775	1	18.15	
Modulation type		64QAM, 16QAM, QPSK, BPSK for OFDM 256QAM for OFDM in 802.11ac only		
Transition Rate:s		802.11 n_20 802.11 n_40 802.11 ac_2 802.11 ac_4	9/12/18/24/36/48/54 Mbps MHz: 6.5 – 144.4Mbps MHz: 13.5 – 300.0Mbps 0MHz: 6.5 –173.3Mbps 0MHz: 13.5 –400.0Mbps 0MHz: 29.3 – 866.7Mbps	

Vendor	Ant. Type	Main / Aux	Part No.	Freq.(MHz)	Peak Gain (dBi)
				5150~5250	4.72
	Internal	Main	N/A	5250~5350	4.72
		IVIAIII	III IVA	5470~5725	6.42
PCB				5725~5850	4.46
PCB	Internal	ernal Aux	x N/A	5150~5250	6.30
				5250~5350	6.30
Internal	Mux   I'	IV/A	5470~5725	8.01	
				5725~5850	5.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\*\* No 134 WulkungRand.NewTaipeiIndustrialPark. WulkupDistrict. NewTaipeiCity.Taiwan24803/新·t.市 无股區新·t.產業園區 无工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

www.tw.sgs.com



Page: 6 of 236

## Test Methodology of Applied Standards

FCC Part 15, Subpart E §15.407

FCC KDB 789033 D02 General UNII Test Procedures New Rules V02r01

FCC KDB 662911 D01 Multiple Transmitter Output v02r01

ANSI C63.10:2013

#### Note:

All test items have been performed and record as per the above standards.

## Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803 (TAF code 0513)

FCC Registration Numbers are: 509634 / TW0001

## 1.4 Special Accessories

There are no special accessories used while test was conducted.

## 1.5 Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) lested and such sample(s) lested and such sample(s) lested and such sample(s) lest of the sample(s) lested and such sample(s) lested an Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

f (886-2) 2298-0488



Page: 7 of 236

#### 2 SYSTEM TEST CONFIGURATION

## 2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

#### 2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

### 2.3 Test Procedure

#### 2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz,. The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

## 2.3.2 Radiated Emissions

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plan. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

## 2.4 Measurement Results Explanation Example

## For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

#### Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 8 of 236

## 2.5 Configuration of Tested System Fig. 2-1 Conducted (Antenna Port) Emission Configuration




Fig 2-2 Radiated Emission



Fig 2-3 Conduction (AC Power Line) Radiated Emission



**Table 2-1 Equipment Used in Tested System** 

Item	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
1.	Bluetooth Test Software	N/A	N/A	N/A	N/A	N/A
2.	Notebook	Lenovo	L430	R9-WGNK5	Shielded	Unshielded
3.	DC Power Sup- ply	Agilent	E3634A	MY53130054	N/A	Unshielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有规则,此根告结果僅對测试之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCECT shaven Ltd.\*\*

\*\*IN 134 MW/www.finial.pdf.\*\*

\*\*

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 9 of 236

## **SUMMARY OF TEST RESULT**

FCC Rules	Description Of Test	Result
§15.207	AC Power Line Conducted Emission	Compliant
§15.403(i) §15.407(e)	26 dB & 6dB & 99% Emission Bandwidth	Compliant
§15.407(a)	Maximum Conducted Output Power	Compliant
§15.407(a)	Power Spectral Density	Compliant
§15.407(b)	Undesirable Radiated Emissions	Compliant
§15.407(c)	Transmission in case of Absence of Information	Compliant
§15.407(g)	Frequency Stability	Compliant
§15.203 §15.407(a)	Antenna Requirement	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\*\* No 134 WulkungRand.NewTaipeiIndustrialPark. WulkupDistrict. NewTaipeiCity.Taiwan24803/新·t.市 无股區新·t.產業園區 无工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279



Page: 10 of 236

## **DESCRIPTION OF TEST MODES**

## 4.1 Operated in U-NII Bands

## Operated band in 5150 MHz ~5250 MHz:

Operated barra in 3130 mil			
802.11a / n HT20 Mode,			
802.11ac VHT20 Mode			
Channel	Frequency		
36	5180		
40	5200		
44	5220		
48	5240		

802.11 n HT40 Mode, 802.11ac VHT40 Mode			
channel	Frequency		
38	5190		
46	5230		

802.11ac VHT80 Mode		
channel	Frequency	
42 5210		

### Operated band in 5250 MHz ~5350 MHz:

802.11a / n HT20 Mode, 802.11ac VHT20 Mode		
channel	Frequency	
52	5260	
56	5280	
60	5300	
64	5320	

802.11 n HT40 Mode, 802.11ac VHT40 Mode			
channel Frequency			
54	5270		
62	5310		

802.11ac VHT80 Mode	
Channel	Frequency
58	5290

SGS Taiwan Ltd.



Page: 11 of 236

## Operated band in 5470 MHz ~5725 MHz:

802.11a / n HT20 Mode,		
802.11ac VHT20 Mode		
Channel	Freq (MHz)	
100	5500	
104	5520	
108	5540	
112	5560	
116	5580	
120	5600	
124	5620	
128	5640	
132	5660	
136	5680	
140	5700	
144	5720	

802.11 n HT40 Mode, 802.11ac VHT40 Mode		
Channel	Freq (MHz)	
102	5510	
110	5550	
118	5590	
126	5630	
134	5670	
142	5710	

802.11ac VHT80 Mode		
Channel	Freq (MHz)	
106	5530	
122	5610	
138	5690	

## Operated band in 5745 MHz ~5850 MHz:

802.11a / n HT20 Mode, 802.11ac VHT20 Mode		
Channel	Freq (MHz)	
149	5745	
153	5765	
157	5785	
161	5805	

802.11 n HT40 Mode, 802.11ac VHT40 Mode		
channel	Freq (MHz)	
151	5755	
159	5795	

802.11ac VHT80 Mode		
channel	Freq (MHz)	
155	5775	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\*\* No 134 WulkungRand.NewTaipeiIndustrialPark. WulkupDistrict. NewTaipeiCity.Taiwan24803/新·t.市 无股區新·t.產業園區 无工路 134 號

f (886-2) 2298-0488



Page: 12 of 236

#### 4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.

### **RADIATED EMISSION TEST:**

RADIATED LINISSION TEST.					
•			MODULATION		ANTENNA PORT
5180~5240	36 to 48	36,44,48	OFDM	6	2TX
5210	42	42	OFDM	MCS0	MIMO
5260~5320	52 to 64	52,60,64	OFDM	6	2TX
5290	58	58	OFDM	MCS0	MIMO
5500~5720	100 to 140	100,116,140	OFDM	6	2TX
5530~5690	106 to 138	106,122,138	OFDM	MCS0	MIMO
5745~5825	149 to 165	149,157,165	OFDM	6	2TX
5775	155	155	OFDM	MCS0	MIMO
RAI	DIATED EMIS	SION TEST (ABO	OVE 1 GHz)		
E190 E240	26 to 49	26 44 49	OFDM	6	2TX
5160~5240	30 10 40	30,44,40	OFDM	MCS8	MIMO
5190~5230	38 to 46	38,46	OFDM	MCS8	MIMO
5210	42	42	OFDM	MCS0	MIMO
5260 <b>5</b> 220	52 to 64	52 60 64	OFDM	6	2TX
5200~5320	32 10 04	52,00,04	OFDM	MCS8	MIMO
5270~5310	54 to 62	54,62	OFDM	MCS8	MIMO
5290	58	58	OFDM	MCS0	MIMO
5500, 5720	100 to 144	100 116 110 111	OFDM	6	2TX
3300~3720	100 to 144	100,110,140,144	OFDM	MCS8	MIMO
5510~5710	102 to 142	102,110,134,142	OFDM	MCS8	MIMO
5530~5690	106 to 138	106,122,138	OFDM	MCS0	MIMO
5745~5825	149 to 165	140 157 165	OFDM	6	2TX
0140~0020	1-10 10 100	143,137,103	OFDM	MCS8	MIMO
5755~5795	151 to 159	151,159	OFDM	MCS8	MIMO
5775	155	155	OFDM	MCS0	MIMO
	FREQUENCY BAND (MHz)  RAI  5180~5240  5210  5260~5320  5290  5500~5720  5530~5690  5745~5825  775  RAI  5180~5240  5190~5230  5210  5260~5320  5270~5310  5290  5510~5710  5530~5690  5745~5825  5755~5795	FREQUENCY BAND (MHz)  FRADIATED EMIS  5180~5240	FREQUENCY BAND (MHz)         AVAILABLE CHANNEL         TESTED CHANNEL           RADIATED EMISSION TEST (BEL 5180~5240         36 to 48         36,44,48           5210         42         42           5260~5320         52 to 64         52,60,64           5290         58         58           5500~5720         100 to 140         100,116,140           5530~5690         106 to 138         106,122,138           5745~5825         149 to 165         149,157,165           5775         155         155           RADIATED EMISSION TEST (ABO)           5180~5240         36 to 48         36,44,48           5190~5230         38 to 46         38,46           5210         42         42           5260~5320         52 to 64         52,60,64           5270~5310         54 to 62         54,62           5290         58         58           5500~5720         100 to 144         100,116,140,144           5510~5710         102 to 142         102,110,134,142           5530~5690         106 to 138         106,122,138           5745~5825         149 to 165         149,157,165           5755~5795         151 to 159         151,159 </td <td>  FREQUENCY   AVAILABLE   CHANNEL   CHANNEL   CHANNEL    </td> <td>  FREQUENCY   AVAILABLE   CHANNEL   CHANNEL   CHANNEL   CHANNEL   CHANNEL    </td>	FREQUENCY   AVAILABLE   CHANNEL   CHANNEL   CHANNEL	FREQUENCY   AVAILABLE   CHANNEL   CHANNEL   CHANNEL   CHANNEL   CHANNEL

Note: The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11a/n/ac WLAN Transmitter for channel Low, Mid and High, the worst case H position was reported

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 www.tw.sqs.com



Page: 13 of 236

#### ANTENNA PORT CONDUCTED MEASUREMENT

ANTENNA PORT CONDUCTED MEASUREMENT:						
CONDUCTED TEST						
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT
802.11a	, ,			OFDM	6	2TX
802.11n_HT20 802.11ac_VHT20	5180~5240	36 to 48	36,44,48	OFDM	MCS8	MIMO
802.11n_HT40 802.11ac_VHT40	5190~5230	38 to 46	38,46	OFDM	MCS8	MIMO
802.11ac_VHT80	5210	42	42	OFDM	MCS0	MIMO
802.11a				OFDM	6	2TX
802.11n_HT20 802.11ac_VHT20	5260~5320	52 to 64	52,60,64	OFDM	MCS8	MIMO
802.11n_HT40 802.11ac_VHT40	5270~5310	54 to 62	54,62	OFDM	MCS8	MIMO
802.11ac_VHT80	5290	58	58	OFDM	MCS0	MIMO
802.11a				OFDM	6	2TX
802.11n_HT20 802.11ac_VHT20	5500~5720	100 to 144	100,116,140,144	OFDM	MCS8	MIMO
802.11n_HT40 802.11ac_VHT40	5510~5710	102 to 142	102,110,134,142	OFDM	MCS8	MIMO
802.11ac_VHT80	5530~5690	106 to 138	106,122,138	OFDM	MCS0	MIMO
802.11a				OFDM	6	2TX
802.11n_HT20 802.11ac_VHT20	5745~5825	149 to 165	149,157,165	OFDM	MCS8	MIMO
802.11n_HT40 802.11ac_VHT40	5755~5795	151 to 159	151,159	OFDM	MCS8	MIMO
802.11ac_VHT80	5775	155	155	OFDM	MCS0	MIMO

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCS Taiwan Ltd.

No.134, WuKungRoad, NewTaipeilIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134, WuKungRoad, NewTaipeilIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com



Page: 14 of 236

## **MEASUREMENT UNCERTAINTY**

Test Items	Uncertainty
AC Power Line Conducted Emission	+/- 2.586 dB
26dB & 6dB Emission Bandwidth	+/- 123.36 Hz
The Maximum Output Power Measurement	+/- 0.96 dB
Maximum Power Spectral Density Measurement	+/- 1.67 dB
Frequency Stability	+/- 123.36 Hz
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC=+/- 0.2%

Radiated Spurious Emission:

	9kHz-30MHz: +/-2.87dB
	30MHz - 180MHz: +/- 3.37dB
Measurement uncertainty	180MHz -417MHz: +/- 3.19dB
(Polarization : <b>Vertical</b> )	0.417GHz-1GHz: +/- 3.19dB
	1GHz - 18GHz: +/- 4.04dB
	18GHz - 40GHz: +/- 4.04dB

	9kHz-30MHz: +/-2.87dB
	30MHz - 167MHz: +/- 4.22dB
Measurement uncertainty	167MHz -500MHz: +/- 3.44dB
(Polarization : <b>Horizontal</b> )	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\* No 134 WukunRand New TaipeilndustrialPark. WukuDistrict. New TaipeiCity. Taiwan 24803/新 北市 五 股 原新 北 產業園 原 五 工 数 134 赞

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



Page: 15 of 236

## CONDUCTED EMISSION TEST

## 6.1. Standard Applicable

Frequency range within 150 kHz to 30 MHz shall not exceed the Limit table as below

squeriey range within 100 kinz to 60 kinz orial not exceed the Elithic table de bolow.						
	Limits					
Frequency range	dB(uV)					
MHz	Quasi-peak Average					
0.15 to 0.50	66 to 56	56 to 46				
0.50 to 5	56	46				
5 to 30	60	50				

### Note

## 6.2. Measurement Equipment Used

Conducted Emission Test Site							
EQUIPMENT MFR MODEL SERIAL LAST CA							
TYPE		NUMBER	NUMBER	CAL.			
EMI Test Receiver	R&S	ESCI7	100335	2018/02/02	2018/08/28		
LISN	SCHWARZBECK	NSLK 8127	8127-649	2018/05/18	2018/08/28		
Notebook	Lenovo	L430	R9-WGNK5	2018/01/04	2019/01/03		

### 6.3. EUT Setup

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The rear of the EUT and peripherals were placed flushed with the rear of the table top.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

> f (886-2) 2298-0488 www.tw.sqs.com

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.


<sup>1.</sup> The lower limit shall apply at the transition frequencies

<sup>2.</sup> The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.



Page: 16 of 236

#### 6.4. Test SET-UP



#### 6.5. Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed.

#### 6.6. Measurement Result

Note: Refer to next page for measurement data and plots.

Note2: The \* reveals the worst-case results that closet to the limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 17 of 236

Site Conduction Room


Limit: FCC Class B Conduction(QP)

Mode: Operation

Note:

25 °C Phase: L1 Temperature: AC 120V/60Hz Humidity: 85 % Power:

#### **Conducted Emission**



No. Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
	MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1	0.1660	48.25	0.04	48.29	65.16	-16.87	peak	
2 *	0.1900	47.82	0.04	47.86	64.04	-16.18	peak	
3	0.2380	42.11	0.04	42.15	62.17	-20.02	peak	
4	0.5100	37.11	0.04	37.15	56.00	-18.85	peak	
5	0.7060	35.91	0.05	35.96	56.00	-20.04	peak	
6	3.4020	36.40	0.13	36.53	56.00	-19.47	QP	
7	3.4020	29.40	0.13	29.53	46.00	-16.47	AVG	




Page: 18 of 236

Phase: Temperature: Site Conduction Room N Limit: FCC Class B Conduction(QP) Power: AC 120V/60Hz Humidity: 85 %

Mode: Operation

Note:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有规则,此根告结果僅對测试之樣品負責,同時此樣品僅保留90天。本根告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCECT shaven Ltd.\*\*

\*\*IN 134 MW/www.finial.pdf.\*\*

\*\*



Page: 19 of 236

## **DUTY CYCLE TEST SIGNAL**

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

## Formula:

Duty Cycle = Ton / (Ton+Toff)

#### **Measurement Procedure:**

- 1. Set span = Zero
- 2. RBW = 8MHz
- 3. VBW = 8MHz,
- 4. Detector = Peak

## **Duty Cycle:**

ycie.				
Mode	Duty Cycle (%)	Duty Factor (dB) =10*log ( 1/Duty Cycle )	1/T (kHz)	VBW setting (kHz)
802.11a	97.45	0.11	0.72	1.00
802.11n_20	94.91	0.23	1.49	2.00
802.11ac_20	97.47	0.11	0.76	1.00
802.11n_40	90.86	0.42	2.87	3.00
802.11ac_40	94.71	0.24	1.53	2.00
802.11ac_80	90.13	0.45	3.09	4.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) lested and such sample(s) lested and such sample(s) lested and such sample(s) lest of the sample(s) lested and such sample(s) lested an Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 20 of 236

## **DUTY CYCLE TEST SIGNAL Measurement Result**

### 802.11a



## 802.11n HT20



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report relear only to the sample(s) tested and such carriagne(s) are retained for 90 days only. 

Ref. 8月 有说明,此報告結果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approach is pulsational to the survey of this document is pulsational to the full and the full a pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

t (886-2) 2299-3279

www.tw.sqs.com



Page: 21 of 236

## 802.11ac VHT20



## 802.11n HT 40



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report relear only to the sample(s) tested and such carriagne(s) are retained for 90 days only. 

Ref. 8月 有说明,此報告結果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approach is pulsational to the survey of this document is pulsational to the full and the full a pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com



Page: 22 of 236

## 802.11ac VHT 40



## 802.11 ac VHT 80



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this test report relear only to the sample(s) tested and such carriagne(s) are retained for 90 days only. 

Ref. 8月 有说明,此報告結果僅對測試之樣品負責,同時止樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approach is pulsational to the survey of this document is pulsational to the full and the full a pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 23 of 236

## 26DB & 6DB EMISSION BANDWIDTH MEASUREMENT

## 8.1 Standard Applicable

There is no limit bandwidth for U-NII-1, U-NII-2-A and U-NII-2-C. The minimum of 6dB Bandwidth measurement is 0.5 MHz for U-NII-3

#### 8.2 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the Antenna port to the spectrum analyzer.
  - a. 26dB Band width Measurement: Set the spectrum analyzer as 1% of emission BW Sweep=auto, Detector = Peak, Trace Mode = Max Hold, Manually readjust RBW until the RBW/EBW ratio is 1% based on EBW as observed on the result of pre-sequence measurement.
  - b. Mark the peak frequency and –26dB (upper and lower) frequency.
- 4. Repeat the procedures as list above until all test default channels (low, middle, and high) are completed.
- 5. Minimum Emission Bandwidth for the band 5.725-5.850GHz.
  - a. Set the spectrum analyzer as RBW = 100 kHz, VBW = 3\*RBW, Span = 30M/50MHz, Detector=Peak,
    - Sweep=auto
  - b. Mark the peak frequency and -6dB (upper and lower) frequency.
- 6. For 99% Bandwidth:

Set the spectrum analyzer as RBW=1%, VBW = 3\*RBW, Span = 30M/50MHz, Detector=Sample, Sweep=auto.

- 7. Turn on the 99% bandwidth function, max reading.
- 8. Repeat above procedures until all frequency of interest measured was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留旬天。本報告未總本公司書面許可,不可都份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 24 of 236

## 8.3 Measurement Equipment Used

SGS Conducted Room							
Name of Equip- ment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due		
DC Power Supply	Anritsu	E3640A	MY52410006	2017/11/28	2018/08/28		
EXA Spectrum Analyzer	Agilent	N9010A	MY50420195	2018/05/03	2018/08/28		
Temperature Chamber	TERCHY	MHG-120LF	911009	2018/05/18	2018/08/28		
Attenuator	Mini-Circuit	BW-S10W2+	2	2017/11/29	2018/11/28		
DC Block	Mini-Circuits	BLK-18-S+	1	2018/01/04	2019/01/03		
Coaxial Cables	N/A	WK CE Cable	N/A	2017/12/20	2018/12/19		
Notebook	Lenovo	L420	LR-7HXZA	2017/12/29	2018/12/28		

## 8.4 Test Set-up



### 8.5 Measurement Result

#### 26dB Bandwidth

802 11a Main

202 11a Auv1

802.11a_Main	02.11a_Main				
Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)	Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	26.93	14.302	5180	26.40	14.216
5220	25.49	14.063	5220	28.86	14.603
5240	24.77	13.940	5240	27.72	14.429
5260	26.63	14.254	5260	25.48	14.063
5300	25.09	13.995	5300	24.71	13.928
5320	26.39	14.214	5320	25.48	14.061
5500	20.31	13.078	5500	20.36	13.088
5580	26.63	14.254	5580	27.67	14.420
5700	19.94	12.998	5700	19.93	12.995
5720(U-NII 2C)	16.16	12.084	5720(U-NII 2C)	16.28	12.117
5720 (U-NII 3)	5.16	7.126	5720 (U-NII 3)	5.16	7.126

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com



Page: 25 of 236

#### 802.11n\_HT20\_Main

#### 802.11n HT20 Aux1

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	28.20	14.502
5220	22.65	13.550
5240	22.40	13.503
5260	20.87	13.195
5300	20.74	13.168
5320	22.45	13.512
5500	20.09	13.030
5580	23.44	13.700
5700	20.13	13.038
5720(U-NII 2C)	15.16	11.807
5720 (U-NII 3)	5.08	7.059

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	25.92	14.136
5220	22.77	13.574
5240	22.32	13.487
5260	22.22	13.467
5300	20.11	13.034
5320	22.40	13.502
5500	20.32	13.079
5580	24.97	13.975
5700	20.02	13.016
5720(U-NII 2C)	16.68	12.222
5720 (U-NII 3)	5.48	7.388

#### 802 11n HT40 Main

#### 202 11n HT40 Aux1

OUZ. I III _FI 14U_WAIII			002.11П_П140_Aux I			
Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)	Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)	
5190	40.83	16.109	5190	40.75	16.101	
5230	49.90	16.981	5230	49.67	16.961	
5270	49.54	16.949	5270	49.23	16.922	
5310	40.67	16.092	5310	40.90	16.117	
5510	40.54	16.079	5510	40.79	16.105	
5550	49.98	16.988	5550	49.88	16.979	
5670	41.02	16.130	5670	42.58	16.292	
5710 (U-NII 2C)	35.56	15.510	5710 (U-NII 2C)	35.48	15.500	
5710 (U-NII 3)	5.48	7.388	5710 (U-NII 3)	5.48	7.388	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\*\* No 134 WulkungRand.NewTaipeiIndustrialPark. WulkupDistrict. NewTaipeiCity.Taiwan24803/新·t.市 无股區新·t.產業園區 无工路 134 號

f (886-2) 2298-0488



Page: 26 of 236

#### 802.11ac \_VHT80\_Main

### 802.11ac \_VHT80\_Aux1

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5210	80.91	19.080
5290	80.78	19.073
5530	81.08	19.089
5610	89.40	19.513
5690 (U-NII 2C)	84.92	19.290
5690 (U-NII 3)	5.32	7.259

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5210	80.68	19.067
5290	80.95	19.082
5530	80.70	19.069
5610	89.92	19.538
5690 (U-NII 2C)	80.76	19.072
5690 (U-NII 3)	5.48	7.388

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\*\* No 134 WulkungRand.NewTaipeiIndustrialPark. WulkupDistrict. NewTaipeiCity.Taiwan24803/新·t.市 无股區新·t.產業園區 无工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sgs.com



Page: 27 of 236

## 6dB Bandwidth (5725 MHz~ 5850 MHz) measure with Peak detector for FCC

#### 802.11a Main

### 802.11a Aux1

OOZII Ta_Mani			OOZIII IU_/IUXI		
Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)	Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	15.14	11.802	5745	15.15	11.805
5785	15.35	11.862	5785	15.14	11.801
5825	16.05	12.055	5825	16.26	12.112

### 802.11n\_HT20\_Main

### 802.11n\_HT20\_Aux1

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)	Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	16.31	12.125	5745	17.06	12.321
5785	15.93	12.022	5785	15.94	12.026
5825	16.30	12.121	5825	16.31	12.124

#### 802.11n HT40 Main

#### 802.11n HT40 Aux1

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)	Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5755	35.10	15.452	5755	35.11	15.455
5795	35.37	15.486	5795	35.11	15.454

#### 802.11ac VHT80 Main

## 802.11ac VHT80 Aux1

Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)	Frequency (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5775	75.19	18.762	5775	75.18	18.761

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\* No 134 WukunRand New TaipeilndustrialPark. WukuDistrict. New TaipeiCity. Taiwan 24803/新 北市 五 股 原新 北 產業園 原 五 工 数 134 赞

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

www.tw.sgs.com



Page: 28 of 236

### 99% BW Verification of DFS Function

802.11a\_Main

802.11a\_Aux1

Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)	Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)
5240	5248.28	< 5250	5240	5248.28	< 5250
5745	5736.69	> 5725	5745	5736.66	> 5725

802.11n\_HT20\_Main

802.11n\_HT20\_Aux1

Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)	Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)
5240	5248.76	< 5250	5240	5248.76	< 5250
5745	5734.26	> 5725	5745	5734.47	> 5725

802.11n \_HT40\_Main

802.11n \_HT40\_Aux1

Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)	Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)
5230	5248.10	< 5250	5230	5248.15	< 5250
5755	5735.85	> 5725	5755	5736.05	> 5725

802.11ac \_VHT80\_Main

802.11n \_HT80\_Aux1

Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)	Frequency (MHz)	Measured Frequency (MHz)	Limit (MHz)
5210	5247.80	< 5250	5210	5247.90	< 5250
5775	5733.20	> 5725	5775	5732.70	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and purisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


\*\*SGS Taiwan Ltd.\*\* No 134 WukunRand New TaipeilndustrialPark. WukuDistrict. New TaipeiCity. Taiwan 24803/新 北市 五 股 原新 北 產業園 原 五 工 数 134 赞




Page: 29 of 236

## 802.11a (Main) 5180MHz


#### 5260MHz



#### 5220MHz 5300MHz



#### 5240MHz 5320MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 30 of 236

#### 5500MHz

## 802.11a (Aux1) 5180MHz



#### 5580MHz 5220MHz



#### 5700MHz 5240MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of


SGS Taiwan Ltd.




Page: 31 of 236

## 5260MHz


#### 5500MHz



#### 5300MHz 5580MHz



#### 5320MHz 5700MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

SGS Taiwan Ltd.




Page: 32 of 236

## 802.11n HT20 (Main) 5180 MHz


#### 5260 MHz



#### 5220 MHz 5300 MHz



#### 5240 MHz 5320 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of


SGS Taiwan Ltd.




Page: 33 of 236


## 5500 MHz

#### 5720 MHz





## 5700 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

f (886-2) 2298-0488


SGS Taiwan Ltd.




Page: 34 of 236

## 802.11n HT20 (Aux1) 5180 MHz


#### 5260 MHz



#### 5220 MHz 5300 MHz



#### 5240 MHz 5320 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results strown in this less report refer only to the sample(s) tested and such a sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品身責,同時此樣品僅保留的人。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.thm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of


f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 35 of 236


#### 5500 MHz 5720 MHz



#### 5580 MHz



## 5700 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

f (886-2) 2298-0488


SGS Taiwan Ltd.




Page: 36 of 236

## 802.11n HT40 (Main) 5190 MHz

#### 5310MHz



#### 5230 MHz 5510 MHz



#### 5270 MHz 5550 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

SGS Taiwan Ltd.



Page: 37 of 236

#### 5670 MHz


# 802.11n HT40 (Aux1) 5190 MHz




#### 5710 MHz



#### 5230 MHz



#### 5270 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

SGS Taiwan Ltd.




Page: 38 of 236

#### 5670 MHz 5310MHz



#### 5510 MHz 5710 MHz



### 5550 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 39 of 236

# 802.11ac VHT80 (Main) 5210 MHz


#### 5610 MHz



#### 5290 MHz



### 5530 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of


SGS Taiwan Ltd.



Page: 40 of 236

# 802.11ac VHT80 (Aux1) 5210 MHz


#### 5610 MHz



#### 5290 MHz



### 5530 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

f (886-2) 2298-0488


SGS Taiwan Ltd.



Page: 41 of 236


# 6dB Band Width measure with Peak detector for **FCC**

802.11a,(Main) 6dB BW (5745 MHz) 802.11a,(Aux1) 6dB BW (5745 MHz)




6dB BW (5785 MHz)

6dB BW (5785 MHz)



6dB BW (5825 MHz)

6dB BW (5825 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

sibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 42 of 236



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for Electronic Documents at <a href="https sibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

SGS Taiwan Ltd.



37.789 MHz

Transmit Freg Error

x dB Bandwidth

56.094 kHz

35.37 MHz

**OBW Power** 

x dB

Report No.: ER/2018/60111

Page: 43 of 236



Freq Offse

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

99.00 %

-6.00 dB

际形分列机型 「担根管路不謀封河県へ保御可具」「四可氏係近接所留別人。各項管不整本公司管理計画、个可可力模表。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms and conditions.htm">www.sgs.com/terms and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms e-document.htm">www.sgs.com/terms and conditions.htm</a> and, for electronic Documents at <a href="https://www.sgs.com/terms and conditions.htm">www.sgs.com/terms and conditions.htm</a> and, for electronic Documents at <a href="https://www.sgs.com/terms and conditions.htm">www.sgs.com/terms and conditions.htm</a> and, for electronic Documents at <a href="https://www.sgs.com/terms and conditions.htm">www.sgs.com/terms and conditions.htm</a> and, for electronic Documents. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.

No.134, WuKungRoad, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

36.927 MHz

Transmit Freg Error

x dB Bandwidth

-59.050 kHz

35.11 MHz

**OBW Power** 

x dB

Freq Offse


99.00 %

-6.00 dB




Page: 44 of 236

# 802.11ac VHT80,(Main) 6dB BW (5775 MHz)



# 802.11ac VHT80,(Aux1) 6dB BW (5775 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results strown in this less report refer only to the sample(s) tested and such a sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品身責,同時此樣品僅保留的人。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.thm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 45 of 236

# Band-Crossing Signals\_802.11a\_20MHz\_ 5720MHz



# Band-Crossing Signals\_802.11n\_20MHz\_ 5720MHz



# Band-Crossing Signals\_802.11n\_40MHz\_ 5710MHz



# Band-Crossing Signals\_802.11ac\_80MHz\_5690MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留則天。本報告未經本公司著血許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, https://www.sgs.com/terms</a> and conditions.htm and, for electronic format document, htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 46 of 236

#### MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT

# **Standard Applicable**

OPERZTION Band		EUT CATEGORY	LIMIT
U-NII-1		Access Point (Mater device )	1 Watt(30dBm)
		Fixed point-to-point Acess Ponit	1 Watt(30dBm)
	V	Mobile and portable clinet device	250mW(23.98dBm)
U-NII-2A	V		250mW(23.98dBm) or 11dBm+10 log B
U-NII-2C	√		250mW(23.98dBm) or 11dBm+10 log B
U-NII-3			1 Watt(30dBm)

If transmitting antennas of directional gain greater than 6 dBi are used, both the peak transmit power and the Maximum Power Spectral Density shall be reduced by the amount in dB that the direction-al gain of the antenna exceeds 6 dBi.

#### Note:

As per FCC KDB 662911 D01

Unequal antenna gains, with equal transmit powers. For antenna gains given by G1, G2, ..., GN dBi.

(i) If transmit signals are correlated, then Directional gain

=  $10 \log[(10^{G1/20} + 10^{G2/20} + ... + 10^{GN/20})^2/N_{ANT}] dBi$ 

[Note the "20"s in the denominator of each exponent and the square of the sum of terms; the object is to combine the signal levels coherently.]

The antenna gain is granter than 6 dBi in MIMO mode the limit reduce as below:

	Effective Legacy Gain (dBi)	Conducted Power Limit (dBm)
UNII-1	8.56	21.42 dBm
UNII-2A	8.56	21.42 dBm
U-NII-2C	10.26	19.72 dBm
U-NII-3	8.2	27.80 dBm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) lested and such sample(s) lested and such sample(s) lested and such sample(s) lest of the sample(s) lested and such sample(s) lested an Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 47 of 236


#### 9.2 Measurement Procedure

- Place the EUT on the table and set it in transmitting mode.
- The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter
- Power Meter is used as the auxiliary test equipment to conduct the output power meas-4. urement.
- 5. Record the max. reading and add 10 log(1/duty cycle).
- Repeat above procedures until all frequency (low, middle, and high channel) measured were complete.

# 9.3 Measurement Equipment Used

	SGS Conducted Room												
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due								
DC Power Supply	Anritsu	E3640A	MY52410006	2017/11/28	2018/08/28								
Power Meter	Anritsu	ML2496A	1242004	2017/10/16	2018/08/28								
Power Sensor	Anritsu	MA2411B	917032	2017/12/29	2018/08/28								
Attenuator	Mini-Circuit	BW-S10W2+	2	2017/11/29	2018/11/28								
DC Block	Mini-Circuits	BLK-18-S+	1	2018/01/04	2019/01/03								
Coaxial Cables	N/A	WK CE Cable	N/A	2017/12/20	2018/12/19								
Notebook	Lenovo	L420	LR-7HXZA	2017/12/29	2018/12/28								

#### 9.4 Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

SGS Taiwan Ltd.



Page: 48 of 236

# 9.5 Measurement Result **Conducted output power (FCC)**

### 802.11a Main

002.11a_	Mairi							
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	6	18.53	71.321		23.98		PASS
44	5220	6	20.99	125.666		23.98		PASS
48	5240	6	21.04	127.121		23.98		PASS
52	5260	6	21.04	127.121	23.98	or 11+10log(B) =	25.25	PASS
60	5300	6	20.67	116.740	23.98	or 11+10log(B) =	25.00	PASS
64	5320	6	18.79	75.721	23.98	or 11+10log(B) =	25.21	PASS
100	5500	6	17.30	53.730	23.56	or 11+10log(B) =	24.08	PASS
116	5580	6	19.29	84.961	23.56	or 11+10log(B) =	25.25	PASS
140	5700	6	16.70	46.797	23.56	or 11+10log(B) =	24.00	PASS
144	5720(U-NII 2C)	6	14.78214	30.076	23.56	or 11+10log(B) =	23.08	PASS
144	5720 (U-NII 3)	6	4.72004	2.965		30		PASS
149	5745	6	22.34	171.482	30			PASS
157	5785	6	22.49	177.508	30			PASS
165	5825	6	22.56	180.392		30		PASS

#### 802.11a Aux1

<u>002.114_</u>	19.71							
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	6	18.49	70.667		23.68		PASS
44	5220	6	20.94	124.228		23.68		PASS
48	5240	6	20.92	123.657		23.68		PASS
52	5260	6	20.83	121.121	23.68	or 11+10log(B) =	25.06	PASS
60	5300	6	20.41	109.956	23.68	or 11+10log(B) =	24.93	PASS
64	5320	6	18.59	72.313	23.68	or 11+10log(B) =	25.06	PASS
100	5500	6	16.15	41.230	21.97	or 11+10log(B) =	24.09	PASS
116	5580	6	18.57	71.981	21.97	or 11+10log(B) =	25.42	PASS
140	5700	6	16.24	42.094	21.97	or 11+10log(B) =	24.00	PASS
144	5720(U-NII 2C)	6	14.33018	27.103	21.97	or 11+10log(B) =	23.12	PASS
144	5720 (U-NII 3)	6	4.54	2.846	30			PASS
149	5745	6	21.44	139.386	30			PASS
157	5785	6	21.58	143.952	30			PASS
165	5825	6	21.97	157.477		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\*\* No 134 WulkungRand.NewTaipeiIndustrialPark. WulkupDistrict. NewTaipeiCity.Taiwan24803/新·t.市 无股區新·t.產業園區 无工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 49 of 236

#### 802.11a MIMO

CII	Frequency	Data	Avg. POV	/ER (dBm)		TOTAL		REQUIRED		DECLUT
СН	(MHz)	Rate	CH 0	CH 1	POWER (dBm)	POWER (mW)		LIMIT (dBm)		RESULT
36	5180	6	16.3	15.27	18.94	76.309		21.42		PASS
44	5220	6	18.23	17.96	21.22	129.045		21.42		PASS
48	5240	6	18.37	17.94	21.28	130.937		21.42		PASS
52	5260	6	18.03	17.86	21.07	124.627	21.42	or 11+10log(B) =	25.06	PASS
60	5300	6	18.06	17.76	21.04	123.677	21.42	or 11+10log(B) =	24.93	PASS
64	5320	6	16.21	16.01	19.23	81.686	21.42	or 11+10log(B) =	25.06	PASS
100	5500	6	14.63	14.07	17.48	54.567	19.72	or 11+10log(B) =	24.08	PASS
116	5580	6	16.63	16.07	19.48	86.483	19.72	or 11+10log(B) =	25.25	PASS
140	5700	6	13.84	13.81	16.95	48.254	19.72	or 11+10log(B) =	24.00	PASS
144	5720(U-NII 2C)	6	12.54	12.51	14.88	35.774	19.72	or 11+10log(B) =	23.08	PASS
144	5720 (U-NII 3)	6	4.003	3.966	4.75	5.006		27.80		PASS
149	5745	6	22.24	21.73	25.11	316.430		27.80		PASS
157	5785	6	22.52	22.16	25.47	343.086		27.80		PASS
165	5825	6	22.26	22.09	25.30	330.075		27.80		PASS

# 802.11n\_HT20\_Main

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)			RESULT
36	5180	MCS0	19.01	79.559		23.98		PASS
44	5220	MCS0	20.90	122.939		23.98		PASS
48	5240	MCS0	20.99	125.513		23.98		PASS
52	5260	MCS0	21.01	126.092	23.98	or 11+10log(B) =	24.19	PASS
60	5300	MCS0	20.73	118.219	23.98	or 11+10log(B) =	24.17	PASS
64	5320	MCS0	18.87	77.035	23.98	or 11+10log(B) =	24.51	PASS
100	5500	MCS0	17.70	58.842	23.56	or 11+10log(B) =	24.03	PASS
116	5580	MCS0	19.26	84.273	23.56	or 11+10log(B) =	24.70	PASS
140	5700	MCS0	16.56	45.257	23.56	or 11+10log(B) =	24.04	PASS
144	5720(U-NII 2C)	MCS0	14.60	28.863	23.56	or 11+10log(B) =	22.81	PASS
144	5720 (U-NII 3)	MCS0	4.89	3.086	30			PASS
149	5745	MCS0	22.70	186.075	30			PASS
157	5785	MCS0	22.80	190.409	30			PASS
165	5825	MCS0	22.77	189.098		30	•	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\*\* No 134 WulkungRand.NewTaipeiIndustrialPark. WulkupDistrict. NewTaipeiCity.Taiwan24803/新·t.市 无股區新·t.產業園區 无工路 134 號

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sgs.com



Page: 50 of 236

#### 802.11n\_HT20\_Aux1

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		
36	5180	MCS0	18.87	77.035		23.68		PASS
44	5220	MCS0	20.85	121.531		23.68		PASS
48	5240	MCS0	20.94	124.076		23.68		PASS
52	5260	MCS0	20.68	116.866	23.68	or 11+10log(B) =	24.47	PASS
60	5300	MCS0	20.40	109.569	23.68	or 11+10log(B) =	24.03	PASS
64	5320	MCS0	18.55	71.563	23.68	or 11+10log(B) =	24.50	PASS
100	5500	MCS0	16.48	44.431	21.97	or 11+10log(B) =	24.08	PASS
116	5580	MCS0	18.54	71.398	21.97	or 11+10log(B) =	24.97	PASS
140	5700	MCS0	16.02	39.966	21.97	or 11+10log(B) =	24.02	PASS
144	5720(U-NII 2C)	MCS0	14.26	26.678	21.97	or 11+10log(B) =	23.22	PASS
144	5720 (U-NII 3)	MCS0	4.69	2.941	30			PASS
149	5745	MCS0	21.44	139.216	30			PASS
157	5785	MCS0	21.47	140.181	30			PASS
165	5825	MCS0	21.94	156.203		30		PASS

#### 802.11n\_HT20\_MIMO

СН	Frequency	Data	Avg. POW	VER (dBm)		TOTAL		REQUIRED		DECLUT
Сп	(MHz)	Rate	CH 0	CH 1	POWER (dBm)	POWER (mW)		LIMIT (dBm)		RESULT
36	5180	MCS8	16.55	15.64	19.36	81.829		21.42		PASS
44	5220	MCS8	18.12	17.76	21.18	124.567		21.42		PASS
48	5240	MCS8	18.25	17.78	21.26	126.813		21.42		PASS
52	5260	MCS8	17.86	17.69	21.01	119.843	21.42	or 11+10log(B) =	24.19	PASS
60	5300	MCS8	17.83	17.58	20.94	117.953	21.42	or 11+10log(B) =	24.03	PASS
64	5320	MCS8	16.06	15.85	19.19	78.824	21.42	or 11+10log(B) =	24.50	PASS
100	5500	MCS8	15.08	14.36	17.97	59.500	19.72	or 11+10log(B) =	24.03	PASS
116	5580	MCS8	16.62	16.03	19.57	86.006	19.72	or 11+10log(B) =	24.70	PASS
140	5700	MCS8	13.53	13.48	16.74	44.827	19.72	or 11+10log(B) =	24.02	PASS
144	5720(U-NII 2C)	MCS8	12.37	12.28	14.72	34.135	19.72	or 11+10log(B) =	22.81	PASS
144	5720 (U-NII 3)	MCS8	4.144	4.033	4.93	5.128		27.80		PASS
149	5745	MCS8	22.2	21.69	25.19	313.529		27.80		PASS
157	5785	MCS8	22.53	21.82	25.43	331.115		27.80		PASS
165	5825	MCS8	22.26	21.87	25.31	322.083		27.80		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\*\* No 134 WulkungRand.NewTaipeiIndustrialPark. WulkupDistrict. NewTaipeiCity.Taiwan24803/新·t.市 无股區新·t.產業園區 无工路 134 號

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 51 of 236

#### 802.11n HT40 Main

	11140_INGIII								
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)			
38	5190	MCS0	15.31	33.933		23.98		PASS	
46	5230	MCS0	21.28	134.161		23.98		PASS	
54	5270	MCS0	20.82	120.678	23.98	or 11+10log(B) =	27.95	PASS	
62	5310	MCS0	15.87	38.604	23.98	or $11+10\log(B) =$	27.09	PASS	
102	5510	MCS0	13.97	24.925	23.56	or 11+10log(B) =	27.08	PASS	
110	5550	MCS0	19.39	86.821	23.56	or 11+10log(B) =	27.99	PASS	
134	5670	MCS0	18.40	69.124	23.56	or 11+10log(B) =	27.13	PASS	
142	5710(U-NII 2C)	MCS0	15.75	37.577	23.56	or 11+10log(B) =	26.51	PASS	
142	5710 (U-NII 3)	MCS0	2.43	1.749		30		PASS	
151	5755	MCS0	23.24	210.682		30		PASS	
159	5795	MCS0	22.93	196.168		30		PASS	

#### 802.11n HT40 Aux1

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		
38	5190	MCS0	14.73	29.691		23.68		PASS
46	5230	MCS0	21.24	132.931		23.68		PASS
54	5270	MCS0	20.61	114.981	23.68	or 11+10log(B) =	27.92	PASS
62	5310	MCS0	14.62	28.949	23.68	or 11+10log(B) =	27.12	PASS
102	5510	MCS0	12.60	18.181	21.97	or $11+10\log(B) =$	27.11	PASS
110	5550	MCS0	18.36	68.490	21.97	or 11+10log(B) =	27.98	PASS
134	5670	MCS0	17.98	62.752	21.97	or 11+10log(B) =	27.29	PASS
142	5710(U-NII 2C)	MCS0	15.21	33.170	21.97	or 11+10log(B) =	26.50	PASS
142	5710 (U-NII 3)	MCS0	2.35	1.717		23.68		PASS
151	5755	MCS0	22.58	180.979		23.68		PASS
159	5795	MCS0	22.21	166.199		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\*\* No 134 WulkungRand.NewTaipeiIndustrialPark. WulkupDistrict. NewTaipeiCity.Taiwan24803/新·t.市 无股區新·t.產業園區 无工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Page: 52 of 236

#### 802.11n HT40 MIMO

СН	Frequency	Data	Avg. POW	/ER (dBm)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
Сп	(MHz)	Rate	CH 0	CH 1	(dBm)	(mW)		(dBm)		RESULT
38	5190	MCS8	12.75	11.87	15.76	34.218		21.42		PASS
46	5230	MCS8	18.19	17.72	21.39	125.074		21.42		PASS
54	5270	MCS8	17.83	17.64	21.16	118.750	21.42	or 11+10log(B) =	27.92	PASS
62	5310	MCS8	12.68	12.35	15.94	35.714	21.42	or 11+10log(B) =	27.09	PASS
102	5510	MCS8	10.98	10.26	14.06	23.148	19.72	or 11+10log(B) =	27.08	PASS
110	5550	MCS8	16.61	15.86	19.68	84.362	19.72	or 11+10log(B) =	27.98	PASS
134	5670	MCS8	15.41	14.83	18.56	65.162	19.72	or 11+10log(B) =	27.13	PASS
142	5710(U-NII 2C)	MCS8	13.09	13	16.02	40.343	19.72	or 11+10log(B) =	26.50	PASS
142	5710 (U-NII 3)	MCS8	2.018	2.008	2.47	3.179		27.80		PASS
151	5755	MCS8	22.22	21.72	25.40	315.318		27.80		PASS
159	5795	MCS8	21.98	21.45	25.15	297.398		27.80	•	PASS

# 802.11ac\_VHT80\_Main

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)			RESULT
42	5210	MCS0	12.78	18.973		23.98		PASS
58	5290	MCS0	12.58	18.119	23.98	or 11+10log(B) =	30.07	PASS
106	5530	MCS0	11.66	14.660	23.56	or 11+10log(B) =	30.09	PASS
122	5610	MCS0	19.32	85.532	23.56	or 11+10log(B) =	30.51	PASS
138	5690(U-NII 2C)	MCS0	18.04	63.695	23.56	or 11+10log(B) =	30.29	PASS
138	5690 (U-NII 3)	MCS0	1.13	1.297		30		PASS
155	5775	MCS0	17.91	61.820		30		PASS

#### 802.11ac VHT80 Aux1

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)			RESULT
42	5210	MCS0	12.61	18.244		23.68		PASS
58	5290	MCS0	12.46	17.625	23.68	or 11+10log(B) =	30.08	PASS
106	5530	MCS0	11.43	13.904	21.97	or 11+10log(B) =	30.07	PASS
122	5610	MCS0	19.27	84.553	21.97	or $11+10\log(B) =$	30.54	PASS
138	5690(U-NII 2C)	MCS0	17.91	61.749	21.97	or 11+10log(B) =	30.07	PASS
138	5690 (U-NII 3)	MCS0	1.22	1.323		23.68	•	PASS
155	5775	MCS0	17.82	60.552		23.68	•	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\*\* No 134 WulkungRand.NewTaipeiIndustrialPark. WulkupDistrict. NewTaipeiCity.Taiwan24803/新·t.市 无股區新·t.產業園區 无工路 134 號

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 53 of 236

#### 802.11ac VHT80 MIMO

СН	Frequency (MHz)	Data Rate	Avg. POWER (dBm)		TOTAL POWER	TOTAL POWER	REQUIRED LIMIT		RESULT	
			CH 0	CH 1	(dBm)	(mW)	(dBm)			RESULT
42	5210	MCS0	9.91	9.16	13.01	18.036		21.42		PASS
58	5290	MCS0	9.25	9.09	12.63	16.524	21.42	or 11+10log(B) =	30.07	PASS
106	5530	MCS0	8.41	8.09	11.71	13.376	19.72	or 11+10log(B) =	30.07	PASS
122	5610	MCS0	16.06	15.85	19.42	78.824	19.72	or 11+10log(B) =	30.51	PASS
138	5690(U-NII 2C)	MCS0	15.08	14.52	18.11	60.590	19.72	or 11+10log(B) =	30.07	PASS
138	5690 (U-NII 3)	MCS0	0.945	0.986	1.13	2.498		27.80		PASS
155	5775	MCS0	15.08	14.26	18.15	58.879		27.80		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\*\* No 134 WulkungRand.NewTaipeiIndustrialPark. WulkupDistrict. NewTaipeiCity.Taiwan24803/新·t.市 无股區新·t.產業園區 无工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279