


检测结果记录表

样品名称	RAP1260	样机型号		申请单编号	
检测依据	国标	样品数量	1台	样品编号	
检测项目	无源	检测设备	E5071C	检测条件	22.2℃/ 43 %
检测目的	\				

检测结果记录

申请人/送样人	\	软件版本		硬件版本	—
样机信息 (含S/N号)	 H: xoy E1: xoz E2: zoy				

备注说明

Freq (MHz)	Effi (%)	Max (dB)	Freq (MHz)	Effi (%)	Max (dB)	Freq (MHz)	Effi (%)	Max (dB)
2400	47.89	3.07	2400	40.32	2.60			
2410	49.05	3.16	2410	41.54	2.77			
2420	48.98	3.15	2420	41.83	2.76			
2430	49.78	3.25	2430	42.79	2.91			
2440	51.26	3.32	2440	44.16	3.04			
2450	50.22	3.21	2450	43.54	3.01			
2460	47.55	2.98	2460	41.34	2.78			
2470	47.00	2.99	2470	40.89	2.75			
2480	46.24	3.11	2480	40.47	2.72			
2490	43.99	2.94	2490	38.38	2.52			
2500	43.25	2.93	2500	37.88	2.53			
2.4G-1			2.4G-2					
Freq (MHz)	Effi (%)	Max (dB)	Freq (MHz)	Effi (%)	Max (dB)	Freq (MHz)	Effi (%)	Max (dB)
5150	68.46	6.19	5150	65.00	5.85	5150	65.19	5.10
5200	68.04	6.11	5200	64.77	5.74	5200	63.17	4.65
5250	67.02	6.03	5250	65.32	5.57	5250	63.04	4.90
5300	63.57	5.62	5300	59.63	4.97	5300	61.43	5.25
5350	68.88	5.87	5350	62.19	4.84	5350	66.41	5.92
5400	77.22	6.33	5400	68.44	5.01	5400	74.10	6.65
5450	73.85	6.06	5450	64.12	4.60	5450	71.39	6.62
5500	66.75	5.35	5500	57.58	3.99	5500	65.46	6.37
5550	67.50	5.29	5550	59.62	4.37	5550	66.14	6.35
5600	66.43	5.15	5600	61.88	4.77	5600	66.14	6.28
5650	66.72	5.09	5650	63.22	5.13	5650	68.61	6.26
5700	65.50	5.05	5700	63.52	5.32	5700	66.65	5.81
5750	66.22	5.19	5750	65.59	5.60	5750	66.84	5.44
5800	64.52	5.00	5800	64.79	5.65	5800	63.28	4.80
5850	67.53	5.11	5850	65.31	5.57	5850	64.75	4.91
5G-1			5G-2			5G-3		
检测人员/日期			Lvra/20221213			审核/日期	Wensen/20221213	

Manufacturer

Fuzhou JieLei Electronic Technology Co.,Ltd.

C1-1425, Fuli Center, Taijiang District, Fuzhou City, Fujian Province


2G/5G-TX0 model: C168-JL-6274

2G/5G-TX1 model: C168-JL-6273


5G-TX2 model: C168-JL-6275

2.4G Ant1





2400MHz




2450MHz




2500MHz







2400MHz



2450MHz




2500MHz




5G Ant1





5150MHz




5500MHz




5850MHz







5150MHz




5500MHz




5850MHz







5150MHz




5500MHz




5850MHz







VSWR-1




S12




VSWR-2



S13




VSWR-3



S23


4.Packing Specification




Packing 参照图

3. Mechanical Dimension Drawing

C168-JL-6273




4.Packing Specification



Packing 参照图

3. Mechanical Dimension Drawing

C168-JL-6274



包装方式参照:

SYM	ECN NO.	Description	Date	Approved
A		新设	2020/09/09	

XX PCS把,排列整齐,端子用珍珠棉包好,扎橡皮筋固定。

XX把成品和1PCS干燥剂装1小PE袋,封口机封口。

PE袋290*300

一大PE袋装入5或者10小PE袋(按成品大小选择,与PE袋装满为宜),整齐排放,封口机封口。

Tolerances Unless Otherwise Specified		Material		See Note		福州捷雷电子科技有限公司	
Drawing	Liya	Units	MM	Size	A4	Drawing No	Rev
Checked	WenSen	Part No					
Approval	Frank	Name					
Scale		WIFI 天线包装规范					

1 OF 1

Packing 参照图