

<u>APPLICANT</u>	<u>MANUFACTURER</u>
Cyber Pacific (Hong Kong) Limited 3808 38/F West Tower Shun Tak Centre, 168-200 Connaught Road Central, Hong Kong, China	Golden Eagle Electronics Manufactory LTD. Suite 215, 2/F., New East Ocean Centre 9 Science Museum Road Tsim Sha Tsui East, Kowloon Hong Kong

TEST SPECIFICATION: FCC Rules and Regulations Part 15, Subpart C

TEST PROCEDURE: FCC 15.209(a)

#### TEST SAMPLE DESCRIPTION

BRANDNAME: Com-Talk

MODEL: GEMC2001

FCC ID: PPGCPI2101

TYPE: Hands Free Headpiece Transmitter

FREQUENCY RANGE: 447.2, 447.5, 447.8, 448.1, 448.4 MHz

POWER REQUIREMENTS: 3.6 VDC derived from a rechargeable battery

#### TESTS PERFORMED

- 15.209 Radiated Emissions

#### REPORT OF MEASUREMENTS

Applicant: Cyber Pacific (Hong Kong) Limited

Device: Hands Free Headpiece Transmitter

FCC ID: PPGCPI2101

Power Requirements: 3.6 VDC derived from a rechargeable battery

Applicable Rule Section: Part 15, Subpart C, Section 15.209

### TEST RESULTS

- 15.203: The intentional radiator is designed to ensure that no antenna other than that furnished by the applicant can be used with the device.
- 15.209(c): Emissions radiated were attenuated in accordance with the general radiated emissions limits of 15.209.

### GENERAL NOTES

1. All user accessible controls were adjusted to produce maximum emissions.
2. The frequency range was scanned from 30MHz to 4 GHz. All emissions not reported were more than 20dB below the specified limit.

Report Number: R-8976-2

FCC ID #: PPGCPI2101

## EXHIBIT 4

### Radiated Emissions, Spurious Emissions

Para. 15.209(a)

(Please see separate e-file attachment named REspur.pdf)

Report Number: R-8976-2

FCC ID #: PPGCPI2101

## EQUIPMENT LIST

### FCC15.209(a) Radiated Emissions, 30MHz-4GHz

EN	Type	Manufacturer	Description	Model No.	Cal Date	Due Date
067	Open Area Test Site	Retlif	3 Meter	RNY	10/15/2000	10/15/2003
128C	Double Ridge Guide	Eaton Corporation	1 GHz - 18 GHz	96001	09/18/2000	09/18/2001
133	Broadband Pre-Amplifier	Electro-Metrics	10 kHz - 1 GHz, 26dB	BPA-1000	06/13/2000	06/13/2001
141	Spectrum Analyzer	Hewlett Packard	100 Hz - 40 GHz	8566B	08/03/2000	02/03/2001
141A	Graphics Plotter	Hewlett Packard	N/A	7470A	03/08/2000	03/08/2001
141B	Quasi-Peak Adaptor	Hewlett Packard	100 Hz - 1 GHz	85650A	08/02/2000	02/02/2001
206B	6.0 dB Attenuator	Texscan	0 - 1.0 GHz	FP-50 - 6 dB	06/13/2000	06/13/2001
523	Biconilog	Electro-Mechanics	26 - 2000 MHz	3142B	06/08/2000	06/08/2001
543	Preamplifier	Hewlett Packard	1.0 GHz - 26.5 GHz	8449B	06/16/1999	06/16/2001
617	Interference Analyzer	Electro-Metrics	10 kHz - 1 GHz	EMC-30	01/17/2000	01/17/2001

Report Number: R-8976-2

FCC ID #: PPGCPI2101

