


SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 325 of 355





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"


No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 326 of 355





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


Frequency (MHz)



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 327 of 355





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 328 of 355





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 329 of 355





Level -40

-50

-60

-70

-80 5805.0

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Frequency (MHz)

MIMO Ant0 Ant1


5845.0



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 330 of 355





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com"


No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 331 of 355





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 332 of 355





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 333 of 355





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 334 of 355





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 335 of 355





-50

-60

-70

-80 5725.0

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Frequency (MHz)

MIMO Ant0 Ant1


5765.0



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 336 of 355





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 337 of 355





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 338 of 355





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 339 of 355





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 340 of 355





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 341 of 355





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 342 of 355





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"


No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 343 of 355





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 344 of 355

5. Frequency Stability

5.1 Test Result

5.1.1 Ant0

| | | | | | Ant0 | | | | |
|---------|------------|--------------------|----|-----------|------------------|------------------|--------------------------------|----------------|---------|
| Mode | TX Type | Frequency (MHz) | RU | RU Pos | Temperature (°C) | Voltage (VDC) | Measured Frequency (MHz) | Limit (MHz) | Verdict |
| | | | | | | 3.29 | 5180.040 | 5150 to 5250 | Pass |
| | | | | | 20 | 3.87 | 5180.040 | 5150 to 5250 | Pass |
| | | | | | | 4.45 | 5180.060 | 5150 to 5250 | Pass |
| | | | | | -20 | 3.87 | 5180.060 | 5150 to 5250 | Pass |
| | | | | | -15 | 3.87 | 5180.060 | 5150 to 5250 | Pass |
| | | 5180 | / | / | -10 | 3.87 | 5180.080 | 5150 to 5250 | Pass |
| | | | | | 0 | 3.87 | 5180.060 | 5150 to 5250 | Pass |
| | | | | | 10 | 3.87 | 5180.060 | 5150 to 5250 | Pass |
| | | | | | 30 | 3.87 | 5180.060 | 5150 to 5250 | Pass |
| | | | | | 40 | 3.87 | 5180.060 | 5150 to 5250 | Pass |
| | | | | | 45 | 3.87 | 5180.040 | 5150 to 5250 | Pass |
| | | | | | | 3.29 | 5199.540 | 5150 to 5250 | Pass |
| | | | | | 20 | 3.87 | 5200.020 | 5150 to 5250 | Pass |
| | | | | / | | 4.45 | 5200.140 | 5150 to 5250 | Pass |
| 802.11a | SISO | | | | -20 | 3.87 | 5200.700 | 5150 to 5250 | Pass |
| | | | | | -15 | 3.87 | 5200.120 | 5150 to 5250 | Pass |
| | | 5200 | / | | -10 | 3.87 | 5200.240 | 5150 to 5250 | Pass |
| | | | | | 0 | 3.87 | 5199.780 | 5150 to 5250 | Pass |
| | | | | | 10 | 3.87 | 5200.160 | 5150 to 5250 | Pass |
| | | | | | 30 | 3.87 | 5200.520 | 5150 to 5250 | Pass |
| | | | | | 40 | 3.87 | 5199.880 | 5150 to 5250 | Pass |
| | | | | | 45 | 3.87 | 5200.380 | 5150 to 5250 | Pass |
| | | | | | | 3.29 | 5239.980 | 5150 to 5250 | Pass |
| | | | | | 20 | 3.87 | 5239.980 | 5150 to 5250 | Pass |
| | | | | | | 4.45 | 5240.000 | 5150 to 5250 | Pass |
| | | 5240 | / | / | -20 | 3.87 | 5240.160 | 5150 to 5250 | Pass |
| | | | | | -15 | 3.87 | 5241.100 | 5150 to 5250 | Pass |
| | | | | | -10 | 3.87 | 5227.920 | 5150 to 5250 | Pass |
| | | | | | 0 | 3.87 | 5240.000 | 5150 to 5250 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 345 of 355

| 10 3.87 5240.060 5150 to 5250 Pass | | | | | | | | · · | | |
|--|---------|------|------|---|---|-----|------|----------|--------------|------|
| 40 3.87 5240.040 5150 to 5250 Pass | | | | | | 10 | 3.87 | 5240.060 | 5150 to 5250 | Pass |
| | | | | | | 30 | 3.87 | 5239.880 | 5150 to 5250 | Pass |
| STATE STAT | | | | | | 40 | 3.87 | 5240.040 | 5150 to 5250 | Pass |
| 10 | | | | | | 45 | 3.87 | 5240.320 | 5150 to 5250 | Pass |
| | | | | | | | 3.29 | 5745.060 | 5725 to 5850 | Pass |
| 1-20 3.87 5745.060 5725 to 5850 Pass | | | | | | 20 | 3.87 | 5745.060 | 5725 to 5850 | Pass |
| 1-15 3.87 5745.060 5725 to 5850 Pass | | | | | | | 4.45 | 5745.040 | 5725 to 5850 | Pass |
| 5745 | | | | | | -20 | 3.87 | 5745.060 | 5725 to 5850 | Pass |
| 0 3.87 5745.060 5725 to 5850 Pass | | | | | | -15 | 3.87 | 5745.060 | 5725 to 5850 | Pass |
| 10 3.87 5745.020 5725 to 5850 Pass | | | 5745 | / | / | -10 | 3.87 | 5745.060 | 5725 to 5850 | Pass |
| 30 | | | | | | 0 | 3.87 | 5745.060 | 5725 to 5850 | Pass |
| 40 3.87 5745.080 5725 to 5850 Pass | | | | | | 10 | 3.87 | 5745.020 | 5725 to 5850 | Pass |
| | | | | | | 30 | 3.87 | 5745.040 | 5725 to 5850 | Pass |
| STABLE S | | | | | | 40 | 3.87 | 5745.080 | 5725 to 5850 | Pass |
| 20 3.87 5785.100 5725 to 5850 Pass | | | | | | 45 | 3.87 | 5745.040 | 5725 to 5850 | Pass |
| | | | | | | | 3.29 | 5785.040 | 5725 to 5850 | Pass |
| STRESS | | | | | | 20 | 3.87 | 5785.100 | 5725 to 5850 | Pass |
| 1-15 3.87 5785.100 5725 to 5850 Pass | | | | | | | 4.45 | 5785.060 | 5725 to 5850 | Pass |
| 5785 | | | | | | -20 | 3.87 | 5785.060 | 5725 to 5850 | Pass |
| 0 3.87 5785.080 5725 to 5850 Pass | | | | | | -15 | 3.87 | 5785.100 | 5725 to 5850 | Pass |
| 10 3.87 5785.040 5725 to 5850 Pass | | | 5785 | / | / | -10 | 3.87 | 5785.060 | 5725 to 5850 | Pass |
| 30 3.87 5785.040 5725 to 5850 Pass | | | | | | 0 | 3.87 | 5785.080 | 5725 to 5850 | Pass |
| HIDE | | | | | | 10 | 3.87 | 5785.040 | 5725 to 5850 | Pass |
| 45 3.87 5785.080 5725 to 5850 Pass 3.29 5825.020 5725 to 5850 Pass 20 3.87 5825.060 5725 to 5850 Pass 4.45 5825.060 5725 to 5850 Pass -20 3.87 5825.060 5725 to 5850 Pass -20 3.87 5825.060 5725 to 5850 Pass -15 3.87 5825.040 5725 to 5850 Pass 0 3.87 5825.060 5725 to 5850 Pass 0 3.87 5825.060 5725 to 5850 Pass 10 3.87 5825.060 5725 to 5850 Pass 30 3.87 5825.060 5725 to 5850 Pass 40 3.87 5825.060 5725 to 5850 Pass 40 3.87 5825.040 5725 to 5850 Pass 45 3.87 5825.060 5725 to 5850 Pass 46 3.87 5825.060 5725 to 5850 Pass 47 3.29 5180.100 5150 to 5250 Pass 48 3.29 5180.140 5150 to 5250 Pass | | | | | | 30 | 3.87 | 5785.040 | 5725 to 5850 | Pass |
| 20 3.29 5825.020 5725 to 5850 Pass | | | | | | 40 | 3.87 | 5785.040 | 5725 to 5850 | Pass |
| 20 3.87 5825.060 5725 to 5850 Pass | | | | | | 45 | 3.87 | 5785.080 | 5725 to 5850 | Pass |
| | | | | | | | 3.29 | 5825.020 | 5725 to 5850 | Pass |
| -20 3.87 5825.060 5725 to 5850 Pass -15 3.87 5825.040 5725 to 5850 Pass -15 3.87 5825.060 5725 to 5850 Pass 0 3.87 5825.060 5725 to 5850 Pass 10 3.87 5825.060 5725 to 5850 Pass 10 3.87 5825.060 5725 to 5850 Pass 30 3.87 5825.060 5725 to 5850 Pass 40 3.87 5825.040 5725 to 5850 Pass 40 3.87 5825.040 5725 to 5850 Pass 45 3.87 5825.060 5725 to 5850 Pass 45 3.87 5825.060 5725 to 5850 Pass 30 3.87 5825.060 5725 to 5850 Pass 45 3.87 5825.060 5725 to 5850 Pass 45 3.87 5825.060 5725 to 5850 Pass 30 3.87 5825.060 5725 to 5850 Pass 45 3.87 5825.060 5725 to 5850 Pass | | | | | | 20 | 3.87 | 5825.060 | 5725 to 5850 | Pass |
| Second | | | | | | | 4.45 | 5825.000 | 5725 to 5850 | Pass |
| S825 | | | | | | -20 | 3.87 | 5825.060 | 5725 to 5850 | Pass |
| 0 3.87 5825.060 5725 to 5850 Pass 10 3.87 5825.060 5725 to 5850 Pass 30 3.87 5825.060 5725 to 5850 Pass 40 3.87 5825.040 5725 to 5850 Pass 45 3.87 5825.060 5725 to 5850 Pass 45 3.87 5825.060 5725 to 5850 Pass 802.11n (HT20) MIMO 5180 / / 20 3.87 5180.140 5150 to 5250 Pass | | | | | | -15 | 3.87 | 5825.040 | 5725 to 5850 | Pass |
| 10 3.87 5825.060 5725 to 5850 Pass 30 3.87 5825.060 5725 to 5850 Pass 40 3.87 5825.040 5725 to 5850 Pass 45 3.87 5825.060 5725 to 5850 Pass 45 3.87 5825.060 5725 to 5850 Pass 3.29 5180.100 5150 to 5250 Pass 3.29 5180.140 5150 to 5250 Pass 3.87 5180 to 5250 Pass 3.87 5180 to 5250 5180 to 5250 | | | 5825 | / | / | -10 | 3.87 | 5825.060 | 5725 to 5850 | Pass |
| 30 3.87 5825.060 5725 to 5850 Pass 40 3.87 5825.040 5725 to 5850 Pass 45 3.87 5825.060 5725 to 5850 Pass 45 3.87 5825.060 5725 to 5850 Pass 3.29 5180.100 5150 to 5250 Pass 3.87 5180.140 5150 to 5250 Pass 5180.140 5180 | | | | | | 0 | 3.87 | 5825.060 | 5725 to 5850 | Pass |
| 40 3.87 5825.040 5725 to 5850 Pass 45 3.87 5825.060 5725 to 5850 Pass 802.11n (HT20) MIMO 5180 / / 20 3.87 5180.140 5150 to 5250 Pass | | | | | | 10 | 3.87 | 5825.060 | 5725 to 5850 | Pass |
| 802.11n (HT20) MIMO 5180 / / 20 3.87 5825.060 5725 to 5850 Pass 3.29 5180.100 5150 to 5250 Pass 3.87 5180.140 5150 to 5250 Pass | | | | | | 30 | 3.87 | 5825.060 | 5725 to 5850 | Pass |
| 802.11n (HT20) MIMO 5180 / / 20 3.29 5180.100 5150 to 5250 Pass 3.87 5180.140 5150 to 5250 Pass | | | | | | 40 | 3.87 | 5825.040 | 5725 to 5850 | Pass |
| 802.11n (HT20) MIMO 5180 / / 20 3.87 5180.140 5150 to 5250 Pass | | | | | | 45 | 3.87 | 5825.060 | 5725 to 5850 | Pass |
| (HT20) MIMO 5180 / / 20 3.87 5180.140 5150 to 5250 Pass | 000.44 | | | | | | 3.29 | 5180.100 | 5150 to 5250 | Pass |
| 4.45 5180.120 5150 to 5250 Pass | | MIMO | 5180 | / | / | 20 | 3.87 | 5180.140 | 5150 to 5250 | Pass |
| | (11120) | | | | | | 4.45 | 5180.120 | 5150 to 5250 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 346 of 355

| | | | | -20 | 3.87 | 5180.100 | 5150 to 5250 | Pass | | |
|-------|------|---|---|-----|------|----------|--------------|----------|--------------|------|
| | | | | -15 | 3.87 | 5180.140 | 5150 to 5250 | Pass | | |
| | | | | -10 | 3.87 | 5180.140 | 5150 to 5250 | Pass | | |
| | | | | 0 | 3.87 | 5180.100 | 5150 to 5250 | Pass | | |
| | | | | 10 | 3.87 | 5180.100 | 5150 to 5250 | Pass | | |
| | | | | 30 | 3.87 | 5180.040 | 5150 to 5250 | Pass | | |
| | | | | 40 | 3.87 | 5180.100 | 5150 to 5250 | Pass | | |
| | | | | 45 | 3.87 | 5180.100 | 5150 to 5250 | Pass | | |
| | | | | | 3.29 | 5200.080 | 5150 to 5250 | Pass | | |
| | | | | 20 | 3.87 | 5200.060 | 5150 to 5250 | Pass | | |
| | | | | | 4.45 | 5200.080 | 5150 to 5250 | Pass | | |
| | | | | -20 | 3.87 | 5200.080 | 5150 to 5250 | Pass | | |
| | | | | -15 | 3.87 | 5200.100 | 5150 to 5250 | Pass | | |
| | 5200 | / | / | -10 | 3.87 | 5200.080 | 5150 to 5250 | Pass | | |
| | | | | 0 | 3.87 | 5200.080 | 5150 to 5250 | Pass | | |
| | | | | 10 | 3.87 | 5200.080 | 5150 to 5250 | Pass | | |
| | | | | 30 | 3.87 | 5200.060 | 5150 to 5250 | Pass | | |
| | | | | 40 | 3.87 | 5200.060 | 5150 to 5250 | Pass | | |
| | | | | 45 | 3.87 | 5200.060 | 5150 to 5250 | Pass | | |
| | | | | | 3.29 | 5240.060 | 5150 to 5250 | Pass | | |
| | | | | 20 | 3.87 | 5240.020 | 5150 to 5250 | Pass | | |
| | | | | | 4.45 | 5240.060 | 5150 to 5250 | Pass | | |
| | | | / | / | / | -20 | 3.87 | 5240.080 | 5150 to 5250 | Pass |
| | | | | | | -15 | 3.87 | 5240.040 | 5150 to 5250 | Pass |
| | 5240 | / | | | | -10 | 3.87 | 5240.040 | 5150 to 5250 | Pass |
| | | | | 0 | 3.87 | 5240.040 | 5150 to 5250 | Pass | | |
| | | | | 10 | 3.87 | 5240.080 | 5150 to 5250 | Pass | | |
| | | | | 30 | 3.87 | 5240.040 | 5150 to 5250 | Pass | | |
| | | | | 40 | 3.87 | 5240.060 | 5150 to 5250 | Pass | | |
| | | | | 45 | 3.87 | 5240.040 | 5150 to 5250 | Pass | | |
| | | | | | 3.29 | 5745.040 | 5725 to 5850 | Pass | | |
| | | | | 20 | 3.87 | 5745.080 | 5725 to 5850 | Pass | | |
| | | | | | 4.45 | 5745.060 | 5725 to 5850 | Pass | | |
| | | | | -20 | 3.87 | 5745.060 | 5725 to 5850 | Pass | | |
| | F74F | , | , | -15 | 3.87 | 5745.100 | 5725 to 5850 | Pass | | |
| | 5745 | / | / | -10 | 3.87 | 5745.060 | 5725 to 5850 | Pass | | |
| | | | | 0 | 3.87 | 5745.080 | 5725 to 5850 | Pass | | |
| | | | | 10 | 3.87 | 5745.060 | 5725 to 5850 | Pass | | |
| | | | | 30 | 3.87 | 5745.100 | 5725 to 5850 | Pass | | |
| | | | | 40 | 3.87 | 5745.100 | 5725 to 5850 | Pass | | |
| 1 | I. | 1 | 1 | l | I | | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 347 of 355

| | | | | | 45 | 3.87 | 5745.080 | 5725 to 5850 | Pass |
|-------------------|------|------|---|---|-----|------|----------|--------------|------|
| | | | | | | 3.29 | 5785.060 | 5725 to 5850 | Pass |
| | | | | | 20 | 3.87 | 5785.060 | 5725 to 5850 | Pass |
| | | | | | | 4.45 | 5785.060 | 5725 to 5850 | Pass |
| | | | | | -20 | 3.87 | 5785.040 | 5725 to 5850 | Pass |
| | | | | | -15 | 3.87 | 5785.040 | 5725 to 5850 | Pass |
| | | 5785 | / | / | -10 | 3.87 | 5785.000 | 5725 to 5850 | Pass |
| | | | | | 0 | 3.87 | 5785.040 | 5725 to 5850 | Pass |
| | | | | | 10 | 3.87 | 5785.060 | 5725 to 5850 | Pass |
| | | | | | 30 | 3.87 | 5785.040 | 5725 to 5850 | Pass |
| | | | | | 40 | 3.87 | 5785.040 | 5725 to 5850 | Pass |
| | | | | | 45 | 3.87 | 5785.040 | 5725 to 5850 | Pass |
| | | | | | | 3.29 | 5825.060 | 5725 to 5850 | Pass |
| | | | | | 20 | 3.87 | 5825.060 | 5725 to 5850 | Pass |
| | | | | | | 4.45 | 5825.040 | 5725 to 5850 | Pass |
| | | | | | -20 | 3.87 | 5825.060 | 5725 to 5850 | Pass |
| | | | | | -15 | 3.87 | 5825.040 | 5725 to 5850 | Pass |
| | | 5825 | / | / | -10 | 3.87 | 5825.020 | 5725 to 5850 | Pass |
| | | | | | 0 | 3.87 | 5825.060 | 5725 to 5850 | Pass |
| | | | | | 10 | 3.87 | 5825.040 | 5725 to 5850 | Pass |
| | | | | | 30 | 3.87 | 5825.040 | 5725 to 5850 | Pass |
| | | | | | 40 | 3.87 | 5825.060 | 5725 to 5850 | Pass |
| | | | | | 45 | 3.87 | 5825.060 | 5725 to 5850 | Pass |
| | | | | | | 3.29 | 5190.160 | 5150 to 5250 | Pass |
| | | | | | 20 | 3.87 | 5190.160 | 5150 to 5250 | Pass |
| | | | | | | 4.45 | 5190.160 | 5150 to 5250 | Pass |
| | | | | | -20 | 3.87 | 5190.080 | 5150 to 5250 | Pass |
| | | | | | -15 | 3.87 | 5190.160 | 5150 to 5250 | Pass |
| | | 5190 | / | / | -10 | 3.87 | 5190.120 | 5150 to 5250 | Pass |
| | | | | | 0 | 3.87 | 5190.200 | 5150 to 5250 | Pass |
| | | | | | 10 | 3.87 | 5190.120 | 5150 to 5250 | Pass |
| 802.11n (HT40) | MIMO | | | | 30 | 3.87 | 5190.120 | 5150 to 5250 | Pass |
| (1140) | | | | | 40 | 3.87 | 5190.160 | 5150 to 5250 | Pass |
| | | | | | 45 | 3.87 | 5190.200 | 5150 to 5250 | Pass |
| | | | | | | 3.29 | 5230.160 | 5150 to 5250 | Pass |
| | | | | | 20 | 3.87 | 5230.160 | 5150 to 5250 | Pass |
| | | 5000 | , | , | | 4.45 | 5230.160 | 5150 to 5250 | Pass |
| | | 5230 | / | / | -20 | 3.87 | 5230.080 | 5150 to 5250 | Pass |
| | | | | | -15 | 3.87 | 5230.200 | 5150 to 5250 | Pass |
| | | | | | -10 | 3.87 | 5230.160 | 5150 to 5250 | Pass |
| <u> </u> | 1 | | I | 1 | l . | 1 | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 348 of 355

| | | | | | | | <u> </u> | | |
|---------------------|------|------|---|---|-----|------|----------|--------------|------|
| | | | | | 0 | 3.87 | 5230.160 | 5150 to 5250 | Pass |
| | | | | | 10 | 3.87 | 5230.200 | 5150 to 5250 | Pass |
| | | | | | 30 | 3.87 | 5230.120 | 5150 to 5250 | Pass |
| | | | | | 40 | 3.87 | 5230.160 | 5150 to 5250 | Pass |
| | | | | | 45 | 3.87 | 5230.080 | 5150 to 5250 | Pass |
| | | | | | | 3.29 | 5755.120 | 5725 to 5850 | Pass |
| | | | | | 20 | 3.87 | 5755.120 | 5725 to 5850 | Pass |
| | | | | | | 4.45 | 5755.120 | 5725 to 5850 | Pass |
| | | | | | -20 | 3.87 | 5755.120 | 5725 to 5850 | Pass |
| | | | | | -15 | 3.87 | 5755.040 | 5725 to 5850 | Pass |
| | | 5755 | / | / | -10 | 3.87 | 5755.120 | 5725 to 5850 | Pass |
| | | | | | 0 | 3.87 | 5755.080 | 5725 to 5850 | Pass |
| | | | | | 10 | 3.87 | 5755.120 | 5725 to 5850 | Pass |
| | | | | | 30 | 3.87 | 5755.120 | 5725 to 5850 | Pass |
| | | | | | 40 | 3.87 | 5755.120 | 5725 to 5850 | Pass |
| | | | | | 45 | 3.87 | 5755.160 | 5725 to 5850 | Pass |
| | | | | | | 3.29 | 5795.040 | 5725 to 5850 | Pass |
| | | | | | 20 | 3.87 | 5795.080 | 5725 to 5850 | Pass |
| | | | | | | 4.45 | 5795.080 | 5725 to 5850 | Pass |
| | | | | | -20 | 3.87 | 5795.080 | 5725 to 5850 | Pass |
| | | | | | -15 | 3.87 | 5795.120 | 5725 to 5850 | Pass |
| | | 5795 | / | / | -10 | 3.87 | 5795.120 | 5725 to 5850 | Pass |
| | | | | | 0 | 3.87 | 5795.080 | 5725 to 5850 | Pass |
| | | | | | 10 | 3.87 | 5795.160 | 5725 to 5850 | Pass |
| | | | | | 30 | 3.87 | 5795.080 | 5725 to 5850 | Pass |
| | | | | | 40 | 3.87 | 5795.120 | 5725 to 5850 | Pass |
| | | | | | 45 | 3.87 | 5795.120 | 5725 to 5850 | Pass |
| | | | | | | 3.29 | 5180.060 | 5150 to 5250 | Pass |
| | | | | | 20 | 3.87 | 5180.040 | 5150 to 5250 | Pass |
| | | | | | | 4.45 | 5180.080 | 5150 to 5250 | Pass |
| | | | | | -20 | 3.87 | 5180.100 | 5150 to 5250 | Pass |
| | | | | | -15 | 3.87 | 5180.080 | 5150 to 5250 | Pass |
| | | 5180 | / | / | -10 | 3.87 | 5180.100 | 5150 to 5250 | Pass |
| 802.11ac (VHT20) | MIMO | | | | 0 | 3.87 | 5180.080 | 5150 to 5250 | Pass |
| (VITIZU) | | | | | 10 | 3.87 | 5180.120 | 5150 to 5250 | Pass |
| | | | | | 30 | 3.87 | 5180.060 | 5150 to 5250 | Pass |
| | | | | | 40 | 3.87 | 5180.060 | 5150 to 5250 | Pass |
| | | | | | 45 | 3.87 | 5180.080 | 5150 to 5250 | Pass |
| | | 5000 | , | , | 00 | 3.29 | 5200.040 | 5150 to 5250 | Pass |
| | | 5200 | / | / | 20 | 3.87 | 5200.100 | 5150 to 5250 | Pass |
| | | | | | 1 | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 349 of 355

| | 0 Pass |
|--|--|
| -15 3.87 5200.040 5150 to 525 -10 3.87 5200.060 5150 to 525 0 3.87 5200.080 5150 to 525 10 3.87 5200.080 5150 to 525 30 3.87 5200.080 5150 to 525 40 3.87 5200.000 5150 to 525 40 3.87 5200.000 5150 to 525 45 3.87 5200.060 5150 to 525 45 3.87 5240.020 5150 to 525 4.45 5240.100 5150 to 525 4.45 5240.100 5150 to 525 4.45 5240.100 5150 to 525 4.45 5240.120 5150 to 525 4.45 5240.020 5150 to 525 4.45 5240.040 5150 to 525 4.45 3.87 5240.040 5150 to 525 4.40 3.87 5240.040 5150 to 525 4.45 3.87 5240.040 5150 to 525 4.45 3.87 5240.040 5150 to 525 4.45 5745.040 5725 to 585 4.45 5745.040 5725 to 585 4.45 5745.060 5725 to 585 | 0 Pass |
| -10 3.87 5200.060 5150 to 525 0 3.87 5200.080 5150 to 525 10 3.87 5200.080 5150 to 525 30 3.87 5200.000 5150 to 525 40 3.87 5200.000 5150 to 525 45 3.87 5200.000 5150 to 525 45 3.87 5240.020 5150 to 525 4.45 5240.100 5150 to 525 4.45 5240.100 5150 to 525 4.45 5240.120 5150 to 525 4.45 5240.020 5150 to 525 4.46 3.87 5240.020 5150 to 525 4.47 5240.020 5150 to 525 4.48 5240.020 5150 to 525 4.49 3.87 5240.040 5150 to 525 4.40 3.87 5240.040 5150 to 525 4.40 3.87 5240.040 5150 to 525 4.45 5745.040 5725 to 585 4.45 5745.040 5725 to 585 4.45 5745.060 5725 to 585 5745 / -10 3.87 5745.060 5725 to 585 | 0 Pass |
| 0 3.87 5200.080 5150 to 525 10 3.87 5200.080 5150 to 525 30 3.87 5200.000 5150 to 525 40 3.87 5200.000 5150 to 525 45 3.87 5200.060 5150 to 525 20 3.87 5240.020 5150 to 525 4.45 5240.100 5150 to 525 4.45 5240.100 5150 to 525 4.45 5240.120 5150 to 525 4.15 3.87 5240.020 5150 to 525 4.16 3.87 5240.020 5150 to 525 4.17 3.87 5240.020 5150 to 525 4.18 5240.020 5150 to 525 4.19 3.87 5240.020 5150 to 525 4.10 3.87 5239.980 5150 to 525 4.10 3.87 5240.060 5150 to 525 4.10 3.87 5240.000 5150 to 525 4.10 3.87 5745.000 5725 to 585 | 0 Pass |
| 10 3.87 5200.080 5150 to 525 30 3.87 5200.120 5150 to 525 40 3.87 5200.000 5150 to 525 45 3.87 5200.060 5150 to 525 45 3.29 5240.140 5150 to 525 20 3.87 5240.020 5150 to 525 4.45 5240.100 5150 to 525 -20 3.87 5240.020 5150 to 525 -15 3.87 5240.020 5150 to 525 -15 3.87 5240.020 5150 to 525 10 3.87 5239.980 5150 to 525 10 3.87 5239.980 5150 to 525 10 3.87 5240.000 5150 to 525 40 3.87 5240.000 5150 to 525 40 3.87 5240.000 5150 to 525 40 3.87 5240.040 5150 to 525 41 3.87 5240.040 5150 to 525 42 3.87 5240.040 5725 to 585 43 3.87 5745.040 5725 to 585 -20 3.87 5745.060 5725 to 585 -15 3.87 5745.060 5725 to 585 | 0 Pass |
| 30 3.87 5200.120 5150 to 525 | O Pass |
| 40 3.87 5200.000 5150 to 525 45 3.87 5200.060 5150 to 525 3.29 5240.140 5150 to 525 20 3.87 5240.020 5150 to 525 4.45 5240.100 5150 to 525 -20 3.87 5240.020 5150 to 525 -15 3.87 5240.020 5150 to 525 -15 3.87 5239.980 5150 to 525 10 3.87 5239.980 5150 to 525 10 3.87 5240.060 5150 to 525 30 3.87 5240.000 5150 to 525 40 3.87 5240.040 5150 to 525 45 3.87 5240.120 5150 to 525 45 3.87 5240.120 5150 to 525 45 3.87 5745.040 5725 to 585 20 3.87 5745.060 5725 to 585 -20 3.87 5745.060 5725 to 585 -15 3.87 5745.060 5725 to 585 -15 3.87 5745.060 5725 to 585 -15 3.87 5745.060 5725 to 585 -16 3.87 5745.060 5725 to 585 -17 -10 3.87 5745.060 5725 to 585 -18 -19 -10 3.87 5745.060 5725 to 585 -10 -10 3.87 5745.060 5725 to 585 -10 -10 3.87 5745.060 5725 to 585 | 0 Pass |
| 45 3.87 5200.060 5150 to 525 | O Pass |
| 3.29 5240.140 5150 to 526 | O Pass |
| 20 3.87 5240.020 5150 to 525 | O Pass O Pass O Pass O Pass O Pass O Pass |
| 1.4.45 5240.100 5150 to 525 -20 3.87 5240.120 5150 to 525 -15 3.87 5240.020 5150 to 525 -15 3.87 5239.980 5150 to 525 -10 3.87 5239.980 5150 to 525 -10 3.87 5240.060 5150 to 525 | 0 Pass 0 Pass 0 Pass 0 Pass |
| -20 3.87 5240.120 5150 to 525 -15 3.87 5240.020 5150 to 525 -10 3.87 5239.980 5150 to 525 0 3.87 5239.960 5150 to 525 10 3.87 5240.060 5150 to 525 30 3.87 5240.000 5150 to 525 40 3.87 5240.040 5150 to 525 45 3.87 5240.120 5150 to 525 45 3.87 5240.120 5150 to 525 -20 3.87 5745.040 5725 to 585 -20 3.87 5745.060 5725 to 585 -15 3.87 5745.060 5725 to 585 -15 3.87 5745.060 5725 to 585 -15 3.87 5745.060 5725 to 585 | 0 Pass 0 Pass 0 Pass |
| 15 3.87 5240.020 5150 to 525 | 0 Pass 0 Pass |
| 5240 / -10 3.87 5239.980 5150 to 525 0 3.87 5239.960 5150 to 525 10 3.87 5240.060 5150 to 525 30 3.87 5240.000 5150 to 525 40 3.87 5240.040 5150 to 525 45 3.87 5240.120 5150 to 525 20 3.87 5745.040 5725 to 585 20 3.87 5745.060 5725 to 585 -20 3.87 5745.080 5725 to 585 -15 3.87 5745.060 5725 to 585 -15 3.87 5745.060 5725 to 585 | 0 Pass |
| 0 3.87 5239.960 5150 to 528 10 3.87 5240.060 5150 to 528 30 3.87 5240.000 5150 to 528 40 3.87 5240.040 5150 to 528 45 3.87 5240.120 5150 to 528 3.29 5745.040 5725 to 588 20 3.87 5745.060 5725 to 588 -20 3.87 5745.060 5725 to 588 -15 3.87 5745.060 5725 to 588 5745 / / -10 3.87 5745.060 5725 to 588 | |
| 10 3.87 5240.060 5150 to 525 30 3.87 5240.000 5150 to 525 40 3.87 5240.040 5150 to 525 45 3.87 5240.120 5150 to 525 3.29 5745.040 5725 to 585 4.45 5745.060 5725 to 585 -20 3.87 5745.060 5725 to 585 -15 3.87 5745.060 5725 to 585 -15 3.87 5745.060 5725 to 585 -10 3.87 5745.060 5725 to 585 | |
| 30 3.87 5240.000 5150 to 528 40 3.87 5240.040 5150 to 528 45 3.87 5240.120 5150 to 528 3.29 5745.040 5725 to 588 20 3.87 5745.040 5725 to 588 4.45 5745.060 5725 to 588 -20 3.87 5745.060 5725 to 588 -15 3.87 5745.060 5725 to 588 5745 / / -10 3.87 5745.060 5725 to 588 | 0 Pass |
| 40 3.87 5240.040 5150 to 525 45 3.87 5240.120 5150 to 525 3.29 5745.040 5725 to 585 20 3.87 5745.040 5725 to 585 4.45 5745.060 5725 to 585 -20 3.87 5745.080 5725 to 585 -15 3.87 5745.060 5725 to 585 5745 / / -10 3.87 5745.060 5725 to 585 | 0 Pass |
| 45 3.87 5240.120 5150 to 525 3.29 5745.040 5725 to 585 20 3.87 5745.040 5725 to 585 4.45 5745.060 5725 to 585 -20 3.87 5745.060 5725 to 585 -15 3.87 5745.060 5725 to 585 5745 / -10 3.87 5745.060 5725 to 585 5745 / -10 3.87 5745.060 5725 to 585 5745 / -10 3.87 5745.060 5725 to 585 -20 3.87 5745.060 5 | 0 Pass |
| 3.29 5745.040 5725 to 585 3.87 5745.040 5725 to 585 4.45 5745.060 5725 to 585 -20 3.87 5745.080 5725 to 585 -15 3.87 5745.060 5725 to 585 5745 / -10 3.87 5745.060 5725 to 585 | 0 Pass |
| 20 3.87 5745.040 5725 to 585 4.45 5745.060 5725 to 585 -20 3.87 5745.080 5725 to 585 -15 3.87 5745.060 5725 to 585 5745 / -10 3.87 5745.060 5725 to 585 | 0 Pass |
| 4.45 5745.060 5725 to 585 -20 3.87 5745.080 5725 to 585 -15 3.87 5745.060 5725 to 585 5745 / -10 3.87 5745.060 5725 to 585 | 0 Pass |
| -20 3.87 5745.080 5725 to 585 -15 3.87 5745.060 5725 to 585 5745 / -10 3.87 5745.060 5725 to 585 | 0 Pass |
| -15 3.87 5745.060 5725 to 585 5745 / -10 3.87 5745.060 5725 to 585 | 0 Pass |
| 5745 / -10 3.87 5745.060 5725 to 585 | 0 Pass |
| | 0 Pass |
| 0 3.87 5745.080 5725 to 585 | 0 Pass |
| | 0 Pass |
| 10 3.87 5745.020 5725 to 585 | 0 Pass |
| 30 3.87 5745.080 5725 to 585 | 0 Pass |
| 40 3.87 5745.040 5725 to 585 | 0 Pass |
| 45 3.87 5745.040 5725 to 585 | 0 Pass |
| 3.29 5785.040 5725 to 585 | 0 Pass |
| 20 3.87 5785.060 5725 to 585 | 0 Pass |
| 4.45 5785.020 5725 to 585 | 0 Pass |
| -20 3.87 5785.100 5725 to 585 | 0 Pass |
| 5785 / / -15 3.87 5785.060 5725 to 585 | O Booo |
| -10 3.87 5785.040 5725 to 585 | 0 Pass |
| 0 3.87 5785.040 5725 to 585 | |
| 10 3.87 5785.080 5725 to 585 | 0 Pass |
| 30 3.87 5785.040 5725 to 585 | 0 Pass 0 Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 350 of 355

| | | | | | 40 | 3.87 | 5785.060 | 5725 to 5850 | Pass |
|---|------|------|---|---|-----|------|----------|--------------|------|
| | | | | | 45 | 3.87 | 5785.020 | 5725 to 5850 | Pass |
| | | | | | | 3.29 | 5825.020 | 5725 to 5850 | Pass |
| | | | | | 20 | 3.87 | 5825.040 | 5725 to 5850 | Pass |
| | | | | | | 4.45 | 5825.040 | 5725 to 5850 | Pass |
| | | | | | -20 | 3.87 | 5825.000 | 5725 to 5850 | Pass |
| | | | | | -15 | 3.87 | 5825.020 | 5725 to 5850 | Pass |
| | | 5825 | / | / | -10 | 3.87 | 5825.020 | 5725 to 5850 | Pass |
| | | | | | 0 | 3.87 | 5825.060 | 5725 to 5850 | Pass |
| | | | | | 10 | 3.87 | 5825.000 | 5725 to 5850 | Pass |
| | | | | | 30 | 3.87 | 5825.040 | 5725 to 5850 | Pass |
| | | | | | 40 | 3.87 | 5825.080 | 5725 to 5850 | Pass |
| | | | | | 45 | 3.87 | 5825.040 | 5725 to 5850 | Pass |
| | | | | | | 3.29 | 5190.080 | 5150 to 5250 | Pass |
| | | | | | 20 | 3.87 | 5190.160 | 5150 to 5250 | Pass |
| | | | | | | 4.45 | 5190.160 | 5150 to 5250 | Pass |
| | | | | | -20 | 3.87 | 5190.120 | 5150 to 5250 | Pass |
| | | | | | -15 | 3.87 | 5190.120 | 5150 to 5250 | Pass |
| | | 5190 | / | / | -10 | 3.87 | 5190.120 | 5150 to 5250 | Pass |
| | | | | | 0 | 3.87 | 5190.200 | 5150 to 5250 | Pass |
| | | | | | 10 | 3.87 | 5190.160 | 5150 to 5250 | Pass |
| | | | | | 30 | 3.87 | 5190.120 | 5150 to 5250 | Pass |
| | | | | | 40 | 3.87 | 5190.120 | 5150 to 5250 | Pass |
| | | | | | 45 | 3.87 | 5190.160 | 5150 to 5250 | Pass |
| | | | | | | 3.29 | 5230.040 | 5150 to 5250 | Pass |
| 000 44 | | | | | 20 | 3.87 | 5230.120 | 5150 to 5250 | Pass |
| 802.11ac (VHT40) | MIMO | | | | | 4.45 | 5230.160 | 5150 to 5250 | Pass |
| (************************************** | | | | | -20 | 3.87 | 5230.120 | 5150 to 5250 | Pass |
| | | | | | -15 | 3.87 | 5230.160 | 5150 to 5250 | Pass |
| | | 5230 | / | / | -10 | 3.87 | 5230.120 | 5150 to 5250 | Pass |
| | | | | | 0 | 3.87 | 5230.080 | 5150 to 5250 | Pass |
| | | | | | 10 | 3.87 | 5230.080 | 5150 to 5250 | Pass |
| | | | | | 30 | 3.87 | 5230.040 | 5150 to 5250 | Pass |
| | | | | | 40 | 3.87 | 5230.160 | 5150 to 5250 | Pass |
| | | | | | 45 | 3.87 | 5230.160 | 5150 to 5250 | Pass |
| | | | | | | 3.29 | 5755.160 | 5725 to 5850 | Pass |
| | | | | | 20 | 3.87 | 5755.120 | 5725 to 5850 | Pass |
| | | 5755 | / | / | | 4.45 | 5755.120 | 5725 to 5850 | Pass |
| | | | | | -20 | 3.87 | 5755.160 | 5725 to 5850 | Pass |
| | | | | | -15 | 3.87 | 5755.160 | 5725 to 5850 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 351 of 355

| | | | | | -10 | 3.87 | 5755.120 | 5725 to 5850 | Pass |
|----------|----------|------|-------|------|-----|------|----------|--------------|------|
| | | | | | 0 | 3.87 | 5755.160 | 5725 to 5850 | Pass |
| | | | | | 10 | 3.87 | 5755.120 | 5725 to 5850 | Pass |
| | | | | | 30 | 3.87 | 5755.120 | 5725 to 5850 | Pass |
| | | | | | 40 | 3.87 | 5755.200 | 5725 to 5850 | Pass |
| | | | | | 45 | 3.87 | 5755.120 | 5725 to 5850 | Pass |
| | | | | | | 3.29 | 5795.120 | 5725 to 5850 | Pass |
| | | | | | 20 | 3.87 | 5795.080 | 5725 to 5850 | Pass |
| | | | | | | 4.45 | 5795.160 | 5725 to 5850 | Pass |
| | | | | | -20 | 3.87 | 5795.120 | 5725 to 5850 | Pass |
| | | | | | -15 | 3.87 | 5795.120 | 5725 to 5850 | Pass |
| | | 5795 | / | / | -10 | 3.87 | 5795.080 | 5725 to 5850 | Pass |
| | | | | | 0 | 3.87 | 5795.120 | 5725 to 5850 | Pass |
| | | | | | 10 | 3.87 | 5795.040 | 5725 to 5850 | Pass |
| | | | | | 30 | 3.87 | 5795.120 | 5725 to 5850 | Pass |
| | | | | | 40 | 3.87 | 5795.120 | 5725 to 5850 | Pass |
| | | | | | 45 | 3.87 | 5795.160 | 5725 to 5850 | Pass |
| | | | | | | 3.29 | 5210.150 | 5150 to 5250 | Pass |
| | | | | | 20 | 3.87 | 5210.150 | 5150 to 5250 | Pass |
| | | | | | | 4.45 | 5210.150 | 5150 to 5250 | Pass |
| | | | | | -20 | 3.87 | 5210.150 | 5150 to 5250 | Pass |
| | | | | | -15 | 3.87 | 5210.225 | 5150 to 5250 | Pass |
| | | 5210 | / | / | -10 | 3.87 | 5210.150 | 5150 to 5250 | Pass |
| | | | | | 0 | 3.87 | 5210.150 | 5150 to 5250 | Pass |
| | | | | | 10 | 3.87 | 5210.150 | 5150 to 5250 | Pass |
| | | | | | 30 | 3.87 | 5210.150 | 5150 to 5250 | Pass |
| | | | | | 40 | 3.87 | 5210.225 | 5150 to 5250 | Pass |
| 802.11ac | N 41N 40 | | | | 45 | 3.87 | 5210.225 | 5150 to 5250 | Pass |
| (VHT80) | MIMO | | | | | 3.29 | 5775.150 | 5725 to 5850 | Pass |
| | | | | | 20 | 3.87 | 5776.126 | 5725 to 5850 | Pass |
| | | | | | | 4.45 | 5775.225 | 5725 to 5850 | Pass |
| | | | | | -20 | 3.87 | 5775.075 | 5725 to 5850 | Pass |
| | | | | | -15 | 3.87 | 5775.075 | 5725 to 5850 | Pass |
| | | 5775 | / | / | -10 | 3.87 | 5775.150 | 5725 to 5850 | Pass |
| | | | | | 0 | 3.87 | 5775.150 | 5725 to 5850 | Pass |
| | | | | | 10 | 3.87 | 5766.820 | 5725 to 5850 | Pass |
| | | | | | 30 | 3.87 | 5766.895 | 5725 to 5850 | Pass |
| | | | | | 40 | 3.87 | 5766.745 | 5725 to 5850 | Pass |
| | | | | | 45 | 3.87 | 5775.075 | 5725 to 5850 | Pass |
| 802.11ax | MIMO | 5180 | RU242 | Left | 20 | 3.29 | 5180.100 | 5150 to 5250 | Pass |
| | | | | | | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 352 of 355

| (HEW20) | | | | | 3.87 | 5180.060 | 5150 to 5250 | Pass |
|---------|------|---------|------|-----|------|----------|--------------|------|
| | | | | | 4.45 | 5180.060 | 5150 to 5250 | Pass |
| | | | | -20 | 3.87 | 5180.080 | 5150 to 5250 | Pass |
| | | | | -15 | 3.87 | 5180.060 | 5150 to 5250 | Pass |
| | | | | -10 | 3.87 | 5180.060 | 5150 to 5250 | Pass |
| | | | | 0 | 3.87 | 5180.040 | 5150 to 5250 | Pass |
| | | | | 10 | 3.87 | 5180.040 | 5150 to 5250 | Pass |
| | | | | 30 | 3.87 | 5180.060 | 5150 to 5250 | Pass |
| | | | | 40 | 3.87 | 5180.100 | 5150 to 5250 | Pass |
| | | | | 45 | 3.87 | 5180.040 | 5150 to 5250 | Pass |
| | | | | | 3.29 | 5200.060 | 5150 to 5250 | Pass |
| | | | | 20 | 3.87 | 5200.080 | 5150 to 5250 | Pass |
| | | | | | 4.45 | 5200.080 | 5150 to 5250 | Pass |
| | | | | -20 | 3.87 | 5200.040 | 5150 to 5250 | Pass |
| | | | | -15 | 3.87 | 5200.040 | 5150 to 5250 | Pass |
| | 5200 | RU242 | Left | -10 | 3.87 | 5200.080 | 5150 to 5250 | Pass |
| | | | | 0 | 3.87 | 5200.080 | 5150 to 5250 | Pass |
| | | | | 10 | 3.87 | 5200.060 | 5150 to 5250 | Pass |
| | | | | 30 | 3.87 | 5200.060 | 5150 to 5250 | Pass |
| | | | | 40 | 3.87 | 5200.080 | 5150 to 5250 | Pass |
| | | | | 45 | 3.87 | 5200.140 | 5150 to 5250 | Pass |
| | | | | | 3.29 | 5240.040 | 5150 to 5250 | Pass |
| | | | | 20 | 3.87 | 5240.020 | 5150 to 5250 | Pass |
| | | | | | 4.45 | 5240.020 | 5150 to 5250 | Pass |
| | | | | -20 | 3.87 | 5240.060 | 5150 to 5250 | Pass |
| | | | | -15 | 3.87 | 5240.060 | 5150 to 5250 | Pass |
| | 5240 | RU242 | Left | -10 | 3.87 | 5240.020 | 5150 to 5250 | Pass |
| | | | | 0 | 3.87 | 5240.060 | 5150 to 5250 | Pass |
| | | | | 10 | 3.87 | 5240.040 | 5150 to 5250 | Pass |
| | | | | 30 | 3.87 | 5240.060 | 5150 to 5250 | Pass |
| | | | | 40 | 3.87 | 5240.060 | 5150 to 5250 | Pass |
| | | | | 45 | 3.87 | 5240.060 | 5150 to 5250 | Pass |
| | | | | | 3.29 | 5745.040 | 5725 to 5850 | Pass |
| | | | | 20 | 3.87 | 5745.080 | 5725 to 5850 | Pass |
| | | | | | 4.45 | 5745.080 | 5725 to 5850 | Pass |
| | E715 | DI 1040 | 1.64 | -20 | 3.87 | 5745.080 | 5725 to 5850 | Pass |
| | 5745 | RU242 | Left | -15 | 3.87 | 5745.060 | 5725 to 5850 | Pass |
| | | | | -10 | 3.87 | 5745.080 | 5725 to 5850 | Pass |
| | | | | 0 | 3.87 | 5745.080 | 5725 to 5850 | Pass |
| | | | | 10 | 3.87 | 5745.060 | 5725 to 5850 | Pass |
| | | | | | | • | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 353 of 355

| | | | | | | | • | | |
|---------------------|------|------|--------|------|------|----------|--------------|--------------|------|
| | | | | | 30 | 3.87 | 5745.080 | 5725 to 5850 | Pass |
| | | | | | 40 | 3.87 | 5745.040 | 5725 to 5850 | Pass |
| | | | | | 45 | 3.87 | 5745.040 | 5725 to 5850 | Pass |
| | | | | | | 3.29 | 5785.060 | 5725 to 5850 | Pass |
| | | | | | 20 | 3.87 | 5785.060 | 5725 to 5850 | Pass |
| | | | | | | 4.45 | 5785.040 | 5725 to 5850 | Pass |
| | | | | | -20 | 3.87 | 5785.060 | 5725 to 5850 | Pass |
| | | | | | -15 | 3.87 | 5785.040 | 5725 to 5850 | Pass |
| | | 5785 | RU242 | Left | -10 | 3.87 | 5785.040 | 5725 to 5850 | Pass |
| | | | | | 0 | 3.87 | 5785.020 | 5725 to 5850 | Pass |
| | | | | | 10 | 3.87 | 5785.060 | 5725 to 5850 | Pass |
| | | | | | 30 | 3.87 | 5785.040 | 5725 to 5850 | Pass |
| | | | | | 40 | 3.87 | 5785.060 | 5725 to 5850 | Pass |
| | _ | | | | 45 | 3.87 | 5785.060 | 5725 to 5850 | Pass |
| | | | | | | 3.29 | 5825.020 | 5725 to 5850 | Pass |
| | | | | | 20 | 3.87 | 5825.120 | 5725 to 5850 | Pass |
| | | | | | | 4.45 | 5825.060 | 5725 to 5850 | Pass |
| | | | | | -20 | 3.87 | 5825.040 | 5725 to 5850 | Pass |
| | | | | | -15 | 3.87 | 5825.080 | 5725 to 5850 | Pass |
| | | 5825 | RU242 | Left | -10 | 3.87 | 5825.020 | 5725 to 5850 | Pass |
| | | | | | 0 | 3.87 | 5825.100 | 5725 to 5850 | Pass |
| | | | | | 10 | 3.87 | 5825.040 | 5725 to 5850 | Pass |
| | | | | | 30 | 3.87 | 5825.080 | 5725 to 5850 | Pass |
| | | | | | 40 | 3.87 | 5825.060 | 5725 to 5850 | Pass |
| | | | | | 45 | 3.87 | 5825.040 | 5725 to 5850 | Pass |
| | | | | | | 3.29 | 5190.200 | 5150 to 5250 | Pass |
| | | | | | 20 | 3.87 | 5190.080 | 5150 to 5250 | Pass |
| | | | | | | 4.45 | 5190.120 | 5150 to 5250 | Pass |
| | | | | | -20 | 3.87 | 5190.160 | 5150 to 5250 | Pass |
| | | | | | -15 | 3.87 | 5190.120 | 5150 to 5250 | Pass |
| | | 5190 | RU484 | Left | -10 | 3.87 | 5190.120 | 5150 to 5250 | Pass |
| 222.44 | | | | | 0 | 3.87 | 5190.160 | 5150 to 5250 | Pass |
| 802.11ax (HEW40) | MIMO | | | | 10 | 3.87 | 5190.120 | 5150 to 5250 | Pass |
| (1127740) | | | | | 30 | 3.87 | 5190.200 | 5150 to 5250 | Pass |
| | | | | 40 | 3.87 | 5190.200 | 5150 to 5250 | Pass | |
| | | | | | 45 | 3.87 | 5190.160 | 5150 to 5250 | Pass |
| | | | | | | 3.29 | 5230.120 | 5150 to 5250 | Pass |
| | | E220 | DIIAGA | 1.64 | 20 | 3.87 | 5230.080 | 5150 to 5250 | Pass |
| | | 5230 | RU484 | Left | | 4.45 | 5230.160 | 5150 to 5250 | Pass |
| | | | | | -20 | 3.87 | 5230.120 | 5150 to 5250 | Pass |
| | | | | | | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 354 of 355

| 1-15 3.87 5230.160 5150 to 5250 -10 3.87 5230.120 5150 to 5250 -10 3.87 5230.200 5150 to 5250 -10 3.87 5230.200 5150 to 5250 -10 3.87 5230.120 5150 to 5250 -10 3.87 5755.120 5725 to 5850 -10 3.87 5795.120 5725 to 5850 -10 3.87 5795.120 5725 to 5850 -10 3.87 5795.120 5725 to 5850 -10 3.87 5795.080 5725 to 5850 -10 | Pass Pass Pass Pass Pass Pass Pass Pass |
|--|---|
| Name | Pass Pass Pass Pass Pass Pass Pass Pass |
| 10 3.87 5230.120 5150 to 5250 30 3.87 5230.120 5150 to 5250 40 3.87 5230.160 5150 to 5250 45 3.87 5230.120 5150 to 5250 45 3.87 5230.120 5150 to 5250 45 3.87 5230.120 5150 to 5250 3.29 5755.120 5725 to 5850 4.45 5755.120 5725 to 5850 40 3.87 5755.120 5725 to 5850 44 5 5795.080 5725 to 5850 572 | Pass Pass Pass Pass Pass Pass Pass Pass |
| 30 3.87 5230.120 5150 to 5250 40 3.87 5230.160 5150 to 5250 45 3.87 5230.120 5150 to 5250 45 3.87 5230.120 5150 to 5250 45 3.87 5230.120 5725 to 5850 20 3.87 5755.120 5725 to 5850 4.45 5755.120 5725 to 5850 4.45 5755.120 5725 to 5850 -20 3.87 5755.120 5725 to 5850 -15 3.87 5755.120 5725 to 5850 -15 3.87 5755.120 5725 to 5850 0 3.87 5755.120 5725 to 5850 10 3.87 5755.120 5725 to 5850 10 3.87 5755.120 5725 to 5850 40 3.87 5755.120 5725 to 5850 40 3.87 5755.120 5725 to 5850 40 3.87 5755.120 5725 to 5850 45 3.87 5755.120 5725 to 5850 45 3.87 5795.120 5725 to 5850 445 5795.080 5725 to 5850 445 5795.080 5725 to 5850 -20 3.87 5795.120 5725 to 5850 -20 3.87 5795.120 5725 to 5850 -20 3.87 5795.080 5725 to 5850 -20 3.87 5795.120 5725 to 5850 -20 3.87 5795.120 5725 to 5850 -20 3.87 5795.080 5725 to 585 | Pass Pass Pass Pass Pass Pass Pass Pass |
| Heat | Pass Pass Pass Pass Pass Pass Pass Pass |
| A5 3.87 5230.120 5150 to 5250 | Pass Pass Pass Pass Pass Pass Pass Pass |
| 3.29 5755.120 5725 to 5850 20 3.87 5755.120 5725 to 5850 4.45 5755.120 5725 to 5850 -20 3.87 5755.120 5725 to 5850 -15 3.87 5755.120 5725 to 5850 -15 3.87 5755.120 5725 to 5850 0 3.87 5755.120 5725 to 5850 10 3.87 5755.120 5725 to 5850 10 3.87 5755.120 5725 to 5850 40 3.87 5755.120 5725 to 5850 45 3.87 5755.120 5725 to 5850 45 3.87 5755.120 5725 to 5850 20 3.87 5795.120 5725 to 5850 4.45 5795.080 5725 to 5850 -20 3.87 5795.120 5725 to 5850 -20 3.87 5795.080 5725 to 5850 -15 3.87 5795.080 5725 to 5850 -10 3.87 5795.120 5725 to 5850 0 3.87 5795.120 5725 to 5850 10 3.87 5795.120 5725 to 5850 30 3.87 5795.120 5725 to 5850 5795 to 5850 30 3.87 5795.120 5725 to 5850 30 3.87 5795.120 5725 to 5850 5795 to 5850 | Pass Pass Pass Pass Pass Pass Pass |
| RU484 Left 20 3.87 5755.120 5725 to 5850 | Pass Pass Pass Pass Pass Pass |
| A.45 5755.120 5725 to 5850 -20 3.87 5755.120 5725 to 5850 -15 3.87 5755.120 5725 to 5850 -15 3.87 5755.120 5725 to 5850 -15 3.87 5755.120 5725 to 5850 -16 3.87 5755.120 5725 to 5850 -17 3.87 5755.120 5725 to 5850 -18 3.87 5755.120 5725 to 5850 -19 3.87 5755.120 5725 to 5850 -10 3.87 5755.120 5725 to 5850 -10 3.87 5755.120 5725 to 5850 -10 3.87 5795.120 5725 to 5850 -10 3.87 5795.120 5725 to 5850 -10 3.87 5795.120 5725 to 5850 -10 3.87 5795.080 5725 to 5850 -10 3.87 5795.080 5725 to 5850 -10 3.87 5795.120 5725 to 5850 -10 3.87 5795.080 5725 to 5850 | Pass Pass Pass Pass Pass |
| -20 3.87 5755.120 5725 to 5850 -15 3.87 5755.120 5725 to 5850 -10 3.87 5755.080 5725 to 5850 0 3.87 5755.120 5725 to 5850 10 3.87 5755.120 5725 to 5850 10 3.87 5755.120 5725 to 5850 40 3.87 5755.120 5725 to 5850 40 3.87 5755.120 5725 to 5850 45 3.87 5755.120 5725 to 5850 20 3.87 5795.120 5725 to 5850 20 3.87 5795.120 5725 to 5850 4.45 5795.080 5725 to 5850 -20 3.87 5795.120 5725 to 5850 -20 3.87 5795.120 5725 to 5850 -15 3.87 5795.080 5725 to 5850 -15 3.87 5795.080 5725 to 5850 -16 3.87 5795.080 5725 to 5850 -17 3.87 5795.080 5725 to 5850 -18 3.87 5795.080 5725 to 5850 -19 3.87 5795.080 5725 to 5850 -10 3.87 5795.080 5725 to 5850 | Pass Pass Pass Pass |
| S755 RU484 Left -15 3.87 5755.120 5725 to 5850 | Pass Pass Pass |
| 5755 RU484 Left -10 3.87 5755.080 5725 to 5850 0 3.87 5755.120 5725 to 5850 10 3.87 5755.120 5725 to 5850 30 3.87 5755.120 5725 to 5850 40 3.87 5755.120 5725 to 5850 45 3.87 5795.120 5725 to 5850 20 3.87 5795.120 5725 to 5850 4.45 5795.080 5725 to 5850 -20 3.87 5795.120 5725 to 5850 -15 3.87 5795.080 5725 to 5850 -15 3.87 5795.080 5725 to 5850 0 3.87 5795.080 5725 to 5850 10 3.87 5795.120 5725 to 5850 30 3.87 5795.080 5725 to 5850 | Pass Pass |
| 0 3.87 5755.120 5725 to 5850 10 3.87 5755.120 5725 to 5850 30 3.87 5755.120 5725 to 5850 40 3.87 5755.120 5725 to 5850 45 3.87 5755.120 5725 to 5850 20 3.87 5795.120 5725 to 5850 4.45 5795.080 5725 to 5850 -20 3.87 5795.080 5725 to 5850 -15 3.87 5795.080 5725 to 5850 -15 3.87 5795.080 5725 to 5850 0 3.87 5795.120 5725 to 5850 10 3.87 5795.120 5725 to 5850 10 3.87 5795.120 5725 to 5850 30 3.87 5795.120 5725 to 5850 30 3.87 5795.120 5725 to 5850 | Pass |
| 10 3.87 5755.120 5725 to 5850 30 3.87 5755.120 5725 to 5850 40 3.87 5755.120 5725 to 5850 45 3.87 5755.120 5725 to 5850 20 3.87 5795.120 5725 to 5850 20 3.87 5795.120 5725 to 5850 20 3.87 5795.120 5725 to 5850 20 3.87 5795.080 5725 to 5850 21 3.87 5795.080 5725 to 5850 22 3.87 5795.080 5725 to 5850 33 3.87 5795.120 5725 to 5850 30 3.87 5795.120 5725 to 5850 30 3.87 5795.080 5725 to 5850 | |
| 30 3.87 5755.120 5725 to 5850 40 3.87 5755.120 5725 to 5850 45 3.87 5755.120 5725 to 5850 3.29 5795.120 5725 to 5850 20 3.87 5795.160 5725 to 5850 4.45 5795.080 5725 to 5850 -20 3.87 5795.120 5725 to 5850 -15 3.87 5795.080 5725 to 5850 -15 3.87 5795.080 5725 to 5850 0 3.87 5795.080 5725 to 5850 10 3.87 5795.120 5725 to 5850 10 3.87 5795.120 5725 to 5850 30 3.87 5795.080 5725 to 5850 | Daca |
| 40 3.87 5755.120 5725 to 5850 45 3.87 5755.120 5725 to 5850 3.29 5795.120 5725 to 5850 20 3.87 5795.160 5725 to 5850 4.45 5795.080 5725 to 5850 -20 3.87 5795.120 5725 to 5850 -15 3.87 5795.080 5725 to 5850 0 3.87 5795.080 5725 to 5850 10 3.87 5795.120 5725 to 5850 10 3.87 5795.120 5725 to 5850 30 3.87 5795.080 5725 to 5850 | Pass |
| 45 3.87 5755.120 5725 to 5850 3.29 5795.120 5725 to 5850 4.45 5795.080 5725 to 5850 -20 3.87 5795.080 5725 to 5850 -20 3.87 5795.120 5725 to 5850 -15 3.87 5795.080 5725 to 5850 0 3.87 5795.080 5725 to 5850 10 3.87 5795.120 5725 to 5850 30 3.87 5795.080 5725 to 5850 30 3.87 5795.080 5725 to 5850 | Pass |
| 3.29 5795.120 5725 to 5850 20 3.87 5795.160 5725 to 5850 4.45 5795.080 5725 to 5850 -20 3.87 5795.120 5725 to 5850 -15 3.87 5795.080 5725 to 5850 0 3.87 5795.080 5725 to 5850 0 3.87 5795.120 5725 to 5850 10 3.87 5795.120 5725 to 5850 30 3.87 5795.120 5725 to 5850 30 3.87 5795.080 5725 to 5850 | Pass |
| 5795 RU484 Left 20 3.87 5795.160 5725 to 5850 4.45 5795.080 5725 to 5850 -20 3.87 5795.120 5725 to 5850 -15 3.87 5795.080 5725 to 5850 0 3.87 5795.080 5725 to 5850 10 3.87 5795.120 5725 to 5850 30 3.87 5795.080 5725 to 5850 30 3.87 5795.080 5725 to 5850 | Pass |
| 5795 RU484 Left 4.45 5795.080 5725 to 5850 -20 3.87 5795.120 5725 to 5850 -15 3.87 5795.080 5725 to 5850 0 3.87 5795.080 5725 to 5850 10 3.87 5795.120 5725 to 5850 10 3.87 5795.120 5725 to 5850 30 3.87 5795.080 5725 to 5850 | Pass |
| -20 3.87 5795.120 5725 to 5850 -15 3.87 5795.080 5725 to 5850 -10 3.87 5795.080 5725 to 5850 0 3.87 5795.120 5725 to 5850 10 3.87 5795.120 5725 to 5850 30 3.87 5795.080 5725 to 5850 | Pass |
| 5795 RU484 Left | Pass |
| 5795 RU484 Left -10 3.87 5795.080 5725 to 5850 0 3.87 5795.120 5725 to 5850 10 3.87 5795.120 5725 to 5850 30 3.87 5795.080 5725 to 5850 | Pass |
| 0 3.87 5795.120 5725 to 5850 10 3.87 5795.120 5725 to 5850 30 3.87 5795.080 5725 to 5850 | Pass |
| 10 3.87 5795.120 5725 to 5850 30 3.87 5795.080 5725 to 5850 | Pass |
| 30 3.87 5795.080 5725 to 5850 | Pass |
| | Pass |
| 40 000 | Pass |
| 40 3.87 5795.120 5725 to 5850 | Pass |
| 45 3.87 5795.080 5725 to 5850 | Pass |
| 3.29 5210.150 5150 to 5250 | Pass |
| 20 3.87 5210.225 5150 to 5250 | Pass |
| 4.45 5210.225 5150 to 5250 | Pass |
| -20 3.87 5210.150 5150 to 5250 | Pass |
| -15 3.87 5210.150 5150 to 5250 | Pass |
| 802.11ax (HEW80) MIMO 5210 RU996 Left -10 3.87 5210.150 5150 to 5250 | Pass |
| 0 3.87 5210.150 5150 to 5250 | Pass |
| 10 3.87 5210.150 5150 to 5250 | Pass |
| 30 3.87 5210.150 5150 to 5250 | . 455 |
| 40 3.87 5210.150 5150 to 5250 | Pass |
| , , , , , , , , , , , , , , , , , , , | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240700281805

Page: 355 of 355

| | | | | | 3.29 | 5775.075 | 5725 to 5850 | Pass |
|--|------|-------|------|-----|------|----------|--------------|------|
| | | | | 20 | 3.87 | 5775.000 | 5725 to 5850 | Pass |
| | | | | | 4.45 | 5775.000 | 5725 to 5850 | Pass |
| | | | | -20 | 3.87 | 5775.225 | 5725 to 5850 | Pass |
| | | | | -15 | 3.87 | 5775.150 | 5725 to 5850 | Pass |
| | 5775 | RU996 | Left | -10 | 3.87 | 5776.051 | 5725 to 5850 | Pass |
| | | | | 0 | 3.87 | 5775.150 | 5725 to 5850 | Pass |
| | | | | 10 | 3.87 | 5775.150 | 5725 to 5850 | Pass |
| | | | | 30 | 3.87 | 5766.745 | 5725 to 5850 | Pass |
| | | | | 40 | 3.87 | 5775.000 | 5725 to 5850 | Pass |
| | | | | 45 | 3.87 | 5775.150 | 5725 to 5850 | Pass |

⁻ End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn