

### 12.3. TEST RESULT

|             |                                     |                   |                |
|-------------|-------------------------------------|-------------------|----------------|
| EUT         | DDPai                               | Model Name        | mola N3        |
| Temperature | 25°C                                | Relative Humidity | 55.4%          |
| Pressure    | 960hPa                              | Test Voltage      | Normal Voltage |
| Test Mode   | 802.11b with data rate 1<br>2412MHZ | Antenna           | Horizontal     |

PK



AV



RESULT: PASS

|             |                                     |                   |                |
|-------------|-------------------------------------|-------------------|----------------|
| EUT         | DDPai                               | Model Name        | mola N3        |
| Temperature | 25°C                                | Relative Humidity | 55.4%          |
| Pressure    | 960hPa                              | Test Voltage      | Normal Voltage |
| Test Mode   | 802.11b with data rate 1<br>2412MHZ | Antenna           | Vertical       |

PK



AV



RESULT: PASS

|             |                                     |                   |                |
|-------------|-------------------------------------|-------------------|----------------|
| EUT         | DDPai                               | Model Name        | mola N3        |
| Temperature | 25°C                                | Relative Humidity | 55.4%          |
| Pressure    | 960hPa                              | Test Voltage      | Normal Voltage |
| Test Mode   | 802.11b with data rate 1<br>2462MHZ | Antenna           | Horizontal     |

PK



AV



RESULT: PASS

|             |                                     |                   |                |
|-------------|-------------------------------------|-------------------|----------------|
| EUT         | DDPai                               | Model Name        | mola N3        |
| Temperature | 25°C                                | Relative Humidity | 55.4%          |
| Pressure    | 960hPa                              | Test Voltage      | Normal Voltage |
| Test Mode   | 802.11b with data rate 1<br>2462MHZ | Antenna           | Vertical       |

PK



AV



RESULT: PASS

|             |                                     |                   |                |
|-------------|-------------------------------------|-------------------|----------------|
| EUT         | DDPai                               | Model Name        | mola N3        |
| Temperature | 25°C                                | Relative Humidity | 55.4%          |
| Pressure    | 960hPa                              | Test Voltage      | Normal Voltage |
| Test Mode   | 802.11g with data rate 6<br>2412MHZ | Antenna           | Horizontal     |

PK




AV



RESULT: PASS

|             |                                     |                   |                |
|-------------|-------------------------------------|-------------------|----------------|
| EUT         | DDPai                               | Model Name        | mola N3        |
| Temperature | 25°C                                | Relative Humidity | 55.4%          |
| Pressure    | 960hPa                              | Test Voltage      | Normal Voltage |
| Test Mode   | 802.11g with data rate 6<br>2412MHZ | Antenna           | Vertical       |

PK



AV



RESULT: PASS

|             |                                     |                   |                |
|-------------|-------------------------------------|-------------------|----------------|
| EUT         | DDPai                               | Model Name        | mola N3        |
| Temperature | 25°C                                | Relative Humidity | 55.4%          |
| Pressure    | 960hPa                              | Test Voltage      | Normal Voltage |
| Test Mode   | 802.11g with data rate 6<br>2462MHZ | Antenna           | Horizontal     |

PK



AV



RESULT: PASS

|             |                                     |                   |                |
|-------------|-------------------------------------|-------------------|----------------|
| EUT         | DDPai                               | Model Name        | mola N3        |
| Temperature | 25°C                                | Relative Humidity | 55.4%          |
| Pressure    | 960hPa                              | Test Voltage      | Normal Voltage |
| Test Mode   | 802.11g with data rate 6<br>2462MHZ | Antenna           | Vertical       |

PK



AV



RESULT: PASS

|             |                                          |                   |                |
|-------------|------------------------------------------|-------------------|----------------|
| EUT         | DDPai                                    | Model Name        | mola N3        |
| Temperature | 25°C                                     | Relative Humidity | 55.4%          |
| Pressure    | 960hPa                                   | Test Voltage      | Normal Voltage |
| Test Mode   | 802.11n 20 with data rate 6.5<br>2412MHZ | Antenna           | Horizontal     |

PK




AV



RESULT: PASS

|             |                                          |                   |                |
|-------------|------------------------------------------|-------------------|----------------|
| EUT         | DDPai                                    | Model Name        | mola N3        |
| Temperature | 25°C                                     | Relative Humidity | 55.4%          |
| Pressure    | 960hPa                                   | Test Voltage      | Normal Voltage |
| Test Mode   | 802.11n 20 with data rate 6.5<br>2412MHZ | Antenna           | Vertical       |

PK



AV



RESULT: PASS

|             |                                          |                   |                |
|-------------|------------------------------------------|-------------------|----------------|
| EUT         | DDPai                                    | Model Name        | mola N3        |
| Temperature | 25°C                                     | Relative Humidity | 55.4%          |
| Pressure    | 960hPa                                   | Test Voltage      | Normal Voltage |
| Test Mode   | 802.11n 20 with data rate 6.5<br>2462MHZ | Antenna           | Horizontal     |

PK



AV



RESULT: PASS

|             |                                          |                   |                |
|-------------|------------------------------------------|-------------------|----------------|
| EUT         | DDPai                                    | Model Name        | mola N3        |
| Temperature | 25°C                                     | Relative Humidity | 55.4%          |
| Pressure    | 960hPa                                   | Test Voltage      | Normal Voltage |
| Test Mode   | 802.11n 20 with data rate 6.5<br>2462MHZ | Antenna           | Vertical       |

PK



AV



RESULT: PASS

|             |                                           |                   |                |
|-------------|-------------------------------------------|-------------------|----------------|
| EUT         | DDPai                                     | Model Name        | mola N3        |
| Temperature | 25°C                                      | Relative Humidity | 55.4%          |
| Pressure    | 960hPa                                    | Test Voltage      | Normal Voltage |
| Test Mode   | 802.11n 40 with data rate 13.5<br>2422MHZ | Antenna           | Horizontal     |

PK



AV



RESULT: PASS

|             |                                           |                   |                |
|-------------|-------------------------------------------|-------------------|----------------|
| EUT         | DDPai                                     | Model Name        | mola N3        |
| Temperature | 25°C                                      | Relative Humidity | 55.4%          |
| Pressure    | 960hPa                                    | Test Voltage      | Normal Voltage |
| Test Mode   | 802.11n 40 with data rate 13.5<br>2422MHZ | Antenna           | Vertical       |

PK



AV



RESULT: PASS

|             |                                          |                   |                |
|-------------|------------------------------------------|-------------------|----------------|
| EUT         | DDPai                                    | Model Name        | mola N3        |
| Temperature | 25°C                                     | Relative Humidity | 55.4%          |
| Pressure    | 960hPa                                   | Test Voltage      | Normal Voltage |
| Test Mode   | 802.11n 40with data rate 13.5<br>2452MHZ | Antenna           | Horizontal     |

PK



AV




RESULT: PASS

|             |                                           |                   |                |
|-------------|-------------------------------------------|-------------------|----------------|
| EUT         | DDPai                                     | Model Name        | mola N3        |
| Temperature | 25°C                                      | Relative Humidity | 55.4%          |
| Pressure    | 960hPa                                    | Test Voltage      | Normal Voltage |
| Test Mode   | 802.11n 40 with data rate 13.5<br>2452MHZ | Antenna           | Vertical       |


PK



AV



RESULT: PASS

**APPENDIX A: PHOTOGRAPHS OF TEST SETUP****FCC RADIATED EMISSION TEST SETUP BELOW 1GHZ****FCC RADIATED EMISSION TEST SETUP ABOVE 1GHZ**

## APPENDIX B: PHOTOGRAPHS OF EUT

### ALL VIEW OF EUT



### TOP VIEW OF EUT



BOTTOM VIEW OF EUT



FRONT VIEW OF EUT




BACK VIEW OF EUT



LEFT VIEW OF EUT




RIGHT VIEW OF EUT




OPEN VIEW OF EUT-1




### OPEN VIEW OF EUT-2




### BATTERY OF EUT




OPEN VIEW OF EUT-3



INTERNAL VIEW OF EUT-1



INTERNAL VIEW OF EUT-2



-----END OF REPORT-----



**Attestation of Global Compliance**

Attestation of Global Compliance(Shenzhen)Co.,Ltd.

Add: 2/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community,  
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China

Tel: +86-755 2523 4088

E-mail: agc@agc-cert.com

Service Hotline: 400 089 2118