

TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.683 mW/g, SAR (10g): 0.467 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100

Cellular CDMA Mode, Ch.1013 [824.70MHz]; Extended Battery

Conducted Power = 24.0dBm; Left Head Phantom, Cheek/Touch position

Test Date -- 08/09/2001



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.940 mW/g, SAR (10g): 0.641 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100


Cellular CDMA Mode, Ch.1013 [824.70MHz]; Extended Battery

Conducted Power = 24.0dBm; Left Head Phantom, Cheek/Touch position

Test Date -- 08/09/2001



SAR_{Tot} [mW/g]



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.721 mW/g, SAR (10g): 0.488 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100

Cellular CDMA Mode, Ch.0383 [836.49MHz]; Extended Battery

Conducted Power = 24.0dBm; Left Head Phantom, Cheek/Touch position

Test Date -- 08/09/2001



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.12 mW/g, SAR (10g): 0.765 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100


Cellular CDMA Mode, Ch.0383 [836.49MHz]; Extended Battery

Conducted Power = 24.0dBm; Left Head Phantom, Cheek/Touch position

Test Date -- 08/09/2001



SAR_{Tot} [mW/g]



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.703 mW/g, SAR (10g): 0.478 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100

Cellular CDMA Mode, Ch.0777 [848.31MHz]; Extended Battery

Conducted Power = 24.0dBm; Left Head Phantom, Cheek/Touch position

Test Date -- 08/09/2001



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.07 mW/g, SAR (10g): 0.732 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100


Cellular CDMA Mode, Ch.0777 [848.31MHz]; Extended Battery

Conducted Power = 24.0dBm; Left Head Phantom, Cheek/Touch position

Test Date -- 08/09/2001



SAR_{Tot} [mW/g]



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.735 mW/g, SAR (10g): 0.500 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100


Cellular CDMA Mode, Ch.0383 [836.49MHz]; Standard Battery

Conducted Power = 24.0dBm; Left Head Phantom, Cheek/Touch position

Test Date -- 08/09/2001



SAR_{Tot} [mW/g]



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.08 mW/g, SAR (10g): 0.742 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100


Cellular CDMA Mode, Ch.0383 [836.49MHz]; Standard Battery

Conducted Power = 24.0dBm; Left Head Phantom, Cheek/Touch position

Test Date -- 08/09/2001



SAR_{Tot} [mW/g]



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.715 mW/g, SAR (10g): 0.452 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100

Cellular CDMA Mode, Ch.1013 [824.70MHz]; Extended Battery

Conducted Power = 24.0dBm; Left Head Phantom, Ear/15degree Tilt position

Test Date -- 08/09/2001



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.912 mW/g, SAR (10g): 0.591 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100


Cellular CDMA Mode, Ch.1013 [824.70MHz]; Extended Battery

Conducted Power = 24.0dBm; Left Head Phantom, Ear/15degree Tilt position

Test Date -- 08/09/2001



SAR_{Tot} [mW/g]



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.735 mW/g, SAR (10g): 0.462 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100

Cellular CDMA Mode, Ch.0383 [836.49MHz]; Extended Battery

Conducted Power = 24.0dBm; Left Head Phantom, Ear/15degree Tilt position

Test Date -- 08/09/2001



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.01 mW/g, SAR (10g): 0.655 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100


Cellular CDMA Mode, Ch.0383 [836.49MHz]; Extended Battery

Conducted Power = 24.0dBm; Left Head Phantom, Ear/15degree Tilt position

Test Date -- 08/09/2001



SAR_{Tot} [mW/g]



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.709 mW/g, SAR (10g): 0.438 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100


Cellular CDMA Mode, Ch.0777 [848.31MHz]; Extended Battery

Conducted Power = 24.0dBm; Left Head Phantom, Ear/15degree Tilt position

Test Date -- 08/09/2001



SAR_{Tot} [mW/g]



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.13 mW/g, SAR (10g): 0.706 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100


Cellular CDMA Mode, Ch.0777 [848.31MHz]; Extended Battery

Conducted Power = 24.0dBm; Left Head Phantom, Ear/15degree Tilt position

Test Date -- 08/09/2001



SAR_{Tot} [mW/g]



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.716 mW/g, SAR (10g): 0.457 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100

Cellular CDMA Mode, Ch.0777 [848.31MHz]; Standard Battery

Conducted Power = 24.0dBm; Left Head Phantom, Ear/15degree Tilt position

Test Date -- 08/09/2001



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.16 mW/g, SAR (10g): 0.738 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100


Cellular CDMA Mode, Ch.0777 [848.31MHz]; Standard Battery

Conducted Power = 24.0dBm; Left Head Phantom, Ear/15degree Tilt position

Test Date -- 08/09/2001



SAR_{Tot} [mW/g]



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.654 mW/g, SAR (10g): 0.448 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100


Cellular CDMA Mode, Ch.1013 [824.70MHz]; Extended Battery

Conducted Power = 24.0dBm; Right Head Phantom, Cheek/Touch position

Test Date -- 08/09/2001




SAR_{Tot} [mW/g]




TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.03 mW/g, SAR (10g): 0.711 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100
Cellular CDMA Mode, Ch.1013 [824.70MHz]; Extended Battery
Conducted Power = 24.0dBm; Right Head Phantom, Cheek/Touch position
Test Date -- 08/09/2001



SAR_{Tot} [mW/g]



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.656 mW/g, SAR (10g): 0.448 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100

Cellular CDMA Mode, Ch.0383 [836.49MHz]; Extended Battery

Conducted Power = 24.0dBm; Right Head Phantom, Cheek/Touch position


Test Date -- 08/09/2001



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 1.04 mW/g, SAR (10g): 0.712 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100
Cellular CDMA Mode, Ch.0383 [836.49MHz]; Extended Battery
Conducted Power = 24.0dBm; Right Head Phantom, Cheek/Touch position
Test Date -- 08/09/2001



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.657 mW/g, SAR (10g): 0.448 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100

Cellular CDMA Mode, Ch.0777 [848.31MHz]; Extended Battery

Conducted Power = 24.0dBm; Right Head Phantom, Cheek/Touch position

Test Date -- 08/09/2001



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.953 mW/g, SAR (10g): 0.654 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100


Cellular CDMA Mode, Ch.0777 [848.31MHz]; Extended Battery

Conducted Power = 24.0dBm; Right Head Phantom, Cheek/Touch position

Test Date -- 08/09/2001



SAR_{Tot} [mW/g]



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.665 mW/g, SAR (10g): 0.455 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100

Cellular CDMA Mode, Ch.0383 [836.49MHz]; Standard Battery

Conducted Power = 24.0dBm; Right Head Phantom, Cheek/Touch position


Test Date -- 08/09/2001



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.999 mW/g, SAR (10g): 0.690 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100
Cellular CDMA Mode, Ch.0383 [836.49MHz]; Standard Battery
Conducted Power = 24.0dBm; Right Head Phantom, Cheek/Touch position
Test Date -- 08/09/2001



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.578 mW/g, SAR (10g): 0.381 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100

Cellular CDMA Mode, Ch.1013 [824.70MHz]; Extended Battery

Conducted Power = 24.0dBm; Right Head Phantom, Ear/15degree Tilt position


Test Date -- 08/09/2001




TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.788 mW/g, SAR (10g): 0.528 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100
Cellular CDMA Mode, Ch.1013 [824.70MHz]; Extended Battery
Conducted Power = 24.0dBm; Right Head Phantom, Ear/15degree Tilt position
Test Date -- 08/09/2001



SAR_{Tot} [mW/g]



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.566 mW/g, SAR (10g): 0.374 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100

Cellular CDMA Mode, Ch.0383 [836.49MHz]; Extended Battery

Conducted Power = 24.0dBm; Right Head Phantom, Ear/15degree Tilt position


Test Date -- 08/09/2001



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.908 mW/g, SAR (10g): 0.607 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100
Cellular CDMA Mode, Ch.0383 [836.49MHz]; Extended Battery
Conducted Power = 24.0dBm; Right Head Phantom, Ear/15degree Tilt position
Test Date -- 08/09/2001



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.580 mW/g, SAR (10g): 0.377 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100

Cellular CDMA Mode, Ch.0777 [848.31MHz]; Extended Battery

Conducted Power = 24.0dBm; Right Head Phantom, Ear/15degree Tilt position


Test Date -- 08/09/2001



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.946 mW/g, SAR (10g): 0.619 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100
Cellular CDMA Mode, Ch.0777 [848.31MHz]; Extended Battery
Conducted Power = 24.0dBm; Right Head Phantom, Ear/15degree Tilt position
Test Date -- 08/09/2001



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.608 mW/g, SAR (10g): 0.402 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100

Cellular CDMA Mode, Ch.0777 [848.31MHz]; Standard Battery

Conducted Power = 24.0dBm; Right Head Phantom, Ear/15degree Tilt position


Test Date -- 08/09/2001




TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.943 mW/g, SAR (10g): 0.622 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100
Cellular CDMA Mode, Ch.0777 [848.31MHz]; Standard Battery
Conducted Power = 24.0dBm; Right Head Phantom, Ear/15degree Tilt position
Test Date -- 08/09/2001



SAR_{Tot} [mW/g]



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.732 mW/g, SAR (10g): 0.542 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100

Cellular CDMA Mode, Ch.1013 [824.70MHz]; Standard Battery; No Holster, No Beltclip

Conducted Power = 24.0dBm; Flat Phantom, Spacing = 1.0cm from flat phantom to back of phone/speaker

Test Date -- 08/10/2001



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.973 mW/g, SAR (10g): 0.721 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100

Cellular CDMA Mode, Ch.1013 [824.70MHz]; Standard Battery; No Holster, No Beltclip

Conducted Power = 24.0dBm; Flat Phantom, Spacing = 1.0cm from flat phantom to back of phone/speaker

Test Date -- 08/10/2001



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.671 mW/g, SAR (10g): 0.492 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100

Cellular CDMA Mode, Ch.0383 [836.49MHz]; Standard Battery; No Holster, No Beltclip

Conducted Power = 24.0dBm; Flat Phantom, Spacing = 1.0cm from flat phantom to back of phone/speaker

Test Date -- 08/10/2001



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.988 mW/g, SAR (10g): 0.727 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100

Cellular CDMA Mode, Ch.0383 [836.49MHz]; Standard Battery; No Holster, No Beltclip

Conducted Power = 24.0dBm; Flat Phantom, Spacing = 1.0cm from flat phantom to back of phone/speaker

Test Date -- 08/10/2001



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.628 mW/g, SAR (10g): 0.459 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100

Cellular CDMA Mode, Ch.0777 [848.31MHz]; Standard Battery; No Holster, No Beltclip

Conducted Power = 24.0dBm; Flat Phantom, Spacing = 1.0cm from flat phantom to back of phone/speaker

Test Date -- 08/10/2001



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.959 mW/g, SAR (10g): 0.705 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100

Cellular CDMA Mode, Ch.0777 [848.31MHz]; Standard Battery; No Holster, No Beltclip

Conducted Power = 24.0dBm; Flat Phantom, Spacing = 1.0cm from flat phantom to back of phone/speaker

Test Date -- 08/10/2001



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.554 mW/g, SAR (10g): 0.407 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100

Cellular CDMA Mode, Ch.0383 [836.49MHz]; Extended Battery; No Holster, No Beltclip

Conducted Power = 24.0dBm; Flat Phantom, Spacing = 1.0cm from flat phantom to back of phone/speaker

Test Date -- 08/10/2001



TELSON FCC ID:MC6TDC6100 -- Cellular CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 0.917 mW/g, SAR (10g): 0.678 mW/g

TELSON Cellular CDMA Only phone Model:TDC-6100

Cellular CDMA Mode, Ch.0383 [836.49MHz]; Extended Battery; No Holster, No Beltclip

Conducted Power = 24.0dBm; Flat Phantom, Spacing = 1.0cm from flat phantom to back of phone/speaker

Test Date -- 08/10/2001

