

Report No.: SZEM180500437001

Page: 1 of 36

Appendix B

E-UTRA BAND 14



Report No.: SZEM180500437001

Page: 2 of 36

CONTENT

Ι.	L. EFFECTIVE (ISOTROPIC) KADIATED POWER	
	1.1. Test Result	
2.	2. PEAK-TO-AVERAGE RATIO(CCDF)	6
	2.1. Test Result	6
	2.2. Test Plots	6
3.	B. MODULATION CHARACTERISTICS	8
	3.1. Test BAND = LTE BAND14	8
	3.1.1. Test Mode = LTE /TM1 10MHz	8
	3.1.1.1. Test Channel = MCH	8
	3.1.2. Test Mode = LTE /TM2 10MHz	9
	3.1.2.1. Test Channel = MCH	9
	3.1.1. Test Mode = LTE /TM3 10MHz	10
	3.1.1.1. Test Channel = MCH	10
4.	I. 26dB Bandwidth and Occupied Bandwidth	11
	4.1. Test Result	11
	4.2. Test Plots	11
5.	S. EMISSION MASK	16
	5.1. Test Plots	16
6.	S. BAND EDGE COMPLIANCE	24
	6.1. Test Plots	24
7.	7. Spurious Emission at Antenna Terminal	33
7.	7.1. TEST PLOTS	33
8.	3. FIELD STRENGTH OF SPURIOUS RADIATION	35
	8.1. Test BAND = LTE BAND 14	35
	8.1.1. Test Mode =LTE/TM1 10MHz	35
	8.1.1.1. Test Channel = MCH	35
9.). Frequency Stability	36
	9.1. Frequency Vs Voltage	36
	9.2. Frequency Vs Temperature	36



Report No.: SZEM180500437001

Page: 3 of 36

1. Effective (Isotropic) Radiated Power

1.1.Test Result

DAND	5 1 111			RB	Result	ERP	Limit	Verdic
BAND	Bandwidth	Modulation	Channel	Configuration	(dBm)	(dBm)	(dBm)	t
BAND14	5MHz	QPSK	23305	1RB#0	23.86	23.71	34.77	PASS
BAND14	5MHz	QPSK	23305	1RB#12	23.78	23.63	34.77	PASS
BAND14	5MHz	QPSK	23305	1RB#24	23.66	23.51	34.77	PASS
BAND14	5MHz	QPSK	23305	12RB#0	22.95	22.80	34.77	PASS
BAND14	5MHz	QPSK	23305	12RB#13	22.89	22.74	34.77	PASS
BAND14	5MHz	QPSK	23305	12RB#6	22.91	22.76	34.77	PASS
BAND14	5MHz	QPSK	23305	25RB#0	22.97	22.82	34.77	PASS
BAND14	5MHz	QPSK	23330	1RB#0	23.88	23.73	34.77	PASS
BAND14	5MHz	QPSK	23330	1RB#12	23.76	23.61	34.77	PASS
BAND14	5MHz	QPSK	23330	1RB#24	23.68	23.53	34.77	PASS
BAND14	5MHz	QPSK	23330	12RB#0	22.89	22.74	34.77	PASS
BAND14	5MHz	QPSK	23330	12RB#13	22.97	22.82	34.77	PASS
BAND14	5MHz	QPSK	23330	12RB#6	22.96	22.81	34.77	PASS
BAND14	5MHz	QPSK	23330	25RB#0	22.98	22.83	34.77	PASS
BAND14	5MHz	QPSK	23355	1RB#0	23.89	23.74	34.77	PASS
BAND14	5MHz	QPSK	23355	1RB#12	23.78	23.63	34.77	PASS
BAND14	5MHz	QPSK	23355	1RB#24	23.79	23.64	34.77	PASS
BAND14	5MHz	QPSK	23355	12RB#0	22.97	22.82	34.77	PASS
BAND14	5MHz	QPSK	23355	12RB#13	22.96	22.81	34.77	PASS
BAND14	5MHz	QPSK	23355	12RB#6	22.98	22.83	34.77	PASS
BAND14	5MHz	QPSK	23355	25RB#0	22.89	22.74	34.77	PASS
BAND14	5MHz	16QAM	23305	1RB#0	22.88	22.73	34.77	PASS
BAND14	5MHz	16QAM	23305	1RB#12	22.85	22.70	34.77	PASS
BAND14	5MHz	16QAM	23305	1RB#24	22.76	22.61	34.77	PASS
BAND14	5MHz	16QAM	23305	12RB#0	21.77	21.62	34.77	PASS
BAND14	5MHz	16QAM	23305	12RB#13	21.86	21.71	34.77	PASS
BAND14	5MHz	16QAM	23305	12RB#6	21.74	21.59	34.77	PASS
BAND14	5MHz	16QAM	23305	25RB#0	21.95	21.80	34.77	PASS
BAND14	5MHz	16QAM	23330	1RB#0	22.77	22.62	34.77	PASS
BAND14	5MHz	16QAM	23330	1RB#12	22.56	22.41	34.77	PASS
BAND14	5MHz	16QAM	23330	1RB#24	22.56	22.41	34.77	PASS
BAND14	5MHz	16QAM	23330	12RB#0	21.86	21.71	34.77	PASS
BAND14	5MHz	16QAM	23330	12RB#13	21.76	21.61	34.77	PASS
BAND14	5MHz	16QAM	23330	12RB#6	21.79	21.64	34.77	PASS



Report No.: SZEM180500437001

Page: 4 of 36

BAND14	5MHz	16QAM	23330	25RB#0	21.86	21.71	34.77	PASS
BAND14	5MHz	16QAM	23355	1RB#0	22.74	22.59	34.77	PASS
BAND14	5MHz	16QAM	23355	1RB#12	22.62	22.47	34.77	PASS
BAND14	5MHz	16QAM	23355	1RB#24	22.72	22.57	34.77	PASS
BAND14	5MHz	16QAM	23355	12RB#0	21.87	21.72	34.77	PASS
BAND14	5MHz	16QAM	23355	12RB#13	21.80	21.65	34.77	PASS
BAND14	5MHz	16QAM	23355	12RB#6	21.88	21.73	34.77	PASS
BAND14	5MHz	16QAM	23355	25RB#0	21.86	21.71	34.77	PASS
BAND14	5MHz	64QAM	23305	1RB#0	21.75	21.60	34.77	PASS
BAND14	5MHz	64QAM	23305	1RB#12	21.51	21.36	34.77	PASS
BAND14	5MHz	64QAM	23305	1RB#24	21.57	21.42	34.77	PASS
BAND14	5MHz	64QAM	23305	12RB#0	20.89	20.74	34.77	PASS
BAND14	5MHz	64QAM	23305	12RB#13	20.81	20.66	34.77	PASS
BAND14	5MHz	64QAM	23305	12RB#6	20.66	20.51	34.77	PASS
BAND14	5MHz	64QAM	23305	25RB#0	20.77	20.62	34.77	PASS
BAND14	5MHz	64QAM	23330	1RB#0	21.78	21.63	34.77	PASS
BAND14	5MHz	64QAM	23330	1RB#12	21.62	21.47	34.77	PASS
BAND14	5MHz	64QAM	23330	1RB#24	21.39	21.24	34.77	PASS
BAND14	5MHz	64QAM	23330	12RB#0	20.97	20.82	34.77	PASS
BAND14	5MHz	64QAM	23330	12RB#13	20.79	20.64	34.77	PASS
BAND14	5MHz	64QAM	23330	12RB#6	20.89	20.74	34.77	PASS
BAND14	5MHz	64QAM	23330	25RB#0	20.95	20.80	34.77	PASS
BAND14	5MHz	64QAM	23355	1RB#0	21.64	21.49	34.77	PASS
BAND14	5MHz	64QAM	23355	1RB#12	21.48	21.33	34.77	PASS
BAND14	5MHz	64QAM	23355	1RB#24	21.66	21.51	34.77	PASS
BAND14	5MHz	64QAM	23355	12RB#0	20.65	20.50	34.77	PASS
BAND14	5MHz	64QAM	23355	12RB#13	20.92	20.77	34.77	PASS
BAND14	5MHz	64QAM	23355	12RB#6	20.81	20.66	34.77	PASS
BAND14	5MHz	64QAM	23355	25RB#0	20.95	20.80	34.77	PASS
BAND14	10MHz	QPSK	23330	1RB#0	23.77	23.62	34.77	PASS
BAND14	10MHz	QPSK	23330	1RB#24	23.68	23.53	34.77	PASS
BAND14	10MHz	QPSK	23330	1RB#49	23.58	23.43	34.77	PASS
BAND14	10MHz	QPSK	23330	25RB#0	22.89	22.74	34.77	PASS
BAND14	10MHz	QPSK	23330	25RB#12	22.91	22.76	34.77	PASS
BAND14	10MHz	QPSK	23330	25RB#25	22.97	22.82	34.77	PASS
BAND14	10MHz	QPSK	23330	50RB#0	22.93	22.78	34.77	PASS
BAND14	10MHz	16QAM	23330	1RB#0	22.68	22.53	34.77	PASS
BAND14	10MHz	16QAM	23330	1RB#24	22.59	22.44	34.77	PASS
BAND14	10MHz	16QAM	23330	1RB#49	22.62	22.47	34.77	PASS
BAND14	10MHz	16QAM	23330	25RB#0	21.89	21.74	34.77	PASS
BAND14	10MHz	16QAM	23330	25RB#12	21.78	21.63	34.77	PASS



Report No.: SZEM180500437001

Page: 5 of 36

BAND14	10MHz	16QAM	23330	25RB#25	21.68	21.53	34.77	PASS
BAND14	10MHz	16QAM	23330	50RB#0	21.73	21.58	34.77	PASS
BAND14	10MHz	64QAM	23330	1RB#0	21.73	21.58	34.77	PASS
BAND14	10MHz	64QAM	23330	1RB#24	21.64	21.49	34.77	PASS
BAND14	10MHz	64QAM	23330	1RB#49	21.61	21.46	34.77	PASS
BAND14	10MHz	64QAM	23330	25RB#0	20.76	20.61	34.77	PASS
BAND14	10MHz	64QAM	23330	25RB#12	20.92	20.77	34.77	PASS
BAND14	10MHz	64QAM	23330	25RB#25	20.81	20.66	34.77	PASS
BAND14	10MHz	64QAM	23330	50RB#0	20.75	20.60	34.77	PASS

Note:

a: For getting the EIRP (Efficient Isotropic Radiated Power) in substitution method, the following formula should be taken to calculate it,

ERP [dBm] = SGP [dBm] - Cable Loss [dB] + Gain [dBd]

EIRP [dBm] = SGP [dBm] - Cable Loss [dB] + Gain [dBi]

b: SGP=Signal Generator Level



Report No.: SZEM180500437001


Page: 6 of 36

2. Peak-to-Average Ratio(CCDF)

2.1. Test Result

BAND	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
		QPSK	23330	50RB#0	3.22	13	PASS
BAND 14	10MHz	16QAM	23330	50RB#0	3.59	13	PASS
		64QAM	23330	50RB#0	3.80	13	PASS


2.2. Test Plots





Report No.: SZEM180500437001

Page: 7 of 36






Report No.: SZEM180500437001

Page: 8 of 36

3. Modulation Characteristics

- 3.1. Test BAND = LTE BAND14
- 3.1.1. Test Mode = LTE /TM1 10MHz
- 3.1.1.1. Test Channel = MCH






Report No.: SZEM180500437001

Page: 9 of 36

3.1.2. Test Mode = LTE /TM2 10MHz

3.1.2.1. Test Channel = MCH






Report No.: SZEM180500437001

Page: 10 of 36

3.1.1. Test Mode = LTE /TM3 10MHz

3.1.1.1. Test Channel = MCH





Report No.: SZEM180500437001


Page: 11 of 36

4. 26dB Bandwidth and Occupied Bandwidth

4.1. Test Result

BAND	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
			23305	25RB#0	4.466	4.910	PASS
		QPSK	23330	25RB#0	4.476	4.840	PASS
			23355	25RB#0	4.486	4.890	PASS
	5MHz	MHz 64QAM	23305	25RB#0	4.466	4.880	PASS
			23330	25RB#0	4.476	4.890	PASS
BAND14			23355	25RB#0	4.486	4.900	PASS
DAND14			23305	25RB#0	4.466	4.880	PASS
			23330	25RB#0	4.466	4.870	PASS
			23355	25RB#0	4.486	4.870	PASS
		QPSK	23330	50RB#0	8.931	10.160	PASS
	10MHz	MHz 64QAM	23330	50RB#0	8.931	10.300	PASS
		16QAM	23330	50RB#0	8.951	10.240	PASS


4.2. Test Plots





Report No.: SZEM180500437001


Page: 12 of 36





Report No.: SZEM180500437001


Page: 13 of 36





Report No.: SZEM180500437001


Page: 14 of 36





Report No.: SZEM180500437001

Page: 15 of 36






Report No.: SZEM180500437001

Page: 16 of 36

5. Emission Mask


5.1. Test Plots







Report No.: SZEM180500437001

Page: 17 of 36





BAND 14_5MHz_16QAM_23305_1RB#0




BAND 14_5MHz_16QAM_23305_25RB#0



Report No.: SZEM180500437001

Page: 18 of 36




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

BAND 14_5MHz_64QAM_23305_1RB#0



Report No.: SZEM180500437001


Page: 19 of 36






Report No.: SZEM180500437001


Page: 20 of 36





BAND 14_10MHz_QPSK_23330_1RB#49

Date: 3.SEP.2018 09:24:25





BAND 14_10MHz_QPSK_23330_50RB#0





Report No.: SZEM180500437001

Page: 21 of 36










BAND 14_10MHz_16QAM_23330_50RB#0




Report No.: SZEM180500437001


Page: 22 of 36



BAND 14_10MHz_64QAM_23330_1RB#0



BAND 14_10MHz_64QAM_23330_1RB#49




BAND 14_10MHz_64QAM_23330_50RB#0



Report No.: SZEM180500437001

Page: 23 of 36






Report No.: SZEM180500437001

Page: 24 of 36

6. Band Edge Compliance


6.1. Test Plots





Report No.: SZEM180500437001


Page: 25 of 36





Report No.: SZEM180500437001


Page: 26 of 36





Report No.: SZEM180500437001


Page: 27 of 36





Report No.: SZEM180500437001


Page: 28 of 36





Report No.: SZEM180500437001


Page: 29 of 36





Report No.: SZEM180500437001


Page: 30 of 36





Report No.: SZEM180500437001


Page: 31 of 36





Report No.: SZEM180500437001

Page: 32 of 36





Report No.: SZEM180500437001


Page: 33 of 36

7. Spurious Emission at Antenna Terminal

NNOTE1: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of < RBW/2 so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = k* (Span / RBW)" with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.

NOTE2: only the worst case data displayed in this report.


7.1. Test Plots





Report No.: SZEM180500437001

Page: 34 of 36





Report No.: SZEM180500437001

Page: 35 of 36

8. Field Strength of Spurious Radiation

8.1.Test BAND = LTE BAND 14

8.1.1. Test Mode =LTE/TM1 10MHz

8.1.1.1. Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
65.046667	-81.87	-13.00	68.87	Vertical
104.293333	-85.36	-13.00	72.36	Vertical
316.066667	-86.69	-13.00	73.69	Vertical
1577.000000	-65.69	-40.00	25.69	Vertical
2365.500000	-59.29	-13.00	46.29	Vertical
3058.987500	-69.25	-13.00	56.25	Vertical
62.526667	-77.70	-13.00	64.70	Horizontal
104.293333	-89.87	-13.00	76.87	Horizontal
259.413333	-87.89	-13.00	74.89	Horizontal
1577.000000	-59.46	-40.00	19.46	Horizontal
2359.000000	-59.30	-13.00	46.30	Horizontal
3137.962500	-69.43	-13.00	56.43	Horizontal

NOTE:

- 1) All modes are tested, but the data presented above is the worst case the disturbance below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.
- 2) We have tested all modulation and all Bandwidth, but only the worst case data presented in this report.



Report No.: SZEM180500437001

Page: 36 of 36

9. Frequency Stability

9.1. Frequency Vs Voltage

	Voltage													
BAND	Bandwidth	Modulation	Channel	RB Configure	Voltag e [Vdc]	Temperatur e ($^{\circ}\mathbb{C}$)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdic t				
				50RB#0	VH	NT	2.60	0.003279	±1.25	PASS				
		QPSK	23330	50RB#0	VL	NT	1.10	0.001387	±1.25	PASS				
				50RB#0	VN	NT	2.90	0.003657	±1.25	PASS				
			23330	50RB#0	VH	NT	1.30	0.001639	±1.25	PASS				
BAND14	10MHz			50RB#0	VL	NT	5.20	0.006557	±1.25	PASS				
				50RB#0	VN	NT	1.30	0.001639	±1.25	PASS				
			23330	50RB#0	VH	NT	0.90	0.001135	±1.25	PASS				
				50RB#0	VL	NT	2.00	0.002522	±1.25	PASS				
				50RB#0	VN	NT	4.60	0.005801	±1.25	PASS				

9.2. Frequency Vs Temperature

	Temperature Voltage Temperatur											
BAND	Bandwidth	Modulation	Channel	RB Configure	Voltag e [Vdc]	Temperatur e (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdic t		
				50RB#0	NV	0	1.00	0.001261	±1.25	PASS		
				50RB#0	NV	10	3.10	0.003909	±1.25	PASS		
		QPSK	23330	50RB#0	NV	20	2.00	0.002522	±1.25	PASS		
				50RB#0	NV	-20	3.40	0.004288	±1.25	PASS		
				50RB#0	NV	-30	3.90	0.004918	±1.25	PASS		
		Hz 16QAM	23330	50RB#0	NV	0	1.30	0.001639	±1.25	PASS		
				50RB#0	NV	10	1.90	0.002396	±1.25	PASS		
BAND14	10MHz			50RB#0	NV	20	3.10	0.003909	±1.25	PASS		
				50RB#0	NV	-20	3.70	0.004666	±1.25	PASS		
				50RB#0	NV	-30	2.60	0.003279	±1.25	PASS		
				50RB#0	NV	0	-0.20	-0.000252	±1.25	PASS		
		64QAM		50RB#0	NV	10	0.80	0.001009	±1.25	PASS		
			23330	50RB#0	NV	20	3.20	0.004035	±1.25	PASS		
				50RB#0	NV	-20	-0.70	-0.000883	±1.25	PASS		
				50RB#0	NV	-30	2.00	0.002522	±1.25	PASS		