



Profile: 1842039R	Page No.: 5
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode1: Transmit at 2462MHz by 802.11B	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	32.853	41.652	-41.147	74.000	-8.799	PK
2		7386.000	35.685	40.651	-38.315	74.000	-4.966	PK
3	*	9848.000	39.905	42.020	-34.095	74.000	-2.115	PK

Profile: 1842039R	Page No.: 6
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 2462MHz by 802.11B	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	33.150	41.949	-40.850	74.000	-8.799	PK
2		7386.000	34.194	39.160	-39.806	74.000	-4.966	PK
3	*	9848.000	38.536	40.651	-35.464	74.000	-2.115	PK

Profile: 1842039R	Page No.: 7
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 2412MHz by 802.11G	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	31.865	40.652	-42.135	74.000	-8.787	PK
2		7236.000	36.292	41.849	-37.708	74.000	-5.557	PK
3	*	9648.000	38.938	40.895	-35.062	74.000	-1.957	PK

Profile: 1842039R	Page No.: 8
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 2412MHz by 802.11G	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	32.864	41.651	-41.136	74.000	-8.787	PK
2		7236.000	35.094	40.651	-38.906	74.000	-5.557	PK
3	*	9648.000	37.958	39.915	-36.042	74.000	-1.957	PK

Profile: 1842039R	Page No.: 9
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 2437MHz by 802.11G	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	31.938	40.651	-42.062	74.000	-8.713	PK
2		7311.000	34.660	40.005	-39.340	74.000	-5.345	PK
3	*	9748.000	38.325	40.661	-35.675	74.000	-2.336	PK

Profile: 1842039R	Page No.: 10
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode2: Transmit at 2437MHz by 802.11G	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	32.402	41.115	-41.598	74.000	-8.713	PK
2		7311.000	34.880	40.225	-39.120	74.000	-5.345	PK
3	*	9748.000	39.016	41.352	-34.984	74.000	-2.336	PK

Profile: 1842039R	Page No.: 11
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 2462MHz by 802.11G	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	31.466	40.265	-42.534	74.000	-8.799	PK
2		7386.000	35.285	40.251	-38.715	74.000	-4.966	PK
3	*	9848.000	41.700	43.815	-32.300	74.000	-2.115	PK

Profile: 1842039R	Page No.: 12
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode2: Transmit at 2462MHz by 802.11G	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	32.452	41.251	-41.548	74.000	-8.799	PK
2		7386.000	37.249	42.215	-36.751	74.000	-4.966	PK
3	*	9848.000	41.247	43.362	-32.753	74.000	-2.115	PK

Profile: 1842039R	Page No.: 13
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 2412MHz by 802.11N20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	31.773	40.560	-42.227	74.000	-8.787	PK
2		7236.000	37.428	42.985	-36.572	74.000	-5.557	PK
3	*	9648.000	41.199	43.156	-32.801	74.000	-1.957	PK

Profile: 1842039R	Page No.: 14
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 2412MHz by 802.11N20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	31.864	40.651	-42.136	74.000	-8.787	PK
2		7236.000	35.558	41.115	-38.442	74.000	-5.557	PK
3	*	9648.000	38.658	40.615	-35.342	74.000	-1.957	PK

Profile: 1842039R	Page No.: 15
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 2437MHz by 802.11N20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	32.702	41.415	-41.298	74.000	-8.713	PK
2		7311.000	37.270	42.615	-36.730	74.000	-5.345	PK
3	*	9748.000	39.890	42.226	-34.110	74.000	-2.336	PK

Profile: 1842039R	Page No.: 16
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 2437MHz by 802.11N20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	33.443	42.156	-40.557	74.000	-8.713	PK
2		7311.000	34.660	40.005	-39.340	74.000	-5.345	PK
3	*	9748.000	40.999	43.335	-33.001	74.000	-2.336	PK

Profile: 1842039R	Page No.: 17
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 2462MHz by 802.11N20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	32.313	41.112	-41.687	74.000	-8.799	PK
2		7386.000	37.249	42.215	-36.751	74.000	-4.966	PK
3	*	9848.000	40.136	42.251	-33.864	74.000	-2.115	PK

Profile: 1842039R	Page No.: 18
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 2462MHz by 802.11N20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	32.315	41.114	-41.685	74.000	-8.799	PK
2		7386.000	37.261	42.227	-36.739	74.000	-4.966	PK
3	*	9848.000	41.136	43.251	-32.864	74.000	-2.115	PK

Profile: 1842039R	Page No.: 19
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 2422MHz by 802.11N40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4844.000	33.799	42.654	-40.201	74.000	-8.856	PK
2		7266.000	35.881	41.156	-38.119	74.000	-5.274	PK
3	*	9688.000	40.390	42.227	-33.610	74.000	-1.838	PK

Profile: 1842039R	Page No.: 20
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 2422MHz by 802.11N40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4844.000	32.760	41.615	-41.240	74.000	-8.856	PK
2		7266.000	35.370	40.645	-38.630	74.000	-5.274	PK
3	*	9688.000	41.112	42.949	-32.888	74.000	-1.838	PK

Profile: 1842039R	Page No.: 21
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 2437MHz by 802.11N40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	32.402	41.115	-41.598	74.000	-8.713	PK
2		7311.000	36.880	42.225	-37.120	74.000	-5.345	PK
3	*	9748.000	38.824	41.160	-35.176	74.000	-2.336	PK

Profile: 1842039R	Page No.: 22
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 2437MHz by 802.11N40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	31.343	40.056	-42.657	74.000	-8.713	PK
2		7311.000	35.771	41.116	-38.229	74.000	-5.345	PK
3	*	9748.000	39.929	42.265	-34.071	74.000	-2.336	PK

Profile: 1842039R	Page No.: 23
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 2452MHz by 802.11N40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4904.000	31.243	40.005	-42.757	74.000	-8.761	PK
2		7356.000	37.363	42.566	-36.637	74.000	-5.203	PK
3	*	9808.000	41.346	43.165	-32.654	74.000	-1.819	PK

Profile: 1842039R	Page No.: 24
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 2452MHz by 802.11N40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4904.000	33.764	42.526	-40.236	74.000	-8.761	PK
2		7356.000	38.122	43.325	-35.878	74.000	-5.203	PK
3	*	9808.000	40.432	42.251	-33.568	74.000	-1.819	PK

Profile: 1842039R	Page No.: 25
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode5: Transmit at 2412MHz by 802.11AC20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	34.198	42.985	-39.802	74.000	-8.787	PK
2		7236.000	37.953	43.510	-36.047	74.000	-5.557	PK
3	*	9648.000	41.404	43.361	-32.596	74.000	-1.957	PK

Profile: 1842039R	Page No.: 26
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 2412MHz by 802.11AC20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	34.549	43.336	-39.451	74.000	-8.787	PK
2		7236.000	36.697	42.254	-37.303	74.000	-5.557	PK
3	*	9648.000	41.917	43.874	-32.083	74.000	-1.957	PK

Profile: 1842039R	Page No.: 27
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 2437MHz by 802.11AC20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	33.797	42.510	-40.203	74.000	-8.713	PK
2		7311.000	38.850	44.195	-35.150	74.000	-5.345	PK
3	*	9748.000	41.606	43.942	-32.394	74.000	-2.336	PK

Profile: 1842039R	Page No.: 28
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 2437MHz by 802.11AC20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	34.249	42.962	-39.751	74.000	-8.713	PK
2		7311.000	37.820	43.165	-36.180	74.000	-5.345	PK
3	*	9748.000	40.279	42.615	-33.721	74.000	-2.336	PK

Profile: 1842039R	Page No.: 29
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 2462MHz by 802.11AC20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	33.748	42.547	-40.252	74.000	-8.799	PK
2		7386.000	37.301	42.267	-36.699	74.000	-4.966	PK
3	*	9848.000	40.139	42.254	-33.861	74.000	-2.115	PK

Profile: 1842039R	Page No.: 30
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 2462MHz by 802.11AC20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	34.766	43.565	-39.234	74.000	-8.799	PK
2		7386.000	37.285	42.251	-36.715	74.000	-4.966	PK
3	*	9848.000	41.210	43.325	-32.790	74.000	-2.115	PK

Profile: 1842039R	Page No.: 37
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 2422MHz by 802.11AC40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4844.000	32.294	41.149	-41.706	74.000	-8.856	PK
2		7266.000	37.091	42.366	-36.909	74.000	-5.274	PK
3	*	9688.000	41.488	43.325	-32.512	74.000	-1.838	PK

Profile: 1842039R	Page No.: 38
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 2422MHz by 802.11AC40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4844.000	34.470	43.325	-39.530	74.000	-8.856	PK
2		7266.000	38.314	43.589	-35.686	74.000	-5.274	PK
3	*	9688.000	40.417	42.254	-33.583	74.000	-1.838	PK

Profile: 1842039R	Page No.: 39
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode6: Transmit at 2437MHz by 802.11AC40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	32.439	41.152	-41.561	74.000	-8.713	PK
2		7311.000	36.906	42.251	-37.094	74.000	-5.345	PK
3	*	9748.000	41.225	43.561	-32.775	74.000	-2.336	PK

Profile: 1842039R	Page No.: 40
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 2437MHz by 802.11AC40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	33.697	42.410	-40.303	74.000	-8.713	PK
2		7311.000	37.316	42.661	-36.684	74.000	-5.345	PK
3	*	9748.000	40.913	43.249	-33.087	74.000	-2.336	PK

Profile: 1842039R	Page No.: 41
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 2452MHz by 802.11AC40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4904.000	33.494	42.256	-40.506	74.000	-8.761	PK
2		7356.000	38.122	43.325	-35.878	74.000	-5.203	PK
3	*	9808.000	40.432	42.251	-33.568	74.000	-1.819	PK

Profile: 1842039R	Page No.: 42
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 2452MHz by 802.11AC40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4904.000	34.899	43.661	-39.101	74.000	-8.761	PK
2		7356.000	37.051	42.254	-36.949	74.000	-5.203	PK
3	*	9808.000	41.692	43.511	-32.308	74.000	-1.819	PK

Profile: 1842039R	Page No.: 43
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 2412MHz by 802.11AX20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	34.373	43.160	-39.627	74.000	-8.787	PK
2		7236.000	37.353	42.910	-36.647	74.000	-5.557	PK
3	*	9648.000	41.210	43.167	-32.790	74.000	-1.957	PK

Profile: 1842039R	Page No.: 44
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 2412MHz by 802.11AX20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	34.828	43.615	-39.172	74.000	-8.787	PK
2		7236.000	36.612	42.169	-37.388	74.000	-5.557	PK
3	*	9648.000	40.562	42.519	-33.438	74.000	-1.957	PK

Profile: 1842039R	Page No.: 45
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 2437MHz by 802.11AX20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	33.702	42.415	-40.298	74.000	-8.713	PK
2		7311.000	38.265	43.610	-35.735	74.000	-5.345	PK
3	*	9748.000	40.823	43.159	-33.177	74.000	-2.336	PK

Profile: 1842039R	Page No.: 46
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 2437MHz by 802.11AX20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	33.902	42.615	-40.098	74.000	-8.713	PK
2		7311.000	37.306	42.651	-36.694	74.000	-5.345	PK
3	*	9748.000	41.016	43.352	-32.984	74.000	-2.336	PK

Profile: 1842039R	Page No.: 47
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 2462MHz by 802.11AX20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	34.142	42.941	-39.858	74.000	-8.799	PK
2		7386.000	38.695	43.661	-35.305	74.000	-4.966	PK
3	*	9848.000	39.040	41.155	-34.960	74.000	-2.115	PK

Profile: 1842039R	Page No.: 48
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 2462MHz by 802.11AX20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	32.353	41.152	-41.647	74.000	-8.799	PK
2		7386.000	37.284	42.250	-36.716	74.000	-4.966	PK
3	*	9848.000	41.495	43.610	-32.505	74.000	-2.115	PK

Profile: 1842039R	Page No.: 49
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 2422MHz by 802.11AX40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4844.000	33.406	42.261	-40.594	74.000	-8.856	PK
2		7266.000	36.376	41.651	-37.624	74.000	-5.274	PK
3	*	9688.000	40.494	42.331	-33.506	74.000	-1.838	PK

Profile: 1842039R	Page No.: 50
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode8: Transmit at 2422MHz by 802.11AX40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4844.000	34.055	42.910	-39.945	74.000	-8.856	PK
2		7266.000	38.340	43.615	-35.660	74.000	-5.274	PK
3	*	9688.000	40.674	42.511	-33.326	74.000	-1.838	PK

Profile: 1842039R	Page No.: 51
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode8: Transmit at 2437MHz by 802.11AX40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	34.148	42.861	-39.852	74.000	-8.713	PK
2		7311.000	37.270	42.615	-36.730	74.000	-5.345	PK
3	*	9748.000	41.274	43.610	-32.726	74.000	-2.336	PK

Profile: 1842039R	Page No.: 52
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 2437MHz by 802.11AX40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	33.897	42.610	-40.103	74.000	-8.713	PK
2		7311.000	37.270	42.615	-36.730	74.000	-5.345	PK
3	*	9748.000	40.315	42.651	-33.685	74.000	-2.336	PK

Profile: 1842039R	Page No.: 53
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 2452MHz by 802.11AX40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4904.000	33.848	42.610	-40.152	74.000	-8.761	PK
2		7356.000	37.965	43.168	-36.035	74.000	-5.203	PK
3	*	9808.000	40.408	42.227	-33.592	74.000	-1.819	PK


Profile: 1842039R	Page No.: 54
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 2452MHz by 802.11AX40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4904.000	32.353	41.115	-41.647	74.000	-8.761	PK
2		7356.000	34.803	40.006	-39.197	74.000	-5.203	PK
3	*	9808.000	40.438	42.257	-33.562	74.000	-1.819	PK


Ant: 4TX+4RX-Beam-forming mode

Profile: 1842039	Page No.: 55
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 2412MHz by 802.11B	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	33.427	42.214	-40.573	74.000	-8.787	PK
2		7236.000	37.608	43.165	-36.392	74.000	-5.557	PK
3	*	9648.000	40.299	42.256	-33.701	74.000	-1.957	PK

Profile: 1842039	Page No.: 56
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 2412MHz by 802.11B	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	33.464	42.251	-40.536	74.000	-8.787	PK
2		7236.000	37.004	42.561	-36.996	74.000	-5.557	PK
3	*	9648.000	40.199	42.156	-33.801	74.000	-1.957	PK

Profile: 1842039	Page No.: 57
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 2437MHz by 802.11B	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	33.743	42.456	-40.257	74.000	-8.713	PK
2		7311.000	37.215	42.560	-36.785	74.000	-5.345	PK
3	*	9748.000	41.274	43.610	-32.726	74.000	-2.336	PK

Profile: 1842039	Page No.: 58
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 2437MHz by 802.11B	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	33.905	42.618	-40.095	74.000	-8.713	PK
2		7311.000	37.276	42.621	-36.724	74.000	-5.345	PK
3	*	9748.000	41.029	43.365	-32.971	74.000	-2.336	PK

Profile: 1842039	Page No.: 59
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 2462MHz by 802.11B	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	33.762	42.561	-40.238	74.000	-8.799	PK
2		7386.000	36.136	41.102	-37.864	74.000	-4.966	PK
3	*	9848.000	40.497	42.612	-33.503	74.000	-2.115	PK

Profile: 1842039	Page No.: 60
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 2462MHz by 802.11B	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	33.842	42.641	-40.158	74.000	-8.799	PK
2		7386.000	36.190	41.156	-37.810	74.000	-4.966	PK
3	*	9848.000	41.045	43.160	-32.955	74.000	-2.115	PK

Profile: 1842039	Page No.: 61
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 2412MHz by 802.11G	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	32.364	41.151	-41.636	74.000	-8.787	PK
2		7236.000	36.697	42.254	-37.303	74.000	-5.557	PK
3	*	9648.000	41.658	43.615	-32.342	74.000	-1.957	PK

Profile: 1842039	Page No.: 62
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 2412MHz by 802.11G	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	34.861	43.648	-39.139	74.000	-8.787	PK
2		7236.000	36.675	42.232	-37.325	74.000	-5.557	PK
3	*	9648.000	41.553	43.510	-32.447	74.000	-1.957	PK

Profile: 1842039	Page No.: 63
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 14:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 2437MHz by 802.11G	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	33.541	42.254	-40.459	74.000	-8.713	PK
2		7311.000	37.306	42.651	-36.694	74.000	-5.345	PK
3	*	9748.000	40.315	42.651	-33.685	74.000	-2.336	PK

Profile: 1842039	Page No.: 64
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 14:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 2437MHz by 802.11G	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	33.538	42.251	-40.462	74.000	-8.713	PK
2		7311.000	38.216	43.561	-35.784	74.000	-5.345	PK
3	*	9748.000	41.205	43.541	-32.795	74.000	-2.336	PK

Profile: 1842039	Page No.: 65
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 2462MHz by 802.11G	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	32.316	41.115	-41.684	74.000	-8.799	PK
2		7386.000	38.399	43.365	-35.601	74.000	-4.966	PK
3	*	9848.000	39.030	41.145	-34.970	74.000	-2.115	PK

Profile: 1842039	Page No.: 66
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 2462MHz by 802.11G	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	33.465	42.264	-40.535	74.000	-8.799	PK
2		7386.000	38.595	43.561	-35.405	74.000	-4.966	PK
3	*	9848.000	39.045	41.160	-34.955	74.000	-2.115	PK

Profile: 1842039	Page No.: 67
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 2412MHz by 802.11N20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	32.823	41.610	-41.177	74.000	-8.787	PK
2		7236.000	36.695	42.252	-37.305	74.000	-5.557	PK
3	*	9648.000	41.408	43.365	-32.592	74.000	-1.957	PK

Profile: 1842039	Page No.: 68
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 2412MHz by 802.11N20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	33.864	42.651	-40.136	74.000	-8.787	PK
2		7236.000	38.059	43.616	-35.941	74.000	-5.557	PK
3	*	9648.000	41.202	43.159	-32.798	74.000	-1.957	PK

Profile: 1842039	Page No.: 69
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 2437MHz by 802.11N20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	33.897	42.610	-40.103	74.000	-8.713	PK
2		7311.000	38.306	43.651	-35.694	74.000	-5.345	PK
3	*	9748.000	41.645	43.981	-32.355	74.000	-2.336	PK

Profile: 1842039	Page No.: 70
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 14:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 2437MHz by 802.11N20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	33.902	42.615	-40.098	74.000	-8.713	PK
2		7311.000	37.295	42.640	-36.705	74.000	-5.345	PK
3	*	9748.000	41.311	43.647	-32.689	74.000	-2.336	PK

Profile: 1842039	Page No.: 71
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 2462MHz by 802.11N20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	33.811	42.610	-40.189	74.000	-8.799	PK
2		7386.000	38.650	43.616	-35.350	74.000	-4.966	PK
3	*	9848.000	41.536	43.651	-32.464	74.000	-2.115	PK

Profile: 1842039	Page No.: 72
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 2462MHz by 802.11N20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	34.455	43.254	-39.545	74.000	-8.799	PK
2		7386.000	37.649	42.615	-36.351	74.000	-4.966	PK
3	*	9848.000	41.447	43.562	-32.553	74.000	-2.115	PK

Profile: 1842039	Page No.: 73
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 2422MHz by 802.11N40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4844.000	33.760	42.615	-40.240	74.000	-8.856	PK
2		7266.000	36.340	41.615	-37.660	74.000	-5.274	PK
3	*	9688.000	41.773	43.610	-32.227	74.000	-1.838	PK

Profile: 1842039	Page No.: 74
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 2422MHz by 802.11N40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4844.000	32.687	41.542	-41.313	74.000	-8.856	PK
2		7266.000	36.841	42.116	-37.159	74.000	-5.274	PK
3	*	9688.000	41.328	43.165	-32.672	74.000	-1.838	PK

Profile: 1842039	Page No.: 75
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 2437MHz by 802.11N40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	33.848	42.561	-40.152	74.000	-8.713	PK
2		7311.000	37.215	42.560	-36.785	74.000	-5.345	PK
3	*	9748.000	41.274	43.610	-32.726	74.000	-2.336	PK

Profile: 1842039	Page No.: 76
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 2437MHz by 802.11N40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	32.402	41.115	-41.598	74.000	-8.713	PK
2		7311.000	37.265	42.610	-36.735	74.000	-5.345	PK
3	*	9748.000	40.025	42.361	-33.975	74.000	-2.336	PK

Profile: 1842039	Page No.: 77
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 2452MHz by 802.11N40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4904.000	32.395	41.157	-41.605	74.000	-8.761	PK
2		7356.000	37.453	42.656	-36.547	74.000	-5.203	PK
3	*	9808.000	41.796	43.615	-32.204	74.000	-1.819	PK

Profile: 1842039	Page No.: 78
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 2452MHz by 802.11N40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4904.000	33.493	42.255	-40.507	74.000	-8.761	PK
2		7356.000	38.412	43.615	-35.588	74.000	-5.203	PK
3	*	9808.000	41.744	43.563	-32.256	74.000	-1.819	PK

Profile: 1842039	Page No.: 79
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 2412MHz by 802.11AC20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	33.864	42.651	-40.136	74.000	-8.787	PK
2		7236.000	37.608	43.165	-36.392	74.000	-5.557	PK
3	*	9648.000	39.048	41.005	-34.952	74.000	-1.957	PK

Profile: 1842039	Page No.: 80
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 2412MHz by 802.11AC20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	32.328	41.115	-41.672	74.000	-8.787	PK
2		7236.000	37.808	43.365	-36.192	74.000	-5.557	PK
3	*	9648.000	40.049	42.006	-33.951	74.000	-1.957	PK

Profile: 1842039	Page No.: 81
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 2437MHz by 802.11AC20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	33.897	42.610	-40.103	74.000	-8.713	PK
2		7311.000	36.661	42.006	-37.339	74.000	-5.345	PK
3	*	9748.000	41.275	43.611	-32.725	74.000	-2.336	PK

Profile: 1842039	Page No.: 82
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 2437MHz by 802.11AC20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	32.402	41.115	-41.598	74.000	-8.713	PK
2		7311.000	36.660	42.005	-37.340	74.000	-5.345	PK
3	*	9748.000	39.670	42.006	-34.330	74.000	-2.336	PK

Profile: 1842039	Page No.: 83
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 2462MHz by 802.11AC20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	33.427	42.226	-40.573	74.000	-8.799	PK
2		7386.000	36.039	41.005	-37.961	74.000	-4.966	PK
3	*	9848.000	40.661	42.776	-33.339	74.000	-2.115	PK

Profile: 1842039	Page No.: 84
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 2462MHz by 802.11AC20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	33.257	42.056	-40.743	74.000	-8.799	PK
2		7386.000	37.685	42.651	-36.315	74.000	-4.966	PK
3	*	9848.000	41.026	43.141	-32.974	74.000	-2.115	PK

Profile: 1842039	Page No.: 85
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 2422MHz by 802.11AC40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4844.000	33.760	42.615	-40.240	74.000	-8.856	PK
2		7266.000	35.869	41.144	-38.131	74.000	-5.274	PK
3	*	9688.000	40.419	42.256	-33.581	74.000	-1.838	PK

Profile: 1842039	Page No.: 86
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 2422MHz by 802.11AC40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4844.000	33.760	42.615	-40.240	74.000	-8.856	PK
2		7266.000	35.731	41.006	-38.269	74.000	-5.274	PK
3	*	9688.000	40.704	42.541	-33.296	74.000	-1.838	PK

Profile: 1842039	Page No.: 87
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 2437MHz by 802.11AC40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	33.946	42.659	-40.054	74.000	-8.713	PK
2		7311.000	36.965	42.310	-37.035	74.000	-5.345	PK
3	*	9748.000	39.980	42.316	-34.020	74.000	-2.336	PK

Profile: 1842039	Page No.: 88
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 2437MHz by 802.11AC40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	32.450	41.163	-41.550	74.000	-8.713	PK
2		7311.000	36.815	42.160	-37.185	74.000	-5.345	PK
3	*	9748.000	41.274	43.610	-32.726	74.000	-2.336	PK

Profile: 1842039	Page No.: 89
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 2452MHz by 802.11AC40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4904.000	32.354	41.116	-41.646	74.000	-8.761	PK
2		7356.000	37.049	42.252	-36.951	74.000	-5.203	PK
3	*	9808.000	41.535	43.354	-32.465	74.000	-1.819	PK

Profile: 1842039	Page No.: 90
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode6:Transmit at 2452MHz by 802.11AC40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4904.000	32.263	41.025	-41.737	74.000	-8.761	PK
2		7356.000	37.060	42.263	-36.940	74.000	-5.203	PK
3	*	9808.000	41.532	43.351	-32.468	74.000	-1.819	PK

Profile: 1842039	Page No.: 91
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 2412MHz by 802.11AX20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	32.474	41.261	-41.526	74.000	-8.787	PK
2		7236.000	38.053	43.610	-35.947	74.000	-5.557	PK
3	*	9648.000	40.695	42.652	-33.305	74.000	-1.957	PK

Profile: 1842039	Page No.: 92
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 2412MHz by 802.11AX20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	33.602	42.389	-40.398	74.000	-8.787	PK
2		7236.000	38.060	43.617	-35.940	74.000	-5.557	PK
3	*	9648.000	41.025	42.982	-32.975	74.000	-1.957	PK

Profile: 1842039	Page No.: 93
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 2437MHz by 802.11AX20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	32.443	41.156	-41.557	74.000	-8.713	PK
2		7311.000	37.265	42.610	-36.735	74.000	-5.345	PK
3	*	9748.000	41.177	43.513	-32.823	74.000	-2.336	PK

Profile: 1842039	Page No.: 94
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 2437MHz by 802.11AX20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	32.927	41.640	-41.073	74.000	-8.713	PK
2		7311.000	36.716	42.061	-37.284	74.000	-5.345	PK
3	*	9748.000	40.559	42.895	-33.441	74.000	-2.336	PK

Profile: 1842039	Page No.: 95
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 2462MHz by 802.11AX20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	33.464	42.263	-40.536	74.000	-8.799	PK
2		7386.000	37.056	42.022	-36.944	74.000	-4.966	PK
3	*	9848.000	39.001	41.116	-34.999	74.000	-2.115	PK

Profile: 1842039	Page No.: 96
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode7:Transmit at 2462MHz by 802.11AX20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	32.811	41.610	-41.189	74.000	-8.799	PK
2		7386.000	37.101	42.067	-36.899	74.000	-4.966	PK
3	*	9848.000	41.252	43.367	-32.748	74.000	-2.115	PK

Profile: 1842039	Page No.: 97
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 2422MHz by 802.11AX40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4844.000	32.260	41.115	-41.740	74.000	-8.856	PK
2		7266.000	36.731	42.006	-37.269	74.000	-5.274	PK
3	*	9688.000	41.497	43.334	-32.503	74.000	-1.838	PK

Profile: 1842039	Page No.: 98
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 2422MHz by 802.11AX40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4844.000	33.760	42.615	-40.240	74.000	-8.856	PK
2		7266.000	35.866	41.141	-38.134	74.000	-5.274	PK
3	*	9688.000	40.215	42.052	-33.785	74.000	-1.838	PK

Profile: 1842039	Page No.: 99
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 2437MHz by 802.11AX40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	33.339	42.052	-40.661	74.000	-8.713	PK
2		7311.000	35.769	41.114	-38.231	74.000	-5.345	PK
3	*	9748.000	40.921	43.257	-33.079	74.000	-2.336	PK

Profile: 1842039	Page No.: 100
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 2437MHz by 802.11AX40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	33.292	42.005	-40.708	74.000	-8.713	PK
2		7311.000	37.719	43.064	-36.281	74.000	-5.345	PK
3	*	9748.000	39.279	41.615	-34.721	74.000	-2.336	PK

Profile: 1842039	Page No.: 101
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 2452MHz by 802.11AX40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4904.000	33.862	42.624	-40.138	74.000	-8.761	PK
2		7356.000	38.238	43.441	-35.762	74.000	-5.203	PK
3	*	9808.000	40.328	42.147	-33.672	74.000	-1.819	PK

Profile: 1842039	Page No.: 102
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode8:Transmit at 2452MHz by 802.11AX40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4904.000	33.403	42.165	-40.597	74.000	-8.761	PK
2		7356.000	35.853	41.056	-38.147	74.000	-5.203	PK
3	*	9808.000	40.791	42.610	-33.209	74.000	-1.819	PK

Note:

1. Measured Level = Reading Level + Factor.
2. The test frequency range, 9kHz~30MHz, 18GHz~40GHz, both of the worst case are at least 20dB below the limits, therefore no data appear in the report.
3. This limit applies for using average detector, if the test result on peak is lower than average limit, then average measurement needn't be performed.
4. As the radiated emission was performed, so conducted emission was not tested.
5. The data was too large so was showed in below attached files.

The worst case of Radiated Emission below 1GHz:

Engineer: Eric	
Site: AC3	Time: 2018/05/14
Limit: FCC_Part15.109_RE(3m)_ClassC	Margin: 0
Probe: AC3_3m (30-1000MHz)	Polarity: Horizontal
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2412MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Probe (dB/m)	Cable (dB)	Amp (dB)	Ant Pos (cm)	Table Pos (deg)	Type
1		31.819	28.092	1.200	-11.908	40.000	20.429	6.464	0.000	100	66	QP
2		36.062	26.960	1.400	-13.040	40.000	19.062	6.498	0.000	100	152	QP
3		132.456	22.646	5.200	-20.854	43.500	10.443	7.002	0.000	100	199	QP
4		175.985	25.343	7.900	-18.157	43.500	10.257	7.186	0.000	200	360	QP
5		659.287	32.669	3.200	-13.331	46.000	20.901	8.569	0.000	100	154	QP
6	*	906.274	36.733	4.700	-9.267	46.000	22.923	9.109	0.000	100	264	QP

Note:

1. " * ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp).

Engineer: Eric	
Site: AC3	Time: 2018/05/14
Limit: FCC_Part15.109_RE(3m)_ClassC	Margin: 0
Probe: AC3_3m (30-1000MHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 2412MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Probe (dB/m)	Cable (dB)	Amp (dB)	Ant Pos (cm)	Table Pos (deg)	Type
1		30.485	25.349	1.400	-14.651	40.000	17.492	6.457	0.000	100	87	QP
2		54.250	24.824	7.700	-15.176	40.000	10.504	6.620	0.000	100	331	QP
3		131.729	26.395	5.500	-17.105	43.500	13.895	7.000	0.000	100	214	QP
4		207.995	25.965	2.700	-17.535	43.500	15.954	7.311	0.000	200	196	QP
5		313.361	25.811	1.000	-20.189	46.000	17.151	7.660	0.000	100	177	QP
6	*	939.739	36.620	2.400	-9.380	46.000	25.039	9.182	0.000	100	54	QP

Note:

1. " * ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp).


The worst case of Simultaneous Radiated Emission:

Engineer: Damon	
Site: AC5	Time: 2018/06/29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: WIFI+BT simultaneous transmit	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	31.708	40.006	-42.292	74.000	-8.298	PK
2		7206.000	36.145	41.115	-37.855	74.000	-4.970	PK
3		9608.000	39.135	40.065	-34.865	74.000	-0.930	PK
4		10360.000	42.952	42.981	-31.048	74.000	-0.029	PK
5	*	15540.000	50.014	44.157	-23.986	74.000	5.857	PK

Engineer: Damon	
Site: AC5	Time: 2018/06/29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: WIFI+BT simultaneous transmit	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4804.000	31.759	40.057	-42.241	74.000	-8.298	PK
2		7206.000	36.146	41.116	-37.854	74.000	-4.970	PK
3		9608.000	39.148	40.078	-34.852	74.000	-0.930	PK
4		10360.000	42.123	42.152	-31.877	74.000	-0.029	PK
5	*	15540.000	50.452	44.595	-23.548	74.000	5.857	PK

Note:

1. " * ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp).

_____ The End _____