

# 1. Effective (Isotropic) Radiated Power Output Data

## 1.1 Test Result

### 1.1.1 B17\_5MHz\_ERP

| Band: 17 / Bandwidth: 5MHz / NTNV |                 |               |        |                       |            |           |         |         |
|-----------------------------------|-----------------|---------------|--------|-----------------------|------------|-----------|---------|---------|
| Modulation                        | Frequency (MHz) | RB Allocation |        | Conducted Power (dBm) | Gain (dBi) | ERP (dBm) |         | Verdict |
|                                   |                 | Size          | Offset |                       |            | Result    | Limit   |         |
| QPSK                              | 706.5           | 1             | 0      | 24.17                 | -5.20      | 16.82     | <=34.77 | Pass    |
|                                   |                 |               | 13     | 24.29                 | -5.20      | 16.94     | <=34.77 | Pass    |
|                                   |                 |               | 24     | 24.15                 | -5.20      | 16.80     | <=34.77 | Pass    |
|                                   |                 | 12            | 0      | 23.36                 | -5.20      | 16.01     | <=34.77 | Pass    |
|                                   |                 |               | 6      | 23.45                 | -5.20      | 16.10     | <=34.77 | Pass    |
|                                   |                 |               | 13     | 23.37                 | -5.20      | 16.02     | <=34.77 | Pass    |
|                                   |                 | 25            | 0      | 23.40                 | -5.20      | 16.05     | <=34.77 | Pass    |
|                                   | 710             | 1             | 0      | 24.15                 | -5.20      | 16.80     | <=34.77 | Pass    |
|                                   |                 |               | 13     | 24.21                 | -5.20      | 16.86     | <=34.77 | Pass    |
|                                   |                 |               | 24     | 24.08                 | -5.20      | 16.73     | <=34.77 | Pass    |
|                                   |                 | 12            | 0      | 23.33                 | -5.20      | 15.98     | <=34.77 | Pass    |
|                                   |                 |               | 6      | 23.30                 | -5.20      | 15.95     | <=34.77 | Pass    |
|                                   |                 |               | 13     | 23.33                 | -5.20      | 15.98     | <=34.77 | Pass    |
|                                   |                 | 25            | 0      | 23.27                 | -5.20      | 15.92     | <=34.77 | Pass    |
|                                   | 713.5           | 1             | 0      | 24.12                 | -5.20      | 16.77     | <=34.77 | Pass    |
|                                   |                 |               | 13     | 24.19                 | -5.20      | 16.84     | <=34.77 | Pass    |
|                                   |                 |               | 24     | 24.06                 | -5.20      | 16.71     | <=34.77 | Pass    |
|                                   |                 | 12            | 0      | 23.27                 | -5.20      | 15.92     | <=34.77 | Pass    |
|                                   |                 |               | 6      | 23.27                 | -5.20      | 15.92     | <=34.77 | Pass    |
|                                   |                 |               | 13     | 23.33                 | -5.20      | 15.98     | <=34.77 | Pass    |
|                                   |                 | 25            | 0      | 23.27                 | -5.20      | 15.92     | <=34.77 | Pass    |
| 16QAM                             | 706.5           | 1             | 0      | 23.48                 | -5.20      | 16.13     | <=34.77 | Pass    |
|                                   |                 |               | 13     | 23.53                 | -5.20      | 16.18     | <=34.77 | Pass    |
|                                   |                 |               | 24     | 23.36                 | -5.20      | 16.01     | <=34.77 | Pass    |
|                                   |                 | 12            | 0      | 22.33                 | -5.20      | 14.98     | <=34.77 | Pass    |
|                                   |                 |               | 6      | 22.38                 | -5.20      | 15.03     | <=34.77 | Pass    |
|                                   |                 |               | 13     | 22.36                 | -5.20      | 15.01     | <=34.77 | Pass    |
|                                   |                 | 25            | 0      | 22.38                 | -5.20      | 15.03     | <=34.77 | Pass    |
|                                   | 710             | 1             | 0      | 23.49                 | -5.20      | 16.14     | <=34.77 | Pass    |
|                                   |                 |               | 13     | 23.52                 | -5.20      | 16.17     | <=34.77 | Pass    |
|                                   |                 |               | 24     | 23.42                 | -5.20      | 16.07     | <=34.77 | Pass    |
|                                   |                 | 12            | 0      | 22.30                 | -5.20      | 14.95     | <=34.77 | Pass    |
|                                   |                 |               | 6      | 22.35                 | -5.20      | 15.00     | <=34.77 | Pass    |
|                                   |                 |               | 13     | 22.34                 | -5.20      | 14.99     | <=34.77 | Pass    |
|                                   |                 | 25            | 0      | 22.28                 | -5.20      | 14.93     | <=34.77 | Pass    |
|                                   | 713.5           | 1             | 0      | 23.46                 | -5.20      | 16.11     | <=34.77 | Pass    |
|                                   |                 |               | 13     | 23.60                 | -5.20      | 16.25     | <=34.77 | Pass    |
|                                   |                 |               | 24     | 23.50                 | -5.20      | 16.15     | <=34.77 | Pass    |
|                                   |                 | 12            | 0      | 22.25                 | -5.20      | 14.90     | <=34.77 | Pass    |
|                                   |                 |               | 6      | 22.24                 | -5.20      | 14.89     | <=34.77 | Pass    |
|                                   |                 |               | 13     | 22.35                 | -5.20      | 15.00     | <=34.77 | Pass    |
|                                   |                 | 25            | 0      | 22.28                 | -5.20      | 14.93     | <=34.77 | Pass    |
| 64QAM                             | 706.5           | 1             | 0      | 22.56                 | -5.20      | 15.21     | <=34.77 | Pass    |
|                                   |                 |               | 13     | 22.61                 | -5.20      | 15.26     | <=34.77 | Pass    |
|                                   |                 |               | 24     | 22.50                 | -5.20      | 15.15     | <=34.77 | Pass    |
|                                   |                 | 12            | 0      | 21.33                 | -5.20      | 13.98     | <=34.77 | Pass    |
|                                   |                 |               | 6      | 21.42                 | -5.20      | 14.07     | <=34.77 | Pass    |
|                                   |                 |               | 13     | 21.40                 | -5.20      | 14.05     | <=34.77 | Pass    |
|                                   |                 | 25            | 0      | 21.45                 | -5.20      | 14.10     | <=34.77 | Pass    |

|  |       |    |    |       |       |       |         |      |
|--|-------|----|----|-------|-------|-------|---------|------|
|  | 710   | 1  | 0  | 22.54 | -5.20 | 15.19 | <=34.77 | Pass |
|  |       |    | 13 | 22.49 | -5.20 | 15.14 | <=34.77 | Pass |
|  |       |    | 24 | 22.34 | -5.20 | 14.99 | <=34.77 | Pass |
|  |       | 12 | 0  | 21.29 | -5.20 | 13.94 | <=34.77 | Pass |
|  |       |    | 6  | 21.34 | -5.20 | 13.99 | <=34.77 | Pass |
|  |       |    | 13 | 21.33 | -5.20 | 13.98 | <=34.77 | Pass |
|  | 713.5 | 25 | 0  | 21.32 | -5.20 | 13.97 | <=34.77 | Pass |
|  |       |    | 0  | 22.39 | -5.20 | 15.04 | <=34.77 | Pass |
|  |       |    | 13 | 22.40 | -5.20 | 15.05 | <=34.77 | Pass |
|  |       | 1  | 24 | 22.34 | -5.20 | 14.99 | <=34.77 | Pass |
|  |       |    | 0  | 21.26 | -5.20 | 13.91 | <=34.77 | Pass |
|  |       |    | 6  | 21.30 | -5.20 | 13.95 | <=34.77 | Pass |
|  |       | 12 | 13 | 21.31 | -5.20 | 13.96 | <=34.77 | Pass |
|  |       |    | 25 | 21.26 | -5.20 | 13.91 | <=34.77 | Pass |
|  |       |    | 0  | 21.26 | -5.20 | 13.91 | <=34.77 | Pass |

Note1: ERP=Conducted Power+Antenna Gain-2.15

### 1.1.2 B17\_10MHz\_ERP

| Band: 17 / Bandwidth: 10MHz / NTNV |                 |               |        |                       |            |           |         |         |
|------------------------------------|-----------------|---------------|--------|-----------------------|------------|-----------|---------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Conducted Power (dBm) | Gain (dBi) | ERP (dBm) |         | Verdict |
|                                    |                 | Size          | Offset |                       |            | Result    | Limit   |         |
| QPSK                               | 709             | 1             | 0      | 24.21                 | -5.20      | 16.86     | <=34.77 | Pass    |
|                                    |                 |               | 25     | 24.21                 | -5.20      | 16.86     | <=34.77 | Pass    |
|                                    |                 |               | 49     | 24.03                 | -5.20      | 16.68     | <=34.77 | Pass    |
|                                    |                 | 25            | 0      | 23.35                 | -5.20      | 16.00     | <=34.77 | Pass    |
|                                    |                 |               | 13     | 23.41                 | -5.20      | 16.06     | <=34.77 | Pass    |
|                                    |                 |               | 25     | 23.35                 | -5.20      | 16.00     | <=34.77 | Pass    |
|                                    |                 | 50            | 0      | 23.41                 | -5.20      | 16.06     | <=34.77 | Pass    |
|                                    | 710             | 1             | 0      | 24.15                 | -5.20      | 16.80     | <=34.77 | Pass    |
|                                    |                 |               | 25     | 24.19                 | -5.20      | 16.84     | <=34.77 | Pass    |
|                                    |                 |               | 49     | 24.03                 | -5.20      | 16.68     | <=34.77 | Pass    |
|                                    |                 | 25            | 0      | 23.35                 | -5.20      | 16.00     | <=34.77 | Pass    |
|                                    |                 |               | 13     | 23.31                 | -5.20      | 15.96     | <=34.77 | Pass    |
|                                    |                 |               | 25     | 23.32                 | -5.20      | 15.97     | <=34.77 | Pass    |
|                                    |                 | 50            | 0      | 23.29                 | -5.20      | 15.94     | <=34.77 | Pass    |
|                                    | 711             | 1             | 0      | 24.15                 | -5.20      | 16.80     | <=34.77 | Pass    |
|                                    |                 |               | 25     | 24.19                 | -5.20      | 16.84     | <=34.77 | Pass    |
|                                    |                 |               | 49     | 24.05                 | -5.20      | 16.70     | <=34.77 | Pass    |
|                                    |                 | 25            | 0      | 23.32                 | -5.20      | 15.97     | <=34.77 | Pass    |
|                                    |                 |               | 13     | 23.30                 | -5.20      | 15.95     | <=34.77 | Pass    |
|                                    |                 |               | 25     | 23.33                 | -5.20      | 15.98     | <=34.77 | Pass    |
|                                    |                 | 50            | 0      | 23.32                 | -5.20      | 15.97     | <=34.77 | Pass    |
| 16QAM                              | 709             | 1             | 0      | 23.60                 | -5.20      | 16.25     | <=34.77 | Pass    |
|                                    |                 |               | 25     | 23.53                 | -5.20      | 16.18     | <=34.77 | Pass    |
|                                    |                 |               | 49     | 23.39                 | -5.20      | 16.04     | <=34.77 | Pass    |
|                                    |                 | 25            | 0      | 22.34                 | -5.20      | 14.99     | <=34.77 | Pass    |
|                                    |                 |               | 13     | 22.40                 | -5.20      | 15.05     | <=34.77 | Pass    |
|                                    |                 |               | 25     | 22.34                 | -5.20      | 14.99     | <=34.77 | Pass    |
|                                    |                 | 50            | 0      | 22.39                 | -5.20      | 15.04     | <=34.77 | Pass    |
|                                    | 710             | 1             | 0      | 23.53                 | -5.20      | 16.18     | <=34.77 | Pass    |
|                                    |                 |               | 25     | 23.54                 | -5.20      | 16.19     | <=34.77 | Pass    |
|                                    |                 |               | 49     | 23.36                 | -5.20      | 16.01     | <=34.77 | Pass    |
|                                    |                 | 25            | 0      | 22.35                 | -5.20      | 15.00     | <=34.77 | Pass    |
|                                    |                 |               | 13     | 22.33                 | -5.20      | 14.98     | <=34.77 | Pass    |
|                                    |                 |               | 25     | 22.32                 | -5.20      | 14.97     | <=34.77 | Pass    |
|                                    |                 | 50            | 0      | 22.27                 | -5.20      | 14.92     | <=34.77 | Pass    |
|                                    | 711             | 1             | 0      | 23.46                 | -5.20      | 16.11     | <=34.77 | Pass    |

|       |     |                                              |    |       |       |       |         |         |      |  |
|-------|-----|----------------------------------------------|----|-------|-------|-------|---------|---------|------|--|
|       |     |                                              | 25 | 23.60 | -5.20 | 16.25 | <=34.77 | Pass    |      |  |
|       |     |                                              | 49 | 23.40 | -5.20 | 16.05 | <=34.77 | Pass    |      |  |
|       |     |                                              | 25 | 0     | 22.35 | -5.20 | 15.00   | <=34.77 | Pass |  |
|       |     | 13                                           |    | 22.34 | -5.20 | 14.99 | <=34.77 | Pass    |      |  |
|       |     | 25                                           |    | 22.37 | -5.20 | 15.02 | <=34.77 | Pass    |      |  |
|       |     | 50                                           | 0  | 22.30 | -5.20 | 14.95 | <=34.77 | Pass    |      |  |
|       |     |                                              |    |       |       |       |         |         |      |  |
| 64QAM | 709 | 1                                            | 0  | 22.50 | -5.20 | 15.15 | <=34.77 | Pass    |      |  |
|       |     |                                              | 25 | 22.50 | -5.20 | 15.15 | <=34.77 | Pass    |      |  |
|       |     |                                              | 49 | 22.37 | -5.20 | 15.02 | <=34.77 | Pass    |      |  |
|       |     | 25                                           | 0  | 21.33 | -5.20 | 13.98 | <=34.77 | Pass    |      |  |
|       |     |                                              | 13 | 21.44 | -5.20 | 14.09 | <=34.77 | Pass    |      |  |
|       |     |                                              | 25 | 21.31 | -5.20 | 13.96 | <=34.77 | Pass    |      |  |
|       |     | 50                                           | 0  | 21.39 | -5.20 | 14.04 | <=34.77 | Pass    |      |  |
|       |     | 710                                          | 1  | 0     | 22.52 | -5.20 | 15.17   | <=34.77 | Pass |  |
|       |     |                                              |    | 25    | 22.55 | -5.20 | 15.20   | <=34.77 | Pass |  |
|       | 49  |                                              |    | 22.35 | -5.20 | 15.00 | <=34.77 | Pass    |      |  |
|       | 25  |                                              | 0  | 21.34 | -5.20 | 13.99 | <=34.77 | Pass    |      |  |
|       |     |                                              | 13 | 21.32 | -5.20 | 13.97 | <=34.77 | Pass    |      |  |
|       |     |                                              | 25 | 21.31 | -5.20 | 13.96 | <=34.77 | Pass    |      |  |
|       | 50  |                                              | 0  | 21.29 | -5.20 | 13.94 | <=34.77 | Pass    |      |  |
|       | 711 |                                              | 1  | 0     | 22.58 | -5.20 | 15.23   | <=34.77 | Pass |  |
|       |     |                                              |    | 25    | 22.58 | -5.20 | 15.23   | <=34.77 | Pass |  |
|       |     | 49                                           |    | 22.41 | -5.20 | 15.06 | <=34.77 | Pass    |      |  |
|       |     | 25                                           | 0  | 21.33 | -5.20 | 13.98 | <=34.77 | Pass    |      |  |
|       |     |                                              | 13 | 21.31 | -5.20 | 13.96 | <=34.77 | Pass    |      |  |
|       |     |                                              | 25 | 21.34 | -5.20 | 13.99 | <=34.77 | Pass    |      |  |
|       |     | 50                                           | 0  | 21.30 | -5.20 | 13.95 | <=34.77 | Pass    |      |  |
|       |     | Note1: ERP=Conducted Power+Antenna Gain-2.15 |    |       |       |       |         |         |      |  |

## 2. Frequency Stability

### 2.1 Test Result

#### 2.1.1 B17\_5MHz

| Band: 17 / Bandwidth: 5MHz |                 |               |        |            |               |                  |                       |             |         |
|----------------------------|-----------------|---------------|--------|------------|---------------|------------------|-----------------------|-------------|---------|
| Modulation                 | Frequency (MHz) | RB Allocation |        | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|                            |                 | Size          | Offset |            |               |                  | Result                | Limit       |         |
| QPSK                       | 706.5           | 25            | 0      | 20         | 3.6           | 0.394            | 0.0006                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        |            | 3.92          | 0.093            | 0.0001                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        |            | 4.53          | 1.109            | 0.0016                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -30        | 3.92          | 0.667            | 0.0009                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -20        | 3.92          | -0.136           | -0.0002               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -10        | 3.92          | -0.378           | -0.0005               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 0          | 3.92          | 1.017            | 0.0014                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 10         | 3.92          | 0.688            | 0.0010                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 30         | 3.92          | 0.413            | 0.0006                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 40         | 3.92          | 0.154            | 0.0002                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 50         | 3.92          | 0.031            | 0.0000                | -2.5 to 2.5 | Pass    |
|                            | 710             | 25            | 0      | 20         | 3.6           | 0.823            | 0.0012                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        |            | 3.92          | 1.007            | 0.0014                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        |            | 4.53          | 1.021            | 0.0014                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -30        | 3.92          | 1.190            | 0.0017                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -20        | 3.92          | -0.189           | -0.0003               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -10        | 3.92          | 0.310            | 0.0004                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 0          | 3.92          | 0.555            | 0.0008                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 10         | 3.92          | -0.480           | -0.0007               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 30         | 3.92          | -0.500           | -0.0007               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 40         | 3.92          | -0.549           | -0.0008               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 50         | 3.92          | -0.119           | -0.0002               | -2.5 to 2.5 | Pass    |
|                            | 713.5           | 25            | 0      | 20         | 3.6           | 1.506            | 0.0021                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        |            | 3.92          | 1.585            | 0.0022                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        |            | 4.53          | 1.757            | 0.0025                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -30        | 3.92          | 1.841            | 0.0026                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -20        | 3.92          | 1.687            | 0.0024                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -10        | 3.92          | 0.803            | 0.0011                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 0          | 3.92          | 1.118            | 0.0016                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 10         | 3.92          | -0.397           | -0.0006               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 30         | 3.92          | 0.643            | 0.0009                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 40         | 3.92          | 0.185            | 0.0003                | -2.5 to 2.5 | Pass    |
| 16QAM                      | 706.5           | 25            | 0      | 20         | 3.6           | -0.584           | -0.0008               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        |            | 3.92          | -0.746           | -0.0011               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        |            | 4.53          | -0.239           | -0.0003               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -30        | 3.92          | 0.339            | 0.0005                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -20        | 3.92          | 1.128            | 0.0016                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -10        | 3.92          | 0.516            | 0.0007                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 0          | 3.92          | -0.085           | -0.0001               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 10         | 3.92          | 0.269            | 0.0004                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 30         | 3.92          | -0.382           | -0.0005               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 40         | 3.92          | -0.701           | -0.0010               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 50         | 3.92          | -0.059           | -0.0001               | -2.5 to 2.5 | Pass    |
|                            | 710             | 25            | 0      | 20         | 3.6           | 1.200            | 0.0017                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        |            | 3.92          | 0.726            | 0.0010                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        |            | 4.53          | -0.579           | -0.0008               | -2.5 to 2.5 | Pass    |

|       |       |    |   |     |      |        |         |             |      |
|-------|-------|----|---|-----|------|--------|---------|-------------|------|
|       |       |    |   | -30 | 3.92 | -0.506 | -0.0007 | -2.5 to 2.5 | Pass |
|       |       |    |   | -20 | 3.92 | 0.318  | 0.0004  | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.92 | -0.604 | -0.0009 | -2.5 to 2.5 | Pass |
|       |       |    |   | 0   | 3.92 | -0.628 | -0.0009 | -2.5 to 2.5 | Pass |
|       |       |    |   | 10  | 3.92 | -0.949 | -0.0013 | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.92 | -0.717 | -0.0010 | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.92 | -0.661 | -0.0009 | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.92 | 0.051  | 0.0001  | -2.5 to 2.5 | Pass |
|       | 713.5 | 25 | 0 | 20  | 3.6  | 0.409  | 0.0006  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 3.92 | -0.557 | -0.0008 | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 4.53 | 0.253  | 0.0004  | -2.5 to 2.5 | Pass |
|       |       |    |   | -30 | 3.92 | 0.500  | 0.0007  | -2.5 to 2.5 | Pass |
|       |       |    |   | -20 | 3.92 | -1.141 | -0.0016 | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.92 | -0.942 | -0.0013 | -2.5 to 2.5 | Pass |
|       |       |    |   | 0   | 3.92 | -0.391 | -0.0005 | -2.5 to 2.5 | Pass |
|       |       |    |   | 10  | 3.92 | -0.562 | -0.0008 | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.92 | -0.587 | -0.0008 | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.92 | -0.682 | -0.0010 | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.92 | -1.001 | -0.0014 | -2.5 to 2.5 | Pass |
| 64QAM | 706.5 | 25 | 0 | 20  | 3.6  | 0.210  | 0.0003  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 3.92 | -0.226 | -0.0003 | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 4.53 | -0.912 | -0.0013 | -2.5 to 2.5 | Pass |
|       |       |    |   | -30 | 3.92 | -0.755 | -0.0011 | -2.5 to 2.5 | Pass |
|       |       |    |   | -20 | 3.92 | -0.701 | -0.0010 | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.92 | -0.869 | -0.0012 | -2.5 to 2.5 | Pass |
|       |       |    |   | 0   | 3.92 | -0.832 | -0.0012 | -2.5 to 2.5 | Pass |
|       |       |    |   | 10  | 3.92 | -0.870 | -0.0012 | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.92 | -0.051 | -0.0001 | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.92 | -0.287 | -0.0004 | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.92 | -0.841 | -0.0012 | -2.5 to 2.5 | Pass |
|       | 710   | 25 | 0 | 20  | 3.6  | 0.267  | 0.0004  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 3.92 | -0.028 | 0.0000  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 4.53 | 0.093  | 0.0001  | -2.5 to 2.5 | Pass |
|       |       |    |   | -30 | 3.92 | 0.580  | 0.0008  | -2.5 to 2.5 | Pass |
|       |       |    |   | -20 | 3.92 | -0.280 | -0.0004 | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.92 | -0.316 | -0.0004 | -2.5 to 2.5 | Pass |
|       |       |    |   | 0   | 3.92 | -0.331 | -0.0005 | -2.5 to 2.5 | Pass |
|       |       |    |   | 10  | 3.92 | -0.075 | -0.0001 | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.92 | 0.226  | 0.0003  | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.92 | -0.005 | 0.0000  | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.92 | -0.035 | 0.0000  | -2.5 to 2.5 | Pass |
|       | 713.5 | 25 | 0 | 20  | 3.6  | -0.476 | -0.0007 | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 3.92 | -0.637 | -0.0009 | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 4.53 | -0.847 | -0.0012 | -2.5 to 2.5 | Pass |
|       |       |    |   | -30 | 3.92 | -0.847 | -0.0012 | -2.5 to 2.5 | Pass |
|       |       |    |   | -20 | 3.92 | -1.124 | -0.0016 | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.92 | -0.848 | -0.0012 | -2.5 to 2.5 | Pass |
|       |       |    |   | 0   | 3.92 | -0.727 | -0.0010 | -2.5 to 2.5 | Pass |
|       |       |    |   | 10  | 3.92 | -0.188 | -0.0003 | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.92 | -0.950 | -0.0013 | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.92 | -0.694 | -0.0010 | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.92 | -1.127 | -0.0016 | -2.5 to 2.5 | Pass |

## 2.1.2 B17\_10MHz

| Band: 17 / Bandwidth: 10MHz |           |               |       |         |             |                       |         |
|-----------------------------|-----------|---------------|-------|---------|-------------|-----------------------|---------|
| Modulation                  | Frequency | RB Allocation | Temp. | Voltage | Freq. Error | Freq. vs. Rated (ppm) | Verdict |

|       | (MHz) | Size | Offset | (°C) | (VDC) | (Hz)   | Result  | Limit       |      |
|-------|-------|------|--------|------|-------|--------|---------|-------------|------|
| QPSK  | 709   | 50   | 0      | 20   | 3.6   | -0.210 | -0.0003 | -2.5 to 2.5 | Pass |
|       |       |      |        |      | 3.92  | 0.124  | 0.0002  | -2.5 to 2.5 | Pass |
|       |       |      |        |      | 4.53  | 0.157  | 0.0002  | -2.5 to 2.5 | Pass |
|       |       |      |        | -30  | 3.92  | 0.067  | 0.0001  | -2.5 to 2.5 | Pass |
|       |       |      |        | -20  | 3.92  | -0.376 | -0.0005 | -2.5 to 2.5 | Pass |
|       |       |      |        | -10  | 3.92  | 0.344  | 0.0005  | -2.5 to 2.5 | Pass |
|       |       |      |        | 0    | 3.92  | 0.164  | 0.0002  | -2.5 to 2.5 | Pass |
|       |       |      |        | 10   | 3.92  | 0.060  | 0.0001  | -2.5 to 2.5 | Pass |
|       |       |      |        | 30   | 3.92  | -0.377 | -0.0005 | -2.5 to 2.5 | Pass |
|       |       |      |        | 40   | 3.92  | 0.355  | 0.0005  | -2.5 to 2.5 | Pass |
|       |       |      |        | 50   | 3.92  | -0.757 | -0.0011 | -2.5 to 2.5 | Pass |
|       | 710   | 50   | 0      | 20   | 3.6   | -1.487 | -0.0021 | -2.5 to 2.5 | Pass |
|       |       |      |        |      | 3.92  | -1.691 | -0.0024 | -2.5 to 2.5 | Pass |
|       |       |      |        |      | 4.53  | -1.502 | -0.0021 | -2.5 to 2.5 | Pass |
|       |       |      |        | -30  | 3.92  | -1.898 | -0.0027 | -2.5 to 2.5 | Pass |
|       |       |      |        | -20  | 3.92  | -1.798 | -0.0025 | -2.5 to 2.5 | Pass |
|       |       |      |        | -10  | 3.92  | -1.131 | -0.0016 | -2.5 to 2.5 | Pass |
|       |       |      |        | 0    | 3.92  | -0.522 | -0.0007 | -2.5 to 2.5 | Pass |
|       |       |      |        | 10   | 3.92  | -1.244 | -0.0018 | -2.5 to 2.5 | Pass |
|       |       |      |        | 30   | 3.92  | 0.460  | 0.0006  | -2.5 to 2.5 | Pass |
|       |       |      |        | 40   | 3.92  | -0.548 | -0.0008 | -2.5 to 2.5 | Pass |
|       |       |      |        | 50   | 3.92  | -0.334 | -0.0005 | -2.5 to 2.5 | Pass |
|       | 711   | 50   | 0      | 20   | 3.6   | 0.148  | 0.0002  | -2.5 to 2.5 | Pass |
|       |       |      |        |      | 3.92  | 0.341  | 0.0005  | -2.5 to 2.5 | Pass |
|       |       |      |        |      | 4.53  | -0.306 | -0.0004 | -2.5 to 2.5 | Pass |
|       |       |      |        | -30  | 3.92  | -0.040 | -0.0001 | -2.5 to 2.5 | Pass |
|       |       |      |        | -20  | 3.92  | -0.182 | -0.0003 | -2.5 to 2.5 | Pass |
|       |       |      |        | -10  | 3.92  | -0.662 | -0.0009 | -2.5 to 2.5 | Pass |
|       |       |      |        | 0    | 3.92  | -1.255 | -0.0018 | -2.5 to 2.5 | Pass |
|       |       |      |        | 10   | 3.92  | -0.830 | -0.0012 | -2.5 to 2.5 | Pass |
|       |       |      |        | 30   | 3.92  | -0.249 | -0.0004 | -2.5 to 2.5 | Pass |
|       |       |      |        | 40   | 3.92  | -0.129 | -0.0002 | -2.5 to 2.5 | Pass |
|       |       |      |        | 50   | 3.92  | 0.347  | 0.0005  | -2.5 to 2.5 | Pass |
| 16QAM | 709   | 50   | 0      | 20   | 3.6   | 0.244  | 0.0003  | -2.5 to 2.5 | Pass |
|       |       |      |        |      | 3.92  | 0.441  | 0.0006  | -2.5 to 2.5 | Pass |
|       |       |      |        |      | 4.53  | -0.993 | -0.0014 | -2.5 to 2.5 | Pass |
|       |       |      |        | -30  | 3.92  | 0.386  | 0.0005  | -2.5 to 2.5 | Pass |
|       |       |      |        | -20  | 3.92  | -1.481 | -0.0021 | -2.5 to 2.5 | Pass |
|       |       |      |        | -10  | 3.92  | -0.525 | -0.0007 | -2.5 to 2.5 | Pass |
|       |       |      |        | 0    | 3.92  | -0.375 | -0.0005 | -2.5 to 2.5 | Pass |
|       |       |      |        | 10   | 3.92  | -0.780 | -0.0011 | -2.5 to 2.5 | Pass |
|       |       |      |        | 30   | 3.92  | -0.823 | -0.0012 | -2.5 to 2.5 | Pass |
|       |       |      |        | 40   | 3.92  | -0.612 | -0.0009 | -2.5 to 2.5 | Pass |
|       |       |      |        | 50   | 3.92  | -0.148 | -0.0002 | -2.5 to 2.5 | Pass |
|       | 710   | 50   | 0      | 20   | 3.6   | 0.392  | 0.0006  | -2.5 to 2.5 | Pass |
|       |       |      |        |      | 3.92  | 0.187  | 0.0003  | -2.5 to 2.5 | Pass |
|       |       |      |        |      | 4.53  | 0.453  | 0.0006  | -2.5 to 2.5 | Pass |
|       |       |      |        | -30  | 3.92  | -0.590 | -0.0008 | -2.5 to 2.5 | Pass |
|       |       |      |        | -20  | 3.92  | -0.123 | -0.0002 | -2.5 to 2.5 | Pass |
|       |       |      |        | -10  | 3.92  | -0.375 | -0.0005 | -2.5 to 2.5 | Pass |
|       |       |      |        | 0    | 3.92  | 0.556  | 0.0008  | -2.5 to 2.5 | Pass |
|       |       |      |        | 10   | 3.92  | -0.591 | -0.0008 | -2.5 to 2.5 | Pass |
|       |       |      |        | 30   | 3.92  | -0.715 | -0.0010 | -2.5 to 2.5 | Pass |
|       |       |      |        | 40   | 3.92  | -0.255 | -0.0004 | -2.5 to 2.5 | Pass |
|       |       |      |        | 50   | 3.92  | 0.397  | 0.0006  | -2.5 to 2.5 | Pass |
|       | 711   | 50   | 0      | 20   | 3.6   | -0.083 | -0.0001 | -2.5 to 2.5 | Pass |
|       |       |      |        |      | 3.92  | -1.360 | -0.0019 | -2.5 to 2.5 | Pass |
|       |       |      |        |      | 4.53  | -0.743 | -0.0010 | -2.5 to 2.5 | Pass |

|       |     |    |   |     |      |        |         |             |      |
|-------|-----|----|---|-----|------|--------|---------|-------------|------|
|       |     |    |   | -30 | 3.92 | 0.416  | 0.0006  | -2.5 to 2.5 | Pass |
|       |     |    |   | -20 | 3.92 | -0.129 | -0.0002 | -2.5 to 2.5 | Pass |
|       |     |    |   | -10 | 3.92 | -0.576 | -0.0008 | -2.5 to 2.5 | Pass |
|       |     |    |   | 0   | 3.92 | -1.510 | -0.0021 | -2.5 to 2.5 | Pass |
|       |     |    |   | 10  | 3.92 | -1.394 | -0.0020 | -2.5 to 2.5 | Pass |
|       |     |    |   | 30  | 3.92 | -1.580 | -0.0022 | -2.5 to 2.5 | Pass |
|       |     |    |   | 40  | 3.92 | -1.310 | -0.0018 | -2.5 to 2.5 | Pass |
| 64QAM | 709 | 50 | 0 | 50  | 3.92 | -0.509 | -0.0007 | -2.5 to 2.5 | Pass |
|       |     |    |   | 20  | 3.6  | 0.257  | 0.0004  | -2.5 to 2.5 | Pass |
|       |     |    |   |     | 3.92 | 0.370  | 0.0005  | -2.5 to 2.5 | Pass |
|       |     |    |   |     | 4.53 | 0.484  | 0.0007  | -2.5 to 2.5 | Pass |
|       |     |    |   | -30 | 3.92 | -0.791 | -0.0011 | -2.5 to 2.5 | Pass |
|       |     |    |   | -20 | 3.92 | -0.682 | -0.0010 | -2.5 to 2.5 | Pass |
|       |     |    |   | -10 | 3.92 | -1.069 | -0.0015 | -2.5 to 2.5 | Pass |
|       |     |    |   | 0   | 3.92 | -0.380 | -0.0005 | -2.5 to 2.5 | Pass |
|       |     |    |   | 10  | 3.92 | -0.207 | -0.0003 | -2.5 to 2.5 | Pass |
|       |     |    |   | 30  | 3.92 | -0.077 | -0.0001 | -2.5 to 2.5 | Pass |
|       |     |    |   | 40  | 3.92 | -0.027 | 0.0000  | -2.5 to 2.5 | Pass |
|       |     |    |   | 50  | 3.92 | -0.946 | -0.0013 | -2.5 to 2.5 | Pass |
|       | 710 | 50 | 0 | 20  | 3.6  | 0.122  | 0.0002  | -2.5 to 2.5 | Pass |
|       |     |    |   |     | 3.92 | 0.268  | 0.0004  | -2.5 to 2.5 | Pass |
|       |     |    |   |     | 4.53 | -0.128 | -0.0002 | -2.5 to 2.5 | Pass |
|       |     |    |   | -30 | 3.92 | -0.032 | 0.0000  | -2.5 to 2.5 | Pass |
|       |     |    |   | -20 | 3.92 | 0.307  | 0.0004  | -2.5 to 2.5 | Pass |
|       |     |    |   | -10 | 3.92 | -0.230 | -0.0003 | -2.5 to 2.5 | Pass |
|       |     |    |   | 0   | 3.92 | -0.194 | -0.0003 | -2.5 to 2.5 | Pass |
|       |     |    |   | 10  | 3.92 | 0.463  | 0.0007  | -2.5 to 2.5 | Pass |
|       |     |    |   | 30  | 3.92 | -0.029 | 0.0000  | -2.5 to 2.5 | Pass |
|       |     |    |   | 40  | 3.92 | 0.133  | 0.0002  | -2.5 to 2.5 | Pass |
|       |     |    |   | 50  | 3.92 | -0.907 | -0.0013 | -2.5 to 2.5 | Pass |
|       | 711 | 50 | 0 | 20  | 3.6  | -0.733 | -0.0010 | -2.5 to 2.5 | Pass |
|       |     |    |   |     | 3.92 | -0.842 | -0.0012 | -2.5 to 2.5 | Pass |
|       |     |    |   |     | 4.53 | -0.414 | -0.0006 | -2.5 to 2.5 | Pass |
|       |     |    |   | -30 | 3.92 | -0.461 | -0.0006 | -2.5 to 2.5 | Pass |
|       |     |    |   | -20 | 3.92 | -0.781 | -0.0011 | -2.5 to 2.5 | Pass |
|       |     |    |   | -10 | 3.92 | -0.611 | -0.0009 | -2.5 to 2.5 | Pass |
|       |     |    |   | 0   | 3.92 | -0.868 | -0.0012 | -2.5 to 2.5 | Pass |
|       |     |    |   | 10  | 3.92 | -1.329 | -0.0019 | -2.5 to 2.5 | Pass |
|       |     |    |   | 30  | 3.92 | -1.625 | -0.0023 | -2.5 to 2.5 | Pass |
|       |     |    |   | 40  | 3.92 | -0.512 | -0.0007 | -2.5 to 2.5 | Pass |
|       |     |    |   | 50  | 3.92 | 0.285  | 0.0004  | -2.5 to 2.5 | Pass |

### 3. 99% & 26dB Bandwidth

#### 3.1 Test Result

##### 3.1.1 Band17\_OBW


| Band: 17 / NTNV |            |                 |               |        |                              |       |         |
|-----------------|------------|-----------------|---------------|--------|------------------------------|-------|---------|
| Bandwidth (MHz) | Modulation | Frequency (MHz) | RB Allocation |        | 99% Occupied Bandwidth (MHz) |       | Verdict |
|                 |            |                 | Size          | Offset | Result                       | Limit |         |
| 5               | QPSK       | 706.5           | 25            | 0      | 4.574                        | /     | Pass    |
|                 |            | 710             | 25            | 0      | 4.564                        | /     | Pass    |
|                 |            | 713.5           | 25            | 0      | 4.578                        | /     | Pass    |
|                 | 16QAM      | 706.5           | 25            | 0      | 4.560                        | /     | Pass    |
|                 |            | 710             | 25            | 0      | 4.583                        | /     | Pass    |
|                 |            | 713.5           | 25            | 0      | 4.555                        | /     | Pass    |
|                 | 64QAM      | 706.5           | 25            | 0      | 4.561                        | /     | Pass    |
|                 |            | 710             | 25            | 0      | 4.576                        | /     | Pass    |
|                 |            | 713.5           | 25            | 0      | 4.559                        | /     | Pass    |
| 10              | QPSK       | 709             | 50            | 0      | 9.084                        | /     | Pass    |
|                 |            | 710             | 50            | 0      | 9.110                        | /     | Pass    |
|                 |            | 711             | 50            | 0      | 9.086                        | /     | Pass    |
|                 | 16QAM      | 709             | 50            | 0      | 9.085                        | /     | Pass    |
|                 |            | 710             | 50            | 0      | 9.084                        | /     | Pass    |
|                 |            | 711             | 50            | 0      | 9.070                        | /     | Pass    |
|                 | 64QAM      | 709             | 50            | 0      | 9.076                        | /     | Pass    |
|                 |            | 710             | 50            | 0      | 9.075                        | /     | Pass    |
|                 |            | 711             | 50            | 0      | 9.074                        | /     | Pass    |

##### 3.1.2 Band17\_XDB


| Band: 17 / NTNV |            |                 |               |        |                      |       |         |
|-----------------|------------|-----------------|---------------|--------|----------------------|-------|---------|
| Bandwidth (MHz) | Modulation | Frequency (MHz) | RB Allocation |        | 26dB Bandwidth (MHz) |       | Verdict |
|                 |            |                 | Size          | Offset | Result               | Limit |         |
| 5               | QPSK       | 706.5           | 25            | 0      | 5.223                | /     | Pass    |
|                 |            | 710             | 25            | 0      | 5.300                | /     | Pass    |
|                 |            | 713.5           | 25            | 0      | 5.261                | /     | Pass    |
|                 | 16QAM      | 706.5           | 25            | 0      | 5.198                | /     | Pass    |
|                 |            | 710             | 25            | 0      | 5.226                | /     | Pass    |
|                 |            | 713.5           | 25            | 0      | 5.314                | /     | Pass    |
|                 | 64QAM      | 706.5           | 25            | 0      | 5.285                | /     | Pass    |
|                 |            | 710             | 25            | 0      | 5.257                | /     | Pass    |
|                 |            | 713.5           | 25            | 0      | 5.200                | /     | Pass    |
| 10              | QPSK       | 709             | 50            | 0      | 10.206               | /     | Pass    |
|                 |            | 710             | 50            | 0      | 10.276               | /     | Pass    |
|                 |            | 711             | 50            | 0      | 10.375               | /     | Pass    |
|                 | 16QAM      | 709             | 50            | 0      | 10.260               | /     | Pass    |
|                 |            | 710             | 50            | 0      | 10.236               | /     | Pass    |
|                 |            | 711             | 50            | 0      | 10.144               | /     | Pass    |
|                 | 64QAM      | 709             | 50            | 0      | 10.122               | /     | Pass    |
|                 |            | 710             | 50            | 0      | 10.196               | /     | Pass    |
|                 |            | 711             | 50            | 0      | 10.230               | /     | Pass    |

3.2 Test Graph


3.2.1 Band17\_OBW




Band17\_5MHz\_QPSK\_HCH\_713.5MHz\_RB\_25\_0\_NTNV




Band17\_5MHz\_16QAM\_LCH\_706.5MHz\_RB\_25\_0\_NTNV




Band17 5MHz 16QAM MCH 710MHz RB 25 0 NTV




Band17\_5MHz\_16QAM\_HCH\_713.5MHz\_RB\_25\_0\_NTV




Band17\_5MHz\_64QAM\_LCH\_706.5MHz\_RB\_25\_0\_NTNV




Band17\_5MHz\_64QAM\_MCH\_710MHz\_RB\_25\_0\_NTNV




Band17 5MHz 64QAM HCH 713.5MHz RB 25 0 NTNV




Band17\_10MHz\_QPSK\_LCH\_709MHz\_RB\_50\_0\_NTNV




Band17 10MHz QPSK MCH 710MHz RB 50 0 NTNV




Band17 10MHz QPSK HCH 711MHz RB 50 0 NTNV




Band17\_10MHz\_16QAM\_LCH\_709MHz\_RB\_50\_0\_NTNV




Band17\_10MHz\_16QAM\_MCH\_710MHz\_RB\_50\_0\_NTNV




Band17\_10MHz\_16QAM\_HCH\_711MHz\_RB\_50\_0\_NTNV




Band17\_10MHz\_64QAM\_LCH\_709MHz\_RB\_50\_0\_NTNV




Band17\_10MHz\_64QAM\_MCH\_710MHz\_RB\_50\_0\_NTNV




Band17\_10MHz\_64QAM\_HCH\_711MHz\_RB\_50\_0\_NTNV




3.2.2 Band17\_XDB




Band17\_5MHz\_QPSK\_HCH\_713.5MHz\_RB\_25\_0\_NTNV




Band17\_5MHz\_16QAM\_LCH\_706.5MHz\_RB\_25\_0\_NTNV




Band17 5MHz 16QAM MCH 710MHz RB 25 0 NTNV




Band17\_5MHz\_16QAM\_HCH\_713.5MHz\_RB\_25\_0\_NTNV




Band17\_5MHz\_64QAM\_LCH\_706.5MHz\_RB\_25\_0\_NTNV




Band17\_5MHz\_64QAM\_MCH\_710MHz\_RB\_25\_0\_NTNV




Band17 5MHz 64QAM HCH 713.5MHz RB 25 0 NTN




Band17\_10MHz\_QPSK\_LCH\_709MHz\_RB\_50\_0 NTN




Band17 10MHz QPSK MCH 710MHz RB 50 0 NTV




Band17 10MHz QPSK HCH 711MHz RB 50 0 NTV




Band17\_10MHz\_16QAM\_LCH\_709MHz\_RB\_50\_0\_NTNV




Band17\_10MHz\_16QAM\_MCH\_710MHz\_RB\_50\_0\_NTNV




Band17\_10MHz\_16QAM\_HCH\_711MHz\_RB\_50\_0\_NTNV




Band17\_10MHz\_64QAM\_LCH\_709MHz\_RB\_50\_0\_NTNV



Band17 10MHz 64QAM MCH 710MHz RB 50 0 NTNV



Band17 10MHz 64QAM HCH 711MHz RB 50 0 NTNV



## 4. Peak-Average Ratio

### 4.1 Test Result

#### 4.1.1 B17\_5MHz


| Band: 17 / Bandwidth: 5MHz / NTN |                 |               |        |                         |       |         |
|----------------------------------|-----------------|---------------|--------|-------------------------|-------|---------|
| Modulation                       | Frequency (MHz) | RB Allocation |        | Peak-Average Ratio (dB) |       | Verdict |
|                                  |                 | Size          | Offset | Result                  | Limit |         |
| QPSK                             | 706.5           | 25            | 0      | 5.28                    | <=13  | Pass    |
|                                  | 710             | 25            | 0      | 5.44                    | <=13  | Pass    |
|                                  | 713.5           | 25            | 0      | 5.32                    | <=13  | Pass    |
| 16QAM                            | 706.5           | 25            | 0      | 6.06                    | <=13  | Pass    |
|                                  | 710             | 25            | 0      | 6.20                    | <=13  | Pass    |
|                                  | 713.5           | 25            | 0      | 6.12                    | <=13  | Pass    |
| 64QAM                            | 706.5           | 25            | 0      | 6.41                    | <=13  | Pass    |
|                                  | 710             | 25            | 0      | 6.50                    | <=13  | Pass    |
|                                  | 713.5           | 25            | 0      | 6.44                    | <=13  | Pass    |

#### 4.1.2 B17\_10MHz


| Band: 17 / Bandwidth: 10MHz / NTN |                 |               |        |                         |       |         |
|-----------------------------------|-----------------|---------------|--------|-------------------------|-------|---------|
| Modulation                        | Frequency (MHz) | RB Allocation |        | Peak-Average Ratio (dB) |       | Verdict |
|                                   |                 | Size          | Offset | Result                  | Limit |         |
| QPSK                              | 709             | 50            | 0      | 5.37                    | <=13  | Pass    |
|                                   | 710             | 50            | 0      | 5.38                    | <=13  | Pass    |
|                                   | 711             | 50            | 0      | 5.37                    | <=13  | Pass    |
| 16QAM                             | 709             | 50            | 0      | 6.13                    | <=13  | Pass    |
|                                   | 710             | 50            | 0      | 6.15                    | <=13  | Pass    |
|                                   | 711             | 50            | 0      | 6.14                    | <=13  | Pass    |
| 64QAM                             | 709             | 50            | 0      | 6.45                    | <=13  | Pass    |
|                                   | 710             | 50            | 0      | 6.48                    | <=13  | Pass    |
|                                   | 711             | 50            | 0      | 6.46                    | <=13  | Pass    |

4.2 Test Graph


4.2.1 B17\_5MHz




Band17\_5MHz\_QPSK\_HCH\_713.5MHz\_RB\_25\_0\_NTNV




Band17\_5MHz\_16QAM\_LCH\_706.5MHz\_RB\_25\_0\_NTNV




Band17 5MHz 16QAM MCH 710MHz RB 25 0 NTNV




Band17 5MHz 16QAM HCH 713.5MHz RB 25 0 NTNV




Band17 5MHz 64QAM LCH 706.5MHz RB 25 0 NTNV




Band17 5MHz 64QAM MCH 710MHz RB 25 0 NTNV




Band17 5MHz 64QAM HCH 713.5MHz RB 25 0 NTV




4.2.2 B17\_10MHz




Band17\_10MHz\_QPSK\_HCH\_711MHz\_RB\_50\_0\_NTNV




Band17\_10MHz\_16QAM\_LCH\_709MHz\_RB\_50\_0\_NTNV




Band17\_10MHz\_16QAM\_MCH\_710MHz\_RB\_50\_0\_NTNV




Band17\_10MHz\_16QAM\_HCH\_711MHz\_RB\_50\_0\_NTNV




Band17\_10MHz\_64QAM\_LCH\_709MHz\_RB\_50\_0\_NTNV



Band17\_10MHz\_64QAM\_MCH\_710MHz\_RB\_50\_0\_NTNV



Band17 10MHz 64QAM HCH 711MHz RB 50 0 NTNV



## 5. Spurious Emission

### 5.1 Test Result

#### 5.1.1 B17\_5MHz


| Band: 17 / Bandwidth: 5MHz / NTNV |                 |               |        |                     |       |         |
|-----------------------------------|-----------------|---------------|--------|---------------------|-------|---------|
| Modulation                        | Frequency (MHz) | RB Allocation |        | Spurious Emission   |       | Verdict |
|                                   |                 | Size          | Offset | Result              | Limit |         |
| QPSK                              | 706.5           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                   |                 | 25            | 0      | Refer To Test Graph |       | Pass    |
|                                   | 710             | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                   | 713.5           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                   |                 |               | 24     | Refer To Test Graph |       | Pass    |
|                                   |                 | 25            | 0      | Refer To Test Graph |       | Pass    |
| 16QAM                             | 706.5           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                   |                 | 25            | 0      | Refer To Test Graph |       | Pass    |
|                                   | 710             | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                   | 713.5           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                   |                 |               | 24     | Refer To Test Graph |       | Pass    |
|                                   |                 | 25            | 0      | Refer To Test Graph |       | Pass    |
| 64QAM                             | 706.5           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                   |                 | 25            | 0      | Refer To Test Graph |       | Pass    |
|                                   | 710             | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                   | 713.5           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                   |                 |               | 24     | Refer To Test Graph |       | Pass    |
|                                   |                 | 25            | 0      | Refer To Test Graph |       | Pass    |

#### 5.1.2 B17\_10MHz


| Band: 17 / Bandwidth: 10MHz / NTNV |                 |               |        |                     |       |         |
|------------------------------------|-----------------|---------------|--------|---------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Spurious Emission   |       | Verdict |
|                                    |                 | Size          | Offset | Result              | Limit |         |
| QPSK                               | 709             | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 50            | 0      | Refer To Test Graph |       | Pass    |
|                                    | 710             | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    | 711             | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 |               | 49     | Refer To Test Graph |       | Pass    |
|                                    |                 | 50            | 0      | Refer To Test Graph |       | Pass    |
| 16QAM                              | 709             | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 50            | 0      | Refer To Test Graph |       | Pass    |
|                                    | 710             | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    | 711             | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 |               | 49     | Refer To Test Graph |       | Pass    |
|                                    |                 | 50            | 0      | Refer To Test Graph |       | Pass    |
| 64QAM                              | 709             | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 50            | 0      | Refer To Test Graph |       | Pass    |
|                                    | 710             | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    | 711             | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 |               | 49     | Refer To Test Graph |       | Pass    |
|                                    |                 | 50            | 0      | Refer To Test Graph |       | Pass    |

5.2 Test Graph


5.2.1 B17\_5MHz




Band17 5MHz QPSK LCH 706.5MHz RB 1 0 NTNV




Band17 5MHz QPSK LCH 706.5MHz RB 1 0 NTNV



Band17 5MHz QPSK LCH 706.5MHz RB 1 0 NTN




Band17\_5MHz\_QPSK\_LCH\_706.5MHz\_RB\_25\_0\_NTN




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 699         | 703.9      | 0.1       | CHP    | 1          | 703.840    | -28.55      | -13         | Pass   |
| 703.9       | 704        | 0.03      | /      | 2          | 703.990    | -28.72      | -13         | Pass   |
| 704         | 709        | 0.03      | /      | /          | /          | /           | /           | /      |


Band17\_5MHz\_QPSK\_MCH\_710MHz\_RB\_1\_0\_NTNV




Band17\_5MHz\_QPSK\_MCH\_710MHz\_RB\_1\_0\_NTNV




Band17\_5MHz\_QPSK\_MCH\_710MHz\_RB\_1\_0\_NTNV




Band17\_5MHz\_QPSK\_MCH\_710MHz\_RB\_1\_0\_NTNV




Band17 5MHz QPSK HCH 713.5MHz RB 1 0 NTN




Band17 5MHz QPSK HCH 713.5MHz RB 1 0 NTN




Band17\_5MHz\_QPSK\_HCH\_713.5MHz\_RB\_1\_0\_NTNV



Band17\_5MHz\_QPSK\_HCH\_713.5MHz\_RB\_1\_0\_NTNV




# Band17\_5MHz\_QPSK\_HCH\_713.5MHz\_RB\_1\_24\_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 711         | 716        | 0.03      | /      | /          | /          | /           | /           | /      |
| 716         | 716.1      | 0.03      | /      | 1          | 716.010    | -23.97      | -13         | Pass   |
| 716.1       | 721        | 0.1       | CHP    | 2          | 716.160    | -33.33      | -13         | Pass   |

# Band17\_5MHz\_QPSK\_HCH\_713.5MHz\_RB\_25\_0\_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 711         | 716        | 0.03      | /      | /          | /          | /           | /           | /      |
| 716         | 716.1      | 0.03      | /      | 1          | 716.040    | -28.00      | -13         | Pass   |
| 716.1       | 721        | 0.1       | CHP    | 2          | 716.160    | -28.54      | -13         | Pass   |

Band17\_5MHz\_16QAM\_LCH\_706.5MHz\_RB\_1\_0\_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 699         | 703.9      | 0.1       | CHP    | 1          | 703.840    | -34.01      | -13         | Pass   |
| 703.9       | 704        | 0.03      | /      | 2          | 703.990    | -25.08      | -13         | Pass   |
| 704         | 709        | 0.03      | /      | /          | /          | /           | /           | /      |


Band17\_5MHz\_16QAM\_LCH\_706.5MHz\_RB\_1\_0\_NTNV




Band17\_5MHz\_16QAM\_LCH\_706.5MHz\_RB\_1\_0\_NTNV




Band17\_5MHz\_16QAM\_LCH\_706.5MHz\_RB\_1\_0\_NTNV



Band17\_5MHz\_16QAM\_LCH\_706.5MHz\_RB\_1\_0\_NTNV




Band17\_5MHz\_16QAM\_LCH\_706.5MHz\_RB\_25\_0\_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 699         | 703.9      | 0.1       | CHP    | 1          | 703.840    | -29.44      | -13         | Pass   |
| 703.9       | 704        | 0.03      | /      | 2          | 703.960    | -27.61      | -13         | Pass   |
| 704         | 709        | 0.03      | /      | /          | /          | /           | /           | /      |


Band17 5MHz 16QAM MCH 710MHz RB 1 0 NTN




Band17 5MHz 16QAM MCH 710MHz RB 1 0 NTN




Band17 5MHz 16QAM MCH 710MHz RB 1 0 NTN




Band17 5MHz 16QAM MCH 710MHz RB 1 0 NTN




Band17\_5MHz\_16QAM\_HCH\_713.5MHz\_RB\_1\_0\_NTNV




Band17\_5MHz\_16QAM\_HCH\_713.5MHz\_RB\_1\_0\_NTNV




Band17\_5MHz\_16QAM\_HCH\_713.5MHz\_RB\_1\_0\_NTNV



Band17\_5MHz\_16QAM\_HCH\_713.5MHz\_RB\_1\_0\_NTNV




Band17 5MHz 16QAM HCH 713.5MHz RB 1 24 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 711         | 716        | 0.03      | /      | /          | /          | /           | /           | /      |
| 716         | 716.1      | 0.03      | /      | 1          | 716.010    | -24.12      | -13         | Pass   |
| 716.1       | 721        | 0.1       | CHP    | 2          | 716.110    | -33.44      | -13         | Pass   |

Band17 5MHz 16QAM HCH 713.5MHz RB 25 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 711         | 716        | 0.03      | /      | /          | /          | /           | /           | /      |
| 716         | 716.1      | 0.03      | /      | 1          | 716.020    | -27.07      | -13         | Pass   |
| 716.1       | 721        | 0.1       | CHP    | 2          | 716.160    | -29.27      | -13         | Pass   |

# Band17\_5MHz\_64QAM\_LCH\_706.5MHz\_RB\_1\_0\_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 699         | 703.9      | 0.1       | CHP    | 1          | 703.840    | -37.55      | -13         | Pass   |
| 703.9       | 704        | 0.03      | /      | 2          | 703.990    | -27.40      | -13         | Pass   |
| 704         | 709        | 0.03      | /      | /          | /          | /           | /           | /      |


# Band17\_5MHz\_64QAM\_LCH\_706.5MHz\_RB\_1\_0\_NTNV




Band17\_5MHz\_64QAM\_LCH\_706.5MHz\_RB\_1\_0\_NTNV




Band17\_5MHz\_64QAM\_LCH\_706.5MHz\_RB\_1\_0\_NTNV



Band17\_5MHz\_64QAM\_LCH\_706.5MHz\_RB\_1\_0\_NTNV




Band17\_5MHz\_64QAM\_LCH\_706.5MHz\_RB\_25\_0\_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 699         | 703.9      | 0.1       | CHP    | 1          | 703.840    | -30.11      | -13         | Pass   |
| 703.9       | 704        | 0.03      | /      | 2          | 703.980    | -29.28      | -13         | Pass   |
| 704         | 709        | 0.03      | /      | /          | /          | /           | /           | /      |


Band17 5MHz 64QAM MCH 710MHz RB 1 0 NTN




Band17 5MHz 64QAM MCH 710MHz RB 1 0 NTN




Band17 5MHz 64QAM MCH 710MHz RB 1 0 NTN




Band17 5MHz 64QAM MCH 710MHz RB 1 0 NTN




Band17\_5MHz\_64QAM\_HCH\_713.5MHz\_RB\_1\_0\_NTNV




Band17\_5MHz\_64QAM\_HCH\_713.5MHz\_RB\_1\_0\_NTNV




Band17\_5MHz\_64QAM\_HCH\_713.5MHz\_RB\_1\_0\_NTNV



Band17\_5MHz\_64QAM\_HCH\_713.5MHz\_RB\_1\_0\_NTNV




Band17 5MHz 64QAM HCH 713.5MHz RB 1 24 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 711         | 716        | 0.03      | /      | /          | /          | /           | /           | /      |
| 716         | 716.1      | 0.03      | /      | 1          | 716.020    | -27.84      | -13         | Pass   |
| 716.1       | 721        | 0.1       | CHP    | 2          | 716.160    | -37.38      | -13         | Pass   |

Band17 5MHz 64QAM HCH 713.5MHz RB 25 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 711         | 716        | 0.03      | /      | /          | /          | /           | /           | /      |
| 716         | 716.1      | 0.03      | /      | 1          | 716.010    | -28.08      | -13         | Pass   |
| 716.1       | 721        | 0.1       | CHP    | 2          | 716.160    | -30.91      | -13         | Pass   |


5.2.2 B17\_10MHz




Band17\_10MHz\_QPSK\_LCH\_709MHz\_RB\_1\_0\_NTNV




Band17\_10MHz\_QPSK\_LCH\_709MHz\_RB\_1\_0\_NTNV



Band17\_10MHz\_QPSK\_LCH\_709MHz\_RB\_1\_0\_NTNV




Band17\_10MHz\_QPSK\_LCH\_709MHz\_RB\_50\_0\_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 694         | 703.9      | 0.1       | CHP    | 1          | 703.827    | -33.63      | -13         | Pass   |
| 703.9       | 704        | 0.03      | /      | 2          | 703.992    | -35.92      | -13         | Pass   |
| 704         | 714        | 0.03      | /      | /          | /          | /           | /           | /      |


Band17\_10MHz\_QPSK\_MCH\_710MHz\_RB\_1\_0\_NTNV




Band17\_10MHz\_QPSK\_MCH\_710MHz\_RB\_1\_0\_NTNV




Band17\_10MHz\_QPSK\_MCH\_710MHz\_RB\_1\_0\_NTNV




Band17\_10MHz\_QPSK\_MCH\_710MHz\_RB\_1\_0\_NTNV




Band17\_10MHz\_QPSK\_HCH\_711MHz\_RB\_1\_0\_NTNV




Band17\_10MHz\_QPSK\_HCH\_711MHz\_RB\_1\_0\_NTNV




Band17\_10MHz\_QPSK\_HCH\_711MHz\_RB\_1\_0\_NTNV



Band17\_10MHz\_QPSK\_HCH\_711MHz\_RB\_1\_0\_NTNV




# Band17 10MHz QPSK HCH 711MHz RB 1 49 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 706         | 716        | 0.03      | /      | /          | /          | /           | /           | /      |
| 716         | 716.1      | 0.03      | /      | 1          | 716.008    | -36.67      | -13         | Pass   |
| 716.1       | 726        | 0.1       | CHP    | 2          | 716.218    | -39.90      | -13         | Pass   |

# Band17 10MHz QPSK HCH 711MHz RB 50\_0 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 706         | 716        | 0.03      | /      | /          | /          | /           | /           | /      |
| 716         | 716.1      | 0.03      | /      | 1          | 716.023    | -34.76      | -13         | Pass   |
| 716.1       | 726        | 0.1       | CHP    | 2          | 716.158    | -32.72      | -13         | Pass   |

# Band17 10MHz 16QAM LCH 709MHz RB 1 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 694         | 703.9      | 0.1       | CHP    | 1          | 703.812    | -39.00      | -13         | Pass   |
| 703.9       | 704        | 0.03      | /      | 2          | 703.992    | -39.97      | -13         | Pass   |
| 704         | 714        | 0.03      | /      | /          | /          | /           | /           | /      |


# Band17 10MHz 16QAM LCH 709MHz RB 1 0 NTNV




Band17 10MHz 16QAM LCH 709MHz RB 1 0 NTNV




Band17 10MHz 16QAM LCH 709MHz RB 1 0 NTNV



Band17 10MHz 16QAM LCH 709MHz RB 1 0 NTNV




Band17\_10MHz\_16QAM\_LCH\_709MHz\_RB\_50\_0\_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 694         | 703.9      | 0.1       | CHP    | 1          | 703.842    | -35.42      | -13         | Pass   |
| 703.9       | 704        | 0.03      | /      | 2          | 703.947    | -36.20      | -13         | Pass   |
| 704         | 714        | 0.03      | /      | /          | /          | /           | /           | /      |


Band17\_10MHz\_16QAM\_MCH\_710MHz\_RB\_1\_0\_NTNV




Band17\_10MHz\_16QAM\_MCH\_710MHz\_RB\_1\_0\_NTNV




Band17\_10MHz\_16QAM\_MCH\_710MHz\_RB\_1\_0\_NTNV




Band17\_10MHz\_16QAM\_MCH\_710MHz\_RB\_1\_0\_NTNV




# Band17 10MHz 16QAM HCH 711MHz RB 1 0 NTNV




# Band17 10MHz 16QAM HCH 711MHz RB 1 0 NTNV




Band17\_10MHz\_16QAM\_HCH\_711MHz\_RB\_1\_0\_NTNV



Band17\_10MHz\_16QAM\_HCH\_711MHz\_RB\_1\_0\_NTNV




Band17\_10MHz\_16QAM\_HCH\_711MHz\_RB\_1\_49\_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 706         | 716        | 0.03      | /      | /          | /          | /           | /           | /      |
| 716         | 716.1      | 0.03      | /      | 1          | 716.008    | -38.00      | -13         | Pass   |
| 716.1       | 726        | 0.1       | CHP    | 2          | 716.263    | -40.08      | -13         | Pass   |

Band17\_10MHz\_16QAM\_HCH\_711MHz\_RB\_50\_0\_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 706         | 716        | 0.03      | /      | /          | /          | /           | /           | /      |
| 716         | 716.1      | 0.03      | /      | 1          | 716.008    | -36.79      | -13         | Pass   |
| 716.1       | 726        | 0.1       | CHP    | 2          | 716.158    | -33.61      | -13         | Pass   |

# Band17 10MHz 64QAM LCH 709MHz RB 1 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 694         | 703.9      | 0.1       | CHP    | 1          | 703.737    | -40.92      | -13         | Pass   |
| 703.9       | 704        | 0.03      | /      | 2          | 703.992    | -39.36      | -13         | Pass   |
| 704         | 714        | 0.03      | /      | /          | /          | /           | /           | /      |


# Band17 10MHz 64QAM LCH 709MHz RB 1 0 NTNV




Band17 10MHz 64QAM LCH 709MHz RB 1 0 NTNV




Band17 10MHz 64QAM LCH 709MHz RB 1 0 NTNV



# Band17 10MHz 64QAM LCH 709MHz RB 1 0 NTNV




# Band17\_10MHz\_64QAM\_LCH\_709MHz\_RB\_50\_0\_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 694         | 703.9      | 0.1       | CHP    | 1          | 703.842    | -36.50      | -13         | Pass   |
| 703.9       | 704        | 0.03      | /      | 2          | 703.932    | -39.58      | -13         | Pass   |
| 704         | 714        | 0.03      | /      | /          | /          | /           | /           | /      |


# Band17\_10MHz\_64QAM\_MCH\_710MHz\_RB\_1\_0\_NTNV




# Band17\_10MHz\_64QAM\_MCH\_710MHz\_RB\_1\_0\_NTNV




Band17\_10MHz\_64QAM\_MCH\_710MHz\_RB\_1\_0\_NTNV




Band17\_10MHz\_64QAM\_MCH\_710MHz\_RB\_1\_0\_NTNV




Band17\_10MHz\_64QAM\_HCH\_711MHz\_RB\_1\_0\_NTNV




Band17\_10MHz\_64QAM\_HCH\_711MHz\_RB\_1\_0\_NTNV




Band17\_10MHz\_64QAM\_HCH\_711MHz\_RB\_1\_0\_NTNV



Band17\_10MHz\_64QAM\_HCH\_711MHz\_RB\_1\_0\_NTNV




Band17 10MHz 64QAM HCH 711MHz RB 1 49 NTNV



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 706         | 716        | 0.03      | /      | /          | /          | /           | /           | /      |
| 716         | 716.1      | 0.03      | /      | 1          | 716.008    | -40.00      | -13         | Pass   |
| 716.1       | 726        | 0.1       | CHP    | 2          | 716.218    | -41.68      | -13         | Pass   |

Band17 10MHz 64QAM HCH 711MHz RB 50 0 NTNV



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 706         | 716        | 0.03      | /      | /          | /          | /           | /           | /      |
| 716         | 716.1      | 0.03      | /      | 1          | 716.053    | -37.29      | -13         | Pass   |
| 716.1       | 726        | 0.1       | CHP    | 2          | 716.158    | -35.77      | -13         | Pass   |

## 6. Field Strength of Spurious Radiation

| LTE Band 17 ANT0-Low channel, Modulation: QPSK, Bandwidth:10MHz, 1RB#0 |            |             |                 |                  |                 |                    |                    |        |
|------------------------------------------------------------------------|------------|-------------|-----------------|------------------|-----------------|--------------------|--------------------|--------|
| Frequency (MHz)                                                        | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | S.G. Power (dBm) | Cable Loss (dB) | Antenna Gain (dBi) | Polarization (H/V) | Result |
| 1409.0                                                                 | -61.76     | -13         | -48.76          | -64.58           | 2.48            | 5.3                | Horizontal         | Pass   |
| 2113.5                                                                 | -65.53     | -13         | -52.53          | -67.62           | 2.8             | 4.89               | Horizontal         | Pass   |
| 2818.0                                                                 | -68.96     | -13         | -55.96          | -72.36           | 3.12            | 6.52               | Horizontal         | Pass   |
| 1409.0                                                                 | -67.25     | -13         | -54.25          | -70.07           | 2.48            | 5.3                | Vertical           | Pass   |
| 2113.5                                                                 | -69.91     | -13         | -56.91          | -72.0            | 2.8             | 4.89               | Vertical           | Pass   |
| 2818.0                                                                 | -68.8      | -13         | -55.8           | -72.2            | 3.12            | 6.52               | Vertical           | Pass   |

| LTE Band 17 ANT0-Middle channel, Modulation: QPSK, Bandwidth:10MHz, 1RB#0 |            |             |                 |                  |                 |                    |                    |        |
|---------------------------------------------------------------------------|------------|-------------|-----------------|------------------|-----------------|--------------------|--------------------|--------|
| Frequency (MHz)                                                           | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | S.G. Power (dBm) | Cable Loss (dB) | Antenna Gain (dBi) | Polarization (H/V) | Result |
| 1411.0                                                                    | -62.71     | -13         | -49.71          | -65.54           | 2.49            | 5.32               | Horizontal         | Pass   |
| 2116.5                                                                    | -70.25     | -13         | -57.25          | -72.35           | 2.8             | 4.9                | Horizontal         | Pass   |
| 2822.0                                                                    | -68.85     | -13         | -55.85          | -72.25           | 3.13            | 6.53               | Horizontal         | Pass   |
| 1411.0                                                                    | -70.0      | -13         | -57.0           | -72.83           | 2.49            | 5.32               | Vertical           | Pass   |
| 2116.5                                                                    | -70.4      | -13         | -57.4           | -72.5            | 2.8             | 4.9                | Vertical           | Pass   |
| 2822.0                                                                    | -68.9      | -13         | -55.9           | -72.3            | 3.13            | 6.53               | Vertical           | Pass   |

| LTE Band 17 ANT0-High channel, Modulation: QPSK, Bandwidth:10MHz, 1RB#0 |            |             |                 |                  |                 |                    |                    |        |
|-------------------------------------------------------------------------|------------|-------------|-----------------|------------------|-----------------|--------------------|--------------------|--------|
| Frequency (MHz)                                                         | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | S.G. Power (dBm) | Cable Loss (dB) | Antenna Gain (dBi) | Polarization (H/V) | Result |
| 1413.0                                                                  | -66.0      | -13         | -53.0           | -68.84           | 2.49            | 5.33               | Horizontal         | Pass   |
| 2119.5                                                                  | -70.05     | -13         | -57.05          | -72.15           | 2.81            | 4.91               | Horizontal         | Pass   |
| 2826.0                                                                  | -68.54     | -13         | -55.54          | -71.95           | 3.13            | 6.54               | Horizontal         | Pass   |
| 1413.0                                                                  | -69.74     | -13         | -56.74          | -72.58           | 2.49            | 5.33               | Vertical           | Pass   |
| 2119.5                                                                  | -70.26     | -13         | -57.26          | -72.36           | 2.81            | 4.91               | Vertical           | Pass   |
| 2826.0                                                                  | -69.31     | -13         | -56.31          | -72.72           | 3.13            | 6.54               | Vertical           | Pass   |