

module antenna test report

— ANT manufacturer

名称：深圳市聆动智能科技有限公司

Company name: Shenzhen Lingdong Intelligent
Technology Co., Ltd


地址：深圳市南山区西丽街道西丽社区打石一路深圳国际
创新谷1栋B座1501

address: 1501, Block B, Building 1, Shenzhen
International Innovation Valley, Dashi 1st Road, Xili
Community, Xili Street, Nanshan District, Shenzhen


- Antenna structure

- Photo

ANT




- Return Loss



Radiation Patterns — 2400MHz (2n2 wo/housing)


xy-plane



horizontal


Pol.	Peak	avg.
h	+1.4	-3.6

xz-plane




Pol.	peak	avg.
h	-4.6	-9.3

yz-plane




Pol.	peak	avg.
h	+0.4	-5.8


vertical



Pol.	peak	avg.
v	-6.9	-14.8



Pol.	peak	avg.
v	-5.4	-8.8




Pol.	peak	avg.
v	-3.2	-5.9

Radiation Patterns — 2450MHz (2n2 wo/housing)


horizontal

xy-plane




Pol.	Peak	avg.
h	+1.5	-3.8

xz-plane




Pol.	peak	avg.
h	-5.7	-9.0

yz-plane




Pol.	peak	avg.
h	-0.5	-6.2


vertical



Pol.	peak	avg.
v	-7.5	-15.8




Pol.	peak	avg.
v	-6.4	-9.4



Pol.	peak	avg.
v	-3.3	-5.5

Radiation Patterns — 2480MHz (2n2 wo/housing)



Antenna gain table

Freq.	2400MHz												
Plane	xy-plane				xz-plane				yz-plane				Efficiency (%)
Pol.	h		v		h		v		h		v		
Gain (dBi)	peak	avg.	peak	avg.	peak	avg.	peak	avg.	peak	avg.	peak	avg.	
	+1.4	-3.6	-6.9	-14.8	-4.6	-9.3	-5.4	-8.8	+0.4	-5.8	-3.2	-5.9	41.3

Freq.	2450MHz												
Plane	xy-plane				xz-plane				yz-plane				Efficiency (%)
Pol.	h		v		h		v		h		v		
Gain (dBi)	peak	avg.	peak	avg.	peak	avg.	peak	avg.	peak	avg.	peak	avg.	
	+1.5	-3.8	-7.5	-15.8	-5.7	-9.0	-6.4	-9.4	-0.5	-6.2	-3.3	-5.5	40.1

Freq.	2480MHz												
Plane	xy-plane				xz-plane				yz-plane				Efficiency (%)
Pol.	h		v		h		v		h		v		
Gain (dBi)	peak	avg.	peak	avg.	peak	avg.	peak	avg.	peak	avg.	peak	avg.	
	+1.1	-4.9	-7.1	-15.4	-4.4	-7.9	-4.4	-8.1	-0.6	-6.3	-2.1	-4.8	41.1