

### **EUT AND PRODUCT INFORMATION**

Type of Equipment	UPCS (DECT 6.0)
Applicant Name	Panasonic Corporation of North America
Responsible Mfr Name	Panasonic Corporation
Address	1-62, 4-chome, Minoshima, Hakata-ku, Fukuoka 812-8531, Japan
Contact	Kazunori Ata

	FP	PP		
EUT Type/System	$\boxtimes$			
FCC ID	ACJ96NKX-TGF850	ACJ96NKX-TGDA51		
	(IC:216A-KXTGF870)	(IC:216A-KXTGDA59)		
Model name	KX-TGF850	KX-TGFA85		
	KX-TGF870C	KX-TGFA87C		
HW Version	PNLB2838xx	PNLB2668xx		
SW Version	SW202	SW201		
Max antenna Gain (dBi)	0dBi	0dBi		
Can the EUT be Initiating Device	YES	⊠ YES		
Does the EUT transmit signaling channels	⊠ YES	YES		
Max number of slots in use simultaneously	1 slot	1 slot		
Test standard:	FCC part 15D	Other: Industry Canada RSS-213, Issue 2		
Frequency Band	1921.536 – 1928.448 MHz			
# of RF Channels	5			
Frame Period	10 ms			
Max. Burst length	417us / duplex channel (For Narrow band)			
Min. Burst Length	106us / signaling channel			
# of Logical Channels	60 (12 duplex channels per RF carrier)(For Narrow band)			
Operating Mode	☐ Simplex ☐ Duplex			



ANTENNAS	3			
Base (FP)	Antenna	Туре	Internal	External
	1	Wired Antenna	$\boxtimes$	
	2	Pattern Antenna		
	3			
	4			
	Does RX and TX use the same antenna(s)?		Yes	☐ No
Handset (PP)	Antenna	Type	Internal	External
	1	Pattern Antenna		
	2			
	Does RX and T	X use the same antenna(s)?	Yes	☐ No

ANTENNA DIVERSITY			
	Antenna	Diversity Supported	
		TX	RX
Base (FP)	1	$\boxtimes$	$\boxtimes$
and Repeater	2	$\boxtimes$	
	3		
	4		
Handset (PP)	1		
	2		

VOLTAGE AND TEMPERATURE RANGES				
VOLTAGES	FP	I	PP	
Nominal Voltage	120V AC	DC	2.4V	
Cut-Off Voltage (if applicable)	-		-	-
POWER SOURCE	Type	Manufacturer		<b>Aanufacturer</b>
Base or Repeater	PNLV226 (AC Ac	aptor) Panasonic		Panasonic
Handset (PP) (charger)	PNLC1077 (Charger)		Charger) Panasonic	
<b>Data Connections</b>	PSTN (Base)			
	Others (please spe	cify)		



ANCILLARY EQUIPMENT		
Description	AC Adaptor and Charger	
Type	PNLV226 (AC Adaptor), PNLC1077 (Charger)	
Manufacturer	Panasonic	

HOST DEVICE	
Description	
Type	
Manufacturer	

ADDITIONAL INFORMATION	



MANUFACTURERS DECLARATIONS			
FCC part 15.323 (c)(5)			
No device or group of co-operating devices located within 1m of each other shall during any frame period occupy more than 6 MHz of aggregate bandwidth, or alternatively, more than one third of the time and spectrum windows defined by the system.			
Applicant Agrees	∑ Yes	□ No	
FCC part 15.323 (c)(10)			
The applicant hereby declares that this section.	at the system in this application do	<b>Des</b> use the criteria of (c)(10) of	
Applicant Agrees	∑ Yes	□No	
FCC part 15.323 (c)(11)			
The applicant hereby declares that this section.	at system in this application does	<b>not</b> use the criteria of (c)(11) of	
Applicant Agrees	⊠ Yes	□ No	
FCC part 15.323 (c)(12)			
The provisions of $(c)(10)$ or $(c)(11)$ of this section <b>shall not</b> be used to extend the range of spectrum occupied over space or time for the purpose of denying fair access to spectrum to other devices.			
Applicant Agrees	⊠ Yes	□No	
FCC part 15.307 (b)			
The Applicant is a participating member of UTAM, Inc. and will provide an affidavit from UTAM, Inc. certifying this.			
Confirmed By Applicant	∑ Yes	□No	
ADDITIONAL REMARKS:			
>			
DECLARED BY:	Bar	18 /	
August 29, 2019 Ben E	Botros	Ber L.	