



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX40MIMO_Ant2_2422_0-Reference



11AX40MIMO_Ant2_2422_30-1000



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX40MIMO_Ant2_2422_1000~26500



11AX40MIMO_Ant1_2437_0-Reference



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX40MIMO_Ant1_2437_30~1000




11AX40MIMO_Ant1_2437_1000~26500



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX40MIMO_Ant2_2437_0-Reference



11AX40MIMO_Ant2_2437_30-1000



11AX40MIMO_Ant2_2437_1000~26500



11AX40MIMO_Ant1_2452_0~Reference



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX40MIMO_Ant1_2452_30~1000



11AX40MIMO_Ant1_2452_1000~26500



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX40MIMO_Ant2_2452_0-Reference



11AX40MIMO_Ant2_2452_30-1000




BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX40MIMO_Ant2_2452_1000~26500






DUTY CYCLE TEST RESULT

TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11B-CDD	Ant1	2412	0.66	0.67	98.51
	Ant2	2412	0.66	0.67	98.51
	Ant1	2437	0.67	0.68	98.53
	Ant2	2437	0.66	0.67	98.51
	Ant1	2462	0.67	0.68	98.53
	Ant2	2462	0.66	0.67	98.51
11G-CDD	Ant1	2412	2.10	2.11	99.53
	Ant2	2412	2.10	2.12	99.06
	Ant1	2437	2.10	2.11	99.53
	Ant2	2437	2.09	2.11	99.05
	Ant1	2462	2.10	2.11	99.53
	Ant2	2462	2.09	2.11	99.05
11N20MIMO	Ant1	2412	5.43	5.44	99.82
	Ant2	2412	5.43	5.45	99.63
	Ant1	2437	5.43	5.44	99.82
	Ant2	2437	5.43	5.45	99.63
	Ant1	2462	5.43	5.44	99.82
	Ant2	2462	5.43	5.44	99.82
11N40MIMO	Ant1	2422	5.43	5.45	99.63
	Ant2	2422	5.42	5.44	99.63
	Ant1	2437	5.43	5.45	99.63
	Ant2	2437	5.43	5.45	99.63
	Ant1	2452	5.43	5.45	99.63
	Ant2	2452	5.43	5.45	99.63
11AX20MIMO	Ant1	2412	5.45	5.46	99.82
	Ant2	2412	5.45	5.46	99.82
	Ant1	2437	5.44	5.46	99.63
	Ant2	2437	5.45	5.46	99.82
	Ant1	2462	5.45	5.47	99.63



	Ant2	2462	5.45	5.46	99.82
11AX40MIMO	Ant1	2422	5.45	5.46	99.82
	Ant2	2422	5.45	5.46	99.82
	Ant1	2437	5.45	5.46	99.82
	Ant2	2437	5.44	5.46	99.63
	Ant1	2452	5.45	5.46	99.82
	Ant2	2452	5.44	5.46	99.63

11B-CDD_Ant1_2412



The screenshot displays a Keysight Spectrum Analyzer interface. The main display shows a spectrum plot with a signal at 2.412 GHz. A peak marker is visible at 2.412 GHz, labeled '3Δ1'. The plot shows a signal level of approximately -10 dBm. The plot is titled 'Center Freq 2.412000000 GHz' and 'Ref Offset 21.35 dB'. The plot also shows 'Ref 25.00 dBm' and 'ΔMkr3 672.7 μs 0.62 dB'.

Below the plot, the following parameters are displayed:

- Center 2.412000000 GHz
- Res BW 8 MHz
- #VBW 8.0 MHz
- Sweep 2.000 ms (3001 pts)
- Span 0 Hz

A table of measurement results is shown below the plot:

NRG	MODE	TRIG	SCN	X	Y	FUNCTION	FUNCTION UNIT	FUNCTION VALUE
1	Δ1	1	t	170.0 μs	18.54 dBm			
2	Δ1	1	t	668.7 μs (Δ)	0.03 dB			
3	Δ1	1	t	672.7 μs (Δ)	0.62 dB			
4								
5								
6								
7								
8								
9								
10								
11								

The right side of the interface shows various settings and controls:


- Frequency: Auto Tune
- Center Freq: 2.412000000 GHz
- Start Freq: 2.412000000 GHz
- Stop Freq: 2.412000000 GHz
- CF Step: 8.000000 MHz
- Auto: Man
- Freq Offset: 0 Hz
- Scale Type: Log Lin




BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02

11B-CDD_Ant1_2437



11B-CDD_Ant2_2437




11B-CDD_Ant1_2462




BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11B-CDD_Ant2_2462




11G-CDD_Ant1_2412




BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11G-CDD_Ant2_2412




11G-CDD_Ant1_2437




BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11G-CDD_Ant2_2437




11G-CDD_Ant1_2462




BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11G-CDD_Ant2_2462




11N20MIMO_Ant1_2412




BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11N20MIMO_Ant2_2412




11N20MIMO_Ant1_2437




BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11N20MIMO_Ant2_2437




11N20MIMO_Ant1_2462



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



BV 7Layers Communications Technology
(Shenzhen) Co., Ltd


No.B102, Dazu Chuangxin Mansion, North of Beihuan
Avenue, North Area, Hi-Tech Industrial Park, Nanshan
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577
Email: customerservice.sw@bureauveritas.com




BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11N40MIMO_Ant2_2422




11N40MIMO_Ant1_2437



BUREAU
VERITAS


Test Report No.: W7L-P23100014RF02






BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11N40MIMO_Ant2_2452




11AX20MIMO_Ant1_2412




BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX20MIMO_Ant2_2412




11AX20MIMO_Ant1_2437




BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX20MIMO_Ant2_2437




11AX20MIMO_Ant1_2462



BUREAU
VERITAS


Test Report No.: W7L-P23100014RF02






BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX40MIMO_Ant2_2422




11AX40MIMO_Ant1_2437




BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX40MIMO_Ant2_2437




11AX40MIMO_Ant1_2452




BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX40MIMO_Ant2_2452



BV 7Layers Communications Technology
(Shenzhen) Co., Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan
Avenue, North Area, Hi-Tech Industrial Park, Nanshan
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577
Email: customerservice.sw@bureauveritas.com



Test Report No.: W7L-P23100014RF02

WLAN_OFDMA
DTS BANDWIDTH
TEST RESULT

Test Mode	Antenna	Frequency [MHz]	Ru Size	Ru Index	DTS BW [MHz]	FL [MHz]	FH [MHz]	Limit [MHz]	Verdict
11AX20_RU	Ant1	2412	242Tone	RU61	18.640	2402.840	2421.480	0.5	PASS
	Ant2	2412	242Tone	RU61	18.720	2402.800	2421.520	0.5	PASS
	Ant1	2437	242Tone	RU61	18.960	2427.480	2446.440	0.5	PASS
	Ant2	2437	242Tone	RU61	18.800	2427.520	2446.320	0.5	PASS
	Ant1	2462	242Tone	RU61	18.880	2452.560	2471.440	0.5	PASS
	Ant2	2462	242Tone	RU61	18.280	2452.520	2470.800	0.5	PASS
11AX40_RU	Ant1	2422	484Tone	RU65	36.960	2403.600	2440.560	0.5	PASS
	Ant2	2422	484Tone	RU65	32.640	2405.680	2438.320	0.5	PASS
	Ant1	2437	484Tone	RU65	37.600	2418.040	2455.640	0.5	PASS
	Ant2	2437	484Tone	RU65	37.840	2418.120	2455.960	0.5	PASS
	Ant1	2452	484Tone	RU65	37.840	2433.040	2470.880	0.5	PASS
	Ant2	2452	484Tone	RU65	37.360	2433.200	2470.560	0.5	PASS



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02

TEST GRAPHS

11AX20_RU_Ant1_2412_242Tone_RU61



11AX20_RU_Ant2_2412_242Tone_RU61




11AX20_RU_Ant1_2437_242Tone_RU61



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX20_RU_Ant2_2437_242Tone_RU61



11AX20_RU_Ant1_2462_242Tone_RU61



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX20_RU_Ant2_2462_242Tone_RU61




11AX40_RU_Ant1_2422_484Tone_RU65



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX40_RU_Ant2_2422_484Tone_RU65




11AX40_RU_Ant1_2437_484Tone_RU65




BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX40_RU_Ant2_2437_484Tone_RU65



11AX40_RU_Ant1_2452_484Tone_RU65




BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX40_RU_Ant2_2452_484Tone_RU65





OCCUPIED CHANNEL BANDWIDTH

TEST RESULT

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	DTS BW [MHz]	FL [MHz]	FH [MHz]	Limit [MHz]	Verdict
11AX20_RU	Ant1	2412	242Tone	RU61	19.252	2402.4 464	2421.6 984	---	---
	Ant2	2412	242Tone	RU61	19.170	2402.5 041	2421.6 741	---	---
	Ant1	2437	242Tone	RU61	19.367	2427.2 934	2446.6 604	---	---
	Ant2	2437	242Tone	RU61	19.295	2427.3 264	2446.6 214	---	---
	Ant1	2462	242Tone	RU61	19.358	2452.2 794	2471.6 374	---	---
	Ant2	2462	242Tone	RU61	19.197	2452.3 762	2471.5 732	---	---
11AX40_RU	Ant1	2422	484Tone	RU65	40.805	2402.0 503	2442.8 553	---	---
	Ant2	2422	484Tone	RU65	38.950	2402.5 947	2441.5 447	---	---
	Ant1	2437	484Tone	RU65	42.336	2416.2 333	2458.5 693	---	---
	Ant2	2437	484Tone	RU65	38.878	2417.5 669	2456.4 449	---	---
	Ant1	2452	484Tone	RU65	42.268	2430.5 091	2472.7 771	---	---
	Ant2	2452	484Tone	RU65	39.467	2432.1 664	2471.6 334	---	---



TEST GRAPHS

11AX20_RU_Ant1_2412_242Tone_RU61



11AX20_RU_Ant2_2412_242Tone_RU61




11AX20_RU_Ant1_2437_242Tone_RU61



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX20_RU_Ant2_2437_242Tone_RU61




11AX20_RU_Ant1_2462_242Tone_RU61



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX20_RU_Ant2_2462_242Tone_RU61



11AX40_RU_Ant1_2422_484Tone_RU65



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX40_RU_Ant2_2422_484Tone_RU65



11AX40_RU_Ant1_2437_484Tone_RU65



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX40_RU_Ant2_2437_484Tone_RU65



11AX40_RU_Ant1_2452_484Tone_RU65



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX40_RU_Ant2_2452_484Tone_RU65





MAXIMUM CONDUCTED OUTPUT POWER

TEST RESULT

Test Mode	Ant.	Freq. [MHz]	Ru Size	Ru Index	Average power [dBm]	Peak Power [dBm]	Peak Power [mw]	Conducted Limit [dBm]	EIRP [dBm]	EIRP Limit [dBm]	Verdict	Power Setting
11AX20_RU SISO	Ant1	2412	242Tone	RU61	9.44	18.81	76.03	≤30.00	18.91	77.80	≤36.00	10
	Ant1	2437	242Tone	RU61	8.89	18.34	68.23	≤30.00	18.44	69.82	≤36.00	10
	Ant1	2462	242Tone	RU61	9.18	18.42	69.50	≤30.00	18.52	71.12	≤36.00	10
	Ant2	2412	242Tone	RU61	9.31	18.51	70.96	≤30.00	14.81	30.27	≤36.00	10
	Ant2	2437	242Tone	RU61	9.28	18.47	70.31	≤30.00	14.77	29.99	≤36.00	10
	Ant2	2462	242Tone	RU61	9.24	18.48	70.47	≤30.00	14.78	30.06	≤36.00	10
11AX20_RU MIMO	Ant1	2412	242Tone	RU61	9.58	18.93	---	---	---	---	---	---
	Ant2	2412	242Tone	RU61	9.71	18.69	---	---	---	---	---	---
	total	2412	242Tone	RU61	12.66	21.82	152.05	≤30.00	21.92	155.60	≤36.00	10
	Ant1	2437	242Tone	RU61	9.05	18.45	---	---	---	---	---	---
	Ant2	2437	242Tone	RU61	9.62	18.64	---	---	---	---	---	---
	total	2437	242Tone	RU61	12.35	21.56	143.22	≤30.00	21.66	146.55	≤36.00	10
	Ant1	2462	242Tone	RU61	9.62	18.64	---	---	---	---	---	---
	Ant2	2462	242Tone	RU61	9.45	18.76	---	---	---	---	---	---
	total	2462	242Tone	RU61	12.41	21.67	146.89	≤30.00	21.77	150.31	≤36.00	10



**BUREAU
VERITAS**

Test Report No.: W7L-P23100014RF02

11AX40_RU SISO	Ant1	2422	484Tone	RU65	9.17	17.63	57.94	≤30.00	17.73	59.29	≤36.00	10
	Ant1	2437	484Tone	RU65	9.02	17.35	54.33	≤30.00	17.45	55.59	≤36.00	10
	Ant1	2452	484Tone	RU65	8.92	16.84	48.31	≤30.00	16.94	49.43	≤36.00	10
	Ant2	2422	484Tone	RU65	9.08	17.47	55.85	≤30.00	13.77	23.82	≤36.00	10
	Ant2	2437	484Tone	RU65	9.43	17.43	55.34	≤30.00	13.73	23.60	≤36.00	10
	Ant2	2452	484Tone	RU65	9.62	17.51	56.36	≤30.00	13.81	24.04	≤36.00	10
11AX40_RU MIMO	Ant1	2422	484Tone	RU65	9.32	17.76	---	---	---	---	---	---
	Ant2	2422	484Tone	RU65	9.22	17.64	---	---	---	---	---	---
	total	2422	484Tone	RU65	12.28	20.71	117.76	≤30.00	20.81	120.50	≤36.00	10
	Ant1	2437	484Tone	RU65	9.18	17.43	---	---	---	---	---	---
	Ant2	2437	484Tone	RU65	9.61	17.82	---	---	---	---	---	---
	total	2437	484Tone	RU65	12.41	20.64	115.88	≤30.00	20.74	118.58	≤36.00	10
	Ant1	2452	484Tone	RU65	9.05	16.97	---	---	---	---	---	---
	Ant2	2452	484Tone	RU65	9.78	17.68	---	---	---	---	---	---
	total	2452	484Tone	RU65	12.44	20.35	108.39	≤30.00	20.45	110.92	≤36.00	10

Note: Peak Power + Gian.

BV 7Layers Communications Technology
(Shenzhen) Co., Ltd

No.B102, Dazhu Chuangxin Mansion, North of Beihuan
Avenue, North Area, Hi-Tech Industrial Park, Nanshan
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577
Email: customerservice.sw@bureauveritas.com



MAXIMUM POWER SPECTRAL DENSITY TEST RESULT

TestMode	Antenna	Frequency[MHz]	RuSize	RuIndex	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11AX20_RU	Ant1	2412	242Tone	RU61	-15.19	≤8.00	PASS
	Ant2	2412	242Tone	RU61	-14.48	≤8.00	PASS
	total	2412	242Tone	RU61	-11.81	≤8.00	PASS
	Ant1	2437	242Tone	RU61	-16.19	≤8.00	PASS
	Ant2	2437	242Tone	RU61	-15.26	≤8.00	PASS
	total	2437	242Tone	RU61	-12.69	≤8.00	PASS
	Ant1	2462	242Tone	RU61	-16.02	≤8.00	PASS
	Ant2	2462	242Tone	RU61	-14.3	≤8.00	PASS
	total	2462	242Tone	RU61	-12.07	≤8.00	PASS
11AX40_RU	Ant1	2422	484Tone	RU65	-16.89	≤8.00	PASS
	Ant2	2422	484Tone	RU65	-17.14	≤8.00	PASS
	total	2422	484Tone	RU65	-14.00	≤8.00	PASS
	Ant1	2437	484Tone	RU65	-18.39	≤8.00	PASS
	Ant2	2437	484Tone	RU65	-16.53	≤8.00	PASS
	total	2437	484Tone	RU65	-14.35	≤8.00	PASS
	Ant1	2452	484Tone	RU65	-17.81	≤8.00	PASS
	Ant2	2452	484Tone	RU65	-17.51	≤8.00	PASS
	total	2452	484Tone	RU65	-14.65	≤8.00	PASS



TEST GRAPHS

11AX20_RU_Ant1_2412_242Tone_RU61



11AX20_RU_Ant2_2412_242Tone_RU61




11AX20_RU_Ant1_2437_242Tone_RU61



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX20_RU_Ant2_2437_242Tone_RU61



11AX20_RU_Ant1_2462_242Tone_RU61



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX20_RU_Ant2_2462_242Tone_RU61




11AX40_RU_Ant1_2422_484Tone_RU65



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX40_RU_Ant2_2422_484Tone_RU65



11AX40_RU_Ant1_2437_484Tone_RU65



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX40_RU_Ant2_2437_484Tone_RU65



11AX40_RU_Ant1_2452_484Tone_RU65



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX40_RU_Ant2_2452_484Tone_RU65





Test Report No.: W7L-P23100014RF02

BAND EDGE MEASUREMENTS

TEST RESULT

TestMode	Antenna	ChName	Frequency[MHz]	Ru Size	Ru Index	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11AX20_RU	Ant1	Low	2412	242Tone	RU61	-2.03	-34.35	≤ -22.03	PASS
	Ant2	Low	2412	242Tone	RU61	-2.76	-34.8	≤ -22.76	PASS
	Ant1	High	2462	242Tone	RU61	-1.48	-34.03	≤ -21.48	PASS
	Ant2	High	2462	242Tone	RU61	-0.40	-34.82	≤ -20.4	PASS
11AX40_RU	Ant1	Low	2422	484Tone	RU65	-3.55	-33.92	≤ -23.55	PASS
	Ant2	Low	2422	484Tone	RU65	-3.82	-34.79	≤ -23.82	PASS
	Ant1	High	2452	484Tone	RU65	-4.90	-34.11	≤ -24.9	PASS
	Ant2	High	2452	484Tone	RU65	-4.74	-34.69	≤ -24.74	PASS



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02

TEST GRAPHS


11AX20_RU_Ant1_Low_2412_242Tone_RU61




11AX20_RU_Ant2_Low_2412_242Tone_RU61



11AX20_RU_Ant1_High_2462_242Tone_RU61



11AX20_RU_Ant2_High_2462_242Tone_RU61



11AX40_RU_Ant1_Low_2422_484Tone_RU65



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX40_RU_Ant2_Low_2422_484Tone_RU65




11AX40_RU_Ant1_High_2452_484Tone_RU65




BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX40_RU_Ant2_High_2452_484Tone_RU65



BV 7Layers Communications Technology
(Shenzhen) Co., Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan
Avenue, North Area, Hi-Tech Industrial Park, Nanshan
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577
Email: customerservice.sw@bureauveritas.com



Test Report No.: W7L-P23100014RF02

CONDUCTED SPURIOUS EMISSION TEST RESULT

TestMode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11AX20_RU	Ant1	2412	242Tone	RU61	Reference	-0.48	-0.48	---	PASS
				RU61	30~1000	-0.48	-43.50	≤-20.48	PASS
				RU61	1000~26500	-0.48	-23.98	≤-20.48	PASS
	Ant2	2412	242Tone	RU61	Reference	-3.52	-3.52	---	PASS
				RU61	30~1000	-3.52	-43.83	≤-23.52	PASS
				RU61	1000~26500	-3.52	-23.69	≤-23.52	PASS
	Ant1	2437	242Tone	RU61	Reference	-5.68	-5.68	---	PASS
				RU61	30~1000	-5.68	-43.82	≤-25.68	PASS
				RU61	1000~26500	-5.68	-34.10	≤-25.68	PASS
	Ant2	2437	242Tone	RU61	Reference	-4.37	-4.37	---	PASS
				RU61	30~1000	-4.37	-43.86	≤-24.37	PASS
				RU61	1000~26500	-4.37	-34.14	≤-24.37	PASS
11AX40_RU	Ant1	2422	484Tone	RU65	Reference	-7.15	-7.15	---	PASS
				RU65	30~1000	-7.15	-42.88	≤-27.15	PASS
				RU65	1000~26500	-7.15	-34.34	≤-27.15	PASS
	Ant2	2422	484Tone	RU65	Reference	-7.15	-7.15	---	PASS
				RU65	30~1000	-7.15	-43.80	≤-27.15	PASS
				RU65	1000~26500	-7.15	-34.50	≤-27.15	PASS
	Ant1	2437	484Tone	RU65	Reference	-8.05	-8.05	---	PASS
				RU65	30~1000	-8.05	-43.96	≤-28.05	PASS
				RU65	1000~26500	-8.05	-35.05	≤-28.05	PASS
	Ant2	2437	484Tone	RU65	Reference	-5.63	-5.63	---	PASS
				RU65	30~1000	-5.63	-44.00	≤-25.63	PASS
				RU65	30~1000	-5.63	-44.00	≤-25.63	PASS

**Test Report No.: W7L-P23100014RF02**

	Ant1	2452	484Tone	RU65	1000~26500	-5.63	-34.30	≤-25.63	PASS
				RU65	Reference	-7.05	-7.05	---	PASS
				RU65	30~1000	-7.05	-43.27	≤-27.05	PASS
				RU65	1000~26500	-7.05	-34.74	≤-27.05	PASS
	Ant2	2452	484Tone	RU65	Reference	-6.41	-6.41	---	PASS
				RU65	30~1000	-6.41	-44.07	≤-26.41	PASS
				RU65	1000~26500	-6.41	-35.09	≤-26.41	PASS



TEST GRAPHS

11AX20_RU_Ant1_2412_242Tone_RU61_0-Reference



11AX20_RU_Ant1_2412_242Tone_RU61_30-1000



11AX20_RU_Ant1_2412_242Tone_RU61_1000-26500



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX20_RU_Ant2_2412_242Tone_RU61_0-Reference



11AX20_RU_Ant2_2412_242Tone_RU61_30-1000

BV 7Layers Communications Technology
(Shenzhen) Co., Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan
Avenue, North Area, Hi-Tech Industrial Park, Nanshan
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577
Email: customerservice.sw@bureauveritas.com



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX20_RU_Ant2_2412_242Tone_RU61_1000~26500



11AX20_RU_Ant1_2437_242Tone_RU61_0-Reference



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX20_RU_Ant1_2437_242Tone_RU61_30~1000



11AX20_RU_Ant1_2437_242Tone_RU61_1000~26500



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX20_RU_Ant2_2437_242Tone_RU61_0-Reference




11AX20_RU_Ant2_2437_242Tone_RU61_30-1000



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX20_RU_Ant2_2437_242Tone_RU61_1000~26500



11AX20_RU_Ant1_2462_242Tone_RU61_0-Reference



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX20_RU_Ant1_2462_242Tone_RU61_30~1000



11AX20_RU_Ant1_2462_242Tone_RU61_1000~26500



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX20_RU_Ant2_2462_242Tone_RU61_0-Reference



11AX20_RU_Ant2_2462_242Tone_RU61_30-1000

BV 7Layers Communications Technology
(Shenzhen) Co., Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan
Avenue, North Area, Hi-Tech Industrial Park, Nanshan
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577
Email: customerservice.sw@bureauveritas.com



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX20_RU_Ant2_2462_242Tone_RU61_1000~26500



11AX40_RU_Ant1_2422_484Tone_RU65_0-Reference



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX40_RU_Ant1_2422_484Tone_RU65_30~1000




11AX40_RU_Ant1_2422_484Tone_RU65_1000~26500



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX40_RU_Ant2_2422_484Tone_RU65_0-Reference




11AX40_RU_Ant2_2422_484Tone_RU65_30-1000



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX40_RU_Ant2_2422_484Tone_RU65_1000~26500



11AX40_RU_Ant1_2437_484Tone_RU65_0-Reference

BV 7Layers Communications Technology
(Shenzhen) Co., Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan
Avenue, North Area, Hi-Tech Industrial Park, Nanshan
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577
Email: customerservice.sw@bureauveritas.com



BUREAU
VERITAS

Test Report No.: W7L-P23100014RF02



11AX40_RU_Ant1_2437_484Tone_RU65_30~1000



11AX40_RU_Ant1_2437_484Tone_RU65_1000~26500