

Report No.: XZR/2021/5004001

Page: 1 of 28

TEST REPORT

Application No: ZR/2021/50040

Applicant: Great Talent Technology Limited

Address of Applicant 35F, HBC HuiLong Center Building-II Minzhi Street, Longhua, Shenzhen, P.R.

China

Manufacturer: Great Talent Technology Limited

Address of Manufacturer: 35F, HBC HuiLong Center Building-II Minzhi Street, Longhua, Shenzhen, P.R.

China

EUT Description: smart phone Model No.: U696CL
Trade Mark: UMX

FCC ID: 2ALZM- U696CL

Standard(s): 47 CFR Part 15, Subpart B

Date of Receipt: 2021/7/2

Date of Test: 2021/7/2 to 2021/7/26

Date of Issue: 2021/8/3

Test Result: Pass*

Authorized Signature:

Simon Ling

Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-Condit

UF, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xian, Shaarud, China 710086 中国・西安・沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮第: 710086

t (86-29) 6282 7885

sgs.china@sgs.com

^{*} In the configuration tested, the EUT complied with the standards specified above.



Report No.: XZR/2021/5004001

Page: 2 of 28

Revision Record							
Version	Version Chapter Date Modifier						
01		2021/8/3		Original			

Prepared By	(Leah Chen) / Engineer
Checked By	Daniel Wang (Daniel Wang) / Reviewer

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ass.com

1/F, Unit D, Building 1, Kanghang Orange Szience Park, No.137, Keyuan 3rd Road, Fengolong New Toum, Xifan, Shasansi, China 710086 中国・西安・沣东新城科源三路137号康鴻健方科技図1号楼D单元1层 邮编: 710086



Report No.: XZR/2021/5004001

Page: 3 of 28

Test Summary

Emission Part				
Item	Standard	Method	Requirement	Result
Conducted Emissions at Mains Terminals (150kHz-30MHz)	47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass
Radiated Emissions (30MHz-1GHz)	47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass
Radiated Emissions (above 1GHz)	47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass

Internal Source	Upper Frequency
Below 1.705MHz	30MHz
1.705MHz to 108MHz	1GHz
108MHz to 500MHz	2GHz
500MHz to 1GHz	5GHz
Above 1GHz	5th harmonic of the highest frequency or 40GHz, whichever is lower



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ass.com



Report No.: XZR/2021/5004001

Page: 4 of 28

Contents

1 GI	ENERAL INFORMATION	5
1.1 1.2 1.3 1.4 1.5	ACCESSORY OF E.U.T. DESCRIPTION OF SUPPORT UNITS. TEST LOCATION TEST FACILITY DEVIATION FROM STANDARDS ABNORMALITIES FROM STANDARD CONDITIONS	6 6 6
2 EN	MISSION TEST RESULTS	7
2. 2. 2.2 2.2 2.3 2.3 2.3	2.1 E.U.T. Operation	
3 EC	QUIPMENT LIST	25
4 MI	EASUREMENT UNCERTAINTY	27
5 PH	HOTOGRAPHS	28
5.1 5.2	TEST SETUP EUT CONSTRUCTIONAL DETAILS (EUT PHOTOS)	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ass.com



Report No.: XZR/2021/5004001

Page: 5 of 28

1 General Information

Product Name:	smart phone	smart phone								
Model No.(EUT):	U696CL									
Trade Mark:	UMX	UMX								
Hardware Version:	U696CL_V1.0	U696CL_V1.0								
Software Version:	UMX_U696CL_V11.01.01	UMX_U696CL_V11.01.01.061711								
	Band	Tx (MHz)	Rx (MHz)							
	GSM850	824~849	869~894							
	GSM1900	1850~1910	1930~1990							
	WCDMA Band II	1850~1910	1930~1990							
	WCDMA Band IV	1710~1755	2110~2155							
	WCDMA Band V	824~849	869~894							
	LTE Band 2	1850~1910	1930~1990							
	LTE Band 4	1710~1755	2110~2155							
Fraguency Bondo	LTE Band 5	824~849	869~894							
Frequency Bands:	LTE Band 12	699~716	729~746							
	LTE Band 25	1850~1915	1930~1995							
	LTE Band 26	814~849	859~894							
	LTE Band 41	2496~2690	2496~2690							
	LTE Band 66	1710~1780	2110~2200							
	LTE Band 71	663~698	617~652							
	Wi-Fi 2.4G	2412~2462	2412~2462							
	Bluetooth	2402~2480	2402~2480							
	GNSS	GNSS 1599~1610								



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ass.com

1/F, Unit D, Building 1, Kanghang Orange Szience Park, No.137, Keyuan 3rd Road, Fengolong New Toum, Xifan, Shasansi, China 710086 中国・西安・沣东新城科源三路137号康鴻健方科技図1号楼D单元1层 邮编: 710086



Report No.: XZR/2021/5004001

Page: 6 of 28

1.1 Accessory of E.U.T.

Item No.	Mode No.	Manufacturer	
Adapter	TPA-5950100UU ShenZhen Kingfulin Technology		
USB cable TYPE-C TO USBA/M L0.8M BLK		Dongguan Guojun Plastic Electronics Co., Ltd.	
Battery (EUT)	UBT2300	Phenix New Energy(Hui Zhou)Co.,Ltd.	

1.2 Description of Support Units

Description	escription Manufacturer		Inventory No.
Router	Router NETGEAR		No.XA1401
Computer	Computer Lenovo		No.XA1402
Mouse	A4TECH	OP-520NU USB	No.XA1403

1.3 Test Location

All tests were performed at:

Company:	SGS-CSTC STANDARDS TECHNICAL SERVICES (XI 'AN) CO., LTD.
Address:	1/F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, Xi'an, Shaanxi China
Post code:	710086
Test engineer:	Leah Chen, Ken Liu, Andy Yao

No tests were sub-contracted.

1.4 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 4854.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (XI 'AN) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 4854.01.

FCC-Designation Number: CN1271.

1.5 Deviation from Standards

None

1.6 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx and, for electronic Documents as the time of the standard of the first and the standard of the s



Report No.: XZR/2021/5004001

Page: 7 of 28

2 Emission Test Results

2.1 Conducted Emissions at Mains Terminals (150kHz-30MHz)

Test Requirement: 47 CFR Part 15, Subpart B

Test Method: ANSI C63.4:2014 Frequency Range: 150kHz to 30MHz

Limit:

0.15M-0.5MHz 66dB(μ V)-56dB(μ V) quasi-peak, 56dB(μ V)-46dB(μ V) average

0.5M-5MHz 56dB(μ V) quasi-peak, 46dB(μ V) average 5M-30MHz 60dB(μ V) quasi-peak, 50dB(μ V) average

Detector: Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz

2.1.1 E.U.T. Operation

Operating Environment:

Temperature: 18.9 °C Humidity: 55.1 % RH Atmospheric Pressure: 1000 mbar

Pretest these a: Transfer data between the EUT and the PC+USB cable

modes to find b: GSM 850 Idle+BT+WLAN+GNSS Rx+playing MP4 (SD card) + USB

the worst case: Cable+adapter

c: WCDMA Band V Idle +BT+WLAN+GNSS Rx+camera (Front) + USB

Cable+adapter

d: LTE Band 5 Idle+BT+WLAN +GNSS Rx+ camera (Back)+ USB Cable+adapter

e: LTE Band 26 Idle+BT+WLAN +GNSS Rx+ camera (worst)+ USB

Cable+adapter

f: LTE Band 71 Idle+BT+WLAN +GNSS Rx+ camera (worst)+ USB Cable+adapter

The worst case

a: Transfer data between the EUT and the PC+USB cable

for final test:

d: LTE Band 5 Idle+BT+WLAN +GNSS Rx+ camera (Back)+ USB Cable+adapter



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sps.com/en/Terms-and-Conditions.appy.and.for electronic Documents at http://www.sps.com/en/Terms-and-Conditions.ferms-and-Conditions ferms-and-Conditions ferms-and-Condit




Report No.: XZR/2021/5004001

Page: 8 of 28

2.1.2 Test Setup Procedures

- 1. The EUT was placed 0.4 meter from the conducting wall of the shielding room was kept at least 80 centimeters from any other grounded conducting surface.
- 2. Connect EUT to the power mains through a line impedance stabilization network (LISN).
- 3. All the support units are connecting to the other LISN.
- 4. The LISN provides 50 ohm coupling impedance for the measuring instrument.
- 5. The FCC states that a 50 ohm, 50 microhenry LISN should be used.
- 6. Both sides of AC line were checked for maximum conducted interference.
- 7. The frequency range from 150 kHz to 30 MHz was searched.
- 8. Set the test-receiver system to Peak Detect Function and specified bandwidth (IF Bandwidth = 9kHz) with Maximum Hold Mode. Then measurement is also conducted by Average Detector and Quasi-Peak Detector Function respectively.



2.1.3 Measurement Data

An initial pre-scan was performed with peak detector. Quasi-Peak or Average measurement were performed at the frequencies with maximized peak emission were detected.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


**Attention: To check the authenticity of testing (inspection report & certificate, please accounts us at telephone: (86-755) 8307 1443.



Report No.: XZR/2021/5004001

Page: 9 of 28

Mode:a; Line:Live Line



Test Graph

Final	Data List							
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]
1	0.1553	10.10	39.94	65.71	25.77	23.55	55.71	32.16
2	0.2003	10.13	36.65	63.60	26.95	21.30	53.60	32.30
3	0.4711	10.15	42.52	56.49	13.97	29.51	46.49	16.98
4	0.9692	10.18	36.60	56.00	19.40	21.83	46.00	24.17
5	2.3829	10.12	35.22	56.00	20.78	21.14	46.00	24.86
6	4.0537	9.81	33.71	56.00	22.29	24.45	46.00	21.55



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sps.com/en/Terms-and-Conditions-and-Conditions-a

1/F, Unit D, Building 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengolong New Town, Xi'an, Shazarui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86–29) 6282 7885 ww t (86–29) 6282 7885 sgs


www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: XZR/2021/5004001

Page: 10 of 28

Mode:a; Line:Neutral Line



Test Graph

Final Data List									
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	
1	0.4480	10.15	28.12	56.91	28.79	9.45	46.91	37.46	
2	0.6848	10.16	26.21	56.00	29.79	13.37	46.00	32.63	
3	1.1098	10.18	23.47	56.00	32.53	11.80	46.00	34.20	
4	2.2963	10.13	27.13	56.00	28.87	11.45	46.00	34.55	
5	3.9569	9.83	32.51	56.00	23.49	22.50	46.00	23.50	
6	28.8892	13.84	24.43	60.00	35.57	13.66	50.00	36.34	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overteaf, available on request or accessible at http://www.ags.com/en/Ferms-and-Conditions.agpx and for electronic Document as <a href="http://www.ags.com/en/Ferms-and-Conditions/Ferms-and-Conditio


or email: CN. Doccheck@sgs.com ||Ti, builD, Biding I, Karghong Orago Scane Park, No.137, Reyan 3rd Road, Fengtong New Town, Vian, Shaanat, China 710086 中国 - 西安 - 洋东新城科源三路137号康海橙方科技园1号楼D单元1层 邮编: 710086



Report No.: XZR/2021/5004001

Page: 11 of 28

Mode:d; Line:Live Line



Test Graph

Final Data List									
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	
1	0.1615	10.10	32.47	65.39	32.92	18.27	55.39	37.12	
2	0.4596	10.15	44.00	56.70	12.70	30.90	46.70	15.80	
3	0.9572	10.18	37.19	56.00	18.81	23.95	46.00	22.05	
4	2.2612	10.14	33.18	56.00	22.82	18.66	46.00	27.34	
5	4.2099	9.77	35.22	56.00	20.78	23.56	46.00	22.44	
6	29.9020	11.60	32.82	60.00	27.18	17.98	50.00	32.02	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overteaf, available on request or accessible at http://www.ags.com/en/Ferms-and-Conditions.agpx and for electronic Document as <a href="http://www.ags.com/en/Ferms-and-Conditions/Ferms-and-Conditio

or email: CN. Doccheck@sgs.com ||Ti, bitl), Biding | Kaptong Orang Soene Path, Nol37, Keyan 3rd Read, Fengtong New Town, Xira, Shaarut, Chira 710086 |中国 - 西安 - 洋东新城科源三路137号康鴻檀方科技园1号楼D单元1层 邮第: 710086


t (86–29) 6282 7885 www.sgs t (86–29) 6282 7885 sgs.china



Report No.: XZR/2021/5004001

Page: 12 of 28

Mode:d; Line:Neutral Line



Test Graph

Final	Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]			
1	0.1746	10.11	31.53	64.74	33.21	14.24	54.74	40.50			
2	0.4635	10.15	37.02	56.63	19.61	28.12	46.63	18.51			
3	0.9172	10.18	30.05	56.00	25.95	11.96	46.00	34.04			
4	2.3347	10.13	26.93	56.00	29.07	11.18	46.00	34.82			
5	4.1447	9.79	32.76	56.00	23.24	22.54	46.00	23.46			
6	29.1303	13.86	24.71	60.00	35.29	13.68	50.00	36.32			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sps.com/en/Terms-and-Conditions/Terms-and-Condit

1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xi'an, Shaanxi, China 710086 中国·西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885



Report No.: XZR/2021/5004001

Page: 13 of 28

2.2 Radiated Emissions (30MHz-1GHz)

Test Requirement: 47 CFR Part 15, Subpart B

Test Method: ANSI C63.4:2014 Frequency Range: 30MHz to 1GHz

Measurement Distance: 3m

Limit:

30 MHz - 88 MHz $40.0 (\text{dB}\mu\text{V/m})$ quasi-peak 88 MHz - 216 MHz $43.5 (\text{dB}\mu\text{V/m})$ quasi-peak 216 MHz - 960 MHz $46.0 (\text{dB}\mu\text{V/m})$ quasi-peak 960 MHz - 1000 MHz $54.0 (\text{dB}\mu\text{V/m})$ quasi-peak

Detector: Peak for pre-scan (120kHz resolution bandwidth) 30M to1000MHz

2.2.1 E.U.T. Operation

Operating Environment:

Temperature: 25 °C Humidity: 66.5 % RH Atmospheric Pressure: 1010 mbar

Pretest these a: Transfer data between the EUT and the PC+USB cable

modes to find b: GSM 850 Idle+BT+WLAN+GNSS Rx+playing MP4 (SD card) + USB

the worst case: Cable+adapter

c: WCDMA Band V Idle +BT+WLAN+GNSS Rx+camera (Front) + USB

Cable+adapter

d: LTE Band 5 Idle+BT+WLAN +GNSS Rx+ camera (Back)+ USB Cable+adapter e: LTE Band 26 Idle+BT+WLAN +GNSS Rx+ camera (worst)+ USB Cable+adapter f: LTE Band 71 Idle+BT+WLAN +GNSS Rx+ camera (worst)+ USB Cable+adapter

The worst case

a: Transfer data between the EUT and the PC+USB cable

for final test:

c: WCDMA Band V Idle +BT+WLAN+GNSS Rx+camera (Front) + USB

Cable+adapter



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are reflected for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443




Report No.: XZR/2021/5004001

Page: 14 of 28

2.2.2 Test Setup Procedures

- 1. The EUT was placed in a semi Anechoic Chamber as show below
- 2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
- 3. The table was rotated 360 degrees to determine the position of the highest radiation.
- 4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.
- 5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.
- 6. Set the test-receiver system to Peak Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.
- 7. If the emission level of the EUT in peak mode was 6 dB lower than the limit specified, peak values of EUT will be reported. Otherwise, the emission will be repeated by using the quasi-peak method and reported.



2.2.3 Measurement Data

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Quasipeak measurements were conducted based on the peak sweep graph. The EUT was measured by BiConiLog antenna with 2 orthogonal polarities.

The three polarities of X,Y,Z were measured by EUT, but only the worst data had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443



Report No.: XZR/2021/5004001

Page: 15 of 28

Mode:a; Polarization:Horizontal



QP Detector

Susp	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	113.824	31.79	-22.77	43.50	11.71	187	50	Horizontal			
2	239.950	36.64	-20.83	46.00	9.36	254	8	Horizontal			
3	359.866	36.27	-17.55	46.00	9.73	226	288	Horizontal			
4	445.437	34.74	-16.17	46.00	11.26	284	358	Horizontal			
5	643.550	27.10	-12.18	46.00	18.90	281	60	Horizontal			
6	948.967	27.19	-7.94	46.00	18.81	259	92	Horizontal			

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, exemile CORD Reported/Wassas.com"



Report No.: XZR/2021/5004001

Page: 16 of 28

Mode:a; Polarization:Vertical



QP Detector

Susp	Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	71.1362	27.13	-23.88	40.00	12.87	284	49	Vertical		
2	239.950	27.20	-20.83	46.00	18.80	256	278	Vertical		
3	360.060	33.19	-17.55	46.00	12.81	287	358	Vertical		
4	445.437	34.41	-16.17	46.00	11.59	214	88	Vertical		
5	721.554	27.05	-11.38	46.00	18.95	177	194	Vertical		
6	960.028	27.44	-7.89	54.00	26.56	269	2	Vertical		

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck-Rosus.com


1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengolong New Town, Xi'an, Shaaroti, China 710086 中国・西安・沣东新城科源三路137号康海橙方科技园1号楼D单元1层 邮编: 710086



Report No.: XZR/2021/5004001

Page: 17 of 28

Mode:c; Polarization: Vertical



QP Detector

Susp	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	34.6569	33.79	-31.46	40.00	6.21	187	2	Vertical			
2	83.9428	24.99	-32.14	40.00	15.01	254	234	Vertical			
3	192.022	30.19	-30.43	43.50	13.31	263	170	Vertical			
4	270.026	33.04	-27.24	46.00	12.96	287	360	Vertical			
5	383.926	28.53	-25.16	46.00	17.47	295	357	Vertical			
6	479.976	30.52	-23.58	46.00	15.48	284	278	Vertical			

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ss.com


1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xi'an, Shaarui, China 710086 中国・西安・沣东新城科源三路137号康海橙方科技园1号楼D单元1层 邮编: 710086



Report No.: XZR/2021/5004001

Page: 18 of 28

Mode:c; Polarization: Horizontal



QP Detector

Susp	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	34.8510	20.31	-31.44	40.00	19.69	225	256	Horizontal			
2	80.6441	21.37	-32.26	40.00	18.63	263	75	Horizontal			
3	192.022	33.30	-30.43	43.50	10.20	284	220	Horizontal			
4	270.026	33.39	-27.24	46.00	12.61	271	50	Horizontal			
5	360.060	36.50	-25.17	46.00	9.50	259	43	Horizontal			
6	383.926	36.33	-25.16	46.00	9.67	187	50	Horizontal			

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck-Rosus.com

1/F, Unit D, Building 1, Kanghang Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xian, Shaamui, China 710086 中国・西安・洋东新城科源三路137号康鴻橙方科技园1号楼D单元1层 邮第: 710086



Report No.: XZR/2021/5004001

Page: 19 of 28

2.3 Radiated Emissions (above 1GHz)

Test Requirement: 47 CFR Part 15, Subpart B

Test Method: ANSI C63.4:2014 Frequency Range: Above 1GHz

Measurement Distance: 3m

Limit:

Above 1GHz 74(dBµV/m) peak, 54(dBµV/m) average

Detector: Peak for pre-scan (1000kHz resolution bandwidth) 1000M to 40000MHz

2.3.1 E.U.T. Operation

Operating Environment:

Temperature: 21.7 °C Humidity: 56.4 % RH Atmospheric Pressure: 1010 mbar

Pretest these a: Transfer data between the EUT and the PC+USB cable

modes to find b: GSM 850 Idle+BT+WLAN+GNSS Rx+playing MP4 (SD card) + USB

the worst case: Cable+adapter

c: WCDMA Band V Idle +BT+WLAN+GNSS Rx+camera (Front) + USB

Cable+adapter

d: LTE Band 5 Idle+BT+WLAN +GNSS Rx+ camera (Back)+ USB Cable+adapter

e: LTE Band 26 Idle+BT+WLAN +GNSS Rx+ camera (worst)+ USB

Cable+adapter

f: LTE Band 71 Idle+BT+WLAN +GNSS Rx+ camera (worst)+ USB Cable+adapter

The worst case

a: Transfer data between the EUT and the PC+USB cable

for final test: c: WCDMA Band V Idle +BT+WLAN+GNSS Rx+camera (Front) + USB

Cable+adapter



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condi




Report No.: XZR/2021/5004001

Page: 20 of 28

2.3.2 Test Setup Procedures

- 1. The EUT was placed in a full Anechoic Chamber as show below
- 2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
- 3. The table was rotated 360 degrees to determine the position of the highest radiation.
- 4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.
- 5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.
- 6. Set the test-receiver system to Peak and AV Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.



2.3.3 Measurement Data

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Average measurements were conducted based on the peak sweep graph. The EUT was measured by Horn antenna with 2 orthogonal polarities.

The three polarities of X,Y,Z were measured by EUT, but only the worst data had been displayed. Scan from 1GHz to 30GHz, the disturbance above 18GHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443



Report No.: XZR/2021/5004001

Page: 21 of 28

Mode:a; Polarization:Horizontal



★ PK Detector
★ AV Detector

Susp	Suspected List										
NO	Freq.	Level	Factor	Limit	Margin	Height	Angle	Dalavitus			
NO.	[MHz]	[dBµV/m]	[dB]	[dBµV/m]	[dB]	[cm]	[°]	Polarity			
1	2263.16	35.51	-27.32	74.00	38.49	198	47	Horizontal			
2	2303.96	26.08	-27.05	54.00	27.92	175	184	Horizontal			
3	8408.97	39.43	-7.52	54.00	14.57	162	107	Horizontal			
4	8439.57	48.60	-7.52	74.00	25.40	187	329	Horizontal			
5	15824.7	57.44	3.92	74.00	16.56	164	8	Horizontal			
6	17200.9	47.82	1.07	54.00	6.18	172	351	Horizontal			

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck-Rosus.com


1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xi'an, Shazrud, China 710086 中国・西安・沣东新城科源三路137号康鴻橙方科技园1号楼D单元1层 邮编: 710086



Report No.: XZR/2021/5004001

Page: 22 of 28

Mode:a; Polarization:Vertical



★ PK Detector	*	ΑV	Detector
---------------	---	----	----------

Susp	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2213.01	34.73	-27.40	74.00	39.27	200	16	Vertical			
2	2610.83	26.98	-26.15	54.00	27.02	100	222	Vertical			
3	9021.85	40.42	-6.19	54.00	13.58	100	260	Vertical			
4	9508.07	50.35	-5.02	74.00	23.65	200	215	Vertical			
5	16390.0	57.90	2.38	74.00	16.10	100	54	Vertical			
6	17200.9	47.67	1.07	54.00	6.33	100	222	Vertical			

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, exemile CORD Reported/Wassas.com"


1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xi'an, Shaarui, China 710086 中国・西安・沣东新城科源三路137号康海橙方科技园1号楼D单元1层 邮编: 710086



Report No.: XZR/2021/5004001

Page: 23 of 28

Mode:c; Polarization:Horizontal



★ PK Detector
★ AV Detector

Susp	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2371.96	35.87	-27.24	74.00	38.13	174	321	Horizontal			
2	2611.68	27.69	-26.14	54.00	26.31	195	48	Horizontal			
3	6216.71	43.86	-13.47	74.00	30.14	174	297	Horizontal			
4	7468.82	37.33	-9.80	54.00	16.67	165	290	Horizontal			
5	13005.1	56.60	2.43	74.00	17.40	187	32	Horizontal			
6	15089.4	47.83	3.42	54.00	6.17	192	358	Horizontal			

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ss.com


1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengolong New Town, Xi'an, Shaaroti, China 710086 中国・西安・沣东新城科源三路137号康海橙方科技园1号楼D单元1层 邮编: 710086



Report No.: XZR/2021/5004001

Page: 24 of 28

Mode:c; Polarization:Vertical



★ PK Detector
★ AV Detector

Susp	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	1972.44	34.47	-28.12	74.00	39.53	241	245	Vertical			
2	2295.46	26.08	-27.07	54.00	27.92	285	16	Vertical			
3	9411.17	49.76	-5.10	74.00	24.24	265	176	Vertical			
4	9665.33	40.44	-4.49	54.00	13.56	287	16	Vertical			
5	15730.3	57.76	4.00	74.00	16.24	265	168	Vertical			
6	17349.7	47.94	1.76	54.00	6.06	281	108	Vertical			

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ss.com

1/F, Unit D, Building 1, Kanghang Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xian, Shaamui, China 710086 中国・西安・洋东新城科源三路137号康鴻橙方科技园1号楼D单元1层 邮第: 710086 t (86–29) 6282 7885 www. t (86–29) 6282 7885 sgs.cl

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: XZR/2021/5004001

Page: 25 of 28

3 Equipment List

	CE Test System									
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date					
Shielding Room	Brilliant-emc	N/A	XAW03-35-01	2019-09-11	2022-09-10					
Test receiver	ROHDE&SCHWARZ	ESR	XAW01-08-01	2020-09-11	2021-09-10					
Artificial network	ROHDE&SCHWARZ	ENV216	XAW01-04-01	2020-08-04	2021-08-03					
5G UXM	Keysight	E7515B	XAW01-19-02	2020-09-11	2021-09-10					
Temperature and humidity meter	MingGao	TH101B	XAW01-01-01	2020-11-06	2021-11-05					
Measurement Software	Tonscend	TS+ CE V2.5	XAW02-05-02	NCR	NCR					
CMW500 Wideband Radio Comm Tester	ROHDE&SCHWARZ	CMW 500	XAW01-03-02	2021/4/1	2022/3/31					
Artificial network	ROHDE&SCHWARZ	ENV216	XAW01-04-01	2020/8/4	2021/8/3					

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ass.com

1/F, Unit D, Building 1, Kanghang Orange Szience Park, No.137, Keyuan 3rd Road, Fengolong New Toum, Xifan, Shasansi, China 710086 中国・西安・沣东新城科源三路137号康鴻健方科技図1号楼D单元1层 邮编: 710086



Report No.: XZR/2021/5004001

Page: 26 of 28

	R	E Test System			
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Semi-Anechoic Chamber	Brilliant-emc	N/A	XAW03-35-01	2019-09-11	2022-09-10
MXA signal analyzer	Keysight	N9020A	XAW01-06-01	2021-04-01	2022-03-31
Spectrum Analyzer	Keysight	N9020B	XAW01-11-03	2021-04-01	2022-03-31
Spectrum Analyzer	ROHDE&SCHWARZ	FSV3044	101146	2021-06-08	2022-06-08
Radio communication analyzer	ROHDE&SCHWARZ	CMW 500	XAW01-03-02	2021-04-01	2022-03-31
Test receiver	ROHDE&SCHWARZ	ESR	XAW01-08-01	2020-09-11	2021-09-10
Receiving antenna (30MHz-3GHz)	Schwarzbeck	VULB 9163	XAW01-09-01	2019-10-13	2021-10-12
Receiving antenna (1GHz~18GHz)	Schwarzbeck	BBHA 9120D	XAW01-09-02	2019-10-13	2021-10-12
Receiving antenna (15GHz~40GHz)	Schwarzbeck	BBHA 9170	XAW01-09-03	2019-10-13	2021-10-12
Directional antenna rack controller	Max-Full	MF-7802BS	XAW03-03-01	NCR	NCR
High-speed antenna rack controller	Max-Full	MF-7802	XAW03-04-01	NCR	NCR
Amplifier	Tonscend	TAP00903040	XAW01-41-01	2020-10-26	2021-10-25
Amplifier	Tonscend	TAP01018048	XAW01-41-02	2020-10-26	2021-10-25
Amplifier	Tonscend	TAP18040048	XAW01-41-03	2020-10-27	2021-10-26
Amplifier	Shanghai Steed	YX28980930	XAW01-41-06	2020-10-26	2021-10-25
5G UXM	Keysight	E7515B	XAW01-04-01	2020-09-11	2021-09-10
Temperature and humidity meter	MingGao	TH101B	XAW01-01-01	2020-11-06	2021-11-05
Measurement Software	Tonscend	TS+ RE V3.0.0.2	XAW02-05-01	NCR	NCR
Loop Antenna	Schwarzbeck	FMZB 1519B	XAW01-48-02	2021/6/10	2022/6/9



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ass.com

1/F, Unit D, Bulding 1, Kanghang Orange Spience Park, No.137, Keyuan 3rd Road, Fengolong New Town, Xi'an, Shasmai, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿佞方科技园1号楼D单元1层 邮编: 710086



Report No.: XZR/2021/5004001

Page: 27 of 28

4 Measurement Uncertainty

No.	Item	Measurement Uncertainty
1	Conduction Emission	± 3.0dB (150kHz to 30MHz)
2	Radiated Emission	± 4.8dB (Below 1GHz)
		± 4.8dB (1GHz to 6GHz)
		± 4.5dB (6GHz to 18GHz)
		± 5.02dB (Above 18GHz)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ass.com

1/F, Unit D, Building 1, Kanghang Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xian, Shaamui, China 710086 中国・西安・洋东新城科源三路137号康鴻橙方科技园1号楼D单元1层 邮第: 710086 t (86–29) 6282 7885 ww t (86–29) 6282 7885 sgs

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: XZR/2021/5004001

Page: 28 of 28

5 Photographs

5.1 Test Setup

Refer to Appendix A Setup Photos.

5.2 EUT Constructional Details (EUT Photos)

Refer to Photographs of EUT Constructional Details

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@gs.com

or email: CMLDoceneck@sgs.com 1/F, kmlD, kidning 1, Kanghong Drangs Somer Park, Noti 77, Rejuan 3rd Road, Fengtong New Town, Vian, Shaand, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885

www.sgsgroup.com.cn sgs.china@sgs.com