

Test Report S/N:	102604KBC-T57	Issue 1.0		
Test Date(s):	14Oct04 - 03Nov04			
Test Type(s):	FCC §15.247	IC RSS	-210 Issue 5	
Lab Registration(s):	FCC #714830	IC La	b File #3874	

E.7. SETUP PHOTOGRAPHS

Photograph E-1 - Vertical Polarization (1-18 GHz)




Photograph E-3 - Front of Radiated Emission Configuration



Photograph E-2 - Vertical Polarization (18-26 GHz)

Photograph E-4 - Back of Radiated Emission Configuration





E.8. DUT OPERATING DESCRIPTION

The worst-case data rate was determined from prescan investigations. Measurements were made at three channels throughout the band, Low Channel (2412 MHz), Mid Channel (2437 MHz), High Channel (2462 MHz) and for both Modes b and g for the band-edge measurements and for Mode b for the remaining measurements. The configuration used for all other measurements was Mode b, 1 mbps with a gain setting of 0,1.

Applicant:	Itronix Co	orporation	Model:	IX260PNLA555BT	IC ID:	1943A-IX260Pb	FCC ID:	KBCIX2	60PNLA555BT
Rugged Laptop PC with Senao NL-3054MP 802.11b/g WLAN, Cirronet BT2022 Bluetooth, & AC555 CDMA									
2005 Calltac	2005 Calltach Labe Inc. This document is not to be reproduced in whole or in part without the written permission of Calltach Labe Inc. 22 of 48								



Test Report S/N:	102604KBC-T57	Issue 1.0		
Test Date(s):	14Oct04 - 03Nov04			
Test Type(s):	FCC §15.247 IC RSS-210 Issue 5			
Lab Registration(s):	FCC #714830	IC La	b File #3874	

F.7. SETUP PHOTOGRAPHS

Photograph F-1 - Horizontal Polarization (30MHz - 1 GHz)





Photograph F-3 - Front of Radiated Emission Configuration

Photograph F-4 - Back of Radiated Emission Configuration





F.8. DUT OPERATING DESCRIPTION

The worst-case data rate was determined from prescan investigations. Measurements were made at three channels throughout the band, Low Channel (2412 MHz), Mid Channel (2437 MHz), High Channel (2462 MHz) and for both Modes b and g for the band-edge measurements and for Mode b for the remaining measurements.

Applicant:	olicant: Itronix Corporation		IX260PNLA555BT	IC ID:	1943A-IX260Pb	FCC ID:	KBCIX260PNLA555BT
Rugged Laptop PC with Senao NL-3054MP 802.11b/g WLAN, Cirronet BT2022 Bluetooth, & AC555 CDMA							
2005 Celltech Labs Inc. This document is not to be reproduced in whole or in part without the written permission of Celltech Labs Inc. 32 of 48							



Test Report S/N:	102604KBC-T57	Issue 1.0		
Test Date(s):	14Oct04 - 03Nov04			
Test Type(s):	FCC §15.247	IC RSS	-210 Issue 5	
Lab Registration(s):	FCC #714830	IC La	b File #3874	

H.6. SETUP PHOTOS

Photograph H-1 - AC Powerline Conducted Emission Configuration





Photograph H-2 - AC Powerline Conducted Emission Cable Placement



Applicant:	Itronix Corporation	Model:	IX260PNLA555BT	IC ID:	1943A-IX260Pb	FCC ID:	KBCIX260PNLA555BT
Rugged Laptop PC with Senao NL-3054MP 802.11b/g WLAN, Cirronet BT2022 Bluetooth, & AC555 CDMA							
2005 Celltech Labs Inc. This document is not to be reproduced in whole or in part without the written permission of Celltech Labs Inc. 43 of 48							