



Plot 7-46. Conducted Spurious Plot (Band 26/5 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-47. Conducted Spurious Plot (Band 26/5 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: ZNFH871S	PCTEST*	MEASUREMENT REPORT (CERTIFICATION)	G	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dags 20 of 90
1M1808100154-03.ZNF	7/31 - 8/21/2018	Portable Handset		Page 39 of 89





Plot 7-48. Conducted Spurious Plot (Band 26/5 - 10.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)


FCC ID: ZNFH871S	PCTEST (NOINTEND LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 40 of 89
1M1808100154-03.ZNF	7/31 - 8/21/2018	Portable Handset	Fage 40 01 69



### Band 4



Plot 7-49. Conducted Spurious Plot (Band 4 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)



Plot 7-50. Conducted Spurious Plot (Band 4 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)

FCC ID: ZNFH871S	PCTEST (NOINTENE CARONATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 41 of 90
1M1808100154-03.ZNF	7/31 - 8/21/2018	Portable Handset	Page 41 of 89






Plot 7-51. Conducted Spurious Plot (Band 4 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Low Channel)




Plot 7-52. Conducted Spurious Plot (Band 4 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: ZNFH871S	PCTEST (NEINITHING LAIGHATONY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 42 of 89
1M1808100154-03.ZNF	7/31 - 8/21/2018	Portable Handset	Faye 42 01 69





Plot 7-53. Conducted Spurious Plot (Band 4 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)



Plot 7-54. Conducted Spurious Plot (Band 4 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel)

FCC ID: ZNFH871S	(REINLEINS LANDANION, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 43 of 89
1M1808100154-03.ZNF	7/31 - 8/21/2018	Portable Handset	Fage 43 01 69






Plot 7-55. Conducted Spurious Plot (Band 4 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)



Plot 7-56. Conducted Spurious Plot (Band 4 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: ZNFH871S	PCTEST (NOINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dags 44 of 90
1M1808100154-03.ZNF	7/31 - 8/21/2018	Portable Handset	Page 44 of 89





Plot 7-57. Conducted Spurious Plot (Band 4 - 20.0MHz QPSK - RB Size 1, RB Offset 0 - High Channel)

FCC ID: ZNFH871S	PCTEST (NOINTENE CARONATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 45 of 89
1M1808100154-03.ZNF	7/31 - 8/21/2018	Portable Handset	Fage 45 01 69



#### **Band Edge Emissions at Antenna Terminal** 7.4

## **Test Overview**

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is  $43 + 10\log_{10}(P_{[Watts]})$ , where P is the transmitter power in Watts.

## **Test Procedure Used**

KDB 971168 D01 v03r01 - Section 6.0

# **Test Settings**

- 1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
- 2. Span was set large enough so as to capture all out of band emissions near the band edge
- 3. RBW > 1% of the emission bandwidth
- 4. VBW > 3 x RBW
- 5. Detector = RMS
- 6. Number of sweep points ≥ 2 x Span/RBW
- 7. Trace mode = trace average
- 8. Sweep time = auto couple
- 9. The trace was allowed to stabilize

### **Test Setup**

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-3. Test Instrument & Measurement Setup

FCC ID: ZNFH871S	POTEST - INC.	MEASUREMENT REPORT (CERTIFICATION)	① LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dags 46 of 90
1M1808100154-03.ZNF	7/31 - 8/21/2018	Portable Handset		Page 46 of 89



## **Test Notes**


Per 22.917(b) 27.53(h) in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to demonstrate compliance with the out-of-band emissions limit. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.

Per 27.53(g) for operations in the 698-746 MHz band, in the 100 kHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least 30 kHz may be employed to demonstrate compliance with the out-of-band emissions limit.

FCC ID: ZNFH871S	(REINLEINS LANDANION, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 47 of 89
1M1808100154-03.ZNF	7/31 - 8/21/2018	Portable Handset	Fage 47 01 69



## Band 12



Plot 7-58. Lower Band Edge Plot (Band 12 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-59. Upper Band Edge Plot (Band 12 - 1.4MHz QPSK - Full RB Configuration)

FCC ID: ZNFH871S	PCTEST (NEINELLING LANDANION, INC.	MEASUREMENT REPORT (CERTIFICATION) LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 49 of 90
1M1808100154-03.ZNF	7/31 - 8/21/2018	Portable Handset	Page 48 of 89





Plot 7-60. Lower Band Edge Plot (Band 12 - 3.0MHz QPSK - Full RB Configuration)



Plot 7-61. Upper Band Edge Plot (Band 12 - 3.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFH871S	PCTEST (NOINLINE LAIDANDET, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 49 of 89
1M1808100154-03.ZNF	7/31 - 8/21/2018	Portable Handset	Fage 49 01 69





Plot 7-62. Lower Band Edge Plot (Band 12 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-63. Upper Band Edge Plot (Band 12 - 5.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFH871S	PCTEST (NEINITHING LAIGHATONY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 50 of 89
1M1808100154-03.ZNF	7/31 - 8/21/2018	Portable Handset	Fage 50 01 69





Plot 7-64. Lower Band Edge Plot (Band 12 - 10.0MHz QPSK - Full RB Configuration)



Plot 7-65. Upper Band Edge Plot (Band 12 - 10.0MHz QPSK - Full RB Configuration)


FCC ID: ZNFH871S	PCTEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 51 of 89
1M1808100154-03.ZNF	7/31 - 8/21/2018	Portable Handset	Fage 51 01 69



# **Band 26/5**



Plot 7-66. Lower Band Edge Plot (Band 26/5 - 1.4MHz QPSK - Full RB Configuration)



Plot 7-67. Upper Band Edge Plot (Band 26/5 - 1.4MHz QPSK - Full RB Configuration)

FCC ID: ZNFH871S	PCTEST (NOINTEND LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	ì	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogg FO of 90
1M1808100154-03.ZNF	7/31 - 8/21/2018	Portable Handset		Page 52 of 89






Plot 7-68. Lower Band Edge Plot (Band 26/5 - 3.0MHz QPSK - Full RB Configuration)



Plot 7-69. Upper Band Edge Plot (Band 26/5 - 3.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFH871S	PCTEST (NEINELLING LANDANION, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Daga 53 of 90
1M1808100154-03.ZNF	7/31 - 8/21/2018	Portable Handset	Page 53 of 89






Plot 7-70. Lower Band Edge Plot (Band 26/5 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-71. Upper Band Edge Plot (Band 26/5 - 5.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFH871S	PCTEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 54 of 89
1M1808100154-03.ZNF	7/31 - 8/21/2018	Portable Handset	Fage 34 01 69





Plot 7-72. Lower Band Edge Plot (Band 26/5 - 10.0MHz QPSK - Full RB Configuration)



Plot 7-73. Upper Band Edge Plot (Band 26/5 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFH871S	PCTEST (NEINITHING LAIGHATONY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 55 of 89
1M1808100154-03.ZNF	7/31 - 8/21/2018	Portable Handset	Fage 55 01 89





Plot 7-74. Lower Band Edge Plot (Band 26 - 15.0MHz QPSK - Full RB Configuration)



Plot 7-75. Upper Band Edge Plot (Band 26 - 15.0MHz QPSK - Full RB Configuration)


FCC ID: ZNFH871S	PCTEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Daga EG of CO
1M1808100154-03.ZNF	7/31 - 8/21/2018	Portable Handset	Page 56 of 89



### Band 4



Plot 7-76. Lower Band Edge Plot (Band 4 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-77. Lower Extended Band Edge Plot (Band 4 - 1.4MHz QPSK - Full RB Configuration)

FCC ID: ZNFH871S	PCTEST (NEINELLING LANDANION, INC.	MEASUREMENT REPORT (CERTIFICATION) LG	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dags 57 of 90
1M1808100154-03.ZNF	7/31 - 8/21/2018	Portable Handset	Page 57 of 89






Plot 7-78. Upper Band Edge Plot (Band 4 - 1.4MHz QPSK - Full RB Configuration)




Plot 7-79. Upper Extended Band Edge Plot (Band 4 - 1.4MHz QPSK - Full RB Configuration)

FCC ID: ZNFH871S	PCTEST (NEINELLING LANDANION, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Daga 50 of 00
1M1808100154-03.ZNF	7/31 - 8/21/2018	Portable Handset	Page 58 of 89





Plot 7-80. Lower Band Edge Plot (Band 4 - 3.0MHz QPSK - Full RB Configuration)




Plot 7-81. Lower Extended Band Edge Plot (Band 4 - 3.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFH871S	PCTEST (NOINLINE LAIDANDET, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 59 of 89
1M1808100154-03.ZNF	7/31 - 8/21/2018	Portable Handset	Fage 39 01 69






Plot 7-82. Upper Band Edge Plot (Band 4 - 3.0MHz QPSK - Full RB Configuration)




Plot 7-83. Upper Extended Band Edge Plot (Band 4 - 3.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFH871S	PCTEST*	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 60 of 89
1M1808100154-03.ZNF	7/31 - 8/21/2018	Portable Handset	Fage 60 01 89






Plot 7-84. Lower Band Edge Plot (Band 4 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-85. Lower Extended Band Edge Plot (Band 4 - 5.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFH871S	PCTEST (NOINTEND LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dags 61 of 90
1M1808100154-03.ZNF	7/31 - 8/21/2018	Portable Handset	Page 61 of 89





Plot 7-86. Upper Band Edge Plot (Band 4 - 5.0MHz QPSK - Full RB Configuration)




Plot 7-87. Upper Extended Band Edge Plot (Band 4 - 5.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFH871S	PCTEST (NEINITHING LAIGHATONY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Daga 62 of 80
1M1808100154-03.ZNF	7/31 - 8/21/2018	Portable Handset	Page 62 of 89






Plot 7-88. Lower Band Edge Plot (Band 4 - 10.0MHz QPSK - Full RB Configuration)



Plot 7-89. Lower Extended Band Edge Plot (Band 4 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFH871S	PCTEST (NOINTEND LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Dags 62 of 90
1M1808100154-03.ZNF	7/31 - 8/21/2018	Portable Handset	Page 63 of 89





Plot 7-90. Upper Band Edge Plot (Band 4 - 10.0MHz QPSK - Full RB Configuration)



Plot 7-91. Upper Extended Band Edge Plot (Band 4 - 10.0MHz QPSK - Full RB Configuration)

FCC ID: ZNFH871S	PCTEST (NOINTEND LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:	Daga 64 of 90
1M1808100154-03.ZNF	7/31 - 8/21/2018	Portable Handset	Page 64 of 89