



TX CH60



Date: 12.SEP.2018 10:05:04

TX CH64



Date: 12.SEP.2018 10:06:08


Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	45.20	37.40
CH62	5310	45.01	37.40

Note:


The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or $11 \text{ dBm} + 10\log B$, where B is the 26dB Bandwidth in megahertz.

TX CH54



Date: 12.SEP.2018 10:28:04

TX CH62




Date: 12.SEP.2018 10:29:09

Test Mode: UNII-2A/TX AC80 Mode_CH58

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH58	5290	82.60	75.20

Note:

The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or $11 \text{ dBm} + 10\log B$, where B is the 26dB Bandwidth in megahertz.



Date: 12.SEP.2018 10:37:20


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	22.15	17.90
CH116	5580	22.20	18.00
CH140	5700	22.29	18.00

Note:


The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.

TX CH100




Date: 12.SEP.2018 10:06:58

TX CH116



Date: 12.SEP.2018 10:07:57

TX CH140



Date: 12.SEP.2018 10:08:55


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	45.19	37.40
CH110	5550	45.39	37.40
CH134	5670	45.20	37.40

Note:


The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.

TX CH102




Date: 12.SEP.2018 10:30:02

TX CH110



Date: 12.SEP.2018 10:31:08

TX CH134



Date: 12.SEP.2018 10:32:17


Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH106	5530	82.20	75.20
CH122	5610	82.60	75.20

Note:


The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.

TX CH106



Date: 12.SEP.2018 10:38:21

TX CH122




Date: 12.SEP.2018 10:40:12

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.85	17.70	>=500
CH157	5785	17.91	17.70	>=500
CH165	5825	17.79	17.70	>=500




TX CH 157



Date: 12.SEP.2018 10:11:17

TX CH 165




Date: 12.SEP.2018 10:12:32

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.60	36.40	>=500
CH159	5795	36.50	36.40	>=500

TX CH 151



Date: 12.SEP.2018 10:33:18

TX CH 159




Date: 12.SEP.2018 10:34:14

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	75.40	75.20	>=500

TX CH 155



Date: 12.SEP.2018 10:41:19

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode: UNII-1/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.23	0.00	17.23	24.00	0.25
CH40	5200	17.71	0.00	17.71	24.00	0.25
CH48	5240	17.65	0.00	17.65	24.00	0.25

Test Mode: UNII-1/TX N20 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.75	0.00	17.75	24.00	0.25
CH40	5200	17.33	0.00	17.33	24.00	0.25
CH48	5240	17.65	0.00	17.65	24.00	0.25

Test Mode: UNII-1/TX N40 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	16.78	0.00	16.78	24.00	0.25
CH46	5230	17.55	0.00	17.55	24.00	0.25

Test Mode: UNII-2A/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	17.83	0.00	17.83	24.00	0.25
CH60	5300	17.81	0.00	17.81	24.00	0.25
CH64	5320	17.77	0.00	17.77	24.00	0.25

Test Mode: UNII-2A/TX N20 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	17.53	0.00	17.53	24.00	0.25
CH60	5300	17.64	0.00	17.64	24.00	0.25
CH64	5320	17.53	0.00	17.53	24.00	0.25

Test Mode: UNII-2A/TX N40 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	17.72	0.00	17.72	24.00	0.25
CH62	5310	15.23	0.00	15.23	24.00	0.25

Test Mode: UNII-2C/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	17.82	0.00	17.82	24.00	0.25
CH116	5580	17.76	0.00	17.76	24.00	0.25
CH140	5700	17.95	0.00	17.95	24.00	0.25

Test Mode: UNII-2C/TX N20 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	17.31	0.00	17.31	24.00	0.25
CH116	5580	17.45	0.00	17.45	24.00	0.25
CH140	5700	17.37	0.00	17.37	24.00	0.25

Test Mode: UNII-2C/TX N40 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	17.36	0.00	17.36	24.00	0.25
CH110	5550	17.54	0.00	17.54	24.00	0.25
CH134	5670	17.59	0.00	17.59	24.00	0.25

Test Mode: UNII-3/ TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	17.85	0.00	17.85	30.00	1.00
CH157	5785	17.84	0.00	17.84	30.00	1.00
CH165	5825	17.67	0.00	17.67	30.00	1.00

Test Mode: UNII-3/TX N20 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	17.66	0.00	17.66	30.00	1.00
CH157	5785	17.72	0.00	17.72	30.00	1.00
CH165	5825	17.63	0.00	17.63	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	17.66	0.00	17.66	30.00	1.00
CH159	5795	17.75	0.00	17.75	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.69	0.00	17.69	24.00	0.25
CH40	5200	17.38	0.00	17.38	24.00	0.25
CH48	5240	17.72	0.00	17.72	24.00	0.25

Test Mode: UNII-1/TX AC40 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	16.71	0.00	16.71	24.00	0.25
CH46	5230	17.58	0.00	17.58	24.00	0.25

Test Mode: UNII-1/TX AC80 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	17.25	0.00	17.25	24.00	0.25

Test Mode: UNII-2A/TX AC20 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	17.61	0.00	17.61	24.00	0.25
CH60	5300	17.59	0.00	17.59	24.00	0.25
CH64	5320	17.54	0.00	17.54	24.00	0.25

Test Mode: UNII-2A/TX AC40 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	17.73	0.00	17.73	24.00	0.25
CH62	5310	15.15	0.00	15.15	24.00	0.25

Test Mode: UNII-2A/TX AC80 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	16.54	0.00	16.54	24.00	0.25

Test Mode: UNII-2C/TX AC20 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	17.29	0.00	17.29	24.00	0.25
CH116	5580	17.41	0.00	17.41	24.00	0.25
CH140	5700	17.35	0.00	17.35	24.00	0.25

Test Mode: UNII-2C/TX AC40 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	17.46	0.00	17.46	24.00	0.25
CH110	5550	17.53	0.00	17.53	24.00	0.25
CH134	5670	17.62	0.00	17.62	24.00	0.25

Test Mode: UNII-2C/TX AC80 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	16.72	0.00	16.72	24.00	0.25
CH122	5610	17.72	0.00	17.72	24.00	0.25

Test Mode: UNII-3/TX AC20 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	17.68	0.00	17.68	30.00	1.00
CH157	5785	17.74	0.00	17.74	30.00	1.00
CH165	5825	17.66	0.00	17.66	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode


Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	17.61	0.00	17.61	30.00	1.00
CH159	5795	17.66	0.00	17.66	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	17.62	0.00	17.62	30.00	1.00


Worst case :

Test Mode: TX A Mode




Date: 22.OCT.2018 10:18:09

Test Mode: TX N20 Mode



Date: 22.OCT.2018 10:21:43


Test Mode: TX N40 Mode



Date: 22.OCT.2018 10:27:18

Test Mode: TX AC20 Mode


AC20_5240



Date: 22.OCT.2018 10:22:39


Test Mode: TX AC40 Mode

AC40_5270



Date: 22.OCT.2018 10:29:29

Test Mode: TX AC80 Mode




Date: 22.OCT.2018 10:32:13

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-0.30	0.00	-0.30	11.00
CH40	5200	1.13	0.00	1.13	11.00
CH48	5240	1.11	0.00	1.11	11.00




Date: 12.SEP.2018 09:25:51

CH40



Date: 12.SEP.2018 09:26:46


CH48



Date: 12.SEP.2018 09:27:44


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-2.58	0.00	-2.58	11.00
CH40	5200	0.50	0.00	0.50	11.00
CH48	5240	0.63	0.00	0.63	11.00




Date: 12.SEP.2018 09:47:45

CH40



Date: 12.SEP.2018 09:48:44

CH48




Date: 12.SEP.2018 09:49:41

Test Mode: UNII-1/TX N40 Mode_CH38/CH46


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.47	0.00	-3.47	11.00
CH46	5230	-3.10	0.00	-3.10	11.00

CH38



Date: 12.SEP.2018 10:14:08


CH46



Date: 12.SEP.2018 10:15:10


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.09	0.00	0.09	11.00
CH60	5300	-0.43	0.00	-0.43	11.00
CH64	5320	-0.76	0.00	-0.76	11.00




Date: 12.SEP.2018 09:29:05

CH60



Date: 12.SEP.2018 09:30:21


CH64



Date: 12.SEP.2018 09:33:16


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.40	0.00	0.40	11.00
CH60	5300	-0.57	0.00	-0.57	11.00
CH64	5320	-0.74	0.00	-0.74	11.00




Date: 12.SEP.2018 09:50:55

CH60



Date: 12.SEP.2018 09:51:51

CH64




Date: 12.SEP.2018 09:52:48

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.70	0.00	-2.70	11.00
CH62	5310	-3.80	0.00	-3.80	11.00

CH54



Date: 12.SEP.2018 10:16:17

CH62




Date: 12.SEP.2018 10:17:15

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.58	0.00	-0.58	11.00
CH116	5580	1.69	0.00	1.69	11.00
CH140	5700	1.68	0.00	1.68	11.00

CH100




Date: 12.SEP.2018 09:38:43

CH116



Date: 12.SEP.2018 09:40:57

CH140




Date: 12.SEP.2018 09:42:12

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.29	0.00	-0.29	11.00
CH116	5580	0.52	0.00	0.52	11.00
CH140	5700	1.02	0.00	1.02	11.00

CH100




Date: 12.SEP.2018 09:53:52

CH116



Date: 12.SEP.2018 09:54:56

CH140




Date: 12.SEP.2018 09:55:55

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-4.81	0.00	-4.81	11.00
CH110	5550	-1.45	0.00	-1.45	11.00
CH134	5670	-2.48	0.00	-2.48	11.00




CH110



Date: 12.SEP.2018 10:19:54

CH134




Date: 12.SEP.2018 10:21:03

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-2.67	0.00	-2.67	30.00
CH157	5785	-2.18	0.00	-2.18	30.00
CH165	5825	-2.02	0.00	-2.02	30.00

TX CH149




Date: 12.SEP.2018 09:43:36

TX CH157



Date: 12.SEP.2018 09:44:41

TX CH165




Date: 12.SEP.2018 09:45:40

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-3.08	0.00	-3.08	30.00
CH157	5785	-2.48	0.00	-2.48	30.00
CH165	5825	-2.54	0.00	-2.54	30.00

TX CH149




Date: 12.SEP.2018 09:56:54

TX CH157



Date: 12.SEP.2018 09:57:53

TX CH165




Date: 12.SEP.2018 09:59:25

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-5.14	0.00	-5.14	30.00
CH159	5795	-4.59	0.00	-4.59	30.00

TX CH151



Date: 12.SEP.2018 10:22:16


TX CH159



Date: 12.SEP.2018 10:23:28


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-3.01	0.00	-3.01	11.00
CH40	5200	0.73	0.00	0.73	11.00
CH48	5240	0.51	0.00	0.51	11.00




Date: 12.SEP.2018 10:01:06

CH40



Date: 12.SEP.2018 10:02:16

CH48




Date: 12.SEP.2018 10:03:07

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.23	0.00	-3.23	11.00
CH46	5230	-3.40	0.00	-3.40	11.00

CH38



Date: 12.SEP.2018 10:24:59


CH46



Date: 12.SEP.2018 10:27:15

Test Mode: UNII-1/TX AC80 Mode_CH42


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-3.92	0.00	-3.92	11.00



Date: 12.SEP.2018 10:36:33


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-0.03	0.00	-0.03	11.00
CH60	5300	-0.76	0.00	-0.76	11.00
CH64	5320	-0.81	0.00	-0.81	11.00




Date: 12.SEP.2018 10:04:11

CH60



Date: 12.SEP.2018 10:05:13

CH64




Date: 12.SEP.2018 10:06:17

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.84	0.00	-2.84	11.00
CH62	5310	-3.80	0.00	-3.80	11.00

CH54



Date: 12.SEP.2018 10:28:16


CH62



Date: 12.SEP.2018 10:29:21

Test Mode: UNII-2A/TX AC80 Mode_CH58

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-5.03	0.00	-5.03	11.00




Date: 12.SEP.2018 10:37:32

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-0.55	0.00	-0.55	11.00
CH116	5580	0.41	0.00	0.41	11.00
CH140	5700	1.03	0.00	1.03	11.00

CH100




Date: 12.SEP.2018 10:07:08

CH116



Date: 12.SEP.2018 10:08:07

CH140




Date: 12.SEP.2018 10:09:05

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.00	0.00	-3.00	11.00
CH110	5550	-2.18	0.00	-2.18	11.00
CH134	5670	-4.17	0.00	-4.17	11.00

CH102




Date: 12.SEP.2018 10:30:14

CH110



Date: 12.SEP.2018 10:31:20

CH134




Date: 12.SEP.2018 10:32:29

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-5.55	0.00	-5.55	11.00
CH122	5610	-6.25	0.00	-6.25	11.00

CH106



Date: 12.SEP.2018 10:38:33


CH122



Date: 12.SEP.2018 10:40:25


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-3.26	0.00	-3.26	30.00
CH157	5785	-2.65	0.00	-2.65	30.00
CH165	5825	-2.62	0.00	-2.62	30.00




Date: 12.SEP.2018 10:10:30

TX CH157



Date: 12.SEP.2018 10:11:26

TX CH165




Date: 12.SEP.2018 10:12:41

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-5.68	0.00	-5.68	30.00
CH159	5795	-5.25	0.00	-5.25	30.00

TX CH151



Date: 12.SEP.2018 10:33:30

TX CH159




Date: 12.SEP.2018 10:34:27

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-7.47	0.00	-7.47	30.00

TX CH155



Date: 12.SEP.2018 10:41:32

APPENDIX H - FREQUENCY STABILITY

Test Mode:	UNII-1
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
5.5	5179.9796
5	5179.9828
4.5	5179.9812
Max. Deviation (MHz)	0.0204
Max. Deviation (ppm)	3.9382

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5179.9844
10	5179.9856
20	5179.9872
30	5179.9884
40	5179.9904
Max. Deviation (MHz)	0.0156
Max. Deviation (ppm)	3.0116

Test Mode:	UNII-2A
------------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
5.5	5259.9872
5	5259.9956
4.5	5259.9920
Max. Deviation (MHz)	0.0128
Max. Deviation (ppm)	2.4335

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
0	5259.9988
10	5260.0008
20	5260.0024
30	5260.0040
40	5260.0056
Max. Deviation (MHz)	0.0056
Max. Deviation (ppm)	1.0646

Test Mode:	UNII-2C
------------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
5.5	5499.9872
5	5499.9868
4.5	5499.9872
Max. Deviation (MHz)	0.0132
Max. Deviation (ppm)	2.4000

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
0	5499.9868
10	5499.9864
20	5499.9864
30	5499.9860
40	5499.9860
Max. Deviation (MHz)	0.0140
Max. Deviation (ppm)	2.5455

Test Mode:	UNII-3
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
5.5	5745.0384
5	5745.0328
4.5	5745.0360
Max. Deviation (MHz)	0.0384
Max. Deviation (ppm)	6.6841

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5745.0300
10	5745.0288
20	5745.0272
30	5745.0264
40	5745.0260
Max. Deviation (MHz)	0.0300
Max. Deviation (ppm)	5.2219

End of Test Report