

TOSHIBA

TOSHIBA CORPORATION HINO WORKS PHONE (042) 585-3111
1-1, ASAHIGAOKA 3-CHOME, HINO CITY,
TOKYO 191-8555 JAPAN

TRANSCIVER TYPE: CJ6DCE44941A


Federal Communications Commission
Equipment Approval Services
P.O.Box 358315
Pittsburgh, PA 15251-5315

Subject: Affidavit for Cellular Mobile Telephone,
FCC ID: CJ6DCE44941A

Gentlemen:

I hereby certify that the Transceiver FCC ID: CJ6DCE44941A manufactured by TOSHIBA Corporation complies with all Requirements of OST Bulletin 53 as referenced in Section 22.933 of the FCC Rules and all technical/test data enclosed with this application are true and correct.

Yours faithfully,



Seizo Ueno

Senior Manager
Mobile Communication Engineering Department

TOSHIBA

TOSHIBA CORPORATION HINO WORKS PHONE (042) 585-3111
1-1, ASAHIGAOKA 3-CHOME, HINO CITY,
TOKYO 191-8555 JAPAN

TRANSCIVER TYPE: CJ6DCE44941A

Federal Communications Commission
Equipment Approval Services
P.O.Box 358315
Pittsburgh, PA 15251-5315

Subject: Affidavit for Cellular Mobile Telephone,
FCC ID: CJ6DCE44941A


Gentlemen:

I hereby certify that the Transceiver FCC ID: CJ6DCE44941A is so designed that it complies with all the requirements for ESN protection specified in Section 22.919.

- (a) The transmitter in service has a unique ESN.
- (b) The ESN host component is permanently attached to a Logic board of the Handheld portable the integrity of the unit's operating software can not be alterable. The ESN is isolated from fraudulent contact and tampering. The ESN is encoded using multiplication by a polynomial and the ESN data programmed in the memory with other information.
- (c) The ESN is factory set and can not be alterable, transferable, removable or otherwise able to be manipulated. Cellular mobile equipment is specifically designed such that any attempt to remove, tamper with, or change the ESN chip, its logic system, or firmware originally programmed by the manufacture will render the mobile transmitter inoperative.

The detail documents of ESN are shown in Exhibit Type "Operational Description".

Yours faithfully,



Seizo Ueno

Senior Manager
Mobile Communication Engineering Department

TOSHIBA

TOSHIBA CORPORATION HINO WORKS PHONE (042) 585-3111
1-1, ASAHIGAOKA 3-CHOME, HINO CITY,
TOKYO 191-8555 JAPAN

TRANSCIVER TYPE: CJ6DCE44941A


Federal Communications Commission
Equipment Approval Services
P.O.Box 358315
Pittsburgh, PA 15251-5315

Subject: Affidavit for Cellular Mobile Telephone,
FCC ID: CJ6DCE44941A

Gentlemen:

I hereby certify that the Transceiver FCC ID: CJ6DCE44941A manufactured by TOSHIBA Corporation complies with Section 2.1093 of the FCC Rules.

Yours faithfully,



Seizo Ueno

Senior Manager
Mobile Communication Engineering Department

TOSHIBA

TOSHIBA CORPORATION HINO WORKS PHONE (042) 585-3111
1-1, ASAHIGAOKA 3-CHOME, HINO CITY,
TOKYO 191-8555 JAPAN

TRANSCEIVER TYPE: CJ6DCE44941A


Federal Communications Commission
Equipment Approval Services
P.O.Box 358315
Pittsburgh, PA 15251-5315

Subject: Affidavit for Cellular Mobile Telephone,
FCC ID: CJ6DCE44941A
FCC E911 Requirements Per S22.921

Gentlemen:

I hereby certify that the Transceiver FCC ID: CJ6DCE44941A, using the automatic A/B Roaming – Intelligent Retry method, meets the E911 requirements specified in Section 22.921 of the FCC Rules. This procedure recognizes when a “9-1-1” call is made and, at such time, will override any programming in the mobile unit that determines the handling of a non-911 call and permit the call to be handled by other analog carriers.

Should you have any questions or comments concerning the above, please contact the undersigned.



Seizo Ueno

Senior Manager
Mobile Communication Engineering Department