Quick Setup Guide

PAX PAX TECHNOLOGY INC.


# **Aries6 Smart Tablet**



**Note:** Product images shown may be different than actual product received

PAX TECHNOLOGY INC.


# Box Contents






Privacy shield set


- 1 Aries6 Smart Tablet
- 1 Power adapter
- 1 USB cable
- 1 SIM card ejector tool
- 1 Privacy shield set
- 1 Batterv
- 1 Quick Start Guide









### PAX PAX TECHNOLOGY INC.






Underside View

Power Button





PAX PAX TECHNOLOGY INC.

### Power



**Power on:** Press and hold the power button for three seconds until screen display lights up and tablet powers up.

See page 2 (Front View) for the location of the power button.

**Power off:** Press and hold the power button for three seconds. Select "Power off".

Charge: Plug USB cable into USB port (see page 2, Right Side View for the location of the USB port) or place the tablet onto its base to charge the tablet.

Charging indicator: Charging indicator light displays charging

- Red indicator Tablet is charging.
- Green indicator Charging is complete.
- Red and green indicators flashing alternately Charging problem. (See page 2 Front View for the location of the Charging indicator.)

### Card Readers



Magnetic stripe card: Insert magnetic stripe card into card slot and push to the end with magnetic stripe facing down, then pull out card at a constant speed to swipe card.

Smart card: Insert card with IC chip facing up, then push it to the end of the card slot. Leave card inserted until prompted to remove. Contactless card: When prompted, hold contactless card over center of contactless area.

### SAM Card



- 1. To insert SAM card, open SAM card slot and insert card with chip facing up (see page 4). Close SAM card slot cover.
- 2. To remove SAM card, first push it further into slot. (The card will then stick out of the slot a little.) Next push card again to remove

### SIM/Micro SD Card



- 1. Open tray cover and insert SIM card ejector tool into hole at side of card tray until tray opens.
- 2. Take tray out and put the SIM/Micro SD card on the tray in the direction shown on page 4.
- 3. Gently push tray back into slot until firmly seated.

P/N:200312000000429



### **PAX TECHNOLOGY LIMITED**

Manufacturer: PAX Computer Technology (Shenzhen) Co.,Ltd.

This document is provided to you for informational purposes

only. All features and specifications are subject to change

without notice. PAX's name and PAX's logo are registered trademarks of PAX Technology Inc. All rights reserved.

Address: 4/F, No. 3 Building, Software Park, Second Central Science-Tech Road, High-Tech Industrial Park, Shenzhen, Guangdong, P.R.C.

Tel: 0755-86169630 Fax: 0755-86169634

Website: http://www.pax.com.cn

Responsible Party: PAX Technology, Inc.

8880 Freedom Crossing Trail, Building 400, 3rd Floor Suite 300, Jacksonville,

Florida, 32256

Tony Fernandez

tony.fernandez@pax.us +1 623-640-9529



### PAX PAX TECHNOLOGY INC.

# Privacy Shield



You have the option to install a high or low privacy shield on your tablet. ( See page 2. Front View for the location of the Privacy Shield Mounting Slots.)



Low privacy shield



High privacy shield

Caution: If the privacy shield is not installed, you must use PCI-approved alternative methods to secure the tablet keypad.

- 1. To attach a high privacy shield, insert the hard plastic low privacy shield into the bottom of the rubber high privacy shield. (If you are using the low privacy shield, this step is not required.)
- 2. Align the four pegs on the privacy shield with the four mounting slots around the keypad.
- 3. Press the privacy shield firmly to secure it into place.

### Specifications



Operating System: Android 7.1

Quad-Core Cortex A53, 1,8GHz

1 GB RAM + 8GB Flash

6-inch, Resolution 720 x 1280 pixels, multi-touch

capacitive screen, supports stylus pen

Built-in speaker, supports headphone output



high-speed code scanning

brightness

Light sensor: Main display automatically adjusts backlight

3G/4G (optional)

Wireless communication: Supports Wi-Fi, Bluetooth.

Supports GPS, Compass, Galileo, GLONASS

SIM/SD 2-in-1 card slot 1 SAM card slots

Micro SD card slot (supports maximum of 128GB)

Magnetic stripe card/IC card slot, 2-in-1, supports MAG&ICC

Magnetic card reader: Supports Track 1/2/3

IC card reader: Complies with ISO7816 standards. EMV2000 L

& L2. PBOC3.0

Contactless card reader: Compatible with ISO 14443 Type A&B Working Environment:

Operating temperature: 0°C ~ 50°C;

Relative humidity: 5% ~ 96% (Non-condensing)

Storage Environment:

Card slots:

Storage temperature : -20°C ~ 70°C;

Relative humidity: 5% ~ 96% (Non-condensing)

Power Adapter: Input: 100-240VAC. 50Hz/60Hz

Output:

3.7V/1300mAh

# Device Location

PAX PAX TECHNOLOGY INC.



Locate the device on a counter top, desktop or table top. Keep the device away from direct sunlight, excessive dust, moisture, and heat. Avoid locating the device near electrical devices that might introduce interference such as microwave ovens and blow

### Cleaning the Device





Do not use industrial strength or abrasive cleaner as it may damage or scratch the screen.

- Do not immerse tablet in water (or liquid).
- Do not spray water or cleaner into card reader or ports.
- To clean screen, apply distilled water or mild glass cleaner onto a soft, lint-free cloth and gently wipe screen.
- To clean tablet, apply distilled water or plastic-safe cleaner onto a soft, lint-free cloth and gently wipe tablet.

## Installation and Usage Tips



- · Base functionality is not available while the device is connected to a computer or when it is being charged using a Type C plug.
- Use the included USB cable with power adapter to charge the device, otherwise the device may not operate normally.
- Avoid exposing the device to an excessively hot, humid, dusty, or strong electromagnetic environment.
- Do not vibrate, shake, or drop the device.
- Do not insert or unplug any part of the device while it is powered on. This may cause damage to an internal circuit.
- Please contact PAX technical support for assistance with the

**Caution:** Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. In a domestic environment. this product may cause radio interference in which case the user may be required to take adequate measures.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. This device has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules.

FCC Regulations:

These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiated radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However. there is no guarantee that interference will not occur in a particular installation If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures: -Reorient or relocate the receiving antenna.

-Increase the separation between the equipment and receiver.

-Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

-Consult the dealer or an experienced radio/TV technician for help. Caution: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

FCC RF Exposure Information (SAR)

you are to a wireless base station antenna, the lower the power

output. The exposure standard for wireless employs a unit of

The SAR limit set by the FCC is 1.6W/kg.

FCC ID: V5PAR6

measurement known as the Specific Absorption Rate, or SAR.

The FCC has granted an Equipment Authorization for this model

device with all reported SAR levels evaluated as in compliance

with the FCC RF exposure guidelines. SAR information on this

model device is on file with the FCC and can be found under the

Display Grant section of www.fcc.gov/oet/ea/fccid after searching

Operation is subject to the following two conditions: This device is designed and manufactured not to exceed the (1) this device may not cause interference, and emission limits for exposure to radio frequency (RF) energy set (2) this device must accept any interference, including by the Federal Communications Commission of the United States. interference that may cause undesired operation of the device. During SAR testing, this device is set to transmit at its highest Le présentappareilestconforme aux CNR Innovation. Sciences certified power level in all tested frequency bands, and placed in et Développementéconomique Canada applicables aux appareils positions that simulate RF exposure in usage near the body. radio exempts de licence. L'exploitationestautorisée aux deux Although the SAR is determined at the highest certified power conditions suivantes: level, the actual SAR level of the while operating can be well (1) l'appareil ne doit pas produire de brouillage, et below the maximum value. This is because the device is (2) l'utilisateur de l'appareildoit accepter tout designed to operate at multiple power levels so as to use only brouillageradioélectriquesubi, mêmesi le brouillageest susceptible the power required to reach the network. In general, the closer

IC: 11689A-AR6

device and its antenna(s) must not be co-located or operating in conjunction with any other antenna or transmitter. Cetappareilestconforme aux limites d'exposition DAS incontrôlée pour la populationgénérale de la norme CNR-102 science de l'innovation et le développementéconomique Canadaet a ététesté

This device complies with Innovation, Science and Economic

Development Canada license-exempt RSS standard(s).

While there may be differences between the SAR levels of en conformité avecles méthodes de mesure et procéduresspécifiéesdans IEEE 1528 et IEC 62209. Cetappareil various devices and at various positions, they all meet the et saousesantennes ne doiventpas êtreco-localisésoufonctionner RSS-247Chapter 6.4

The device could automatically discontinue transmission in case of absence of information to transmit, or operational failure. Note

that this is not intended to prohibit transmission of control or

signaling information or the use of repetitive codes where required by the technology. the device for operation in the band 5150-5250 MHz is only for

indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems: In addition, high-power radars are allocated as primary users

(i.e. priority users) of the bands 5250-5350 MHz and 5650-5850

MHz and that these radars could cause interference and/or damage to LE-LAN devices.

casd'absenced'information à transmettreoud'échecopérationnel. ISED Radiation Exposure Statement llest à noterquecela ne vise pas à interdire la transmission de This EUT is in compliance with SAR for general données de contrôleou de signalisationoul'utilisation de codes population/uncontrolled exposure limits in ISED RSS-102 and répétitifslorsque la technologiel'exige. had been tested in accordance with the measurement methods -le dispositif de fonctionnement dans la bande 5150 - 5250 MHz and procedures specified in IEEE 1528 and IEC 62209. This n'estutiliségu'àl'intérieur pour réduire les

risquesd'interférences nuisibles pour les systèmes mobiles par

satellite à cocanal:

En outre, les radars de haute puissance sontattribués en tantou'utilisateursprincipaux (c.-à-d. utilisateursprioritaires) des bandes 5250 - 5350 MHz et 5650 - 5850 MHz et gueces radars pourraient causer des interférences et/ouendommager les dispositifs LAN-le.

L'appareilpeutinterrompreautomatiquement la transmission en

government requirement.