







		18																																																																																										
Mode		Band Edge																																																																																										
		2400-2483.5_802.11ax HE20_CH01_Partial RU106/53_2412MHz																																																																																										
ANT		CDD 0+1																																																																																										
Pol.		Vertical						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-02-26  231023362362238824142440 017.535.052.570.087.5105.0122.5140 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.82</td><td>52.45</td><td>74.00</td><td>-21.55</td><td>49.90</td><td>30.72</td><td>5.36</td><td>33.53</td><td>399</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.82	52.45	74.00	-21.55	49.90	30.72	5.36	33.53	399	360	PEAK	Level (dBuV/m) Date: 2024-02-26  100014001800220026003000 017.535.052.570.087.5105.0122.5140 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>109.23</td><td>-----</td><td>-----</td><td>106.68</td><td>30.72</td><td>5.38</td><td>33.55</td><td>399</td><td>360</td><td>PEAK_74</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	109.23	-----	-----	106.68	30.72	5.38	33.55	399	360	PEAK_74
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2389.82	52.45	74.00	-21.55	49.90	30.72	5.36	33.53	399	360	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2412.00	109.23	-----	-----	106.68	30.72	5.38	33.55	399	360	PEAK_74																																																																																	
Avg	Level (dBuV/m) Date: 2024-02-26  231023362362238824142440 017.535.052.570.087.5105.0122.5140 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.17</td><td>46.07</td><td>54.00</td><td>-7.93</td><td>43.52</td><td>30.72</td><td>5.36</td><td>33.53</td><td>399</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.17	46.07	54.00	-7.93	43.52	30.72	5.36	33.53	399	360	AVERAGE	Level (dBuV/m) Date: 2024-02-26  100014001800220026003000 017.535.052.570.087.5105.0122.5140 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>102.31</td><td>-----</td><td>-----</td><td>99.76</td><td>30.72</td><td>5.37</td><td>33.54</td><td>399</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	102.31	-----	-----	99.76	30.72	5.37	33.54	399	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2389.17	46.07	54.00	-7.93	43.52	30.72	5.36	33.53	399	360	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2412.00	102.31	-----	-----	99.76	30.72	5.37	33.54	399	360	AVERAGE																																																																																	







Mode	19																																																																																								
	Band Edge																																																																																								
	2400-2483.5_802.11ax HE20_CH11_Partial RU26/8_2462MHz																																																																																								
ANT	CDD 0+1																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2024-02-26 PEAK_BE_74					Level (dBuV/m) Date: 2024-02-26 PEAK_74																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.77</td><td>62.60</td><td>74.00</td><td>-11.40</td><td>60.03</td><td>30.70</td><td>5.46</td><td>33.59</td><td>380 278 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.77	62.60	74.00	-11.40	60.03	30.70	5.46	33.59	380 278 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>114.11</td><td>-----</td><td>-----</td><td>111.54</td><td>30.71</td><td>5.44</td><td>33.58</td><td>380 278 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	114.11	-----	-----	111.54	30.71	5.44	33.58
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2483.77	62.60	74.00	-11.40	60.03	30.70	5.46	33.59	380 278 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2462.00	114.11	-----	-----	111.54	30.71	5.44	33.58	380 278 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2024-02-26 AVG_BE_54					Level (dBuV/m) Date: 2024-02-26 AVG_54																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.51</td><td>50.11</td><td>54.00</td><td>-3.89</td><td>47.54</td><td>30.70</td><td>5.46</td><td>33.59</td><td>380 278 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	50.11	54.00	-3.89	47.54	30.70	5.46	33.59	380 278 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>106.58</td><td>-----</td><td>-----</td><td>104.01</td><td>30.71</td><td>5.44</td><td>33.58</td><td>380 278 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	106.58	-----	-----	104.01	30.71	5.44	33.58
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2483.51	50.11	54.00	-3.89	47.54	30.70	5.46	33.59	380 278 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2462.00	106.58	-----	-----	104.01	30.71	5.44	33.58	380 278 AVERAGE																																																																																



Mode	19																																																																																															
	Band Edge																																																																																															
	2400-2483.5_802.11ax HE20_CH11_Partial RU26/8_2462MHz																																																																																															
ANT	CDD 0+1																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2024-02-26 PEAK_BE_74 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.74</td><td>59.52</td><td>74.00</td><td>-14.48</td><td>56.95</td><td>30.70</td><td>5.46</td><td>33.59</td><td>300</td><td>178</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	59.52	74.00	-14.48	56.95	30.70	5.46	33.59	300	178	PEAK	Level (dBuV/m) Date: 2024-02-26 PEAK_74 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>110.39</td><td>-----</td><td>-----</td><td>107.82</td><td>30.71</td><td>5.44</td><td>33.58</td><td>300</td><td>178</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	110.39	-----	-----	107.82	30.71	5.44	33.58	300	178	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2483.74	59.52	74.00	-14.48	56.95	30.70	5.46	33.59	300	178	PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2462.00	110.39	-----	-----	107.82	30.71	5.44	33.58	300	178	PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2024-02-26 AVG_BE_54 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>46.88</td><td>54.00</td><td>-7.12</td><td>44.31</td><td>30.70</td><td>5.46</td><td>33.59</td><td>300</td><td>178</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	46.88	54.00	-7.12	44.31	30.70	5.46	33.59	300	178	AVERAGE	Level (dBuV/m) Date: 2024-02-26 AVG_54 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>103.64</td><td>-----</td><td>-----</td><td>101.07</td><td>30.71</td><td>5.44</td><td>33.58</td><td>300</td><td>178</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.64	-----	-----	101.07	30.71	5.44	33.58	300	178	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2483.51	46.88	54.00	-7.12	44.31	30.70	5.46	33.59	300	178	AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2462.00	103.64	-----	-----	101.07	30.71	5.44	33.58	300	178	AVERAGE																																																																																					







		20									
Mode	Band Edge										
	2400-2483.5_802.11ax HE20_CH11_Partial RU52/40_2462MHz										
ANT	CDD 0+1										
Pol.	Horizontal						Fundamental				
Peak	Level (dBuV/m) Date: 2024-02-26  PEAK_BE_74 Freq Level Limit Margin Read Ant Cable Preamp APos TPos Remark MHz dBuV/m dBuV/m (dB) dBuV dB/m dB dB cm deg 1 2483.51 63.37 74.00 -10.63 60.80 30.70 5.46 33.59 379 278 PEAK						Level (dBuV/m) Date: 2024-02-26  PEAK_74 Freq Level Limit Margin Read Ant Cable Preamp APos TPos Remark MHz dBuV/m dBuV/m (dB) dBuV dB/m dB dB cm deg 1 2462.00 110.86 ----- 108.29 30.71 5.44 33.58 379 278 PEAK				
	Level (dBuV/m) Date: 2024-02-26  AVG_BE_54 Freq Level Limit Margin Read Ant Cable Preamp APos TPos Remark MHz dBuV/m dBuV/m (dB) dBuV dB/m dB dB cm deg 1 2483.66 50.63 54.00 -3.37 48.06 30.70 5.46 33.59 379 278 AVERAGE						Level (dBuV/m) Date: 2024-02-26  AVG_54 Freq Level Limit Margin Read Ant Cable Preamp APos TPos Remark MHz dBuV/m dBuV/m (dB) dBuV dB/m dB dB cm deg 1 2462.00 103.49 ----- 100.92 30.71 5.44 33.58 379 278 AVERAGE				







Mode	20																																																																			
	Band Edge																																																																			
	2400-2483.5_802.11ax HE20_CH11_Partial RU52/40_2462MHz																																																																			
ANT	CDD 0+1																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	Level (dBuV/m) Date: 2024-02-26 PEAK_BE_74 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2484.00</td><td>61.45</td><td>74.00</td><td>-12.55</td><td>58.88</td><td>30.70</td><td>5.46</td><td>33.59</td><td>337</td><td>183</td><td>PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 2484.00	61.45	74.00	-12.55	58.88	30.70	5.46	33.59	337	183	PEAK	Level (dBuV/m) Date: 2024-02-26 PEAK_74 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2462.00</td><td>108.96</td><td>-----</td><td>-----</td><td>106.39</td><td>30.71</td><td>5.44</td><td>33.58</td><td>337</td><td>183</td><td>PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 2462.00	108.96	-----	-----	106.39	30.71	5.44	33.58	337	183	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1 2484.00	61.45	74.00	-12.55	58.88	30.70	5.46	33.59	337	183	PEAK																																																										
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1 2462.00	108.96	-----	-----	106.39	30.71	5.44	33.58	337	183	PEAK																																																										
Avg	Level (dBuV/m) Date: 2024-02-26 AVG_BE_54 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2483.74</td><td>49.09</td><td>54.00</td><td>-4.91</td><td>46.52</td><td>30.70</td><td>5.46</td><td>33.59</td><td>337</td><td>183</td><td>AVERAGE</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 2483.74	49.09	54.00	-4.91	46.52	30.70	5.46	33.59	337	183	AVERAGE	Level (dBuV/m) Date: 2024-02-26 AVG_54 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2462.00</td><td>100.75</td><td>-----</td><td>-----</td><td>98.18</td><td>30.71</td><td>5.44</td><td>33.58</td><td>337</td><td>183</td><td>AVERAGE</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 2462.00	100.75	-----	-----	98.18	30.71	5.44	33.58	337	183	AVERAGE
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1 2483.74	49.09	54.00	-4.91	46.52	30.70	5.46	33.59	337	183	AVERAGE																																																										
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1 2462.00	100.75	-----	-----	98.18	30.71	5.44	33.58	337	183	AVERAGE																																																										







Mode	21																																																																																										
	Band Edge																																																																																										
	2400-2483.5_802.11ax HE20_CH11_Partial RU106/54_2462MHz																																																																																										
ANT	CDD 0+1																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.58</td><td>64.03</td><td>74.00</td><td>-9.97</td><td>61.46</td><td>30.70</td><td>5.46</td><td>33.59</td><td>100</td><td>312</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.58	64.03	74.00	-9.97	61.46	30.70	5.46	33.59	100	312	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>111.16</td><td>-----</td><td>-----</td><td>108.59</td><td>30.71</td><td>5.44</td><td>33.58</td><td>100</td><td>312</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	111.16	-----	-----	108.59	30.71	5.44	33.58	100	312
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.58	64.03	74.00	-9.97	61.46	30.70	5.46	33.59	100	312	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2462.00	111.16	-----	-----	108.59	30.71	5.44	33.58	100	312	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.55</td><td>50.62</td><td>54.00</td><td>-3.38</td><td>48.05</td><td>30.70</td><td>5.46</td><td>33.59</td><td>100</td><td>312</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.55	50.62	54.00	-3.38	48.05	30.70	5.46	33.59	100	312	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>103.26</td><td>-----</td><td>-----</td><td>100.69</td><td>30.71</td><td>5.44</td><td>33.58</td><td>100</td><td>312</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	103.26	-----	-----	100.69	30.71	5.44	33.58	100	312
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.55	50.62	54.00	-3.38	48.05	30.70	5.46	33.59	100	312	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2462.00	103.26	-----	-----	100.69	30.71	5.44	33.58	100	312	AVERAGE																																																																																



		21																																																																																									
Mode		Band Edge																																																																																									
		2400-2483.5_802.11ax HE20_CH11_Partial RU106/54_2462MHz																																																																																									
ANT		CDD 0+1																																																																																									
Pol.		Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-02-26  PEAK_BE_74					Level (dBuV/m) Date: 2024-02-26  PEAK_74																																																																																					
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>61.96</td><td>74.00</td><td>-12.04</td><td>59.39</td><td>30.70</td><td>5.46</td><td>33.59</td><td>365</td><td>0 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	61.96	74.00	-12.04	59.39	30.70	5.46	33.59	365	0 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>110.99</td><td>-----</td><td>-----</td><td>108.42</td><td>30.71</td><td>5.44</td><td>33.58</td><td>365</td><td>0 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	110.99	-----	-----	108.42	30.71	5.44	33.58	365
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2483.62	61.96	74.00	-12.04	59.39	30.70	5.46	33.59	365	0 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2462.00	110.99	-----	-----	108.42	30.71	5.44	33.58	365	0 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-02-26  AVG_BE_54					Level (dBuV/m) Date: 2024-02-26  AVG_54																																																																																					
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.58</td><td>49.46</td><td>54.00</td><td>-4.54</td><td>46.89</td><td>30.70</td><td>5.46</td><td>33.59</td><td>365</td><td>0 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.58	49.46	54.00	-4.54	46.89	30.70	5.46	33.59	365	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>101.99</td><td>-----</td><td>-----</td><td>99.42</td><td>30.71</td><td>5.44</td><td>33.58</td><td>365</td><td>0 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	101.99	-----	-----	99.42	30.71	5.44	33.58	365
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2483.58	49.46	54.00	-4.54	46.89	30.70	5.46	33.59	365	0 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2462.00	101.99	-----	-----	99.42	30.71	5.44	33.58	365	0 AVERAGE																																																																																	







Mode	22																																																																																																																			
	Band Edge - L																																																																																																																			
	2400-2483.5_802.11ax HE40_CH03_2422MHz																																																																																																																			
ANT	CDD 0+1																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2383.81</td><td>57.64</td><td>74.00</td><td>-16.36</td><td>54.83</td><td>30.72</td><td>5.35</td><td>33.26</td><td>400</td><td>260</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2383.81	57.64	74.00	-16.36	54.83	30.72	5.35	33.26	400	260	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1386.00</td><td>55.51</td><td>74.00</td><td>-18.49</td><td>56.45</td><td>29.42</td><td>4.13</td><td>34.49</td><td>400</td><td>260</td><td>PEAK</td></tr><tr><td>2</td><td>2422.00</td><td>96.45</td><td>-----</td><td>-----</td><td>93.57</td><td>30.72</td><td>5.38</td><td>33.22</td><td>400</td><td>260</td><td>PEAK</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1386.00	55.51	74.00	-18.49	56.45	29.42	4.13	34.49	400	260	PEAK	2	2422.00	96.45	-----	-----	93.57	30.72	5.38	33.22	400	260
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	2383.81	57.64	74.00	-16.36	54.83	30.72	5.35	33.26	400	260	PEAK																																																																																																									
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	1386.00	55.51	74.00	-18.49	56.45	29.42	4.13	34.49	400	260	PEAK																																																																																																									
2	2422.00	96.45	-----	-----	93.57	30.72	5.38	33.22	400	260	PEAK																																																																																																									
Avg																																																																																																																				
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2385.94</td><td>50.30</td><td>54.00</td><td>-3.70</td><td>47.48</td><td>30.72</td><td>5.36</td><td>33.26</td><td>400</td><td>260</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2385.94	50.30	54.00	-3.70	47.48	30.72	5.36	33.26	400	260	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1386.00</td><td>51.39</td><td>54.00</td><td>-2.61</td><td>52.33</td><td>29.42</td><td>4.13</td><td>34.49</td><td>400</td><td>260</td><td>AVERAGE</td></tr><tr><td>2</td><td>2422.00</td><td>86.50</td><td>-----</td><td>-----</td><td>83.64</td><td>30.72</td><td>5.37</td><td>33.23</td><td>400</td><td>260</td><td>AVERAGE</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1386.00	51.39	54.00	-2.61	52.33	29.42	4.13	34.49	400	260	AVERAGE	2	2422.00	86.50	-----	-----	83.64	30.72	5.37	33.23	400	260
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	2385.94	50.30	54.00	-3.70	47.48	30.72	5.36	33.26	400	260	AVERAGE																																																																																																									
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	1386.00	51.39	54.00	-2.61	52.33	29.42	4.13	34.49	400	260	AVERAGE																																																																																																									
2	2422.00	86.50	-----	-----	83.64	30.72	5.37	33.23	400	260	AVERAGE																																																																																																									





Mode	22																																																		
	Band Edge - R																																																		
	2400-2483.5_802.11ax HE40_CH03_2422MHz																																																		
ANT	CDD 0+1																																																		
Pol.	Horizontal						Fundamental																																												
Peak	Date: 2024-01-17 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2492.67</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>42.14</td><td>30.70</td><td>5.47</td><td>33.11</td><td>400</td><td>260</td><td>PEAK</td></tr></tbody></table> Blank							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2492.67	45.20	74.00	-28.80	42.14	30.70	5.47	33.11	400	260	PEAK					
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	2492.67	45.20	74.00	-28.80	42.14	30.70	5.47	33.11	400	260	PEAK																																								
Avg	Date: 2024-01-17 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2500.00</td><td>38.52</td><td>54.00</td><td>-15.48</td><td>35.44</td><td>30.70</td><td>5.48</td><td>33.10</td><td>400</td><td>260</td><td>AVERAGE</td></tr></tbody></table> Blank							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2500.00	38.52	54.00	-15.48	35.44	30.70	5.48	33.10	400	260	AVERAGE					
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	2500.00	38.52	54.00	-15.48	35.44	30.70	5.48	33.10	400	260	AVERAGE																																								





		22																																																																																																															
Mode	Band Edge - L																																																																																																																
	2400-2483.5_802.11ax HE40_CH03_2422MHz																																																																																																																
ANT	CDD 0+1																																																																																																																
Pol.	Vertical																																																																																																																
Peak	Level (dBuV/m) Date: 2024-01-17  <table><thead><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2383.92</td><td>53.53</td><td>74.00</td><td>-20.47</td><td>50.72</td><td>30.72</td><td>5.35</td><td>33.26</td><td>300</td><td>357 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2383.92	53.53	74.00	-20.47	50.72	30.72	5.35	33.26	300	357 PEAK	Level (dBuV/m) Date: 2024-01-17  <table><thead><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1386.00</td><td>56.37</td><td>74.00</td><td>-17.63</td><td>57.31</td><td>29.42</td><td>4.13</td><td>34.49</td><td>300</td><td>357 PEAK</td></tr><tr><td>2</td><td>2422.00</td><td>90.25</td><td>-----</td><td>-----</td><td>87.38</td><td>30.72</td><td>5.38</td><td>33.23</td><td>300</td><td>357 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1386.00	56.37	74.00	-17.63	57.31	29.42	4.13	34.49	300	357 PEAK	2	2422.00	90.25	-----	-----	87.38	30.72	5.38	33.23	300	357 PEAK
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	2383.92	53.53	74.00	-20.47	50.72	30.72	5.35	33.26	300	357 PEAK																																																																																																							
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	1386.00	56.37	74.00	-17.63	57.31	29.42	4.13	34.49	300	357 PEAK																																																																																																							
2	2422.00	90.25	-----	-----	87.38	30.72	5.38	33.23	300	357 PEAK																																																																																																							
Avg	Level (dBuV/m) Date: 2024-01-17  <table><thead><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.86</td><td>46.18</td><td>54.00</td><td>-7.82</td><td>43.35</td><td>30.72</td><td>5.36</td><td>33.25</td><td>300</td><td>357 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.86	46.18	54.00	-7.82	43.35	30.72	5.36	33.25	300	357 AVERAGE	Level (dBuV/m) Date: 2024-01-17  <table><thead><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1386.00</td><td>51.32</td><td>54.00</td><td>-2.68</td><td>52.26</td><td>29.42</td><td>4.13</td><td>34.49</td><td>300</td><td>357 AVERAGE</td></tr><tr><td>2</td><td>2422.00</td><td>81.75</td><td>-----</td><td>-----</td><td>78.81</td><td>30.71</td><td>5.41</td><td>33.18</td><td>300</td><td>357 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1386.00	51.32	54.00	-2.68	52.26	29.42	4.13	34.49	300	357 AVERAGE	2	2422.00	81.75	-----	-----	78.81	30.71	5.41	33.18	300	357 AVERAGE
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	2389.86	46.18	54.00	-7.82	43.35	30.72	5.36	33.25	300	357 AVERAGE																																																																																																							
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	1386.00	51.32	54.00	-2.68	52.26	29.42	4.13	34.49	300	357 AVERAGE																																																																																																							
2	2422.00	81.75	-----	-----	78.81	30.71	5.41	33.18	300	357 AVERAGE																																																																																																							







Mode	22																																																		
	Band Edge - R																																																		
	2400-2483.5_802.11ax HE40_CH03_2422MHz																																																		
ANT	CDD 0+1																																																		
Pol.	Vertical						Fundamental																																												
Peak	Date: 2024-01-17  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.51</td><td>44.44</td><td>74.00</td><td>-29.56</td><td>41.40</td><td>30.70</td><td>5.46</td><td>33.12</td><td>300</td><td>357</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.51	44.44	74.00	-29.56	41.40	30.70	5.46	33.12	300	357	PEAK	Blank				
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	2486.51	44.44	74.00	-29.56	41.40	30.70	5.46	33.12	300	357	PEAK																																								
Avg	Date: 2024-01-17  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.36</td><td>36.67</td><td>54.00</td><td>-17.33</td><td>33.63</td><td>30.70</td><td>5.46</td><td>33.12</td><td>300</td><td>357</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.36	36.67	54.00	-17.33	33.63	30.70	5.46	33.12	300	357	AVERAGE	Blank				
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	2487.36	36.67	54.00	-17.33	33.63	30.70	5.46	33.12	300	357	AVERAGE																																								



Mode	22																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_802.11ax HE40_CH03_2422MHz																																																																																																									
ANT	CDD 0+1																																																																																																									
Pol.	Horizontal								Vertical																																																																																																	
Peak Avg	 Date: 2024-01-29								 Date: 2024-01-29																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>4844.00</td><td>42.60</td><td>74.00</td><td>-31.40</td><td>62.82</td><td>35.83</td><td>8.81</td><td>64.86 --- Peak</td></tr><tr><td>2</td><td>7266.00</td><td>44.72</td><td>74.00</td><td>-29.28</td><td>62.51</td><td>36.89</td><td>10.18</td><td>64.86 --- Peak</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	4844.00	42.60	74.00	-31.40	62.82	35.83	8.81	64.86 --- Peak	2	7266.00	44.72	74.00	-29.28	62.51	36.89	10.18	64.86 --- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>4844.00</td><td>43.88</td><td>74.00</td><td>-30.12</td><td>64.10</td><td>35.83</td><td>8.81</td><td>64.86 --- Peak</td></tr><tr><td>2</td><td>7266.00</td><td>43.76</td><td>74.00</td><td>-30.24</td><td>61.55</td><td>36.89</td><td>10.18</td><td>64.86 --- Peak</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	4844.00	43.88	74.00	-30.12	64.10	35.83	8.81	64.86 --- Peak	2	7266.00	43.76	74.00	-30.24	61.55	36.89	10.18	64.86 --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																			
1	4844.00	42.60	74.00	-31.40	62.82	35.83	8.81	64.86 --- Peak																																																																																																		
2	7266.00	44.72	74.00	-29.28	62.51	36.89	10.18	64.86 --- Peak																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																			
1	4844.00	43.88	74.00	-30.12	64.10	35.83	8.81	64.86 --- Peak																																																																																																		
2	7266.00	43.76	74.00	-30.24	61.55	36.89	10.18	64.86 --- Peak																																																																																																		







		23																																																																																														
Mode		Band Edge - L																																																																																														
		2400-2483.5_802.11ax HE40_CH06_2437MHz																																																																																														
ANT		CDD 0+1																																																																																														
Pol.		Horizontal					Fundamental																																																																																									
Peak	 Level (dBuV/m) Date: 2024-01-19 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2386.33</td><td>50.94</td><td>74.00</td><td>-23.06</td><td>48.12</td><td>30.72</td><td>5.36</td><td>33.26</td><td>119</td><td>130 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2386.33	50.94	74.00	-23.06	48.12	30.72	5.36	33.26	119	130 PEAK	 Level (dBuV/m) Date: 2024-01-19 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 1386.00</td><td>55.60</td><td>74.00</td><td>-18.40</td><td>56.54</td><td>29.42</td><td>4.13</td><td>34.49</td><td>119</td><td>130 PEAK</td></tr><tr><td>2 2437.00</td><td>104.52</td><td>-----</td><td>-----</td><td>101.62</td><td>30.71</td><td>5.39</td><td>33.20</td><td>119</td><td>130 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 1386.00	55.60	74.00	-18.40	56.54	29.42	4.13	34.49	119	130 PEAK	2 2437.00	104.52	-----	-----	101.62	30.71	5.39	33.20	119	130 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 2386.33	50.94	74.00	-23.06	48.12	30.72	5.36	33.26	119	130 PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 1386.00	55.60	74.00	-18.40	56.54	29.42	4.13	34.49	119	130 PEAK																																																																																							
2 2437.00	104.52	-----	-----	101.62	30.71	5.39	33.20	119	130 PEAK																																																																																							
Avg	 Level (dBuV/m) Date: 2024-01-19 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2388.99</td><td>42.98</td><td>54.00</td><td>-11.02</td><td>40.16</td><td>30.72</td><td>5.36</td><td>33.26</td><td>119</td><td>130 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2388.99	42.98	54.00	-11.02	40.16	30.72	5.36	33.26	119	130 AVERAGE	 Level (dBuV/m) Date: 2024-01-19 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 1386.00</td><td>51.67</td><td>54.00</td><td>-2.33</td><td>52.61</td><td>29.42</td><td>4.13</td><td>34.49</td><td>119</td><td>130 AVERAGE</td></tr><tr><td>2 2437.00</td><td>95.60</td><td>-----</td><td>-----</td><td>92.64</td><td>30.71</td><td>5.42</td><td>33.17</td><td>119</td><td>130 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 1386.00	51.67	54.00	-2.33	52.61	29.42	4.13	34.49	119	130 AVERAGE	2 2437.00	95.60	-----	-----	92.64	30.71	5.42	33.17	119	130 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 2388.99	42.98	54.00	-11.02	40.16	30.72	5.36	33.26	119	130 AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1 1386.00	51.67	54.00	-2.33	52.61	29.42	4.13	34.49	119	130 AVERAGE																																																																																							
2 2437.00	95.60	-----	-----	92.64	30.71	5.42	33.17	119	130 AVERAGE																																																																																							



Mode	23										
	Band Edge - R										
	2400-2483.5_802.11ax HE40_CH06_2437MHz										
ANT	CDD 0+1										
Pol.	Horizontal										Fundamental
Peak											



Mode	23																																																																																																																																																																									
	Band Edge - L																																																																																																																																																																									
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																																																																																																																																																									
ANT	CDD 0+1																																																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																																																			
Peak																																																																																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th colspan="2"></th></tr><tr><th colspan="2">Freq</th><th colspan="2">Level</th><th colspan="2">Line</th><th colspan="2">Margin</th><th colspan="2">Level</th><th colspan="2">Factor</th><th colspan="2">Loss</th><th colspan="2">Factor</th><th colspan="2">Remark</th></tr><tr><th colspan="2">MHz</th><th colspan="2">dBuV/m</th><th colspan="2">dBuV/m</th><th colspan="2">dB</th><th colspan="2">dBuV</th><th colspan="2">dB/m</th><th colspan="2">dB</th><th colspan="2">dB</th><th colspan="2">cm</th></tr><tr><td>1</td><td>2386.71</td><td>46.26</td><td>74.00</td><td>-27.74</td><td>43.44</td><td>30.72</td><td>5.36</td><td>33.26</td><td>316</td><td>166</td><td colspan="2">PEAK</td><td colspan="4"></td></tr></table>								Limit		Read		Ant		Cable		Preamp		APos		TPos				Freq		Level		Line		Margin		Level		Factor		Loss		Factor		Remark		MHz		dBuV/m		dBuV/m		dB		dBuV		dB/m		dB		dB		cm		1	2386.71	46.26	74.00	-27.74	43.44	30.72	5.36	33.26	316	166	PEAK						<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th colspan="2"></th></tr><tr><th colspan="2">Freq</th><th colspan="2">Level</th><th colspan="2">Line</th><th colspan="2">Margin</th><th colspan="2">Level</th><th colspan="2">Factor</th><th colspan="2">Loss</th><th colspan="2">Factor</th><th colspan="2">Remark</th></tr><tr><th colspan="2">MHz</th><th colspan="2">dBuV/m</th><th colspan="2">dBuV/m</th><th colspan="2">dB</th><th colspan="2">dBuV</th><th colspan="2">dB/m</th><th colspan="2">dB</th><th colspan="2">dB</th><th colspan="2">cm</th></tr><tr><td>1</td><td>1386.00</td><td>55.54</td><td>74.00</td><td>-18.46</td><td>56.48</td><td>29.42</td><td>4.13</td><td>34.49</td><td>316</td><td>166</td><td colspan="2">PEAK</td><td colspan="4"></td></tr><tr><td>2</td><td>2437.00</td><td>100.06</td><td>-----</td><td>-----</td><td>97.16</td><td>30.71</td><td>5.39</td><td>33.20</td><td>316</td><td>166</td><td colspan="2">PEAK</td><td colspan="4"></td></tr></table>								Limit		Read		Ant		Cable		Preamp		APos		TPos				Freq		Level		Line		Margin		Level		Factor		Loss		Factor		Remark		MHz		dBuV/m		dBuV/m		dB		dBuV		dB/m		dB		dB		cm		1	1386.00	55.54	74.00	-18.46	56.48	29.42	4.13	34.49	316	166	PEAK						2	2437.00	100.06	-----	-----	97.16	30.71	5.39	33.20	316	166	PEAK				
		Limit		Read		Ant		Cable		Preamp		APos		TPos																																																																																																																																																												
Freq		Level		Line		Margin		Level		Factor		Loss		Factor		Remark																																																																																																																																																										
MHz		dBuV/m		dBuV/m		dB		dBuV		dB/m		dB		dB		cm																																																																																																																																																										
1	2386.71	46.26	74.00	-27.74	43.44	30.72	5.36	33.26	316	166	PEAK																																																																																																																																																															
		Limit		Read		Ant		Cable		Preamp		APos		TPos																																																																																																																																																												
Freq		Level		Line		Margin		Level		Factor		Loss		Factor		Remark																																																																																																																																																										
MHz		dBuV/m		dBuV/m		dB		dBuV		dB/m		dB		dB		cm																																																																																																																																																										
1	1386.00	55.54	74.00	-18.46	56.48	29.42	4.13	34.49	316	166	PEAK																																																																																																																																																															
2	2437.00	100.06	-----	-----	97.16	30.71	5.39	33.20	316	166	PEAK																																																																																																																																																															
Avg																																																																																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th colspan="2"></th></tr><tr><th colspan="2">Freq</th><th colspan="2">Level</th><th colspan="2">Line</th><th colspan="2">Margin</th><th colspan="2">Level</th><th colspan="2">Factor</th><th colspan="2">Loss</th><th colspan="2">Factor</th><th colspan="2">Remark</th></tr><tr><th colspan="2">MHz</th><th colspan="2">dBuV/m</th><th colspan="2">dBuV/m</th><th colspan="2">dB</th><th colspan="2">dBuV</th><th colspan="2">dB/m</th><th colspan="2">dB</th><th colspan="2">dB</th><th colspan="2">cm</th></tr><tr><td>1</td><td>2389.12</td><td>38.67</td><td>54.00</td><td>-15.33</td><td>35.85</td><td>30.72</td><td>5.36</td><td>33.26</td><td>316</td><td>166</td><td colspan="2">AVERAGE</td><td colspan="4"></td></tr></table>								Limit		Read		Ant		Cable		Preamp		APos		TPos				Freq		Level		Line		Margin		Level		Factor		Loss		Factor		Remark		MHz		dBuV/m		dBuV/m		dB		dBuV		dB/m		dB		dB		cm		1	2389.12	38.67	54.00	-15.33	35.85	30.72	5.36	33.26	316	166	AVERAGE						<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th colspan="2"></th></tr><tr><th colspan="2">Freq</th><th colspan="2">Level</th><th colspan="2">Line</th><th colspan="2">Margin</th><th colspan="2">Level</th><th colspan="2">Factor</th><th colspan="2">Loss</th><th colspan="2">Factor</th><th colspan="2">Remark</th></tr><tr><th colspan="2">MHz</th><th colspan="2">dBuV/m</th><th colspan="2">dBuV/m</th><th colspan="2">dB</th><th colspan="2">dBuV</th><th colspan="2">dB/m</th><th colspan="2">dB</th><th colspan="2">dB</th><th colspan="2">cm</th></tr><tr><td>1</td><td>1386.00</td><td>51.35</td><td>54.00</td><td>-2.65</td><td>52.29</td><td>29.42</td><td>4.13</td><td>34.49</td><td>316</td><td>166</td><td colspan="2">AVERAGE</td><td colspan="4"></td></tr><tr><td>2</td><td>2437.00</td><td>91.31</td><td>-----</td><td>-----</td><td>88.35</td><td>30.71</td><td>5.42</td><td>33.17</td><td>316</td><td>166</td><td colspan="2">AVERAGE</td><td colspan="4"></td></tr></table>								Limit		Read		Ant		Cable		Preamp		APos		TPos				Freq		Level		Line		Margin		Level		Factor		Loss		Factor		Remark		MHz		dBuV/m		dBuV/m		dB		dBuV		dB/m		dB		dB		cm		1	1386.00	51.35	54.00	-2.65	52.29	29.42	4.13	34.49	316	166	AVERAGE						2	2437.00	91.31	-----	-----	88.35	30.71	5.42	33.17	316	166	AVERAGE				
		Limit		Read		Ant		Cable		Preamp		APos		TPos																																																																																																																																																												
Freq		Level		Line		Margin		Level		Factor		Loss		Factor		Remark																																																																																																																																																										
MHz		dBuV/m		dBuV/m		dB		dBuV		dB/m		dB		dB		cm																																																																																																																																																										
1	2389.12	38.67	54.00	-15.33	35.85	30.72	5.36	33.26	316	166	AVERAGE																																																																																																																																																															
		Limit		Read		Ant		Cable		Preamp		APos		TPos																																																																																																																																																												
Freq		Level		Line		Margin		Level		Factor		Loss		Factor		Remark																																																																																																																																																										
MHz		dBuV/m		dBuV/m		dB		dBuV		dB/m		dB		dB		cm																																																																																																																																																										
1	1386.00	51.35	54.00	-2.65	52.29	29.42	4.13	34.49	316	166	AVERAGE																																																																																																																																																															
2	2437.00	91.31	-----	-----	88.35	30.71	5.42	33.17	316	166	AVERAGE																																																																																																																																																															







Mode	23																																									
	Band Edge - R																																									
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																									
ANT	CDD 0+1																																									
Pol.	Vertical						Fundamental																																			
Peak	Date: 2024-01-19 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.13</td><td>59.20</td><td>74.00</td><td>-14.80</td><td>56.16</td><td>30.70</td><td>5.46</td><td>33.12</td><td>316</td><td>166 PEAK</td></tr></table>						Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.13	59.20	74.00	-14.80	56.16	30.70	5.46	33.12	316	166 PEAK	Blank				
Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2483.13	59.20	74.00	-14.80	56.16	30.70	5.46	33.12	316	166 PEAK																																
Avg	Date: 2024-01-19 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>49.63</td><td>54.00</td><td>-4.37</td><td>46.59</td><td>30.70</td><td>5.46</td><td>33.12</td><td>316</td><td>166 AVERAGE</td></tr></table>						Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	49.63	54.00	-4.37	46.59	30.70	5.46	33.12	316	166 AVERAGE	Blank				
Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2483.56	49.63	54.00	-4.37	46.59	30.70	5.46	33.12	316	166 AVERAGE																																





Mode	23																																																																																																																							
	Harmonic																																																																																																																							
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																																																																																																							
ANT	CDD 0+1																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2024-02-04 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>41.92</td><td>74.00</td><td>-32.08</td><td>62.17</td><td>35.90</td><td>8.72</td><td>64.87</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>44.77</td><td>74.00</td><td>-29.23</td><td>62.57</td><td>36.88</td><td>10.18</td><td>64.86</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4874.00	41.92	74.00	-32.08	62.17	35.90	8.72	64.87	---	---	Peak	2	7311.00	44.77	74.00	-29.23	62.57	36.88	10.18	64.86	---	---	Peak	Level (dBuV/m) Date: 2024-02-04 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>43.58</td><td>74.00</td><td>-30.42</td><td>63.83</td><td>35.90</td><td>8.72</td><td>64.87</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>44.86</td><td>74.00</td><td>-29.14</td><td>62.66</td><td>36.88</td><td>10.18</td><td>64.86</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4874.00	43.58	74.00	-30.42	63.83	35.90	8.72	64.87	---	---	Peak	2	7311.00	44.86	74.00	-29.14	62.66	36.88	10.18	64.86	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	4874.00	41.92	74.00	-32.08	62.17	35.90	8.72	64.87	---	---	Peak																																																																																																													
2	7311.00	44.77	74.00	-29.23	62.57	36.88	10.18	64.86	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	4874.00	43.58	74.00	-30.42	63.83	35.90	8.72	64.87	---	---	Peak																																																																																																													
2	7311.00	44.86	74.00	-29.14	62.66	36.88	10.18	64.86	---	---	Peak																																																																																																													







Mode	24																																																																																																						
	Band Edge - L																																																																																																						
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																																																																						
ANT	CDD 0+1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.53</td><td>45.67</td><td>74.00</td><td>-28.33</td><td>42.85</td><td>30.72</td><td>5.36</td><td>33.26</td><td>100</td><td>223</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.53	45.67	74.00	-28.33	42.85	30.72	5.36	33.26	100	223	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1386.00</td><td>55.70</td><td>74.00</td><td>-18.30</td><td>56.64</td><td>29.42</td><td>4.13</td><td>34.49</td><td>100</td><td>223</td><td>PEAK</td></tr><tr><td>2</td><td>2452.00</td><td>92.37</td><td>-----</td><td>-----</td><td>89.39</td><td>30.71</td><td>5.43</td><td>33.16</td><td>100</td><td>223</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1386.00	55.70	74.00	-18.30	56.64	29.42	4.13	34.49	100	223	PEAK	2	2452.00	92.37	-----	-----	89.39	30.71	5.43	33.16	100	223
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	2387.53	45.67	74.00	-28.33	42.85	30.72	5.36	33.26	100	223	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	1386.00	55.70	74.00	-18.30	56.64	29.42	4.13	34.49	100	223	PEAK																																																																																												
2	2452.00	92.37	-----	-----	89.39	30.71	5.43	33.16	100	223	PEAK																																																																																												
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.54</td><td>37.82</td><td>54.00</td><td>-16.18</td><td>35.00</td><td>30.72</td><td>5.36</td><td>33.26</td><td>100</td><td>223</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.54	37.82	54.00	-16.18	35.00	30.72	5.36	33.26	100	223	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1386.00</td><td>51.57</td><td>54.00</td><td>-2.43</td><td>52.51</td><td>29.42</td><td>4.13</td><td>34.49</td><td>100</td><td>223</td><td>AVERAGE</td></tr><tr><td>2</td><td>2452.00</td><td>84.40</td><td>-----</td><td>-----</td><td>81.42</td><td>30.71</td><td>5.43</td><td>33.16</td><td>100</td><td>223</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1386.00	51.57	54.00	-2.43	52.51	29.42	4.13	34.49	100	223	AVERAGE	2	2452.00	84.40	-----	-----	81.42	30.71	5.43	33.16	100	223
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	2386.54	37.82	54.00	-16.18	35.00	30.72	5.36	33.26	100	223	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	1386.00	51.57	54.00	-2.43	52.51	29.42	4.13	34.49	100	223	AVERAGE																																																																																												
2	2452.00	84.40	-----	-----	81.42	30.71	5.43	33.16	100	223	AVERAGE																																																																																												



Mode	24																																																		
	Band Edge - R																																																		
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																		
ANT	CDD 0+1																																																		
Pol.	Horizontal						Fundamental																																												
Peak	Date: 2024-01-17  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.31</td><td>61.10</td><td>74.00</td><td>-12.90</td><td>58.06</td><td>30.70</td><td>5.46</td><td>33.12</td><td>100</td><td>223</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.31	61.10	74.00	-12.90	58.06	30.70	5.46	33.12	100	223	PEAK	Blank				
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	2485.31	61.10	74.00	-12.90	58.06	30.70	5.46	33.12	100	223	PEAK																																								
Avg	Date: 2024-01-17  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.60</td><td>50.65</td><td>54.00</td><td>-3.35</td><td>47.61</td><td>30.70</td><td>5.46</td><td>33.12</td><td>100</td><td>223</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.60	50.65	54.00	-3.35	47.61	30.70	5.46	33.12	100	223	AVERAGE	Blank				
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	2485.60	50.65	54.00	-3.35	47.61	30.70	5.46	33.12	100	223	AVERAGE																																								



Mode	24																																																																																																						
	Band Edge - L																																																																																																						
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																																																																						
ANT	CDD 0+1																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.11</td><td>44.42</td><td>74.00</td><td>-29.58</td><td>41.60</td><td>30.72</td><td>5.36</td><td>33.26</td><td>350</td><td>190</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.11	44.42	74.00	-29.58	41.60	30.72	5.36	33.26	350	190	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1386.00</td><td>55.53</td><td>74.00</td><td>-18.47</td><td>56.47</td><td>29.42</td><td>4.13</td><td>34.49</td><td>350</td><td>190</td><td>PEAK</td></tr><tr><td>2</td><td>2452.00</td><td>94.44</td><td>-----</td><td>-----</td><td>91.50</td><td>30.71</td><td>5.41</td><td>33.18</td><td>350</td><td>190</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1386.00	55.53	74.00	-18.47	56.47	29.42	4.13	34.49	350	190	PEAK	2	2452.00	94.44	-----	-----	91.50	30.71	5.41	33.18	350	190
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	2386.11	44.42	74.00	-29.58	41.60	30.72	5.36	33.26	350	190	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	1386.00	55.53	74.00	-18.47	56.47	29.42	4.13	34.49	350	190	PEAK																																																																																												
2	2452.00	94.44	-----	-----	91.50	30.71	5.41	33.18	350	190	PEAK																																																																																												
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2374.89</td><td>36.49</td><td>54.00</td><td>-17.51</td><td>33.69</td><td>30.73</td><td>5.35</td><td>33.28</td><td>350</td><td>190</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2374.89	36.49	54.00	-17.51	33.69	30.73	5.35	33.28	350	190	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1386.00</td><td>51.42</td><td>54.00</td><td>-2.58</td><td>52.36</td><td>29.42</td><td>4.13</td><td>34.49</td><td>350</td><td>190</td><td>AVERAGE</td></tr><tr><td>2</td><td>2452.00</td><td>86.54</td><td>-----</td><td>-----</td><td>83.54</td><td>30.71</td><td>5.44</td><td>33.15</td><td>350</td><td>190</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1386.00	51.42	54.00	-2.58	52.36	29.42	4.13	34.49	350	190	AVERAGE	2	2452.00	86.54	-----	-----	83.54	30.71	5.44	33.15	350	190
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	2374.89	36.49	54.00	-17.51	33.69	30.73	5.35	33.28	350	190	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	1386.00	51.42	54.00	-2.58	52.36	29.42	4.13	34.49	350	190	AVERAGE																																																																																												
2	2452.00	86.54	-----	-----	83.54	30.71	5.44	33.15	350	190	AVERAGE																																																																																												







Mode	24										
	Band Edge - R										
	2400-2483.5_802.11ax HE40_CH09_2452MHz										
ANT	CDD 0+1										
Pol.	Vertical						Fundamental				
Peak	<										







Mode	4																																																																																																																				
	Harmonic																																																																																																																				
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																																																																																				
ANT	CDD 0+1																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																														
Peak Avg																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4904.00</td><td>42.79</td><td>74.00</td><td>-31.21</td><td>63.07</td><td>35.97</td><td>8.63</td><td>64.88</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7356.00</td><td>44.14</td><td>74.00</td><td>-29.86</td><td>61.96</td><td>36.86</td><td>10.18</td><td>64.86</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	42.79	74.00	-31.21	63.07	35.97	8.63	64.88	---	---	Peak	2	7356.00	44.14	74.00	-29.86	61.96	36.86	10.18	64.86	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4904.00</td><td>41.82</td><td>74.00</td><td>-32.18</td><td>62.10</td><td>35.97</td><td>8.63</td><td>64.88</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7356.00</td><td>44.49</td><td>74.00</td><td>-29.51</td><td>62.31</td><td>36.86</td><td>10.18</td><td>64.86</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	41.82	74.00	-32.18	62.10	35.97	8.63	64.88	---	---	Peak	2	7356.00	44.49	74.00	-29.51	62.31	36.86	10.18	64.86	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	4904.00	42.79	74.00	-31.21	63.07	35.97	8.63	64.88	---	---	Peak																																																																																																										
2	7356.00	44.14	74.00	-29.86	61.96	36.86	10.18	64.86	---	---	Peak																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	4904.00	41.82	74.00	-32.18	62.10	35.97	8.63	64.88	---	---	Peak																																																																																																										
2	7356.00	44.49	74.00	-29.51	62.31	36.86	10.18	64.86	---	---	Peak																																																																																																										



		25																																																																																													
Mode	Band Edge - L																																																																																														
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																																														
ANT	CDD 0+1																																																																																														
Pol.	Horizontal					Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2024-01-27  Frequency (MHz)					Level (dBuV/m) Date: 2024-01-27  Frequency (MHz)																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2388.39</td><td>49.33</td><td>74.00</td><td>-24.67</td><td>46.78</td><td>30.72</td><td>5.36</td><td>33.53</td><td>105</td><td>99 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2388.39	49.33	74.00	-24.67	46.78	30.72	5.36	33.53	105	99 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 1386.00</td><td>55.45</td><td>74.00</td><td>-18.55</td><td>56.83</td><td>29.42</td><td>4.13</td><td>34.93</td><td>105</td><td>99 PEAK</td></tr><tr><td>2 2412.00</td><td>99.68</td><td>-----</td><td>-----</td><td>97.13</td><td>30.72</td><td>5.38</td><td>33.55</td><td>105</td><td>99 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 1386.00	55.45	74.00	-18.55	56.83	29.42	4.13	34.93	105	99 PEAK	2 2412.00	99.68	-----	-----	97.13	30.72	5.38	33.55	105
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1 2388.39	49.33	74.00	-24.67	46.78	30.72	5.36	33.53	105	99 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1 1386.00	55.45	74.00	-18.55	56.83	29.42	4.13	34.93	105	99 PEAK																																																																																						
2 2412.00	99.68	-----	-----	97.13	30.72	5.38	33.55	105	99 PEAK																																																																																						
Avg	Level (dBuV/m) Date: 2024-01-27  Frequency (MHz)					Level (dBuV/m) Date: 2024-01-27  Frequency (MHz)																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2383.32</td><td>41.51</td><td>54.00</td><td>-12.49</td><td>38.97</td><td>30.72</td><td>5.35</td><td>33.53</td><td>105</td><td>99 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2383.32	41.51	54.00	-12.49	38.97	30.72	5.35	33.53	105	99 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 1386.00</td><td>51.43</td><td>54.00</td><td>-2.57</td><td>52.81</td><td>29.42</td><td>4.13</td><td>34.93</td><td>105</td><td>99 AVERAGE</td></tr><tr><td>2 2412.00</td><td>93.58</td><td>-----</td><td>-----</td><td>91.03</td><td>30.72</td><td>5.38</td><td>33.55</td><td>105</td><td>99 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 1386.00	51.43	54.00	-2.57	52.81	29.42	4.13	34.93	105	99 AVERAGE	2 2412.00	93.58	-----	-----	91.03	30.72	5.38	33.55	105
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1 2383.32	41.51	54.00	-12.49	38.97	30.72	5.35	33.53	105	99 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1 1386.00	51.43	54.00	-2.57	52.81	29.42	4.13	34.93	105	99 AVERAGE																																																																																						
2 2412.00	93.58	-----	-----	91.03	30.72	5.38	33.55	105	99 AVERAGE																																																																																						







		25																																																																																									
Mode		Band Edge - L																																																																																									
		2400-2483.5_802.11n HT20_CH01_2412MHz																																																																																									
ANT		CDD 0+1																																																																																									
Pol.		Vertical					Fundamental																																																																																				
Peak	 Level (dBuV/m) Date: 2024-01-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 2389.82</td><td>46.55</td><td>74.00</td><td>-27.45</td><td>44.00</td><td>30.72</td><td>5.36</td><td>33.53</td><td>300 344 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 2389.82	46.55	74.00	-27.45	44.00	30.72	5.36	33.53	300 344 PEAK	 Level (dBuV/m) Date: 2024-01-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 1386.00</td><td>55.65</td><td>74.00</td><td>-18.35</td><td>57.03</td><td>29.42</td><td>4.13</td><td>34.93</td><td>300 344 PEAK</td></tr><tr><td>2 2412.00</td><td>93.84</td><td>-----</td><td>-----</td><td>91.29</td><td>30.72</td><td>5.37</td><td>33.54</td><td>300 344 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 1386.00	55.65	74.00	-18.35	57.03	29.42	4.13	34.93	300 344 PEAK	2 2412.00	93.84	-----	-----	91.29	30.72	5.37	33.54	300 344 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																				
1 2389.82	46.55	74.00	-27.45	44.00	30.72	5.36	33.53	300 344 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																				
1 1386.00	55.65	74.00	-18.35	57.03	29.42	4.13	34.93	300 344 PEAK																																																																																			
2 2412.00	93.84	-----	-----	91.29	30.72	5.37	33.54	300 344 PEAK																																																																																			
Avg	 Level (dBuV/m) Date: 2024-01-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 2389.69</td><td>39.53</td><td>54.00</td><td>-14.47</td><td>36.98</td><td>30.72</td><td>5.36</td><td>33.53</td><td>300 344 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 2389.69	39.53	54.00	-14.47	36.98	30.72	5.36	33.53	300 344 AVERAGE	 Level (dBuV/m) Date: 2024-01-27 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 1386.00</td><td>51.19</td><td>54.00</td><td>-2.81</td><td>52.57</td><td>29.42</td><td>4.13</td><td>34.93</td><td>300 344 AVERAGE</td></tr><tr><td>2 2412.00</td><td>88.29</td><td>-----</td><td>-----</td><td>85.73</td><td>30.70</td><td>5.45</td><td>33.59</td><td>300 344 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 1386.00	51.19	54.00	-2.81	52.57	29.42	4.13	34.93	300 344 AVERAGE	2 2412.00	88.29	-----	-----	85.73	30.70	5.45	33.59	300 344 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																				
1 2389.69	39.53	54.00	-14.47	36.98	30.72	5.36	33.53	300 344 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																				
1 1386.00	51.19	54.00	-2.81	52.57	29.42	4.13	34.93	300 344 AVERAGE																																																																																			
2 2412.00	88.29	-----	-----	85.73	30.70	5.45	33.59	300 344 AVERAGE																																																																																			





		25																																																																																													
Mode	Band Edge - R																																																																																														
	2400-2483.5_Bluetooth-LE_CH38_2478MHz																																																																																														
ANT	CDD 0+1																																																																																														
Pol.	Horizontal					Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2024-01-27 PEAK_BE_74					Level (dBuV/m) Date: 2024-01-27 PEAK_74																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2499.76</td><td>46.11</td><td>74.00</td><td>-27.89</td><td>43.53</td><td>30.70</td><td>5.48</td><td>33.60</td><td>400</td><td>257 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2499.76	46.11	74.00	-27.89	43.53	30.70	5.48	33.60	400	257 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 1386.00</td><td>56.15</td><td>74.00</td><td>-17.85</td><td>57.53</td><td>29.42</td><td>4.13</td><td>34.93</td><td>400</td><td>257 PEAK</td></tr><tr><td>2 2478.00</td><td>99.01</td><td>-----</td><td>-----</td><td>96.46</td><td>30.72</td><td>5.38</td><td>33.55</td><td>400</td><td>257 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 1386.00	56.15	74.00	-17.85	57.53	29.42	4.13	34.93	400	257 PEAK	2 2478.00	99.01	-----	-----	96.46	30.72	5.38	33.55	400
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1 2499.76	46.11	74.00	-27.89	43.53	30.70	5.48	33.60	400	257 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1 1386.00	56.15	74.00	-17.85	57.53	29.42	4.13	34.93	400	257 PEAK																																																																																						
2 2478.00	99.01	-----	-----	96.46	30.72	5.38	33.55	400	257 PEAK																																																																																						
Avg	Level (dBuV/m) Date: 2024-01-27 AVG_BE_54					Level (dBuV/m) Date: 2024-01-27 AVG_54																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2499.98</td><td>37.22</td><td>54.00</td><td>-16.78</td><td>34.64</td><td>30.70</td><td>5.48</td><td>33.60</td><td>400</td><td>257 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2499.98	37.22	54.00	-16.78	34.64	30.70	5.48	33.60	400	257 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 1386.00</td><td>51.41</td><td>54.00</td><td>-2.59</td><td>52.79</td><td>29.42</td><td>4.13</td><td>34.93</td><td>400</td><td>257 AVERAGE</td></tr><tr><td>2 2478.00</td><td>90.98</td><td>-----</td><td>-----</td><td>88.43</td><td>30.72</td><td>5.37</td><td>33.54</td><td>400</td><td>257 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 1386.00	51.41	54.00	-2.59	52.79	29.42	4.13	34.93	400	257 AVERAGE	2 2478.00	90.98	-----	-----	88.43	30.72	5.37	33.54	400
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1 2499.98	37.22	54.00	-16.78	34.64	30.70	5.48	33.60	400	257 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1 1386.00	51.41	54.00	-2.59	52.79	29.42	4.13	34.93	400	257 AVERAGE																																																																																						
2 2478.00	90.98	-----	-----	88.43	30.72	5.37	33.54	400	257 AVERAGE																																																																																						



		25																																																																																																													
Mode	Band Edge - R																																																																																																														
	2400-2483.5_Bluetooth-LE_CH38_2478MHz																																																																																																														
ANT	CDD 0+1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2484.23</td><td>46.90</td><td>74.00</td><td>-27.10</td><td>44.33</td><td>30.70</td><td>5.46</td><td>33.59</td><td>351</td><td>161 PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2484.23	46.90	74.00	-27.10	44.33	30.70	5.46	33.59	351	161 PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1386.00</td><td>55.65</td><td>74.00</td><td>-18.35</td><td>57.03</td><td>29.42</td><td>4.13</td><td>34.93</td><td>300</td><td>344 PEAK</td></tr><tr><td>2</td><td>2412.00</td><td>93.84</td><td>-----</td><td>-----</td><td>91.29</td><td>30.72</td><td>5.37</td><td>33.54</td><td>300</td><td>344 PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	1386.00	55.65	74.00	-18.35	57.03	29.42	4.13	34.93	300	344 PEAK	2	2412.00	93.84	-----	-----	91.29	30.72	5.37	33.54	300
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor			Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2484.23	46.90	74.00	-27.10	44.33	30.70	5.46	33.59	351	161 PEAK																																																																																																					
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor			Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	1386.00	55.65	74.00	-18.35	57.03	29.42	4.13	34.93	300	344 PEAK																																																																																																					
2	2412.00	93.84	-----	-----	91.29	30.72	5.37	33.54	300	344 PEAK																																																																																																					
Avg																																																																																																															
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2499.93</td><td>37.63</td><td>54.00</td><td>-16.37</td><td>35.05</td><td>30.70</td><td>5.48</td><td>33.60</td><td>351</td><td>161 AVERAGE</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2499.93	37.63	54.00	-16.37	35.05	30.70	5.48	33.60	351	161 AVERAGE	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1386.00</td><td>51.27</td><td>54.00</td><td>-2.73</td><td>52.65</td><td>29.42</td><td>4.13</td><td>34.93</td><td>351</td><td>161 AVERAGE</td></tr><tr><td>2</td><td>2478.00</td><td>94.87</td><td>-----</td><td>-----</td><td>92.31</td><td>30.70</td><td>5.45</td><td>33.59</td><td>351</td><td>161 AVERAGE</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	1386.00	51.27	54.00	-2.73	52.65	29.42	4.13	34.93	351	161 AVERAGE	2	2478.00	94.87	-----	-----	92.31	30.70	5.45	33.59	351
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor			Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2499.93	37.63	54.00	-16.37	35.05	30.70	5.48	33.60	351	161 AVERAGE																																																																																																					
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor			Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	1386.00	51.27	54.00	-2.73	52.65	29.42	4.13	34.93	351	161 AVERAGE																																																																																																					
2	2478.00	94.87	-----	-----	92.31	30.70	5.45	33.59	351	161 AVERAGE																																																																																																					







Mode	25																																																																																		
	Harmonic																																																																																		
	2400-2483.5_Bluetooth-LE_CH38_2478MHz																																																																																		
ANT	CDD 0+1																																																																																		
Pol.	Horizontal						Vertical																																																																												
Peak Avg																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4824.00</td><td>44.16</td><td>74.00</td><td>-29.84</td><td>32.24</td><td>35.78</td><td>8.88</td><td>32.74</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4956.00</td><td>43.72</td><td>74.00</td><td>-30.28</td><td>31.86</td><td>36.09</td><td>8.48</td><td>32.71</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7434.00</td><td>42.74</td><td>74.00</td><td>-31.26</td><td>29.27</td><td>36.83</td><td>10.17</td><td>33.53</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4824.00	44.16	74.00	-29.84	32.24	35.78	8.88	32.74	---	---	Peak	2	4956.00	43.72	74.00	-30.28	31.86	36.09	8.48	32.71	---	---	Peak	3	7434.00	42.74	74.00	-31.26	29.27	36.83	10.17	33.53	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	4824.00	44.16	74.00	-29.84	32.24	35.78	8.88	32.74	---	---	Peak																																																																								
2	4956.00	43.72	74.00	-30.28	31.86	36.09	8.48	32.71	---	---	Peak																																																																								
3	7434.00	42.74	74.00	-31.26	29.27	36.83	10.17	33.53	---	---	Peak																																																																								







Mode	26																																																																																																																																																																			
	LF																																																																																																																																																																			
	LF_2400-2483.5_802.11n HT20_CH01_2412MHz																																																																																																																																																																			
ANT	CDD 0+1																																																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																																																		
QPI/ Peak	Level (dBuV/m) Date: 2024-02-05 FCC CLASS-B <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>224.97</td><td>34.89</td><td>46.00</td><td>-11.11</td><td>49.25</td><td>15.70</td><td>1.54</td><td>31.60 --- Peak</td></tr><tr><td>2</td><td>350.10</td><td>40.27</td><td>46.00</td><td>-5.73</td><td>49.19</td><td>20.50</td><td>1.98</td><td>31.40 --- Peak</td></tr><tr><td>3</td><td>424.79</td><td>38.61</td><td>46.00</td><td>-7.39</td><td>45.16</td><td>22.80</td><td>2.15</td><td>31.50 --- Peak</td></tr><tr><td>4</td><td>475.23</td><td>37.38</td><td>46.00</td><td>-8.62</td><td>42.96</td><td>23.60</td><td>2.27</td><td>31.45 --- Peak</td></tr><tr><td>5</td><td>675.05</td><td>38.20</td><td>46.00</td><td>-7.80</td><td>40.20</td><td>26.50</td><td>2.70</td><td>31.20 --- Peak</td></tr><tr><td>6</td><td>724.52</td><td>36.60</td><td>46.00</td><td>-9.40</td><td>37.50</td><td>27.50</td><td>2.80</td><td>31.20 --- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	224.97	34.89	46.00	-11.11	49.25	15.70	1.54	31.60 --- Peak	2	350.10	40.27	46.00	-5.73	49.19	20.50	1.98	31.40 --- Peak	3	424.79	38.61	46.00	-7.39	45.16	22.80	2.15	31.50 --- Peak	4	475.23	37.38	46.00	-8.62	42.96	23.60	2.27	31.45 --- Peak	5	675.05	38.20	46.00	-7.80	40.20	26.50	2.70	31.20 --- Peak	6	724.52	36.60	46.00	-9.40	37.50	27.50	2.80	31.20 --- Peak	Level (dBuV/m) Date: 2024-02-05 FCC CLASS-B <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>30.00</td><td>33.97</td><td>40.00</td><td>-6.03</td><td>39.84</td><td>25.20</td><td>0.53</td><td>31.60 --- Peak</td></tr><tr><td>2</td><td>174.53</td><td>33.33</td><td>43.50</td><td>-10.17</td><td>48.33</td><td>15.30</td><td>1.35</td><td>31.65 --- Peak</td></tr><tr><td>3</td><td>299.66</td><td>35.61</td><td>46.00</td><td>-10.39</td><td>46.01</td><td>19.30</td><td>1.80</td><td>31.50 --- Peak</td></tr><tr><td>4</td><td>624.61</td><td>43.68</td><td>46.00</td><td>-2.32</td><td>46.33</td><td>25.90</td><td>2.60</td><td>31.15 --- Peak</td></tr><tr><td>5</td><td>675.05</td><td>45.57</td><td>46.00</td><td>-0.43</td><td>47.56</td><td>26.50</td><td>2.71</td><td>31.20 --- Peak</td></tr><tr><td>6</td><td>724.52</td><td>43.77</td><td>46.00</td><td>-2.23</td><td>44.67</td><td>27.50</td><td>2.80</td><td>31.20 --- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	30.00	33.97	40.00	-6.03	39.84	25.20	0.53	31.60 --- Peak	2	174.53	33.33	43.50	-10.17	48.33	15.30	1.35	31.65 --- Peak	3	299.66	35.61	46.00	-10.39	46.01	19.30	1.80	31.50 --- Peak	4	624.61	43.68	46.00	-2.32	46.33	25.90	2.60	31.15 --- Peak	5	675.05	45.57	46.00	-0.43	47.56	26.50	2.71	31.20 --- Peak	6	724.52	43.77	46.00	-2.23	44.67	27.50	2.80	31.20 --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																																																																																												
1	224.97	34.89	46.00	-11.11	49.25	15.70	1.54	31.60 --- Peak																																																																																																																																																												
2	350.10	40.27	46.00	-5.73	49.19	20.50	1.98	31.40 --- Peak																																																																																																																																																												
3	424.79	38.61	46.00	-7.39	45.16	22.80	2.15	31.50 --- Peak																																																																																																																																																												
4	475.23	37.38	46.00	-8.62	42.96	23.60	2.27	31.45 --- Peak																																																																																																																																																												
5	675.05	38.20	46.00	-7.80	40.20	26.50	2.70	31.20 --- Peak																																																																																																																																																												
6	724.52	36.60	46.00	-9.40	37.50	27.50	2.80	31.20 --- Peak																																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																																																																																												
1	30.00	33.97	40.00	-6.03	39.84	25.20	0.53	31.60 --- Peak																																																																																																																																																												
2	174.53	33.33	43.50	-10.17	48.33	15.30	1.35	31.65 --- Peak																																																																																																																																																												
3	299.66	35.61	46.00	-10.39	46.01	19.30	1.80	31.50 --- Peak																																																																																																																																																												
4	624.61	43.68	46.00	-2.32	46.33	25.90	2.60	31.15 --- Peak																																																																																																																																																												
5	675.05	45.57	46.00	-0.43	47.56	26.50	2.71	31.20 --- Peak																																																																																																																																																												
6	724.52	43.77	46.00	-2.23	44.67	27.50	2.80	31.20 --- Peak																																																																																																																																																												







Mode	27																																																																																										
	Band Edge																																																																																										
	2400-2483.5_802.11g_CH02_2417MHz																																																																																										
ANT	CDD 0+1																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.31</td><td>61.94</td><td>74.00</td><td>-12.06</td><td>59.39</td><td>30.72</td><td>5.36</td><td>33.53</td><td>400</td><td>242</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.31	61.94	74.00	-12.06	59.39	30.72	5.36	33.53	400	242	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>108.91</td><td>-----</td><td>-----</td><td>106.36</td><td>30.72</td><td>5.38</td><td>33.55</td><td>400</td><td>242</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	108.91	-----	-----	106.36	30.72	5.38	33.55	400	242
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2386.31	61.94	74.00	-12.06	59.39	30.72	5.36	33.53	400	242	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2417.00	108.91	-----	-----	106.36	30.72	5.38	33.55	400	242	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>47.96</td><td>54.00</td><td>-6.04</td><td>45.41</td><td>30.72</td><td>5.36</td><td>33.53</td><td>400</td><td>242</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	47.96	54.00	-6.04	45.41	30.72	5.36	33.53	400	242	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>102.24</td><td>-----</td><td>-----</td><td>99.69</td><td>30.72</td><td>5.38</td><td>33.55</td><td>400</td><td>242</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	102.24	-----	-----	99.69	30.72	5.38	33.55	400	242
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2389.82	47.96	54.00	-6.04	45.41	30.72	5.36	33.53	400	242	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2417.00	102.24	-----	-----	99.69	30.72	5.38	33.55	400	242	AVERAGE																																																																																



Mode	27																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11g_CH02_2417MHz																																																																																									
ANT	CDD 0+1																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	 Date: 2024-02-24 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2383.45</td><td>58.77</td><td>74.00</td><td>-15.23</td><td>56.23</td><td>30.72</td><td>5.35</td><td>33.53</td><td>300</td><td>347 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2383.45	58.77	74.00	-15.23	56.23	30.72	5.35	33.53	300	347 PEAK	 Date: 2024-02-24 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>106.04</td><td>-----</td><td>-----</td><td>103.48</td><td>30.72</td><td>5.39</td><td>33.55</td><td>300</td><td>347 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	106.04	-----	-----	103.48	30.72	5.39	33.55	300	347 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2383.45	58.77	74.00	-15.23	56.23	30.72	5.35	33.53	300	347 PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2417.00	106.04	-----	-----	103.48	30.72	5.39	33.55	300	347 PEAK																																																																																
Avg	 Date: 2024-02-24 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.82</td><td>45.06</td><td>54.00</td><td>-8.94</td><td>42.51</td><td>30.72</td><td>5.36</td><td>33.53</td><td>300</td><td>347 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	45.06	54.00	-8.94	42.51	30.72	5.36	33.53	300	347 AVERAGE	 Date: 2024-02-24 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>98.81</td><td>-----</td><td>-----</td><td>96.26</td><td>30.72</td><td>5.38</td><td>33.55</td><td>300</td><td>347 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	98.81	-----	-----	96.26	30.72	5.38	33.55	300	347 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2389.82	45.06	54.00	-8.94	42.51	30.72	5.36	33.53	300	347 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2417.00	98.81	-----	-----	96.26	30.72	5.38	33.55	300	347 AVERAGE																																																																																







Mode	28																																																																																											
	Band Edge																																																																																											
	2400-2483.5_802.11g_CH10_2457MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	 Level (dBuV/m) Date: 2024-02-24 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.09</td><td>64.94</td><td>74.00</td><td>-9.06</td><td>62.37</td><td>30.70</td><td>5.46</td><td>33.59</td><td>126</td><td>130</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.09	64.94	74.00	-9.06	62.37	30.70	5.46	33.59	126	130	PEAK	 Level (dBuV/m) Date: 2024-02-24 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>110.05</td><td>-----</td><td>-----</td><td>107.48</td><td>30.71</td><td>5.43</td><td>33.57</td><td>126</td><td>130</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2457.00	110.05	-----	-----	107.48	30.71	5.43	33.57	126	130	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2484.09	64.94	74.00	-9.06	62.37	30.70	5.46	33.59	126	130	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2457.00	110.05	-----	-----	107.48	30.71	5.43	33.57	126	130	PEAK																																																																																	
Avg	 Level (dBuV/m) Date: 2024-02-24 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.83</td><td>50.91</td><td>54.00</td><td>-3.09</td><td>48.34</td><td>30.70</td><td>5.46</td><td>33.59</td><td>126</td><td>130</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.83	50.91	54.00	-3.09	48.34	30.70	5.46	33.59	126	130	AVERAGE	 Level (dBuV/m) Date: 2024-02-24 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>102.95</td><td>-----</td><td>-----</td><td>100.39</td><td>30.71</td><td>5.43</td><td>33.58</td><td>126</td><td>130</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2457.00	102.95	-----	-----	100.39	30.71	5.43	33.58	126	130	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2483.83	50.91	54.00	-3.09	48.34	30.70	5.46	33.59	126	130	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2457.00	102.95	-----	-----	100.39	30.71	5.43	33.58	126	130	AVERAGE																																																																																	







Mode	28																																																																																										
	Band Edge																																																																																										
	2400-2483.5_802.11g_CH10_2457MHz																																																																																										
ANT	CDD 0+1																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.96</td><td>62.49</td><td>74.00</td><td>-11.51</td><td>59.92</td><td>30.70</td><td>5.46</td><td>33.59</td><td>316</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.96	62.49	74.00	-11.51	59.92	30.70	5.46	33.59	316	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>107.63</td><td>-----</td><td>-----</td><td>105.07</td><td>30.71</td><td>5.43</td><td>33.58</td><td>316</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2457.00	107.63	-----	-----	105.07	30.71	5.43	33.58	316	360
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.96	62.49	74.00	-11.51	59.92	30.70	5.46	33.59	316	360	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2457.00	107.63	-----	-----	105.07	30.71	5.43	33.58	316	360	PEAK																																																																																
Avg																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.09</td><td>48.44</td><td>54.00</td><td>-5.56</td><td>45.87</td><td>30.70</td><td>5.46</td><td>33.59</td><td>316</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.09	48.44	54.00	-5.56	45.87	30.70	5.46	33.59	316	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>100.93</td><td>-----</td><td>-----</td><td>98.37</td><td>30.71</td><td>5.42</td><td>33.57</td><td>316</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2457.00	100.93	-----	-----	98.37	30.71	5.42	33.57	316	360
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2484.09	48.44	54.00	-5.56	45.87	30.70	5.46	33.59	316	360	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2457.00	100.93	-----	-----	98.37	30.71	5.42	33.57	316	360	AVERAGE																																																																																







Mode	29																																																																																										
	Band Edge																																																																																										
	2400-2483.5_802.11n_HT20_CH02_2417MHz																																																																																										
ANT	CDD 0+1																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.17</td><td>57.68</td><td>74.00</td><td>-16.32</td><td>55.13</td><td>30.72</td><td>5.36</td><td>33.53</td><td>357</td><td>242</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.17	57.68	74.00	-16.32	55.13	30.72	5.36	33.53	357	242	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>107.14</td><td>-----</td><td>-----</td><td>104.59</td><td>30.72</td><td>5.38</td><td>33.55</td><td>357</td><td>242</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	107.14	-----	-----	104.59	30.72	5.38	33.55	357	242
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2389.17	57.68	74.00	-16.32	55.13	30.72	5.36	33.53	357	242	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2417.00	107.14	-----	-----	104.59	30.72	5.38	33.55	357	242	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>48.68</td><td>54.00</td><td>-5.32</td><td>46.13</td><td>30.72</td><td>5.36</td><td>33.53</td><td>357</td><td>242</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	48.68	54.00	-5.32	46.13	30.72	5.36	33.53	357	242	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>100.85</td><td>-----</td><td>-----</td><td>98.30</td><td>30.72</td><td>5.38</td><td>33.55</td><td>357</td><td>242</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	100.85	-----	-----	98.30	30.72	5.38	33.55	357	242
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2389.82	48.68	54.00	-5.32	46.13	30.72	5.36	33.53	357	242	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2417.00	100.85	-----	-----	98.30	30.72	5.38	33.55	357	242	AVERAGE																																																																																



Mode	29																																																																																											
	Band Edge																																																																																											
	2400-2483.5_802.11n HT20_CH02_2417MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	 Level (dBuV/m) Date: 2024-02-24 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>41.71</td><td>74.00</td><td>-32.29</td><td>39.16</td><td>30.72</td><td>5.36</td><td>33.53</td><td>300</td><td>346</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.95	41.71	74.00	-32.29	39.16	30.72	5.36	33.53	300	346	PEAK	 Level (dBuV/m) Date: 2024-02-24 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>103.28</td><td>-----</td><td>-----</td><td>100.73</td><td>30.72</td><td>5.38</td><td>33.55</td><td>300</td><td>346</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2417.00	103.28	-----	-----	100.73	30.72	5.38	33.55	300	346	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2389.95	41.71	74.00	-32.29	39.16	30.72	5.36	33.53	300	346	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2417.00	103.28	-----	-----	100.73	30.72	5.38	33.55	300	346	PEAK																																																																																	
Avg	 Level (dBuV/m) Date: 2024-02-24 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.26</td><td>45.86</td><td>54.00</td><td>-8.14</td><td>43.31</td><td>30.72</td><td>5.36</td><td>33.53</td><td>300</td><td>346</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2388.26	45.86	54.00	-8.14	43.31	30.72	5.36	33.53	300	346	AVERAGE	 Level (dBuV/m) Date: 2024-02-24 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>97.18</td><td>-----</td><td>-----</td><td>94.62</td><td>30.72</td><td>5.39</td><td>33.55</td><td>300</td><td>346</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2417.00	97.18	-----	-----	94.62	30.72	5.39	33.55	300	346	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2388.26	45.86	54.00	-8.14	43.31	30.72	5.36	33.53	300	346	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2417.00	97.18	-----	-----	94.62	30.72	5.39	33.55	300	346	AVERAGE																																																																																	







Mode	30																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11n_HT20_CH03_2422MHz																																																																																									
ANT	CDD 0+1																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak	 Level (dBuV/m) Date: 2024-02-24 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>59.64</td><td>74.00</td><td>-14.36</td><td>57.09</td><td>30.72</td><td>5.36</td><td>33.53</td><td>400</td><td>242</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.95	59.64	74.00	-14.36	57.09	30.72	5.36	33.53	400	242	PEAK	 Level (dBuV/m) Date: 2024-02-24 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2422.00</td><td>107.92</td><td>-----</td><td>-----</td><td>105.38</td><td>30.71</td><td>5.39</td><td>33.56</td><td>400</td><td>242</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2422.00	107.92	-----	-----	105.38	30.71	5.39	33.56	400	242	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2389.95	59.64	74.00	-14.36	57.09	30.72	5.36	33.53	400	242	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2422.00	107.92	-----	-----	105.38	30.71	5.39	33.56	400	242	PEAK																																																																															
Avg	 Level (dBuV/m) Date: 2024-02-24 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.82</td><td>50.00</td><td>54.00</td><td>-4.00</td><td>47.45</td><td>30.72</td><td>5.36</td><td>33.53</td><td>400</td><td>242</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.82	50.00	54.00	-4.00	47.45	30.72	5.36	33.53	400	242	AVERAGE	 Level (dBuV/m) Date: 2024-02-24 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2422.00</td><td>101.46</td><td>-----</td><td>-----</td><td>98.90</td><td>30.72</td><td>5.39</td><td>33.55</td><td>400</td><td>242</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2422.00	101.46	-----	-----	98.90	30.72	5.39	33.55	400	242	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2389.82	50.00	54.00	-4.00	47.45	30.72	5.36	33.53	400	242	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2422.00	101.46	-----	-----	98.90	30.72	5.39	33.55	400	242	AVERAGE																																																																															







Mode	30																																																																																											
	Band Edge																																																																																											
	2400-2483.5_802.11n HT20_CH03_2422MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2024-02-24 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.87</td><td>55.27</td><td>74.00</td><td>-18.73</td><td>52.72</td><td>30.72</td><td>5.36</td><td>33.53</td><td>300</td><td>348</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2387.87	55.27	74.00	-18.73	52.72	30.72	5.36	33.53	300	348	PEAK	Level (dBuV/m) Date: 2024-02-24 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>104.25</td><td>-----</td><td>-----</td><td>101.70</td><td>30.72</td><td>5.38</td><td>33.55</td><td>300</td><td>348</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2422.00	104.25	-----	-----	101.70	30.72	5.38	33.55	300	348	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2387.87	55.27	74.00	-18.73	52.72	30.72	5.36	33.53	300	348	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2422.00	104.25	-----	-----	101.70	30.72	5.38	33.55	300	348	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-02-24 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.56</td><td>46.09</td><td>54.00</td><td>-7.91</td><td>43.54</td><td>30.72</td><td>5.36</td><td>33.53</td><td>300</td><td>348</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.56	46.09	54.00	-7.91	43.54	30.72	5.36	33.53	300	348	AVERAGE	Level (dBuV/m) Date: 2024-02-24 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>98.10</td><td>-----</td><td>-----</td><td>95.54</td><td>30.72</td><td>5.39</td><td>33.55</td><td>300</td><td>348</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2422.00	98.10	-----	-----	95.54	30.72	5.39	33.55	300	348	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2389.56	46.09	54.00	-7.91	43.54	30.72	5.36	33.53	300	348	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2422.00	98.10	-----	-----	95.54	30.72	5.39	33.55	300	348	AVERAGE																																																																																	



		31																																																																																							
Mode		Band Edge																																																																																							
		2400-2483.5_802.11n HT20_CH04_2427MHz																																																																																							
ANT		CDD 0+1																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	 Level (dBuV/m) vs Frequency (MHz). Date: 2024-02-24. Peak at 2388.91 MHz.					 Level (dBuV/m) vs Frequency (MHz). Date: 2024-02-24. Peak at 2427.00 MHz.																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.91</td><td>61.40</td><td>74.00</td><td>-12.60</td><td>58.85</td><td>30.72</td><td>5.36</td><td>33.53</td><td>354</td><td>243</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.91	61.40	74.00	-12.60	58.85	30.72	5.36	33.53	354	243	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2427.00</td><td>109.62</td><td>-----</td><td>-----</td><td>107.07</td><td>30.71</td><td>5.40</td><td>33.56</td><td>354</td><td>243</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2427.00	109.62	-----	-----	107.07	30.71	5.40	33.56	354	243
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2388.91	61.40	74.00	-12.60	58.85	30.72	5.36	33.53	354	243	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2427.00	109.62	-----	-----	107.07	30.71	5.40	33.56	354	243	PEAK																																																																														
Avg	 Level (dBuV/m) vs Frequency (MHz). Date: 2024-02-24. Average at 2389.17 MHz.					 Level (dBuV/m) vs Frequency (MHz). Date: 2024-02-24. Average at 2427.00 MHz.																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.17</td><td>50.20</td><td>54.00</td><td>-3.80</td><td>47.65</td><td>30.72</td><td>5.36</td><td>33.53</td><td>354</td><td>243</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.17	50.20	54.00	-3.80	47.65	30.72	5.36	33.53	354	243	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2427.00</td><td>102.99</td><td>-----</td><td>-----</td><td>100.43</td><td>30.72</td><td>5.39</td><td>33.55</td><td>354</td><td>243</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2427.00	102.99	-----	-----	100.43	30.72	5.39	33.55	354	243
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2389.17	50.20	54.00	-3.80	47.65	30.72	5.36	33.53	354	243	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2427.00	102.99	-----	-----	100.43	30.72	5.39	33.55	354	243	AVERAGE																																																																														







Mode	31																																																																																										
	Band Edge																																																																																										
	2400-2483.5_802.11n_HT20_CH04_2427MHz																																																																																										
ANT	CDD 0+1																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.17</td><td>57.50</td><td>74.00</td><td>-16.50</td><td>54.95</td><td>30.72</td><td>5.36</td><td>33.53</td><td>300</td><td>345</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.17	57.50	74.00	-16.50	54.95	30.72	5.36	33.53	300	345	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2427.00</td><td>105.09</td><td>-----</td><td>-----</td><td>102.53</td><td>30.72</td><td>5.39</td><td>33.55</td><td>300</td><td>345</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2427.00	105.09	-----	-----	102.53	30.72	5.39	33.55	300	345
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2389.17	57.50	74.00	-16.50	54.95	30.72	5.36	33.53	300	345	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2427.00	105.09	-----	-----	102.53	30.72	5.39	33.55	300	345	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.43</td><td>46.71</td><td>54.00</td><td>-7.29</td><td>44.16</td><td>30.72</td><td>5.36</td><td>33.53</td><td>300</td><td>345</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.43	46.71	54.00	-7.29	44.16	30.72	5.36	33.53	300	345	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2427.00</td><td>98.91</td><td>-----</td><td>-----</td><td>96.36</td><td>30.71</td><td>5.40</td><td>33.56</td><td>300</td><td>345</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2427.00	98.91	-----	-----	96.36	30.71	5.40	33.56	300	345
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2389.43	46.71	54.00	-7.29	44.16	30.72	5.36	33.53	300	345	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2427.00	98.91	-----	-----	96.36	30.71	5.40	33.56	300	345	AVERAGE																																																																																







Mode	32																																																																													
	Band Edge																																																																													
	2400-2483.5_802.11n_HT20_CH10_2457MHz																																																																													
ANT	CDD 0+1																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2024-02-24 PEAK_BE_74 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.83</td><td>58.91</td><td>74.00</td><td>-15.09</td><td>56.34</td><td>30.70</td><td>5.46</td><td>33.59</td><td>123 135 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.83	58.91	74.00	-15.09	56.34	30.70	5.46	33.59	123 135 PEAK	Level (dBuV/m) Date: 2024-02-24 PEAK_74 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>108.57</td><td>-----</td><td>-----</td><td>106.01</td><td>30.71</td><td>5.43</td><td>33.58</td><td>123 135 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2457.00	108.57	-----	-----	106.01	30.71	5.43	33.58	123 135 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	2483.83	58.91	74.00	-15.09	56.34	30.70	5.46	33.59	123 135 PEAK																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	2457.00	108.57	-----	-----	106.01	30.71	5.43	33.58	123 135 PEAK																																																																					
Avg	Level (dBuV/m) Date: 2024-02-24 AVG_BE_54 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.83</td><td>49.60</td><td>54.00</td><td>-4.40</td><td>47.03</td><td>30.70</td><td>5.46</td><td>33.59</td><td>123 135 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.83	49.60	54.00	-4.40	47.03	30.70	5.46	33.59	123 135 AVERAGE	Level (dBuV/m) Date: 2024-02-24 AVG_54 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>101.61</td><td>-----</td><td>-----</td><td>99.05</td><td>30.71</td><td>5.43</td><td>33.58</td><td>123 135 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2457.00	101.61	-----	-----	99.05	30.71	5.43	33.58	123 135 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	2483.83	49.60	54.00	-4.40	47.03	30.70	5.46	33.59	123 135 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	2457.00	101.61	-----	-----	99.05	30.71	5.43	33.58	123 135 AVERAGE																																																																					







Mode	32																																																																																											
	Band Edge																																																																																											
	2400-2483.5_802.11n_HT20_CH10_2457MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	 Level (dBuV/m) Date: 2024-02-24 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 2457 2465.6 2474.2 2482.8 2491.4 2500 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.05</td><td>55.34</td><td>74.00</td><td>-18.66</td><td>52.77</td><td>30.70</td><td>5.46</td><td>33.59</td><td>317</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.05	55.34	74.00	-18.66	52.77	30.70	5.46	33.59	317	360	PEAK	 Level (dBuV/m) Date: 2024-02-24 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>107.05</td><td>-----</td><td>-----</td><td>104.49</td><td>30.71</td><td>5.43</td><td>33.58</td><td>317</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	107.05	-----	-----	104.49	30.71	5.43	33.58	317	360	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2484.05	55.34	74.00	-18.66	52.77	30.70	5.46	33.59	317	360	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2457.00	107.05	-----	-----	104.49	30.71	5.43	33.58	317	360	PEAK																																																																																	
Avg	 Level (dBuV/m) Date: 2024-02-24 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 2457 2465.6 2474.2 2482.8 2491.4 2500 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.53</td><td>47.41</td><td>54.00</td><td>-6.59</td><td>44.84</td><td>30.70</td><td>5.46</td><td>33.59</td><td>317</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.53	47.41	54.00	-6.59	44.84	30.70	5.46	33.59	317	360	AVERAGE	 Level (dBuV/m) Date: 2024-02-24 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>100.00</td><td>-----</td><td>-----</td><td>97.44</td><td>30.71</td><td>5.43</td><td>33.58</td><td>317</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	100.00	-----	-----	97.44	30.71	5.43	33.58	317	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2483.53	47.41	54.00	-6.59	44.84	30.70	5.46	33.59	317	360	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2457.00	100.00	-----	-----	97.44	30.71	5.43	33.58	317	360	AVERAGE																																																																																	







		33																																																																															
Mode		Band Edge																																																																															
		2400-2483.5_802.11n HT20_CH09_2452MHz																																																																															
ANT		CDD 0+1																																																																															
Pol.		Horizontal					Fundamental																																																																										
Peak	Level (dBuV/m) Date: 2024-02-24 					Level (dBuV/m) Date: 2024-02-24 																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.54</td><td>59.73</td><td>74.00</td><td>-14.27</td><td>57.16</td><td>30.70</td><td>5.46</td><td>33.59</td><td>100</td><td>133</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.54	59.73	74.00	-14.27	57.16	30.70	5.46	33.59	100	133	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>109.14</td><td>-----</td><td>-----</td><td>106.57</td><td>30.71</td><td>5.43</td><td>33.57</td><td>100</td><td>133</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2452.00	109.14	-----	-----	106.57	30.71	5.43	33.57	100	133
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	2483.54	59.73	74.00	-14.27	57.16	30.70	5.46	33.59	100	133	PEAK																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	2452.00	109.14	-----	-----	106.57	30.71	5.43	33.57	100	133	PEAK																																																																						
Avg	Level (dBuV/m) Date: 2024-02-24 					Level (dBuV/m) Date: 2024-02-24 																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.54</td><td>49.97</td><td>54.00</td><td>-4.03</td><td>47.40</td><td>30.70</td><td>5.46</td><td>33.59</td><td>100</td><td>133</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.54	49.97	54.00	-4.03	47.40	30.70	5.46	33.59	100	133	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>102.16</td><td>-----</td><td>-----</td><td>99.59</td><td>30.71</td><td>5.43</td><td>33.57</td><td>100</td><td>133</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2452.00	102.16	-----	-----	99.59	30.71	5.43	33.57	100	133
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	2483.54	49.97	54.00	-4.03	47.40	30.70	5.46	33.59	100	133	AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	2452.00	102.16	-----	-----	99.59	30.71	5.43	33.57	100	133	AVERAGE																																																																						



Mode	33																																																																																										
	Band Edge																																																																																										
	2400-2483.5_802.11n_HT20_CH09_2452MHz																																																																																										
ANT	CDD 0+1																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	 Level (dBuV/m) Date: 2024-02-24 PEAK_BE_74 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.54</td><td>58.56</td><td>74.00</td><td>-15.44</td><td>55.99</td><td>30.70</td><td>5.46</td><td>33.59</td><td>314</td><td>351</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.54	58.56	74.00	-15.44	55.99	30.70	5.46	33.59	314	351	PEAK	 Level (dBuV/m) Date: 2024-02-24 PEAK_74 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>108.73</td><td>-----</td><td>-----</td><td>106.16</td><td>30.71</td><td>5.43</td><td>33.57</td><td>314</td><td>351</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2452.00	108.73	-----	-----	106.16	30.71	5.43	33.57	314	351	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.54	58.56	74.00	-15.44	55.99	30.70	5.46	33.59	314	351	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2452.00	108.73	-----	-----	106.16	30.71	5.43	33.57	314	351	PEAK																																																																																
Avg	 Level (dBuV/m) Date: 2024-02-24 AVG_BE_54 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.78</td><td>47.73</td><td>54.00</td><td>-6.27</td><td>45.16</td><td>30.70</td><td>5.46</td><td>33.59</td><td>314</td><td>351</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.78	47.73	54.00	-6.27	45.16	30.70	5.46	33.59	314	351	AVERAGE	 Level (dBuV/m) Date: 2024-02-24 AVG_54 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>101.51</td><td>-----</td><td>-----</td><td>98.94</td><td>30.71</td><td>5.43</td><td>33.57</td><td>314</td><td>351</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2452.00	101.51	-----	-----	98.94	30.71	5.43	33.57	314	351	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.78	47.73	54.00	-6.27	45.16	30.70	5.46	33.59	314	351	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2452.00	101.51	-----	-----	98.94	30.71	5.43	33.57	314	351	AVERAGE																																																																																







		34																																																																																								
Mode		Band Edge - L																																																																																								
		2400-2483.5_802.11n HT40_CH07_2442MHz																																																																																								
ANT		CDD 0+1																																																																																								
Pol.		Horizontal					Fundamental																																																																																			
Peak	 Level (dBuV/m) Date: 2024-02-25 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2378.59</td><td>50.06</td><td>74.00</td><td>-23.94</td><td>47.52</td><td>30.72</td><td>5.35</td><td>33.53</td><td>330</td><td>249</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2378.59	50.06	74.00	-23.94	47.52	30.72	5.35	33.53	330	249	PEAK	 Level (dBuV/m) Date: 2024-02-25 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2442.00</td><td>102.09</td><td>-----</td><td>-----</td><td>99.53</td><td>30.71</td><td>5.42</td><td>33.57</td><td>330</td><td>249</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2442.00	102.09	-----	-----	99.53	30.71	5.42	33.57	330	249	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2378.59	50.06	74.00	-23.94	47.52	30.72	5.35	33.53	330	249	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2442.00	102.09	-----	-----	99.53	30.71	5.42	33.57	330	249	PEAK																																																																															
Avg	 Level (dBuV/m) Date: 2024-02-25 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.52</td><td>44.51</td><td>54.00</td><td>-9.49</td><td>41.96</td><td>30.72</td><td>5.36</td><td>33.53</td><td>330</td><td>249</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.52	44.51	54.00	-9.49	41.96	30.72	5.36	33.53	330	249	AVERAGE	 Level (dBuV/m) Date: 2024-02-25 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2442.00</td><td>94.96</td><td>-----</td><td>-----</td><td>92.40</td><td>30.71</td><td>5.42</td><td>33.57</td><td>330</td><td>249</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2442.00	94.96	-----	-----	92.40	30.71	5.42	33.57	330	249	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2389.52	44.51	54.00	-9.49	41.96	30.72	5.36	33.53	330	249	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2442.00	94.96	-----	-----	92.40	30.71	5.42	33.57	330	249	AVERAGE																																																																															



Mode	34																																		
	Band Edge - R																																		
	2400-2483.5_802.11n HT40_CH07_2442MHz																																		
ANT	CDD 0+1																																		
Pol.	Horizontal	Fundamental																																	
Peak	Date: 2024-02-25 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.99</td><td>60.39</td><td>74.00</td><td>-13.61</td><td>57.82</td><td>30.70</td><td>5.46</td><td>33.59</td><td>330</td><td>249 PEAK</td></tr></tbody></table>		Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.99	60.39	74.00	-13.61	57.82	30.70	5.46	33.59	330	249 PEAK	Blank
	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																									
1	2485.99	60.39	74.00	-13.61	57.82	30.70	5.46	33.59	330	249 PEAK																									
Avg	Date: 2024-02-25 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2486.06</td><td>50.60</td><td>54.00</td><td>-3.40</td><td>48.03</td><td>30.70</td><td>5.46</td><td>33.59</td><td>330</td><td>249 AVERAGE</td></tr></tbody></table>		Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.06	50.60	54.00	-3.40	48.03	30.70	5.46	33.59	330	249 AVERAGE	Blank
	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																									
1	2486.06	50.60	54.00	-3.40	48.03	30.70	5.46	33.59	330	249 AVERAGE																									







Mode	34																																																																																										
	Band Edge - L																																																																																										
	2400-2483.5_802.11n HT40_CH07_2442MHz																																																																																										
ANT	CDD 0+1																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2387.67</td><td>46.40</td><td>74.00</td><td>-27.60</td><td>43.85</td><td>30.72</td><td>5.36</td><td>33.53</td><td>313</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2387.67	46.40	74.00	-27.60	43.85	30.72	5.36	33.53	313	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2442.00</td><td>100.71</td><td>-----</td><td>-----</td><td>98.15</td><td>30.71</td><td>5.42</td><td>33.57</td><td>313</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2442.00	100.71	-----	-----	98.15	30.71	5.42	33.57	313	360
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2387.67	46.40	74.00	-27.60	43.85	30.72	5.36	33.53	313	360	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2442.00	100.71	-----	-----	98.15	30.71	5.42	33.57	313	360	PEAK																																																																																
Avg																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.24</td><td>38.61</td><td>54.00</td><td>-15.39</td><td>36.06</td><td>30.72</td><td>5.36</td><td>33.53</td><td>313</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.24	38.61	54.00	-15.39	36.06	30.72	5.36	33.53	313	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2442.00</td><td>93.70</td><td>-----</td><td>-----</td><td>91.13</td><td>30.71</td><td>5.43</td><td>33.57</td><td>313</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2442.00	93.70	-----	-----	91.13	30.71	5.43	33.57	313	360
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2389.24	38.61	54.00	-15.39	36.06	30.72	5.36	33.53	313	360	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2442.00	93.70	-----	-----	91.13	30.71	5.43	33.57	313	360	AVERAGE																																																																																



Mode	34																																								
	Band Edge - R																																								
	2400-2483.5_802.11n HT40_CH07_2442MHz																																								
ANT	CDD 0+1																																								
Pol.	Vertical					Fundamental																																			
Peak	Date: 2024-02-25 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.58</td><td>57.49</td><td>74.00</td><td>-16.51</td><td>54.91</td><td>30.70</td><td>5.47</td><td>33.59</td><td>313</td><td>360 PEAK</td></tr></table>					Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.58	57.49	74.00	-16.51	54.91	30.70	5.47	33.59	313	360 PEAK	Blank				
Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	2488.58	57.49	74.00	-16.51	54.91	30.70	5.47	33.59	313	360 PEAK																															
Avg	Date: 2024-02-25 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.99</td><td>48.27</td><td>54.00</td><td>-5.73</td><td>45.70</td><td>30.70</td><td>5.46</td><td>33.59</td><td>313</td><td>360 AVERAGE</td></tr></table>					Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.99	48.27	54.00	-5.73	45.70	30.70	5.46	33.59	313	360 AVERAGE	Blank				
Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	2485.99	48.27	54.00	-5.73	45.70	30.70	5.46	33.59	313	360 AVERAGE																															



		35																																																																																								
Mode		Band Edge - L																																																																																								
		2400-2483.5_802.11n HT40_CH04_2427MHz																																																																																								
ANT		CDD 0+1																																																																																								
Pol.		Horizontal					Fundamental																																																																																			
Peak	 Level (dBuV/m) Date: 2024-02-24 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.68</td><td>59.36</td><td>74.00</td><td>-14.64</td><td>56.81</td><td>30.72</td><td>5.36</td><td>33.53</td><td>400</td><td>240</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.68	59.36	74.00	-14.64	56.81	30.72	5.36	33.53	400	240	PEAK	 Level (dBuV/m) Date: 2024-02-24 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2427.00</td><td>102.73</td><td>-----</td><td>-----</td><td>100.18</td><td>30.72</td><td>5.38</td><td>33.55</td><td>400</td><td>240</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2427.00	102.73	-----	-----	100.18	30.72	5.38	33.55	400	240	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2389.68	59.36	74.00	-14.64	56.81	30.72	5.36	33.53	400	240	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2427.00	102.73	-----	-----	100.18	30.72	5.38	33.55	400	240	PEAK																																																																															
Avg	 Level (dBuV/m) Date: 2024-02-24 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.33</td><td>50.95</td><td>54.00</td><td>-3.05</td><td>48.40</td><td>30.72</td><td>5.36</td><td>33.53</td><td>400</td><td>240</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.33	50.95	54.00	-3.05	48.40	30.72	5.36	33.53	400	240	AVERAGE	 Level (dBuV/m) Date: 2024-02-24 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2427.00</td><td>96.39</td><td>-----</td><td>-----</td><td>93.83</td><td>30.72</td><td>5.39</td><td>33.55</td><td>400</td><td>240</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2427.00	96.39	-----	-----	93.83	30.72	5.39	33.55	400	240	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2389.33	50.95	54.00	-3.05	48.40	30.72	5.36	33.53	400	240	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2427.00	96.39	-----	-----	93.83	30.72	5.39	33.55	400	240	AVERAGE																																																																															



Mode	35										
	Band Edge - R										
	2400-2483.5_802.11n HT40_CH04_2427MHz										
ANT	CDD 0+1										
Pol.	Horizontal										Fundamental
Peak											







Mode	35	
	Band Edge - L	
	2400-2483.5_802.11n_HT40_CH04_2427MHz	
ANT	CDD 0+1	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2024-02-24 1 2389.56 57.20 74.00 -16.80 54.65 30.72 5.36 33.53 303 345 PEAK	Level (dBuV/m) Date: 2024-02-24 1 2427.00 99.35 ----- 96.80 30.72 5.38 33.55 303 345 PEAK
	Level (dBuV/m) Date: 2024-02-24 1 2389.44 48.26 54.00 -5.74 45.71 30.72 5.36 33.53 303 345 AVERAGE	Level (dBuV/m) Date: 2024-02-24 1 2427.00 92.89 ----- 90.34 30.72 5.38 33.55 303 345 AVERAGE







Mode	35									
	Band Edge - R									
	2400-2483.5_802.11n HT40_CH04_2427MHz									
ANT	CDD 0+1									
Pol.	Vertical					Fundamental				
Peak	<									



Mode	36																																																																																										
	Band Edge - L																																																																																										
	2400-2483.5_802.11n_HT40_CH08_2447MHz																																																																																										
ANT	CDD 0+1																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.38</td><td>46.02</td><td>74.00</td><td>-27.98</td><td>43.47</td><td>30.72</td><td>5.36</td><td>33.53</td><td>100</td><td>135</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.38	46.02	74.00	-27.98	43.47	30.72	5.36	33.53	100	135	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2447.00</td><td>96.51</td><td>-----</td><td>-----</td><td>93.94</td><td>30.71</td><td>5.43</td><td>33.57</td><td>100</td><td>135</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	96.51	-----	-----	93.94	30.71	5.43	33.57	100	135
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2388.38	46.02	74.00	-27.98	43.47	30.72	5.36	33.53	100	135	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2447.00	96.51	-----	-----	93.94	30.71	5.43	33.57	100	135	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2371.20</td><td>38.16</td><td>54.00</td><td>-15.84</td><td>35.61</td><td>30.73</td><td>5.34</td><td>33.52</td><td>100</td><td>135</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2371.20	38.16	54.00	-15.84	35.61	30.73	5.34	33.52	100	135	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2447.00</td><td>89.55</td><td>-----</td><td>-----</td><td>86.98</td><td>30.71</td><td>5.43</td><td>33.57</td><td>100</td><td>135</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	89.55	-----	-----	86.98	30.71	5.43	33.57	100	135
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2371.20	38.16	54.00	-15.84	35.61	30.73	5.34	33.52	100	135	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2447.00	89.55	-----	-----	86.98	30.71	5.43	33.57	100	135	AVERAGE																																																																																







Mode	36																																																																																											
	Band Edge - L																																																																																											
	2400-2483.5_802.11n_HT40_CH08_2447MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	 Date: 2024-02-25 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.66</td><td>44.59</td><td>74.00</td><td>-29.41</td><td>42.04</td><td>30.72</td><td>5.36</td><td>33.53</td><td>313</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.66	44.59	74.00	-29.41	42.04	30.72	5.36	33.53	313	360	PEAK	 Date: 2024-02-25 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2447.00</td><td>94.67</td><td>-----</td><td>-----</td><td>92.10</td><td>30.71</td><td>5.43</td><td>33.57</td><td>313</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2447.00	94.67	-----	-----	92.10	30.71	5.43	33.57	313	360	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2389.66	44.59	74.00	-29.41	42.04	30.72	5.36	33.53	313	360	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2447.00	94.67	-----	-----	92.10	30.71	5.43	33.57	313	360	PEAK																																																																																	
Avg	 Date: 2024-02-25 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2360.27</td><td>36.74</td><td>54.00</td><td>-17.26</td><td>34.20</td><td>30.73</td><td>5.33</td><td>33.52</td><td>313</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2360.27	36.74	54.00	-17.26	34.20	30.73	5.33	33.52	313	360	AVERAGE	 Date: 2024-02-25 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2447.00</td><td>87.67</td><td>-----</td><td>-----</td><td>85.10</td><td>30.71</td><td>5.43</td><td>33.57</td><td>313</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2447.00	87.67	-----	-----	85.10	30.71	5.43	33.57	313	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2360.27	36.74	54.00	-17.26	34.20	30.73	5.33	33.52	313	360	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2447.00	87.67	-----	-----	85.10	30.71	5.43	33.57	313	360	AVERAGE																																																																																	







Mode	36										
	Band Edge - R										
	2400-2483.5_802.11n HT40_CH08_2447MHz										
ANT	CDD 0+1										
Pol.	Vertical						Fundamental				
Peak											







		37																																																																																								
Mode		Band Edge																																																																																								
		2400-2483.5_802.11ax HE20_CH02_2417MHz																																																																																								
ANT		CDD 0+1																																																																																								
Pol.		Horizontal					Fundamental																																																																																			
Peak	 Level (dBuV/m) Date: 2024-02-25 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>60.66</td><td>74.00</td><td>-13.34</td><td>58.11</td><td>30.72</td><td>5.36</td><td>33.53</td><td>315</td><td>250</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.95	60.66	74.00	-13.34	58.11	30.72	5.36	33.53	315	250	PEAK	 Level (dBuV/m) Date: 2024-02-25 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>111.20</td><td>-----</td><td>-----</td><td>108.64</td><td>30.72</td><td>5.39</td><td>33.55</td><td>315</td><td>250</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2417.00	111.20	-----	-----	108.64	30.72	5.39	33.55	315	250	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2389.95	60.66	74.00	-13.34	58.11	30.72	5.36	33.53	315	250	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2417.00	111.20	-----	-----	108.64	30.72	5.39	33.55	315	250	PEAK																																																																															
Avg	 Level (dBuV/m) Date: 2024-02-25 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.30</td><td>49.50</td><td>54.00</td><td>-4.50</td><td>46.95</td><td>30.72</td><td>5.36</td><td>33.53</td><td>315</td><td>250</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.30	49.50	54.00	-4.50	46.95	30.72	5.36	33.53	315	250	AVERAGE	 Level (dBuV/m) Date: 2024-02-25 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>103.04</td><td>-----</td><td>-----</td><td>100.49</td><td>30.72</td><td>5.38</td><td>33.55</td><td>315</td><td>250</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2417.00	103.04	-----	-----	100.49	30.72	5.38	33.55	315	250	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2389.30	49.50	54.00	-4.50	46.95	30.72	5.36	33.53	315	250	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2417.00	103.04	-----	-----	100.49	30.72	5.38	33.55	315	250	AVERAGE																																																																															







		37																																																																																		
Mode		Band Edge																																																																																		
		2400-2483.5_802.11ax HE20_CH02_2417MHz																																																																																		
ANT		CDD 0+1																																																																																		
Pol.		Vertical					Fundamental																																																																													
Peak																																																																																				
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.43	55.97	74.00	-18.03	53.42	30.72	5.36	33.53	300	347	PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2417.00	104.62	-----	-----	102.07	30.72	5.38	33.55	300	347	PEAK				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	2389.43	55.97	74.00	-18.03	53.42	30.72	5.36	33.53	300	347	PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	2417.00	104.62	-----	-----	102.07	30.72	5.38	33.55	300	347	PEAK																																																																									
Avg																																																																																				
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.95	45.61	54.00	-8.39	43.06	30.72	5.36	33.53	300	347	AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2417.00	98.17	-----	-----	95.62	30.72	5.38	33.55	300	347	AVERAGE				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	2389.95	45.61	54.00	-8.39	43.06	30.72	5.36	33.53	300	347	AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																											
1	2417.00	98.17	-----	-----	95.62	30.72	5.38	33.55	300	347	AVERAGE																																																																									







Mode	38																																																																																										
	Band Edge																																																																																										
	2400-2483.5_802.11ax HE20_CH03_2422MHz																																																																																										
ANT	CDD 0+1																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>56.29</td><td>74.00</td><td>-17.71</td><td>53.74</td><td>30.72</td><td>5.36</td><td>33.53</td><td>200</td><td>213</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.95	56.29	74.00	-17.71	53.74	30.72	5.36	33.53	200	213	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>108.65</td><td>-----</td><td>-----</td><td>106.09</td><td>30.72</td><td>5.39</td><td>33.55</td><td>200</td><td>213</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2422.00	108.65	-----	-----	106.09	30.72	5.39	33.55	200	213
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2389.95	56.29	74.00	-17.71	53.74	30.72	5.36	33.53	200	213	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2422.00	108.65	-----	-----	106.09	30.72	5.39	33.55	200	213	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>48.77</td><td>54.00</td><td>-5.23</td><td>46.22</td><td>30.72</td><td>5.36</td><td>33.53</td><td>200</td><td>213</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.69	48.77	54.00	-5.23	46.22	30.72	5.36	33.53	200	213	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>100.33</td><td>-----</td><td>-----</td><td>97.77</td><td>30.72</td><td>5.39</td><td>33.55</td><td>200</td><td>213</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2422.00	100.33	-----	-----	97.77	30.72	5.39	33.55	200	213
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2389.69	48.77	54.00	-5.23	46.22	30.72	5.36	33.53	200	213	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2422.00	100.33	-----	-----	97.77	30.72	5.39	33.55	200	213	AVERAGE																																																																																







		38																																																																																							
Mode		Band Edge																																																																																							
		2400-2483.5_802.11ax HE20_CH03_2422MHz																																																																																							
ANT		CDD 0+1																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-02-25 					Level (dBuV/m) Date: 2024-02-25 																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.13</td><td>57.12</td><td>74.00</td><td>-16.88</td><td>54.57</td><td>30.72</td><td>5.36</td><td>33.53</td><td>302</td><td>344</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2388.13	57.12	74.00	-16.88	54.57	30.72	5.36	33.53	302	344	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>105.42</td><td>-----</td><td>-----</td><td>102.86</td><td>30.72</td><td>5.39</td><td>33.55</td><td>302</td><td>344</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2422.00	105.42	-----	-----	102.86	30.72	5.39	33.55	302	344
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2388.13	57.12	74.00	-16.88	54.57	30.72	5.36	33.53	302	344	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2422.00	105.42	-----	-----	102.86	30.72	5.39	33.55	302	344	PEAK																																																																														
Avg	Level (dBuV/m) Date: 2024-02-25 					Level (dBuV/m) Date: 2024-02-25 																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>49.16</td><td>54.00</td><td>-4.84</td><td>46.61</td><td>30.72</td><td>5.36</td><td>33.53</td><td>302</td><td>344</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.95	49.16	54.00	-4.84	46.61	30.72	5.36	33.53	302	344	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>98.45</td><td>-----</td><td>-----</td><td>95.89</td><td>30.72</td><td>5.39</td><td>33.55</td><td>302</td><td>344</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2422.00	98.45	-----	-----	95.89	30.72	5.39	33.55	302	344
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2389.95	49.16	54.00	-4.84	46.61	30.72	5.36	33.53	302	344	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2422.00	98.45	-----	-----	95.89	30.72	5.39	33.55	302	344	AVERAGE																																																																														







Mode	39																																																																																											
	Band Edge																																																																																											
	2400-2483.5_802.11ax HE20_CH10_2457MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	 Level (dBuV/m) Date: 2024-02-25 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.57</td><td>62.10</td><td>74.00</td><td>-11.90</td><td>59.53</td><td>30.70</td><td>5.46</td><td>33.59</td><td>100</td><td>133</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.57	62.10	74.00	-11.90	59.53	30.70	5.46	33.59	100	133	PEAK	 Level (dBuV/m) Date: 2024-02-25 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>109.94</td><td>-----</td><td>-----</td><td>107.37</td><td>30.71</td><td>5.43</td><td>33.57</td><td>100</td><td>133</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2457.00	109.94	-----	-----	107.37	30.71	5.43	33.57	100	133	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2483.57	62.10	74.00	-11.90	59.53	30.70	5.46	33.59	100	133	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2457.00	109.94	-----	-----	107.37	30.71	5.43	33.57	100	133	PEAK																																																																																	
Avg	 Level (dBuV/m) Date: 2024-02-25 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.53</td><td>50.74</td><td>54.00</td><td>-3.26</td><td>48.17</td><td>30.70</td><td>5.46</td><td>33.59</td><td>100</td><td>133</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.53	50.74	54.00	-3.26	48.17	30.70	5.46	33.59	100	133	AVERAGE	 Level (dBuV/m) Date: 2024-02-25 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>101.41</td><td>-----</td><td>-----</td><td>98.84</td><td>30.71</td><td>5.43</td><td>33.57</td><td>100</td><td>133</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2457.00	101.41	-----	-----	98.84	30.71	5.43	33.57	100	133	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2483.53	50.74	54.00	-3.26	48.17	30.70	5.46	33.59	100	133	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2457.00	101.41	-----	-----	98.84	30.71	5.43	33.57	100	133	AVERAGE																																																																																	



Mode	39																																																																																										
	Band Edge																																																																																										
	2400-2483.5_802.11ax HE20_CH10_2457MHz																																																																																										
ANT	CDD 0+1																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.57</td><td>59.01</td><td>74.00</td><td>-14.99</td><td>56.44</td><td>30.70</td><td>5.46</td><td>33.59</td><td>364</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.57	59.01	74.00	-14.99	56.44	30.70	5.46	33.59	364	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>107.53</td><td>-----</td><td>-----</td><td>104.97</td><td>30.71</td><td>5.43</td><td>33.58</td><td>364</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2457.00	107.53	-----	-----	104.97	30.71	5.43	33.58	364	360
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.57	59.01	74.00	-14.99	56.44	30.70	5.46	33.59	364	360	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2457.00	107.53	-----	-----	104.97	30.71	5.43	33.58	364	360	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.53</td><td>47.90</td><td>54.00</td><td>-6.10</td><td>45.33</td><td>30.70</td><td>5.46</td><td>33.59</td><td>364</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.53	47.90	54.00	-6.10	45.33	30.70	5.46	33.59	364	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>99.29</td><td>-----</td><td>-----</td><td>96.72</td><td>30.71</td><td>5.44</td><td>33.58</td><td>364</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2457.00	99.29	-----	-----	96.72	30.71	5.44	33.58	364	360
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.53	47.90	54.00	-6.10	45.33	30.70	5.46	33.59	364	360	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2457.00	99.29	-----	-----	96.72	30.71	5.44	33.58	364	360	AVERAGE																																																																																



Mode	40																																																																																											
	Band Edge																																																																																											
	2400-2483.5_802.11ax HE20_CH09_2452MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	 Level (dBuV/m) Date: 2024-02-25 PEAK_BE_74 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.69</td><td>59.04</td><td>74.00</td><td>-14.96</td><td>56.47</td><td>30.70</td><td>5.46</td><td>33.59</td><td>124</td><td>134</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.69	59.04	74.00	-14.96	56.47	30.70	5.46	33.59	124	134	PEAK	 Level (dBuV/m) Date: 2024-02-25 PEAK_74 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>111.01</td><td>-----</td><td>-----</td><td>108.44</td><td>30.71</td><td>5.43</td><td>33.57</td><td>124</td><td>134</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2452.00	111.01	-----	-----	108.44	30.71	5.43	33.57	124	134	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2484.69	59.04	74.00	-14.96	56.47	30.70	5.46	33.59	124	134	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2452.00	111.01	-----	-----	108.44	30.71	5.43	33.57	124	134	PEAK																																																																																	
Avg	 Level (dBuV/m) Date: 2024-02-25 AVG_BE_54 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.93</td><td>50.18</td><td>54.00</td><td>-3.82</td><td>47.61</td><td>30.70</td><td>5.46</td><td>33.59</td><td>124</td><td>134</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.93	50.18	54.00	-3.82	47.61	30.70	5.46	33.59	124	134	AVERAGE	 Level (dBuV/m) Date: 2024-02-25 AVG_54 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>102.55</td><td>-----</td><td>-----</td><td>99.98</td><td>30.71</td><td>5.43</td><td>33.57</td><td>124</td><td>134</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2452.00	102.55	-----	-----	99.98	30.71	5.43	33.57	124	134	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2483.93	50.18	54.00	-3.82	47.61	30.70	5.46	33.59	124	134	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2452.00	102.55	-----	-----	99.98	30.71	5.43	33.57	124	134	AVERAGE																																																																																	



Mode	40																																																																																											
	Band Edge																																																																																											
	2400-2483.5_802.11ax HE20_CH09_2452MHz																																																																																											
ANT	CDD 0+1																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2024-02-25 PEAK_BE_74 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.68</td><td>56.84</td><td>74.00</td><td>-17.16</td><td>54.26</td><td>30.70</td><td>5.47</td><td>33.59</td><td>316</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2489.68	56.84	74.00	-17.16	54.26	30.70	5.47	33.59	316	360	PEAK	Level (dBuV/m) Date: 2024-02-25 PEAK_74 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>109.73</td><td>-----</td><td>-----</td><td>107.16</td><td>30.71</td><td>5.43</td><td>33.57</td><td>316</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2452.00	109.73	-----	-----	107.16	30.71	5.43	33.57	316	360	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2489.68	56.84	74.00	-17.16	54.26	30.70	5.47	33.59	316	360	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2452.00	109.73	-----	-----	107.16	30.71	5.43	33.57	316	360	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-02-25 AVG_BE_54 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.88</td><td>47.38</td><td>54.00</td><td>-6.62</td><td>44.81</td><td>30.70</td><td>5.46</td><td>33.59</td><td>316</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.88	47.38	54.00	-6.62	44.81	30.70	5.46	33.59	316	360	AVERAGE	Level (dBuV/m) Date: 2024-02-25 AVG_54 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>101.18</td><td>-----</td><td>-----</td><td>98.62</td><td>30.71</td><td>5.42</td><td>33.57</td><td>316</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2452.00	101.18	-----	-----	98.62	30.71	5.42	33.57	316	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2483.88	47.38	54.00	-6.62	44.81	30.70	5.46	33.59	316	360	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	2452.00	101.18	-----	-----	98.62	30.71	5.42	33.57	316	360	AVERAGE																																																																																	







Mode	41																																																																													
	Band Edge - L																																																																													
	2400-2483.5_802.11ax HE40_CH04_2427MHz																																																																													
ANT	CDD 0+1																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2024-02-25 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2389.44</td><td>55.32</td><td>74.00</td><td>-18.68</td><td>52.77</td><td>30.72</td><td>5.36</td><td>33.53</td><td>400</td><td>246 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2389.44	55.32	74.00	-18.68	52.77	30.72	5.36	33.53	400	246 PEAK	Level (dBuV/m) Date: 2024-02-25 Frequency (MHz) PEAK_74 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2427.00</td><td>105.95</td><td>-----</td><td>-----</td><td>103.40</td><td>30.72</td><td>5.38</td><td>33.55</td><td>400</td><td>246 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2427.00	105.95	-----	-----	103.40	30.72	5.38	33.55	400	246 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2389.44	55.32	74.00	-18.68	52.77	30.72	5.36	33.53	400	246 PEAK																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2427.00	105.95	-----	-----	103.40	30.72	5.38	33.55	400	246 PEAK																																																																					
Avg	Level (dBuV/m) Date: 2024-02-25 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2389.56</td><td>48.20</td><td>54.00</td><td>-5.80</td><td>45.65</td><td>30.72</td><td>5.36</td><td>33.53</td><td>400</td><td>246 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2389.56	48.20	54.00	-5.80	45.65	30.72	5.36	33.53	400	246 AVERAGE	Level (dBuV/m) Date: 2024-02-25 Frequency (MHz) AVG_54 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2427.00</td><td>95.87</td><td>-----</td><td>-----</td><td>93.32</td><td>30.72</td><td>5.38</td><td>33.55</td><td>400</td><td>246 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2427.00	95.87	-----	-----	93.32	30.72	5.38	33.55	400	246 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2389.56	48.20	54.00	-5.80	45.65	30.72	5.36	33.53	400	246 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 2427.00	95.87	-----	-----	93.32	30.72	5.38	33.55	400	246 AVERAGE																																																																					



Mode	41																																									
	Band Edge - R																																									
	2400-2483.5_802.11ax HE40_CH04_2427MHz																																									
ANT	CDD 0+1																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2024-02-25 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2492.03</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>43.48</td><td>30.70</td><td>5.47</td><td>33.60</td><td>400</td><td>246</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2492.03	46.05	74.00	-27.95	43.48	30.70	5.47	33.60	400	246	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	2492.03	46.05	74.00	-27.95	43.48	30.70	5.47	33.60	400	246	PEAK																															
Avg	Date: 2024-02-25 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2499.92</td><td>38.26</td><td>54.00</td><td>-15.74</td><td>35.68</td><td>30.70</td><td>5.48</td><td>33.60</td><td>400</td><td>246</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2499.92	38.26	54.00	-15.74	35.68	30.70	5.48	33.60	400	246	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	2499.92	38.26	54.00	-15.74	35.68	30.70	5.48	33.60	400	246	AVERAGE																															







		41																																																																																						
Mode		Band Edge - L																																																																																						
		2400-2483.5_802.11ax HE40_CH04_2427MHz																																																																																						
ANT		CDD 0+1																																																																																						
Pol.		Vertical					Fundamental																																																																																	
Peak	 Level (dBuV/m) Date: 2024-02-25 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2388.62</td><td>53.52</td><td>74.00</td><td>-20.48</td><td></td><td>50.97</td><td>30.72</td><td>5.36</td><td>33.53</td><td>300</td><td>344</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	2388.62	53.52	74.00	-20.48		50.97	30.72	5.36	33.53	300	344	PEAK	 Level (dBuV/m) Date: 2024-02-25 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2427.00</td><td>100.31</td><td>-----</td><td>-----</td><td></td><td>97.76</td><td>30.72</td><td>5.38</td><td>33.55</td><td>300</td><td>344</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	2427.00	100.31	-----	-----		97.76	30.72	5.38	33.55	300	344	PEAK
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																													
1	2388.62	53.52	74.00	-20.48		50.97	30.72	5.36	33.53	300	344	PEAK																																																																												
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																													
1	2427.00	100.31	-----	-----		97.76	30.72	5.38	33.55	300	344	PEAK																																																																												
Avg	 Level (dBuV/m) Date: 2024-02-25 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2389.21</td><td>45.56</td><td>54.00</td><td>-8.44</td><td></td><td>43.01</td><td>30.72</td><td>5.36</td><td>33.53</td><td>300</td><td>344</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	2389.21	45.56	54.00	-8.44		43.01	30.72	5.36	33.53	300	344	AVERAGE	 Level (dBuV/m) Date: 2024-02-25 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2427.00</td><td>92.14</td><td>-----</td><td>-----</td><td></td><td>89.59</td><td>30.72</td><td>5.38</td><td>33.55</td><td>300</td><td>344</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	2427.00	92.14	-----	-----		89.59	30.72	5.38	33.55	300	344	AVERAGE
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																													
1	2389.21	45.56	54.00	-8.44		43.01	30.72	5.36	33.53	300	344	AVERAGE																																																																												
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																													
1	2427.00	92.14	-----	-----		89.59	30.72	5.38	33.55	300	344	AVERAGE																																																																												



Mode	41											
	Band Edge - R											
	2400-2483.5_802.11ax HE40_CH04_2427MHz											
ANT	CDD 0+1											
Pol.	Vertical						Fundamental					
Peak												



Mode	42																																																																																										
	Band Edge - L																																																																																										
	2400-2483.5_802.11ax HE40_CH08_2447MHz																																																																																										
ANT	CDD 0+1																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.82</td><td>47.04</td><td>74.00</td><td>-26.96</td><td>44.49</td><td>30.72</td><td>5.36</td><td>33.53</td><td>121</td><td>131</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2387.82	47.04	74.00	-26.96	44.49	30.72	5.36	33.53	121	131	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2447.00</td><td>101.15</td><td>-----</td><td>-----</td><td>98.59</td><td>30.71</td><td>5.41</td><td>33.56</td><td>121</td><td>131</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2447.00	101.15	-----	-----	98.59	30.71	5.41	33.56	121	131
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2387.82	47.04	74.00	-26.96	44.49	30.72	5.36	33.53	121	131	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2447.00	101.15	-----	-----	98.59	30.71	5.41	33.56	121	131	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2384.55</td><td>39.40</td><td>54.00</td><td>-14.60</td><td>36.86</td><td>30.72</td><td>5.35</td><td>33.53</td><td>121</td><td>131</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2384.55	39.40	54.00	-14.60	36.86	30.72	5.35	33.53	121	131	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2447.00</td><td>93.11</td><td>-----</td><td>-----</td><td>90.54</td><td>30.71</td><td>5.43</td><td>33.57</td><td>121</td><td>131</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2447.00	93.11	-----	-----	90.54	30.71	5.43	33.57	121	131
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2384.55	39.40	54.00	-14.60	36.86	30.72	5.35	33.53	121	131	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2447.00	93.11	-----	-----	90.54	30.71	5.43	33.57	121	131	AVERAGE																																																																																







Mode	42									
	Band Edge - R									
	2400-2483.5_802.11ax HE40_CH08_2447MHz									
ANT	CDD 0+1									
Pol.	Horizontal					Fundamental				
Peak	</									



Mode	42																																																																										
	Band Edge - L																																																																										
	2400-2483.5_802.11ax HE40_CH08_2447MHz																																																																										
ANT	CDD 0+1																																																																										
Pol.	Vertical					Fundamental																																																																					
Peak	Level (dBuV/m) Date: 2024-02-25 1 2385.54 44.96 74.00 -29.04 42.42 30.72 5.35 33.53 314 360 PEAK					Level (dBuV/m) Date: 2024-02-25 1 2447.00 97.95 ----- 95.38 30.71 5.44 33.58 314 360 PEAK																																																																					
	Limit Read Ant Cable Preamp APos TPos Remark <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2385.54</td><td>44.96</td><td>74.00</td><td>-29.04</td><td>42.42</td><td>30.72</td><td>5.35</td><td>33.53</td><td>314</td><td>360 PEAK</td></tr></tbody></table>					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2385.54	44.96	74.00	-29.04	42.42	30.72	5.35	33.53	314	360 PEAK	Limit Read Ant Cable Preamp APos TPos Remark <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2447.00</td><td>97.95</td><td>-----</td><td>-----</td><td>95.38</td><td>30.71</td><td>5.44</td><td>33.58</td><td>314</td><td>360 PEAK</td></tr></tbody></table>					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2447.00	97.95	-----	-----	95.38	30.71	5.44	33.58	314
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	2385.54	44.96	74.00	-29.04	42.42	30.72	5.35	33.53	314	360 PEAK																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	2447.00	97.95	-----	-----	95.38	30.71	5.44	33.58	314	360 PEAK																																																																	
Avg	Level (dBuV/m) Date: 2024-02-25 1 2364.67 37.40 54.00 -16.60 34.85 30.73 5.34 33.52 314 360 AVERAGE					Level (dBuV/m) Date: 2024-02-25 1 2447.00 90.43 ----- 87.86 30.71 5.44 33.58 314 360 AVERAGE																																																																					
	Limit Read Ant Cable Preamp APos TPos Remark <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2364.67</td><td>37.40</td><td>54.00</td><td>-16.60</td><td>34.85</td><td>30.73</td><td>5.34</td><td>33.52</td><td>314</td><td>360 AVERAGE</td></tr></tbody></table>					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2364.67	37.40	54.00	-16.60	34.85	30.73	5.34	33.52	314	360 AVERAGE	Limit Read Ant Cable Preamp APos TPos Remark <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2447.00</td><td>90.43</td><td>-----</td><td>-----</td><td>87.86</td><td>30.71</td><td>5.44</td><td>33.58</td><td>314</td><td>360 AVERAGE</td></tr></tbody></table>					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2447.00	90.43	-----	-----	87.86	30.71	5.44	33.58	314
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	2364.67	37.40	54.00	-16.60	34.85	30.73	5.34	33.52	314	360 AVERAGE																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	2447.00	90.43	-----	-----	87.86	30.71	5.44	33.58	314	360 AVERAGE																																																																	



		43																																																																																							
Mode		Band Edge - L																																																																																							
		2400-2483.5_802.11ax HE40_CH07_2442MHz																																																																																							
ANT		CDD 0+1																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-02-25  Frequency (MHz)					Level (dBuV/m) Date: 2024-02-25  Frequency (MHz)																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>50.87</td><td>74.00</td><td>-23.13</td><td>48.32</td><td>30.72</td><td>5.36</td><td>33.53</td><td>100</td><td>131</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.95	50.87	74.00	-23.13	48.32	30.72	5.36	33.53	100	131	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2442.00</td><td>102.98</td><td>-----</td><td>-----</td><td>100.43</td><td>30.71</td><td>5.40</td><td>33.56</td><td>100</td><td>131</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2442.00	102.98	-----	-----	100.43	30.71	5.40	33.56	100	131
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2389.95	50.87	74.00	-23.13	48.32	30.72	5.36	33.53	100	131	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2442.00	102.98	-----	-----	100.43	30.71	5.40	33.56	100	131	PEAK																																																																														
Avg	Level (dBuV/m) Date: 2024-02-25  Frequency (MHz)					Level (dBuV/m) Date: 2024-02-25  Frequency (MHz)																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.66</td><td>42.75</td><td>54.00</td><td>-11.25</td><td>40.20</td><td>30.72</td><td>5.36</td><td>33.53</td><td>100</td><td>131</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.66	42.75	54.00	-11.25	40.20	30.72	5.36	33.53	100	131	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2442.00</td><td>94.76</td><td>-----</td><td>-----</td><td>92.19</td><td>30.71</td><td>5.43</td><td>33.57</td><td>100</td><td>131</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2442.00	94.76	-----	-----	92.19	30.71	5.43	33.57	100	131
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2389.66	42.75	54.00	-11.25	40.20	30.72	5.36	33.53	100	131	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	2442.00	94.76	-----	-----	92.19	30.71	5.43	33.57	100	131	AVERAGE																																																																														



Mode	43										
	Band Edge - R										
	2400-2483.5_802.11ax HE40_CH07_2442MHz										
ANT	CDD 0+1										
Pol.	Horizontal										Fundamental
Peak	<										




Mode	43	
	Band Edge - L	
	2400-2483.5_802.11ax HE40_CH07_2442MHz	
ANT	CDD 0+1	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2024-02-25 1 2389.95 48.20 74.00 -25.80 45.65 30.72 5.36 33.53 314 350 PEAK	Level (dBuV/m) Date: 2024-02-25 1 2442.00 101.64 ----- 99.07 30.71 5.43 33.57 314 350 PEAK
	Level (dBuV/m) Date: 2024-02-25 1 2389.09 38.96 54.00 -15.04 36.41 30.72 5.36 33.53 314 350 AVERAGE	Level (dBuV/m) Date: 2024-02-25 1 2442.00 94.03 ----- 91.46 30.71 5.43 33.57 314 350 AVERAGE

Appendix D. Duty Cycle Plots


Ant.	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
0/1	802.11b	98.90	-	-	10Hz
0/1	802.11g	92.06	0.3362	2.9742	3kHz
0/1	802.11n HT20	92.56	0.3246	3.0803	10kHz
0/1	802.11n HT40	86.43	0.1754	5.7026	10kHz
0/1	802.11ax HE20	91.35	0.2754	3.6316	10kHz
0/1	802.11ax HE40	85.72	0.1652	6.0525	10kHz

802.11b






802.11g




802.11n HT20






802.11n HT40



802.11ax HE20





802.11ax HE40

