

NTNV-11ax20MIMO-Ant1-6415-52Tone-RU40



NTNV-11ax20MIMO-Ant2-6415-52Tone-RU40



NTNV-11ax20MIMO-Ant1-6415-106Tone-RU53



NTNV-11ax20MIMO-Ant2-6415-106Tone-RU53



NTNV-11ax20MIMO-Ant1-6415-106Tone-RU54



NTNV-11ax20MIMO-Ant2-6415-106Tone-RU54



NTNV-11ax40MIMO-Ant1-5965-242Tone-RU61



NTNV-11ax40MIMO-Ant2-5965-242Tone-RU61



NTNV-11ax40MIMO-Ant1-5965-242Tone-RU62



NTNV-11ax40MIMO-Ant2-5965-242Tone-RU62



NTNV-11ax40MIMO-Ant1-6165-242Tone-RU61



NTNV-11ax40MIMO-Ant2-6165-242Tone-RU61



NTNV-11ax40MIMO-Ant1-6165-242Tone-RU62



NTNV-11ax40MIMO-Ant2-6165-242Tone-RU62



NTNV-11ax40MIMO-Ant1-6405-242Tone-RU61



NTNV-11ax40MIMO-Ant2-6405-242Tone-RU61



NTNV-11ax40MIMO-Ant1-6405-242Tone-RU62



NTNV-11ax40MIMO-Ant2-6405-242Tone-RU62



NTNV-11ax80MIMO-Ant1-5985-484Tone-RU65



NTNV-11ax80MIMO-Ant2-5985-484Tone-RU65



NTNV-11ax80MIMO-Ant1-5985-484Tone-RU66



NTNV-11ax80MIMO-Ant2-5985-484Tone-RU66



NTNV-11ax80MIMO-Ant1-6145-484Tone-RU65



NTNV-11ax80MIMO-Ant2-6145-484Tone-RU65



NTNV-11ax80MIMO-Ant1-6145-484Tone-RU66



NTNV-11ax80MIMO-Ant2-6145-484Tone-RU66



NTNV-11ax80MIMO-Ant1-6385-484Tone-RU65



NTNV-11ax80MIMO-Ant2-6385-484Tone-RU65



NTNV-11ax80MIMO-Ant1-6385-484Tone-RU66



NTNV-11ax80MIMO-Ant2-6385-484Tone-RU66



NTNV-11ax160MIMO-Ant1-6025-996Tone-RU67



NTNV-11ax160MIMO-Ant2-6025-996Tone-RU67



NTNV-11ax160MIMO-Ant1-6025-996Tone-RU68



NTNV-11ax160MIMO-Ant2-6025-996Tone-RU68



NTNV-11ax160MIMO-Ant1-6185-996Tone-RU67



NTNV-11ax160MIMO-Ant2-6185-996Tone-RU67



NTNV-11ax160MIMO-Ant1-6185-996Tone-RU68



NTNV-11ax160MIMO-Ant2-6185-996Tone-RU68



NTNV-11ax160MIMO-Ant1-6345-996Tone-RU67



NTNV-11ax160MIMO-Ant2-6345-996Tone-RU67



NTNV-11ax160MIMO-Ant1-6345-996Tone-RU68



NTNV-11ax160MIMO-Ant2-6345-996Tone-RU68

Maximum e.i.r.p. Output Power
Test Result

Type	TestMode	Frequency [MHz]	Mode	RuSize	RuIndex	ANT1 (dBm)	ANT2 (dBm)	total (dBm)	EIRP Limit [dBm]
U-NII-5	11ax20	5955	MIMO	/	/	-2.89	-3.01	0.06	≤14.00
		6175		/	/	-3.88	-2.92	-0.36	≤14.00
		6415		/	/	-1.98	-1.76	1.14	≤14.00
	11ax40	5965	MIMO	/	/	-0.12	-0.61	2.65	≤14.00
		6165		/	/	-1.56	-1.01	1.73	≤14.00
		6405		/	/	-1.78	-1.47	1.39	≤14.00
	11ax80	5985	MIMO	/	/	1.97	2.07	5.03	≤14.00
		6145		/	/	2.26	3.07	5.69	≤14.00
		6385		/	/	2.05	3.63	5.92	≤14.00
	11ax160	6025	MIMO	/	/	4.92	5.46	8.21	≤14.00
		6185		/	/	5.35	6.25	8.83	≤14.00
		6345		/	/	4.14	5.52	7.89	≤14.00
	11ax20	5955	RU	26	0	-10.46	-11.41	-7.90	≤14.00
				26	8	-10.72	-11.21	-7.95	≤14.00
		6175		26	0	-12.06	-11.91	-8.97	≤14.00
				26	8	-12.52	-11.62	-9.04	≤14.00
		6415		26	0	-10.31	-10.34	-7.31	≤14.00
				26	8	-11.03	-10.09	-7.52	≤14.00
		5955		52	37	-7.68	-8.53	-5.07	≤14.00
				52	40	-7.91	-8.31	-5.10	≤14.00
		6175		52	37	-9.02	-8.51	-5.75	≤14.00
				52	40	-9.48	-8.24	-5.81	≤14.00
		6415		52	37	-6.91	-7.48	-4.18	≤14.00
				52	40	-7.57	-7.21	-4.38	≤14.00
		5955		106	53	-4.75	-5.32	-2.02	≤14.00
				106	54	-4.98	-5.461	-2.20	≤14.00
		6175		106	53	-6.28	-5.51	-2.87	≤14.00
				106	54	-6.26	-5.53	-2.87	≤14.00
		6415		106	53	-4.15	-3.96	-1.04	≤14.00
				106	54	-4.38	-4.09	-1.22	≤14.00
	11ax40	5965	RU	242	61	-2.38	-2.76	0.44	≤14.00
				242	62	-2.77	-2.89	0.18	≤14.00
		6165		242	61	-3.74	-3.06	-0.38	≤14.00
				242	62	-3.94	-3.23	-0.56	≤14.00
		6405		242	61	-2.01	-1.77	1.12	≤14.00
				242	62	-2.32	-2.04	0.83	≤14.00
	11ax80	5985	RU	484	65	-0.25	-1.21	2.31	≤14.00
				484	66	-0.92	-1.57	1.78	≤14.00
		6145		484	65	-2.02	-1.49	1.26	≤14.00
				484	66	-2.39	-1.87	0.89	≤14.00
		6385		484	65	0.48	0.79	3.65	≤14.00
				484	66	-0.24	0.19	2.99	≤14.00
	11ax160	6025	RU	996	67	3.23	3.92	6.60	≤14.00

				996	68	2.36	3.03	5.72	≤14.00
		6185		996	67	3.16	4.09	6.66	≤14.00
				996	68	3.21	4.14	6.71	≤14.00
		6345		996	67	4.15	5.67	7.99	≤14.00
				996	68	3.91	5.13	7.57	≤14.00

Maximum power spectral density

Test Result

Test Mode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Gain [dBi]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11ax20MIMO	Ant1	5955	-12.55	1.60	-10.95	≤-6.60	PASS
11ax20MIMO	Ant2	5955	-13.24	1.60	-11.64	≤-6.60	PASS
11ax20MIMO	total	5955	-9.87	4.61	-5.26	≤-9.61	PASS
11ax20MIMO	Ant1	6175	-13.86	1.60	-12.26	≤-6.60	PASS
11ax20MIMO	Ant2	6175	-13.89	1.60	-12.29	≤-6.60	PASS
11ax20MIMO	total	6175	-10.86	4.61	-6.25	≤-9.61	PASS
11ax20MIMO	Ant1	6415	-12.99	1.60	-11.39	≤-6.60	PASS
11ax20MIMO	Ant2	6415	-12.77	1.60	-11.17	≤-6.60	PASS
11ax20MIMO	total	6415	-9.87	4.61	-5.26	≤-9.61	PASS
11ax40MIMO	Ant2	5965	-13.81	1.60	-12.21	≤-6.60	PASS
11ax40MIMO	total	5965	-10.45	4.61	-5.84	≤-9.61	PASS
11ax40MIMO	Ant1	5965	-13.13	1.60	-11.53	≤-6.60	PASS
11ax40MIMO	Ant2	6165	-14.59	1.60	-12.99	≤-6.60	PASS
11ax40MIMO	total	6165	-11.53	4.61	-6.92	≤-9.61	PASS
11ax40MIMO	Ant1	6165	-14.50	1.60	-12.90	≤-6.60	PASS
11ax40MIMO	Ant1	6405	-13.81	1.60	-12.21	≤-6.60	PASS
11ax40MIMO	Ant2	6405	-13.33	1.60	-11.73	≤-6.60	PASS
11ax40MIMO	total	6405	-10.55	4.61	-5.94	≤-9.61	PASS
11ax80MIMO	Ant1	5985	-12.86	1.60	-11.26	≤-6.60	PASS
11ax80MIMO	Ant2	5985	-12.85	1.60	-11.25	≤-6.60	PASS
11ax80MIMO	total	5985	-9.84	4.61	-5.23	≤-9.61	PASS
11ax80MIMO	Ant1	6145	-13.54	1.60	-11.94	≤-6.60	PASS
11ax80MIMO	Ant2	6145	-12.56	1.60	-10.96	≤-6.60	PASS
11ax80MIMO	total	6145	-10.01	4.61	-5.40	≤-9.61	PASS
11ax80MIMO	Ant1	6385	-13.75	1.60	-12.15	≤-6.60	PASS
11ax80MIMO	Ant2	6385	-11.82	1.60	-10.22	≤-6.60	PASS
11ax80MIMO	total	6385	-9.67	4.61	-5.06	≤-9.61	PASS
11ax160MIMO	Ant1	6025	-13.89	1.60	-12.29	≤-6.60	PASS
11ax160MIMO	Ant2	6025	-14.33	1.60	-12.73	≤-6.60	PASS
11ax160MIMO	total	6025	-11.09	4.61	-6.48	≤-9.61	PASS
11ax160MIMO	Ant1	6185	-13.01	1.60	-11.41	≤-6.60	PASS
11ax160MIMO	Ant2	6185	-12.85	1.60	-11.25	≤-6.60	PASS
11ax160MIMO	total	6185	-9.92	4.61	-5.31	≤-9.61	PASS
11ax160MIMO	Ant1	6345	-14.95	1.60	-13.35	≤-6.60	PASS
11ax160MIMO	Ant2	6345	-11.45	1.60	-9.85	≤-6.60	PASS
11ax160MIMO	total	6345	-9.85	4.61	-5.24	≤-9.61	PASS

Note：1.The Duty Cycle Factor and RBW Factor is compensated in the graph.

Test Result for Part RU

Test Mode	ANT	Freq.[MHz]	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP	Limit [dBm/MHz]	Verdict
11ax20MIMO	Ant1	5955	26Tone	RU0	-12.14	1.60	-10.54	≤-6.60	PASS
11ax20MIMO	Ant2	5955	26Tone	RU0	-13.53	1.60	-11.93	≤-6.60	PASS
11ax20MIMO	total	5955	26Tone	RU0	-9.77	4.61	-5.16	≤-9.61	PASS
11ax20MIMO	Ant1	5955	26Tone	RU8	-13.10	1.60	-11.50	≤-6.60	PASS
11ax20MIMO	Ant2	5955	26Tone	RU8	-13.65	1.60	-12.05	≤-6.60	PASS
11ax20MIMO	total	5955	26Tone	RU8	-10.36	4.61	-5.75	≤-9.61	PASS
11ax20MIMO	Ant1	5955	52Tone	RU37	-12.09	1.60	-10.49	≤-6.60	PASS
11ax20MIMO	Ant2	5955	52Tone	RU37	-13.65	1.60	-12.05	≤-6.60	PASS
11ax20MIMO	total	5955	52Tone	RU37	-9.79	4.61	-5.18	≤-9.61	PASS
11ax20MIMO	Ant1	5955	52Tone	RU40	-12.79	1.60	-11.19	≤-6.60	PASS
11ax20MIMO	Ant2	5955	52Tone	RU40	-13.74	1.60	-12.14	≤-6.60	PASS
11ax20MIMO	total	5955	52Tone	RU40	-10.23	4.61	-5.62	≤-9.61	PASS
11ax20MIMO	Ant1	5955	106Tone	RU53	-13.28	1.60	-11.68	≤-6.60	PASS
11ax20MIMO	Ant2	5955	106Tone	RU53	-14.17	1.60	-12.57	≤-6.60	PASS
11ax20MIMO	total	5955	106Tone	RU53	-10.69	4.61	-6.08	≤-9.61	PASS
11ax20MIMO	Ant1	5955	106Tone	RU54	-13.77	1.60	-12.17	≤-6.60	PASS
11ax20MIMO	Ant2	5955	106Tone	RU54	-14.16	1.60	-12.56	≤-6.60	PASS
11ax20MIMO	total	5955	106Tone	RU54	-10.95	4.61	-6.34	≤-9.61	PASS
11ax20MIMO	Ant2	6175	26Tone	RU0	-14.18	1.60	-12.58	≤-6.60	PASS
11ax20MIMO	total	6175	26Tone	RU0	-10.76	4.61	-6.15	≤-9.61	PASS
11ax20MIMO	Ant1	6175	26Tone	RU0	-13.39	1.60	-11.79	≤-6.60	PASS
11ax20MIMO	Ant1	6175	26Tone	RU8	-13.80	1.60	-12.20	≤-6.60	PASS
11ax20MIMO	Ant2	6175	26Tone	RU8	-14.31	1.60	-12.71	≤-6.60	PASS
11ax20MIMO	total	6175	26Tone	RU8	-11.04	4.61	-6.43	≤-9.61	PASS
11ax20MIMO	Ant1	6175	52Tone	RU37	-13.49	1.60	-11.89	≤-6.60	PASS
11ax20MIMO	Ant2	6175	52Tone	RU37	-14.11	1.60	-12.51	≤-6.60	PASS
11ax20MIMO	total	6175	52Tone	RU37	-10.78	4.61	-6.17	≤-9.61	PASS
11ax20MIMO	Ant1	6175	52Tone	RU40	-13.88	1.60	-12.28	≤-6.60	PASS
11ax20MIMO	Ant2	6175	52Tone	RU40	-14.10	1.60	-12.50	≤-6.60	PASS
11ax20MIMO	total	6175	52Tone	RU40	-10.98	4.61	-6.37	≤-9.61	PASS
11ax20MIMO	Ant1	6175	106Tone	RU53	-14.49	1.60	-12.89	≤-6.60	PASS
11ax20MIMO	Ant2	6175	106Tone	RU53	-14.93	1.60	-13.33	≤-6.60	PASS
11ax20MIMO	total	6175	106Tone	RU53	-11.69	4.61	-7.08	≤-9.61	PASS
11ax20MIMO	Ant1	6175	106Tone	RU54	-14.85	1.60	-13.25	≤-6.60	PASS
11ax20MIMO	Ant2	6175	106Tone	RU54	-14.98	1.60	-13.38	≤-6.60	PASS
11ax20MIMO	total	6175	106Tone	RU54	-11.90	4.61	-7.29	≤-9.61	PASS
11ax20MIMO	Ant1	6415	26Tone	RU0	-12.86	1.60	-11.26	≤-6.60	PASS
11ax20MIMO	Ant2	6415	26Tone	RU0	-12.85	1.60	-11.25	≤-6.60	PASS
11ax20MIMO	total	6415	26Tone	RU0	-9.84	4.61	-5.23	≤-9.61	PASS
11ax20MIMO	Ant1	6415	26Tone	RU8	-13.49	1.60	-11.89	≤-6.60	PASS
11ax20MIMO	Ant2	6415	26Tone	RU8	-12.80	1.60	-11.20	≤-6.60	PASS
11ax20MIMO	total	6415	26Tone	RU8	-10.12	4.61	-5.51	≤-9.61	PASS
11ax20MIMO	Ant1	6415	52Tone	RU37	-12.88	1.60	-11.28	≤-6.60	PASS
11ax20MIMO	Ant2	6415	52Tone	RU37	-13.02	1.60	-11.42	≤-6.60	PASS
11ax20MIMO	total	6415	52Tone	RU37	-9.94	4.61	-5.33	≤-9.61	PASS
11ax20MIMO	Ant1	6415	52Tone	RU40	-13.58	1.60	-11.98	≤-6.60	PASS
11ax20MIMO	Ant2	6415	52Tone	RU40	-12.97	1.60	-11.37	≤-6.60	PASS
11ax20MIMO	total	6415	52Tone	RU40	-10.25	4.61	-5.64	≤-9.61	PASS
11ax20MIMO	Ant1	6415	106Tone	RU53	-12.66	1.60	-11.06	≤-6.60	PASS
11ax20MIMO	Ant2	6415	106Tone	RU53	-12.82	1.60	-11.22	≤-6.60	PASS
11ax20MIMO	total	6415	106Tone	RU53	-9.73	4.61	-5.12	≤-9.61	PASS
11ax20MIMO	Ant1	6415	106Tone	RU54	-13.13	1.60	-11.53	≤-6.60	PASS
11ax20MIMO	Ant2	6415	106Tone	RU54	-13.09	1.60	-11.49	≤-6.60	PASS
11ax20MIMO	total	6415	106Tone	RU54	-10.10	4.61	-5.49	≤-9.61	PASS
11ax40MIMO	Ant1	5965	242Tone	RU61	-13.64	1.60	-12.04	≤-6.60	PASS
11ax40MIMO	Ant2	5965	242Tone	RU61	-14.47	1.60	-12.87	≤-6.60	PASS
11ax40MIMO	total	5965	242Tone	RU61	-11.02	4.61	-6.41	≤-9.61	PASS
11ax40MIMO	Ant1	5965	242Tone	RU62	-14.66	1.60	-13.06	≤-6.60	PASS
11ax40MIMO	Ant2	5965	242Tone	RU62	-14.88	1.60	-13.28	≤-6.60	PASS
11ax40MIMO	total	5965	242Tone	RU62	-11.76	4.61	-7.15	≤-9.61	PASS
11ax40MIMO	total	6165	242Tone	RU61	-12.23	4.61	-7.62	≤-9.61	PASS
11ax40MIMO	Ant1	6165	242Tone	RU61	-15.18	1.60	-13.58	≤-6.60	PASS
11ax40MIMO	Ant2	6165	242Tone	RU61	-15.31	1.60	-13.71	≤-6.60	PASS
11ax40MIMO	Ant2	6165	242Tone	RU62	-15.54	1.60	-13.94	≤-6.60	PASS

11ax40MIMO	total	6165	242Tone	RU62	-12.43	4.61	-7.82	≤-9.61	PASS
11ax40MIMO	Ant1	6165	242Tone	RU62	-15.35	1.60	-13.75	≤-6.60	PASS
11ax40MIMO	Ant1	6405	242Tone	RU61	-13.59	1.60	-11.99	≤-6.60	PASS
11ax40MIMO	Ant2	6405	242Tone	RU61	-13.37	1.60	-11.77	≤-6.60	PASS
11ax40MIMO	total	6405	242Tone	RU61	-10.47	4.61	-5.86	≤-9.61	PASS
11ax40MIMO	Ant1	6405	242Tone	RU62	-13.58	1.60	-11.98	≤-6.60	PASS
11ax40MIMO	Ant2	6405	242Tone	RU62	-13.35	1.60	-11.75	≤-6.60	PASS
11ax40MIMO	total	6405	242Tone	RU62	-10.45	4.61	-5.84	≤-9.61	PASS
11ax80MIMO	Ant1	5985	484Tone	RU65	-14.90	1.60	-13.30	≤-6.60	PASS
11ax80MIMO	Ant2	5985	484Tone	RU65	-15.89	1.60	-14.29	≤-6.60	PASS
11ax80MIMO	total	5985	484Tone	RU65	-12.36	4.61	-7.75	≤-9.61	PASS
11ax80MIMO	Ant1	5985	484Tone	RU66	-15.76	1.60	-14.16	≤-6.60	PASS
11ax80MIMO	Ant2	5985	484Tone	RU66	-16.24	1.60	-14.64	≤-6.60	PASS
11ax80MIMO	total	5985	484Tone	RU66	-12.98	4.61	-8.37	≤-9.61	PASS
11ax80MIMO	Ant1	6145	484Tone	RU65	-16.04	1.60	-14.44	≤-6.60	PASS
11ax80MIMO	Ant2	6145	484Tone	RU65	-16.02	1.60	-14.42	≤-6.60	PASS
11ax80MIMO	total	6145	484Tone	RU65	-13.02	4.61	-8.41	≤-9.61	PASS
11ax80MIMO	Ant1	6145	484Tone	RU66	-16.37	1.60	-14.77	≤-6.60	PASS
11ax80MIMO	Ant2	6145	484Tone	RU66	-17.11	1.60	-15.51	≤-6.60	PASS
11ax80MIMO	total	6145	484Tone	RU66	-13.71	4.61	-9.10	≤-9.61	PASS
11ax80MIMO	Ant1	6385	484Tone	RU65	-14.45	1.60	-12.85	≤-6.60	PASS
11ax80MIMO	Ant2	6385	484Tone	RU65	-13.90	1.60	-12.30	≤-6.60	PASS
11ax80MIMO	total	6385	484Tone	RU65	-11.16	4.61	-6.55	≤-9.61	PASS
11ax80MIMO	Ant1	6385	484Tone	RU66	-14.89	1.60	-13.29	≤-6.60	PASS
11ax80MIMO	Ant2	6385	484Tone	RU66	-14.29	1.60	-12.69	≤-6.60	PASS
11ax80MIMO	total	6385	484Tone	RU66	-11.57	4.61	-6.96	≤-9.61	PASS
11ax160MIMO	Ant1	6025	996Tone	RU67	-13.16	1.60	-11.56	≤-6.60	PASS
11ax160MIMO	Ant2	6025	996Tone	RU67	-13.48	1.60	-11.88	≤-6.60	PASS
11ax160MIMO	total	6025	996Tone	RU67	-10.31	4.61	-5.70	≤-9.61	PASS
11ax160MIMO	Ant1	6025	996Tone	RU68	-14.21	1.60	-12.61	≤-6.60	PASS
11ax160MIMO	Ant2	6025	996Tone	RU68	-14.13	1.60	-12.53	≤-6.60	PASS
11ax160MIMO	total	6025	996Tone	RU68	-11.16	4.61	-6.55	≤-9.61	PASS
11ax160MIMO	Ant2	6185	996Tone	RU67	-12.79	1.60	-11.19	≤-6.60	PASS
11ax160MIMO	total	6185	996Tone	RU67	-10.02	4.61	-5.41	≤-9.61	PASS
11ax160MIMO	Ant1	6185	996Tone	RU67	-13.28	1.60	-11.68	≤-6.60	PASS
11ax160MIMO	Ant1	6185	996Tone	RU68	-14.06	1.60	-12.46	≤-6.60	PASS
11ax160MIMO	Ant2	6185	996Tone	RU68	-13.77	1.60	-12.17	≤-6.60	PASS
11ax160MIMO	total	6185	996Tone	RU68	-10.90	4.61	-6.29	≤-9.61	PASS
11ax160MIMO	Ant1	6345	996Tone	RU67	-12.95	1.60	-11.35	≤-6.60	PASS
11ax160MIMO	Ant2	6345	996Tone	RU67	-12.64	1.60	-11.04	≤-6.60	PASS
11ax160MIMO	total	6345	996Tone	RU67	-9.78	4.61	-5.17	≤-9.61	PASS
11ax160MIMO	Ant1	6345	996Tone	RU68	-14.48	1.60	-12.88	≤-6.60	PASS
11ax160MIMO	Ant2	6345	996Tone	RU68	-12.58	1.60	-10.98	≤-6.60	PASS
11ax160MIMO	total	6345	996Tone	RU68	-10.42	4.61	-5.81	≤-9.61	PASS

Note：1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

Test Graphs



11ax20MIMO-Ant1-5955-PASS



11ax20MIMO-Ant2-5955-PASS



11ax20MIMO-Ant1-6175-PASS



11ax20MIMO-Ant2-6175-PASS



11ax20MIMO-Ant1-6415-PASS



11ax20MIMO-Ant2-6415-PASS



11ax40MIMO-Ant2-5965-PASS



11ax40MIMO-Ant1-5965-PASS



11ax40MIMO-Ant2-6165-PASS



11ax40MIMO-Ant1-6165-PASS



11ax40MIMO-Ant1-6405-PASS



11ax40MIMO-Ant2-6405-PASS



11ax80MIMO-Ant1-5985-PASS



11ax80MIMO-Ant2-5985-PASS



11ax80MIMO-Ant1-6145-PASS



11ax80MIMO-Ant2-6145-PASS



11ax80MIMO-Ant1-6385-PASS



11ax80MIMO-Ant2-6385-PASS



11ax160MIMO-Ant1-6025-PASS



11ax160MIMO-Ant2-6025-PASS



11ax160MIMO-Ant1-6185-PASS



11ax160MIMO-Ant2-6185-PASS



11ax160MIMO-Ant1-6345-PASS



11ax160MIMO-Ant2-6345-PASS

Test Graphs for Part RU



11ax20MIMO-Ant1-5955-26Tone-RU0-PASS



11ax20MIMO-Ant2-5955-26Tone-RU0-PASS



11ax20MIMO-Ant1-5955-26Tone-RU8-PASS



11ax20MIMO-Ant2-5955-26Tone-RU8-PASS



11ax20MIMO-Ant1-5955-52Tone-RU37-PASS



11ax20MIMO-Ant2-5955-52Tone-RU37-PASS



11ax20MIMO-Ant1-5955-52Tone-RU40-PASS



11ax20MIMO-Ant2-5955-52Tone-RU40-PASS

11ax20MIMO-Ant1-5955-106Tone-RU53-PASS



11ax20MIMO-Ant2-5955-106Tone-RU53-PASS



11ax20MIMO-Ant1-5955-106Tone-RU54-PASS



11ax20MIMO-Ant2-5955-106Tone-RU54-PASS



11ax20MIMO-Ant2-6175-26Tone-RU0-PASS



11ax20MIMO-Ant1-6175-26Tone-RU0-PASS



11ax20MIMO-Ant1-6175-26Tone-RU8-PASS



11ax20MIMO-Ant2-6175-26Tone-RU8-PASS



11ax20MIMO-Ant1-6175-52Tone-RU37-PASS



11ax20MIMO-Ant2-6175-52Tone-RU37-PASS



11ax20MIMO-Ant1-6175-52Tone-RU40-PASS



11ax20MIMO-Ant2-6175-52Tone-RU40-PASS

11ax20MIMO-Ant1-6175-106Tone-RU53-PASS



11ax20MIMO-Ant2-6175-106Tone-RU53-PASS



11ax20MIMO-Ant1-6175-106Tone-RU54-PASS



11ax20MIMO-Ant2-6175-106Tone-RU54-PASS



11ax20MIMO-Ant1-6415-26Tone-RU0-PASS



11ax20MIMO-Ant2-6415-26Tone-RU0-PASS



11ax20MIMO-Ant1-6415-26Tone-RU8-PASS



11ax20MIMO-Ant2-6415-26Tone-RU8-PASS



11ax20MIMO-Ant1-6415-52Tone-RU37-PASS



11ax20MIMO-Ant2-6415-52Tone-RU37-PASS



11ax20MIMO-Ant1-6415-52Tone-RU40-PASS



11ax20MIMO-Ant2-6415-52Tone-RU40-PASS



11ax20MIMO-Ant1-6415-106Tone-RU53-PASS

11ax20MIMO-Ant2-6415-106Tone-RU53-PASS



11ax20MIMO-Ant1-6415-106Tone-RU54-PASS



11ax20MIMO-Ant2-6415-106Tone-RU54-PASS



11ax40MIMO-Ant1-5965-242Tone-RU61-PASS

11ax40MIMO-Ant2-5965-242Tone-RU61-PASS



11ax40MIMO-Ant1-5965-242Tone-RU62-PASS



11ax40MIMO-Ant2-5965-242Tone-RU62-PASS

11ax40MIMO-Ant1-6165-242Tone-RU61-PASS



11ax40MIMO-Ant2-6165-242Tone-RU61-PASS



11ax40MIMO-Ant2-6165-242Tone-RU62-PASS



11ax40MIMO-Ant1-6165-242Tone-RU62-PASS

11ax40MIMO-Ant1-6405-242Tone-RU61-PASS

11ax40MIMO-Ant2-6405-242Tone-RU61-PASS

11ax40MIMO-Ant1-6405-242Tone-RU62-PASS

11ax40MIMO-Ant2-6405-242Tone-RU62-PASS



11ax80MIMO-Ant1-5985-484Tone-RU65-PASS



11ax80MIMO-Ant2-5985-484Tone-RU65-PASS



11ax80MIMO-Ant1-5985-484Tone-RU66-PASS



11ax80MIMO-Ant2-5985-484Tone-RU66-PASS

11ax80MIMO-Ant1-6145-484Tone-RU65-PASS



11ax80MIMO-Ant2-6145-484Tone-RU65-PASS



11ax80MIMO-Ant1-6145-484Tone-RU66-PASS



11ax80MIMO-Ant2-6145-484Tone-RU66-PASS



11ax80MIMO-Ant1-6385-484Tone-RU65-PASS

11ax80MIMO-Ant2-6385-484Tone-RU65-PASS



11ax80MIMO-Ant1-6385-484Tone-RU66-PASS



11ax80MIMO-Ant2-6385-484Tone-RU66-PASS