







Plot 7-181. Power Spectral Density Plot Antenna 3b SP (20MHz 802.11a (UNII Band 5) - Ch. 45, 54Mbps)




Plot 7-184. Power Spectral Density Plot Antenna 3b SP (80MHz 802.11ax (UNII Band 5) - Ch. 39, MCS11)




Plot 7-182. Power Spectral Density Plot Antenna 3b SP (20MHz 802.11ax (UNII Band 5) - Ch. 45, MCS11)



Plot 7-185. Power Spectral Density Plot Antenna 3b SP (160MHz 802.11ax (UNII Band 5) - Ch. 47, MCS11)




Plot 7-183. Power Spectral Density Plot Antenna 3b SP (40MHz 802.11ax (UNII Band 5) - Ch. 43, MCS11)




Plot 7-186. Power Spectral Density Plot Antenna 3b SP (20MHz 802.11a (UNII Band 7) - Ch. 149, 54Mbps)


FCC ID: BCGA2995	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200018-24-R2.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 91 of 317



Plot 7-187. Power Spectral Density Plot Antenna 3b SP (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS11)



Plot 7-189. Power Spectral Density Plot Antenna 3b SP (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS11)




Plot 7-188. Power Spectral Density Plot Antenna 3b SP (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS11)




Plot 7-190. Power Spectral Density Plot Antenna 3b SP (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS11)


FCC ID: BCGA2995	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200018-24-R2.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 92 of 317




Plot 7-191. Power Spectral Density Plot Antenna 5T VLP (20MHz 802.11a (UNII Band 5) – Ch. 61, 54Mbps)




Plot 7-194. Power Spectral Density Plot Antenna 5T VLP (80MHz 802.11ax (UNII Band 5) – Ch. 55, MCS11)




Plot 7-192. Power Spectral Density Plot Antenna 5T VLP (20MHz 802.11ax (UNII Band 5) – Ch. 61, MCS11)



Plot 7-195. Power Spectral Density Plot Antenna 5T VLP (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS11)




Plot 7-193. Power Spectral Density Plot Antenna 5T VLP (40MHz 802.11ax (UNII Band 5) – Ch. 59, MCS11)




Plot 7-196. Power Spectral Density Plot Antenna 5T VLP (20MHz 802.11a (UNII Band 7) – Ch. 149, 54Mbps)


FCC ID: BCGA2995	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200018-24-R2.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 93 of 317




Plot 7-197. Power Spectral Density Plot Antenna 5T VLP (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS11)



Plot 7-199. Power Spectral Density Plot Antenna 5T VLP (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS11)



Plot 7-198. Power Spectral Density Plot Antenna 5T VLP (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS11)



Plot 7-200. Power Spectral Density Plot Antenna 5T VLP (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS11)

FCC ID: BCGA2995			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200018-24-R2.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device		Page 94 of 317

7.4.3 Antenna 1b Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	a	54	-6.04	0.80	-5.24	-1	-4.24
	6175	45	a	54	-4.47	0.80	-3.67	-1	-2.67
	6415	93	a	54	-5.38	0.80	-4.58	-1	-3.58
	5955	1	ax (20MHz)	135/143.4 (MCS11)	-6.25	0.80	-5.45	-1	-4.45
	6175	45	ax (20MHz)	135/143.4 (MCS11)	-4.68	0.80	-3.88	-1	-2.88
	6415	93	ax (20MHz)	135/143.4 (MCS11)	-5.48	0.80	-4.68	-1	-3.68
	5965	3	ax (40MHz)	271/286.8 (MCS11)	-6.65	0.80	-5.85	-1	-4.85
	6165	43	ax (40MHz)	271/286.8 (MCS11)	-5.54	0.80	-4.74	-1	-3.74
	6405	91	ax (40MHz)	271/286.8 (MCS11)	-5.49	0.80	-4.69	-1	-3.69
	5985	7	ax (80MHz)	567/600.5 (MCS11)	-5.99	0.80	-5.19	-1	-4.19
	6145	39	ax (80MHz)	567/600.5 (MCS11)	-5.49	0.80	-4.69	-1	-3.69
	6385	87	ax (80MHz)	567/600.5 (MCS11)	-5.30	0.80	-4.50	-1	-3.50
	6025	15	ax (160MHz)	1020.8/1201 (MCS11)	-5.91	0.80	-5.11	-1	-4.11
	6185	47	ax (160MHz)	1020.8/1201 (MCS11)	-5.27	0.80	-4.47	-1	-3.47
Band 6	6345	79	ax (160MHz)	1020.8/1201 (MCS11)	-5.25	0.80	-4.45	-1	-3.45
	6435	97	a	54	-5.45	1.50	-3.95	-1	-2.95
	6475	105	a	54	-5.33	1.50	-3.83	-1	-2.83
	6515	113	a	54	-5.16	1.50	-3.66	-1	-2.66
	6435	97	ax (20MHz)	135/143.4 (MCS11)	-6.04	1.50	-4.54	-1	-3.54
	6475	105	ax (20MHz)	135/143.4 (MCS11)	-5.82	1.50	-4.32	-1	-3.32
	6515	113	ax (20MHz)	135/143.4 (MCS11)	-5.56	1.50	-4.06	-1	-3.06
	6445	99	ax (40MHz)	271/286.8 (MCS11)	-5.97	1.50	-4.47	-1	-3.47
	6485	107	ax (40MHz)	271/286.8 (MCS11)	-5.88	1.50	-4.38	-1	-3.38
	6525	115	ax (40MHz)	271/286.8 (MCS11)	-5.69	1.50	-4.19	-1	-3.19
Band 7	6465	103	ax (80MHz)	567/600.5 (MCS11)	-5.81	1.50	-4.31	-1	-3.31
	6505	111	ax (160MHz)	1020.8/1201 (MCS11)	-5.99	1.50	-4.49	-1	-3.49
	6535	117	a	54	-5.54	0.50	-5.04	-1	-4.04
	6695	149	a	54	-5.29	0.50	-4.79	-1	-3.79
	6875	185	a	54	-5.38	0.50	-4.88	-1	-3.88
	6535	117	ax (20MHz)	135/143.4 (MCS11)	-6.45	0.50	-5.95	-1	-4.95
	6695	149	ax (20MHz)	135/143.4 (MCS11)	-5.98	0.50	-5.48	-1	-4.48
	6875	185	ax (20MHz)	135/143.4 (MCS11)	-6.09	0.50	-5.59	-1	-4.59
	6565	123	ax (40MHz)	271/286.8 (MCS11)	-6.04	0.50	-5.54	-1	-4.54
	6725	155	ax (40MHz)	271/286.8 (MCS11)	-5.47	0.50	-4.97	-1	-3.97
	6845	179	ax (40MHz)	271/286.8 (MCS11)	-5.68	0.50	-5.18	-1	-4.18
	6545	119	ax (80MHz)	567/600.5 (MCS11)	-5.70	0.50	-5.20	-1	-4.20
	6705	151	ax (80MHz)	567/600.5 (MCS11)	-5.77	0.50	-5.27	-1	-4.27
	6865	183	ax (80MHz)	567/600.5 (MCS11)	-5.48	0.50	-4.98	-1	-3.98
Band 8	6665	143	ax (160MHz)	1020.8/1201 (MCS11)	-5.49	0.50	-4.99	-1	-3.99
	6825	175	ax (160MHz)	1020.8/1201 (MCS11)	-4.87	0.50	-4.37	-1	-3.37
	6895	189	a	54	-5.64	-0.40	-6.04	-1	-5.04
	6995	209	a	54	-5.74	-0.40	-6.14	-1	-5.14
	7115	233	a	54	-5.37	-0.40	-5.77	-1	-4.77
	6895	189	ax (20MHz)	135/143.4 (MCS11)	-5.90	-0.40	-6.30	-1	-5.30
	6995	209	ax (20MHz)	135/143.4 (MCS11)	-6.11	-0.40	-6.51	-1	-5.51
	7115	233	ax (20MHz)	135/143.4 (MCS11)	-6.01	-0.40	-6.41	-1	-5.41
	6885	187	ax (40MHz)	271/286.8 (MCS11)	-6.14	-0.40	-6.54	-1	-5.54
	7005	211	ax (40MHz)	271/286.8 (MCS11)	-6.08	-0.40	-6.48	-1	-5.48
	7085	227	ax (40MHz)	271/286.8 (MCS11)	-5.87	-0.40	-6.27	-1	-5.27
	6945	199	ax (80MHz)	567/600.5 (MCS11)	-5.54	-0.40	-5.94	-1	-4.94
	7025	215	ax (80MHz)	567/600.5 (MCS11)	-5.58	-0.40	-5.98	-1	-4.98
	6985	207	ax (160MHz)	1020.8/1201 (MCS11)	-4.84	-0.40	-5.24	-1	-4.24

Table 7-77. Power Spectral Density Measurements Antenna 1b LPI

FCC ID: BCGA2995	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2405200018-24-R2.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 95 of 317

V 10.50.40 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [MHz]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	a	54	7.24	0.80	8.04	17	-8.96
	6175	45	a	54	7.39	0.80	8.19	17	-8.81
	6415	93	a	54	7.43	0.80	8.23	17	-8.77
	5955	1	ax (20MHz)	135/143.4 (MCS11)	6.71	0.80	7.51	17	-9.49
	6175	45	ax (20MHz)	135/143.4 (MCS11)	7.03	0.80	7.83	17	-9.18
	6415	93	ax (20MHz)	135/143.4 (MCS11)	6.93	0.80	7.73	17	-9.27
	5965	3	ax (40MHz)	271/286.8 (MCS11)	3.75	0.80	4.55	17	-12.45
	6165	43	ax (40MHz)	271/286.8 (MCS11)	4.52	0.80	5.32	17	-11.68
	6405	91	ax (40MHz)	271/286.8 (MCS11)	4.18	0.80	4.98	17	-12.02
	5985	7	ax (80MHz)	567/600.5 (MCS11)	0.94	0.80	1.74	17	-15.26
	6145	39	ax (80MHz)	567/600.5 (MCS11)	1.40	0.80	2.20	17	-14.80
	6385	87	ax (80MHz)	567/600.5 (MCS11)	1.36	0.80	2.16	17	-14.84
	6025	15	ax (160MHz)	1020.8/1201 (MCS11)	-1.12	0.80	-0.32	17	-17.32
	6185	47	ax (160MHz)	1020.8/1201 (MCS11)	-0.90	0.80	-0.10	17	-17.10
	6345	79	ax (160MHz)	1020.8/1201 (MCS11)	-0.98	0.80	-0.18	17	-17.18
Band 7	6535	117	a	54	7.81	0.50	8.31	17	-8.69
	6695	149	a	54	8.00	0.50	8.50	17	-8.50
	6855	181	a	54	7.81	0.50	8.31	17	-8.69
	6535	117	ax (20MHz)	135/143.4 (MCS11)	6.98	0.50	7.48	17	-9.52
	6695	149	ax (20MHz)	135/143.4 (MCS11)	7.31	0.50	7.81	17	-9.19
	6855	181	ax (20MHz)	135/143.4 (MCS11)	7.37	0.50	7.87	17	-9.13
	6565	123	ax (40MHz)	271/286.8 (MCS11)	3.81	0.50	4.31	17	-12.69
	6725	155	ax (40MHz)	271/286.8 (MCS11)	4.54	0.50	5.04	17	-11.96
	6845	179	ax (40MHz)	271/286.8 (MCS11)	4.78	0.50	5.28	17	-11.72
	6625	135	ax (80MHz)	567/600.5 (MCS11)	1.48	0.50	1.98	17	-15.02
	6705	151	ax (80MHz)	567/600.5 (MCS11)	1.88	0.50	2.38	17	-14.62
	6785	167	ax (80MHz)	567/600.5 (MCS11)	1.93	0.50	2.43	17	-14.58
	6665	143	ax (160MHz)	1020.8/1201 (MCS11)	-0.87	0.50	-0.37	17	-17.37

Table 7-78. Power Spectral Density Measurements Antenna 1b SP


	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [MHz]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	a	54	-10.45	0.80	-9.65	-5	-4.65
	6255	61	a	54	-10.78	0.80	-9.98	-5	-4.98
	6415	93	a	54	-10.47	0.80	-9.67	-5	-4.67
	6115	33	ax (20MHz)	135/143.4 (MCS11)	-10.77	0.80	-9.97	-5	-4.97
	6255	61	ax (20MHz)	135/143.4 (MCS11)	-10.67	0.80	-9.87	-5	-4.87
	6415	93	ax (20MHz)	135/143.4 (MCS11)	-10.89	0.80	-10.09	-5	-5.09
	6125	35	ax (40MHz)	271/286.8 (MCS11)	-10.33	0.80	-9.53	-5	-4.53
	6245	59	ax (40MHz)	271/286.8 (MCS11)	-10.78	0.80	-9.98	-5	-4.98
	6405	91	ax (40MHz)	271/286.8 (MCS11)	-10.61	0.80	-9.81	-5	-4.81
	6145	39	ax (80MHz)	567/600.5 (MCS11)	-10.62	0.80	-9.82	-5	-4.82
	6225	55	ax (80MHz)	567/600.5 (MCS11)	-10.24	0.80	-9.44	-5	-4.44
	6385	87	ax (80MHz)	567/600.5 (MCS11)	-10.30	0.80	-9.50	-5	-4.50
	6185	47	ax (160MHz)	1020.8/1201 (MCS11)	-10.04	0.80	-9.24	-5	-4.24
	6345	79	ax (160MHz)	1020.8/1201 (MCS11)	-10.00	0.80	-9.20	-5	-4.20
Band 7	6535	117	a	54	-10.40	0.50	-9.90	-5	-4.90
	6695	149	a	54	-10.08	0.50	-9.58	-5	-4.58
	6855	181	a	54	-10.29	0.50	-9.79	-5	-4.79
	6535	117	ax (20MHz)	135/143.4 (MCS11)	-11.00	0.50	-10.50	-5	-5.50
	6695	149	ax (20MHz)	135/143.4 (MCS11)	-10.71	0.50	-10.21	-5	-5.21
	6855	181	ax (20MHz)	135/143.4 (MCS11)	-10.38	0.50	-9.88	-5	-4.88
	6565	123	ax (40MHz)	271/286.8 (MCS11)	-10.84	0.50	-10.34	-5	-5.34
	6725	155	ax (40MHz)	271/286.8 (MCS11)	-10.41	0.50	-9.91	-5	-4.91
	6845	179	ax (40MHz)	271/286.8 (MCS11)	-10.06	0.50	-9.56	-5	-4.56
	6625	135	ax (80MHz)	567/600.5 (MCS11)	-9.92	0.50	-9.42	-5	-4.42
	6705	151	ax (80MHz)	567/600.5 (MCS11)	-10.27	0.50	-9.77	-5	-4.77
	6785	167	ax (80MHz)	567/600.5 (MCS11)	-9.96	0.50	-9.46	-5	-4.46
	6665	143	ax (160MHz)	1020.8/1201 (MCS11)	-10.22	0.50	-9.72	-5	-4.72

Table 7-79. Power Spectral Density Measurements Antenna 1b VLP


FCC ID: BCGA2995	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2405200018-24-R2.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 96 of 317




Plot 7-201. Power Spectral Density Plot Antenna 1b LPI (20MHz 802.11a (UNII Band 5) – Ch. 45, 54Mbps)




Plot 7-204. Power Spectral Density Plot Antenna 1b LPI (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS11)




Plot 7-202. Power Spectral Density Plot Antenna 1b LPI (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS11)



Plot 7-205. Power Spectral Density Plot Antenna 1b LPI (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS11)




Plot 7-203. Power Spectral Density Plot Antenna 1b LPI (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS11)




Plot 7-206. Power Spectral Density Plot Antenna 1b LPI (20MHz 802.11a (UNII Band 6) – Ch. 105, 54Mbps)


FCC ID: BCGA2995	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200018-24-R2.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 97 of 317




Plot 7-207. Power Spectral Density Plot Antenna 1b LPI (20MHz 802.11ax (UNII Band 6) - Ch. 105, MCS11)




Plot 7-210. Power Spectral Density Plot Antenna 1b LPI (160MHz 802.11ax (UNII Band 6) - Ch. 111, MCS11)




Plot 7-208. Power Spectral Density Plot Antenna 1b LPI (40MHz 802.11ax (UNII Band 6) - Ch. 107, MCS11)



Plot 7-211. Power Spectral Density Plot Antenna 1b LPI (20MHz 802.11a (UNII Band 7) - Ch. 149, 54Mbps)




Plot 7-209. Power Spectral Density Plot Antenna 1b LPI (80MHz 802.11ax (UNII Band 6) - Ch. 103, MCS11)




Plot 7-212. Power Spectral Density Plot Antenna 1b LPI (20MHz 802.11ax (UNII Band 7) - Ch. 149, MCS11)


FCC ID: BCGA2995	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200018-24-R2.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 98 of 317




Plot 7-213. Power Spectral Density Plot Antenna 1b LPI (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS11)




Plot 7-216. Power Spectral Density Plot Antenna 1b LPI (20MHz 802.11a (UNII Band 8) – Ch. 209, 54Mbps)




Plot 7-214. Power Spectral Density Plot Antenna 1b LPI (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS11)



Plot 7-217. Power Spectral Density Plot Antenna 1b LPI (20MHz 802.11ax (UNII Band 8) – Ch. 209, MCS11)




Plot 7-215. Power Spectral Density Plot Antenna 1b LPI (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS11)




Plot 7-218. Power Spectral Density Plot Antenna 1b LPI (40MHz 802.11ax (UNII Band 8) – Ch. 211, MCS11)

FCC ID: BCGA2995	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200018-24-R2.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 99 of 317



Plot 7-219. Power Spectral Density Plot Antenna 1b LPI (80MHz 802.11ax (UNII Band 8) – Ch. 199, MCS11)




Plot 7-220. Power Spectral Density Plot Antenna 1b LPI (160MHz 802.11ax (UNII Band 8) – Ch. 207, MCS11)


FCC ID: BCGA2995	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2405200018-24-R2.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 100 of 317

V 10.50.40 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-221. Power Spectral Density Plot Antenna 1b SP (20MHz 802.11a (UNII Band 5) – Ch. 45, 54Mbps)




Plot 7-224. Power Spectral Density Plot Antenna 1b SP (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS11)




Plot 7-222. Power Spectral Density Plot Antenna 1b SP (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS11)



Plot 7-225. Power Spectral Density Plot Antenna 1b SP (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS11)




Plot 7-223. Power Spectral Density Plot Antenna 1b SP (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS11)




Plot 7-226. Power Spectral Density Plot Antenna 1b SP (20MHz 802.11a (UNII Band 7) – Ch. 149, 54Mbps)


FCC ID: BCGA2995	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200018-24-R2.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 101 of 317




Plot 7-227. Power Spectral Density Plot Antenna 1b SP (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS11)



Plot 7-229. Power Spectral Density Plot Antenna 1b SP (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS11)



Plot 7-228. Power Spectral Density Plot Antenna 1b SP (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS11)




Plot 7-230. Power Spectral Density Plot Antenna 1b SP (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS11)


FCC ID: BCGA2995			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200018-24-R2.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device		Page 102 of 317

V 10.50.40 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-231. Power Spectral Density Plot Antenna 5T VLP (20MHz 802.11a (UNII Band 5) – Ch. 61, 54Mbps)




Plot 7-234. Power Spectral Density Plot Antenna 5T VLP (80MHz 802.11ax (UNII Band 5) – Ch. 55, MCS11)




Plot 7-232. Power Spectral Density Plot Antenna 5T VLP (20MHz 802.11ax (UNII Band 5) – Ch. 61, MCS11)



Plot 7-235. Power Spectral Density Plot Antenna 5T VLP (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS11)




Plot 7-233. Power Spectral Density Plot Antenna 5T VLP (40MHz 802.11ax (UNII Band 5) – Ch. 59, MCS11)




Plot 7-236. Power Spectral Density Plot Antenna 5T VLP (20MHz 802.11a (UNII Band 7) – Ch. 149, 54Mbps)


FCC ID: BCGA2995	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200018-24-R2.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 103 of 317




Plot 7-237. Power Spectral Density Plot Antenna 5T VLP (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS11)



Plot 7-239. Power Spectral Density Plot Antenna 5T VLP (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS11)



Plot 7-238. Power Spectral Density Plot Antenna 5T VLP (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS11)



Plot 7-240. Power Spectral Density Plot Antenna 5T VLP (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS11)

FCC ID: BCGA2995	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200018-24-R2.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 104 of 317

7.4.4 CDD/SDM Primary Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 Mode	Mode	Data Rate [Mbps]	Antenna 5T Measured Power Density [dBm/MHz]	Antenna 3b Measured Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	ax (20MHz)	SDM	270/286.8 (MCS11)	-8.15	-8.12	-5.12	2.42	-2.70	-1	-1.70
	6175	45	ax (20MHz)	SDM	270/286.8 (MCS11)	-7.68	-7.73	-4.69	2.42	-2.27	-1	-1.27
	6415	93	ax (20MHz)	SDM	270/286.8 (MCS11)	-7.68	-8.00	-4.83	2.42	-2.41	-1	-1.41
	5965	3	ax (40MHz)	SDM	540/573.5 (MCS11)	-7.94	-8.29	-5.10	2.42	-2.68	-1	-1.68
	6165	43	ax (40MHz)	SDM	540/573.5 (MCS11)	-7.32	-7.33	-4.32	2.42	-1.89	-1	-0.89
	6405	91	ax (40MHz)	SDM	540/573.5 (MCS11)	-7.33	-7.66	-4.48	2.42	-2.06	-1	-1.06
	5985	7	ax (80MHz)	SDM	1134/1201 (MCS11)	-7.76	-8.18	-4.95	2.42	-2.53	-1	-1.53
	6145	39	ax (80MHz)	SDM	1134/1201 (MCS11)	-6.73	-7.70	-4.18	2.42	-1.76	-1	-0.76
	6385	87	ax (80MHz)	SDM	1134/1201 (MCS11)	-7.01	-7.12	-4.05	2.42	-1.63	-1	-0.63
	6025	15	ax (160MHz)	SDM	2041.7/2402 (MCS11)	-7.49	-7.46	-4.46	2.42	-2.04	-1	-1.04
Band 6	6185	47	ax (160MHz)	SDM	2041.7/2402 (MCS11)	-7.31	-6.95	-4.11	2.42	-1.69	-1	-0.69
	6345	79	ax (160MHz)	SDM	2041.7/2402 (MCS11)	-6.92	-7.48	-4.18	2.42	-1.76	-1	-0.76
	6435	97	ax (20MHz)	SDM	270/286.8 (MCS11)	-7.84	-7.98	-4.90	1.76	-3.14	-1	-2.14
	6475	105	ax (20MHz)	SDM	270/286.8 (MCS11)	-7.97	-8.22	-5.08	1.76	-3.33	-1	-2.33
	6515	113	ax (20MHz)	SDM	270/286.8 (MCS11)	-7.64	-7.74	-4.68	1.76	-2.92	-1	-1.92
	6445	99	ax (40MHz)	SDM	540/573.5 (MCS11)	-7.71	-8.12	-4.90	1.76	-3.14	-1	-2.14
	6485	107	ax (40MHz)	SDM	540/573.5 (MCS11)	-7.59	-8.02	-4.79	1.76	-3.03	-1	-2.03
	6525	115	ax (40MHz)	SDM	540/573.5 (MCS11)	-7.40	-7.76	-4.57	1.76	-2.81	-1	-1.81
	6465	103	ax (80MHz)	SDM	1134/1201 (MCS11)	-7.21	-8.11	-4.63	1.76	-2.87	-1	-1.87
	6505	111	ax (160MHz)	SDM	2041.7/2402 (MCS11)	-7.07	-7.49	-4.27	1.76	-2.51	-1	-1.51
Band 7	6535	117	ax (20MHz)	SDM	270/286.8 (MCS11)	-7.52	-7.81	-4.65	2.29	-2.36	-1	-1.36
	6695	149	ax (20MHz)	SDM	270/286.8 (MCS11)	-7.39	-7.96	-4.65	2.29	-2.36	-1	-1.36
	6875	185	ax (20MHz)	SDM	270/286.8 (MCS11)	-7.61	-7.35	-4.47	2.29	-2.18	-1	-1.18
	6565	123	ax (40MHz)	SDM	540/573.5 (MCS11)	-7.49	-7.80	-4.64	2.29	-2.35	-1	-1.35
	6725	155	ax (40MHz)	SDM	540/573.5 (MCS11)	-7.09	-7.61	-4.33	2.29	-2.05	-1	-1.05
	6845	179	ax (40MHz)	SDM	540/573.5 (MCS11)	-7.22	-7.29	-4.25	2.29	-1.96	-1	-0.96
	6545	119	ax (80MHz)	SDM	1134/1201 (MCS11)	-7.37	-7.59	-4.47	2.29	-2.18	-1	-1.18
	6705	151	ax (80MHz)	SDM	1134/1201 (MCS11)	-6.67	-7.42	-4.02	2.29	-1.73	-1	-0.73
	6865	183	ax (80MHz)	SDM	1134/1201 (MCS11)	-6.97	-7.29	-4.11	2.29	-1.83	-1	-0.83
	6665	143	ax (160MHz)	SDM	2041.7/2402 (MCS11)	-7.10	-7.13	-4.11	2.29	-1.82	-1	-0.82
Band 8	6825	175	ax (160MHz)	SDM	2041.7/2402 (MCS11)	-7.73	-6.93	-4.30	2.29	-2.02	-1	-1.02
	6895	189	ax (20MHz)	SDM	270/286.8 (MCS11)	-7.97	-7.73	-4.84	2.26	-2.57	-1	-1.57
	6995	209	ax (20MHz)	SDM	270/286.8 (MCS11)	-7.84	-8.02	-4.92	2.26	-2.65	-1	-1.65
	7115	233	ax (20MHz)	SDM	270/286.8 (MCS11)	-7.70	-8.17	-4.92	2.26	-2.65	-1	-1.65
	6885	187	ax (40MHz)	SDM	540/573.5 (MCS11)	-7.54	-7.69	-4.60	2.26	-2.34	-1	-1.34
	7005	211	ax (40MHz)	SDM	540/573.5 (MCS11)	-7.68	-7.69	-4.67	2.26	-2.41	-1	-1.41
	7085	227	ax (40MHz)	SDM	540/573.5 (MCS11)	-7.53	-7.73	-4.62	2.26	-2.36	-1	-1.36
	6945	199	ax (80MHz)	SDM	1134/1201 (MCS11)	-7.30	-7.56	-4.41	2.26	-2.15	-1	-1.15
	7025	215	ax (80MHz)	SDM	1134/1201 (MCS11)	-7.65	-7.22	-4.42	2.26	-2.15	-1	-1.15
	6985	207	ax (160MHz)	SDM	2041.7/2402 (MCS11)	-7.12	-7.30	-4.20	2.26	-1.94	-1	-0.94

Table 7-80. Power Spectral Density Measurements SDM Primary LPI

	Frequency [MHz]	Channel No.	802.11 Mode	Mode	Data Rate [MHz]	Antenna 5T Measured Power Density [dBm/MHz]	Antenna 3b Measured Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	ax (20MHz)	CDD	270/286.8 (MCS11)	6.69	6.98	9.85	5.30	15.14	17	-1.86
	6175	45	ax (20MHz)	CDD	270/286.8 (MCS11)	6.92	7.13	10.04	5.30	15.33	17	-1.67
	6415	93	ax (20MHz)	CDD	270/286.8 (MCS11)	6.87	6.97	9.93	5.30	15.23	17	-1.77
	5965	3	ax (40MHz)	CDD	540/573.5 (MCS11)	4.13	3.75	6.95	5.30	12.25	17	-4.75
	6165	43	ax (40MHz)	CDD	540/573.5 (MCS11)	4.17	4.26	7.23	5.30	12.52	17	-4.48
	6405	91	ax (40MHz)	CDD	540/573.5 (MCS11)	4.53	4.42	7.49	5.30	12.78	17	-4.22
	5985	7	ax (80MHz)	CDD	1134/1201 (MCS11)	1.09	1.24	4.17	5.30	9.47	17	-7.53
	6145	39	ax (80MHz)	CDD	1134/1201 (MCS11)	0.98	1.31	4.15	5.30	9.45	17	-7.55
	6385	87	ax (80MHz)	CDD	1134/1201 (MCS11)	1.76	1.73	4.76	5.30	10.06	17	-6.94
	6025	15	ax (160MHz)	CDD	2041.7/2402 (MCS11)	-0.79	-0.66	2.28	5.30	7.58	17	-9.42
Band 7	6185	47	ax (160MHz)	CDD	2041.7/2402 (MCS11)	-1.73	-0.68	1.84	5.30	7.14	17	-9.86
	6345	79	ax (160MHz)	CDD	2041.7/2402 (MCS11)	-0.92	-1.36	1.88	5.30	7.17	17	-9.83
	6535	117	ax (20MHz)	CDD	270/286.8 (MCS11)	7.11	7.32	10.23	5.18	15.41	17	-1.59
	6695	149	ax (20MHz)	CDD	270/286.8 (MCS11)	7.33	7.21	10.28	5.18	15.46	17	-1.54
	6855	181	ax (20MHz)	CDD	270/286.8 (MCS11)	7.57	7.59	10.59	5.18	15.77	17	-1.23
	6565	123	ax (40MHz)	CDD	540/573.5 (MCS11)	4.28	4.57	7.44	5.18	12.62	17	-4.38
	6725	155	ax (40MHz)	CDD	540/573.5 (MCS11)	4.64	4.54	7.60	5.18	12.78	17	-4.22
	6845	179	ax (40MHz)	CDD	540/573.5 (MCS11)	4.82	4.53	7.69	5.18	12.87	17	-4.13
	6625	135	ax (80MHz)	CDD	1134/1201 (MCS11)	1.56	1.66	4.62	5.18	9.80	17	-7.20
	6705	151	ax (80MHz)	CDD	1134/1201 (MCS11)	1.74	1.79	4.78	5.18	9.96	17	-7.04
Band 8	6785	167	ax (80MHz)	CDD	1134/1201 (MCS11)	2.21	1.58	4.92	5.18	10.10	17	-6.90
	6665	143	ax (160MHz)	CDD	2041.7/2402 (MCS11)	-0.44	-0.66	2.46	5.18	7.64	17	-9.36

Table 7-81. Power Spectral Density Measurements CDD Primary SP

FCC ID: BCGA2995		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2405200018-24-R2.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 105 of 317	

	Frequency [MHz]	Channel No.	802.11 Mode	Mode	Data Rate [MHz]	Antenna 5T Measured Power Density [dBm/MHz]	Antenna 3b Measured Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Directional Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	6115	33	ax (20MHz)	SDM	270/286.8 (MCS11)	-12.17	-12.86	-9.49	2.42	-7.07	-5	-2.07
	6255	61	ax (20MHz)	SDM	270/286.8 (MCS11)	-12.02	-13.59	-9.72	2.42	-7.30	-5	-2.30
	6415	93	ax (20MHz)	SDM	270/286.8 (MCS11)	-12.96	-13.65	-10.28	2.42	-7.86	-5	-2.86
	6125	35	ax (40MHz)	SDM	540/573.5 (MCS11)	-12.76	-12.68	-9.71	2.42	-7.29	-5	-2.29
	6245	59	ax (40MHz)	SDM	540/573.5 (MCS11)	-12.26	-13.63	-9.88	2.42	-7.46	-5	-2.46
	6405	91	ax (40MHz)	SDM	540/573.5 (MCS11)	-12.77	-13.05	-9.89	2.42	-7.47	-5	-2.47
	6145	39	ax (80MHz)	SDM	1134/1201 (MCS11)	-12.28	-12.24	-9.25	2.42	-6.83	-5	-1.83
	6225	55	ax (80MHz)	SDM	1134/1201 (MCS11)	-11.90	-11.63	-8.75	2.42	-6.33	-5	-1.33
	6385	87	ax (80MHz)	SDM	1134/1201 (MCS11)	-11.71	-12.34	-9.00	2.42	-6.58	-5	-1.58
	6185	47	ax (160MHz)	SDM	2041.7/2402 (MCS11)	-11.89	-12.07	-8.97	2.42	-6.55	-5	-1.55
Band 7	6345	79	ax (160MHz)	SDM	2041.7/2402 (MCS11)	-11.92	-12.40	-9.14	2.42	-6.72	-5	-1.72
	6535	117	ax (20MHz)	SDM	270/286.8 (MCS11)	-12.50	-13.99	-10.17	2.29	-7.88	-5	-2.88
	6695	149	ax (20MHz)	SDM	270/286.8 (MCS11)	-12.15	-12.84	-9.47	2.29	-7.18	-5	-2.18
	6855	181	ax (20MHz)	SDM	270/286.8 (MCS11)	-11.88	-13.11	-9.44	2.29	-7.15	-5	-2.15
	6565	123	ax (40MHz)	SDM	540/573.5 (MCS11)	-12.31	-13.36	-9.79	2.29	-7.51	-5	-2.51
	6725	155	ax (40MHz)	SDM	540/573.5 (MCS11)	-12.51	-12.54	-9.51	2.29	-7.23	-5	-2.23
	6845	179	ax (40MHz)	SDM	540/573.5 (MCS11)	-11.95	-13.48	-9.63	2.29	-7.35	-5	-2.35
	6625	135	ax (80MHz)	SDM	1134/1201 (MCS11)	-11.94	-12.46	-9.18	2.29	-6.89	-5	-1.89
	6705	151	ax (80MHz)	SDM	1134/1201 (MCS11)	-12.35	-12.47	-9.40	2.29	-7.11	-5	-2.11
	6785	167	ax (80MHz)	SDM	1134/1201 (MCS11)	-11.82	-12.48	-9.13	2.29	-6.84	-5	-1.84
	6665	143	ax (160MHz)	SDM	2041.7/2402 (MCS11)	-11.67	-12.13	-8.88	2.29	-6.59	-5	-1.59

Table 7-82. Power Spectral Density Measurements SDM Primary VLP

FCC ID: BCGA2995	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2405200018-24-R2.BCG	Test Dates: 5/20/2024 - 10/1/2024	EUT Type: Tablet Device	Page 106 of 317

V 10.50.40 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.