

Manufacturer:SHANTOU FENGMA TOYS INDUSTRIAL CO.,LTD.

Manufacturer add.:No.1,Lane1,Road2,Shangjiaoxingyeyuan, Chenghua Street,Chenghai District,Shantou, Guangdong, China

Antenna Specification for Approval

客户名称

Customer Name: _____

产品名称: _

Product Name: 2.4G antenna length 38mm

客户型号:

Product Name:_____

产品料号:

Part NO. : C113H-11130-110

制 表:

Write By: 周 敏

日 期:


Issued Date: 2022-8-20

correspondent:

工程R&D Dept	采购Business Dept	承认 Approved By

LI XIN HUI

研发R&D Dept	工程 Engineer Dept	审核 Approval



Product Specification

A. Electrical Characteristics

Frequency 2400MHz ~2500MHz

VSWR <3.0

Efficiency >50%

Impedance 50 Ohm

Polarization Line

Gain 0.17DBi

B. Material & Mechanical Characteristics

Material of Radiator Cu

Cable Type 1.13 lucency

Connector Type : NO

Dimension

C. Environmental

Operation Temperature - 30 °C ~ + 80 °C

Storage Temperature - 30 °C ~ + 85 °C

Test Equipment & Conditions

1. Network Analyzers :


Agilent 8753D 5071B

2. Communications Test Set:


Agilent E5515C

3. 3D Chamber Test System


Effiency &Gain



(Testing by 3D anechoic chamber)



Phi axis test



Theta axis test

Effiency &Gain

2.40 -0.01

2.440 0.12

2.48 0.17

Radiation Pattern:

