


16.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.91	-13	59.91	Pass	401
0.15	30	0.01	RMS	0.16	-72.52	-13	59.52	Pass	2986
30	814	0.1	RMS	813.7	-64.9	-13	51.9	Pass	7841
814	860	0.1	RMS	824.3	18.78	60	41.22	Pass	461
860	1000	0.1	RMS	871.8	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1648	-49.2	-13	36.2	Pass	2001
3000	10000	1	RMS	6799	-45.67	-13	32.67	Pass	7001



16.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.97	-13	59.97	Pass	401
0.15	30	0.01	RMS	0.16	-72.21	-13	59.21	Pass	2986
30	814	0.1	RMS	813.9	-65.02	-13	52.02	Pass	7841
814	860	0.1	RMS	824.3	17.79	60	42.21	Pass	461
860	1000	0.1	RMS	870.8	-65.33	-13	52.33	Pass	1401
1000	3000	1	RMS	1648	-50.18	-13	37.18	Pass	2001
3000	10000	1	RMS	6798	-45.63	-13	32.63	Pass	7001



16.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.49	-13	60.49	Pass	401
0.15	30	0.01	RMS	0.26	-72.87	-13	59.87	Pass	2986
30	814	0.1	RMS	813.7	-65.58	-13	52.58	Pass	7841
814	860	0.1	RMS	834.3	18.82	60	41.18	Pass	461
860	1000	0.1	RMS	883.1	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1668	-48.57	-13	35.57	Pass	2001
3000	10000	1	RMS	6799	-45.67	-13	32.67	Pass	7001



16.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.11	-13	59.11	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	59.32	Pass	2986
30	814	0.1	RMS	811.1	-65.62	-13	52.62	Pass	7841
814	860	0.1	RMS	834.3	18.06	60	41.94	Pass	461
860	1000	0.1	RMS	952.5	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1668	-49.36	-13	36.36	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001



16.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.15	-13	60.15	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	59.18	Pass	2986
30	814	0.1	RMS	774.9	-65.74	-13	52.74	Pass	7841
814	860	0.1	RMS	844.3	18.93	60	41.07	Pass	461
860	1000	0.1	RMS	929	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1688	-48.82	-13	35.82	Pass	2001
3000	10000	1	RMS	6800	-45.61	-13	32.61	Pass	7001



16.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	59.18	Pass	2986
30	814	0.1	RMS	813.6	-63.14	-13	50.14	Pass	7841
814	860	0.1	RMS	844.3	18.16	60	41.84	Pass	461
860	1000	0.1	RMS	967.1	-65.39	-13	52.39	Pass	1401
1000	3000	1	RMS	1688	-49.74	-13	36.74	Pass	2001
3000	10000	1	RMS	6801	-45.65	-13	32.65	Pass	7001



16.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.17	-72.56	-13	59.56	Pass	2986
30	814	0.1	RMS	813.9	-62.39	-13	49.39	Pass	7841
814	860	0.1	RMS	824.6	19.33	60	40.67	Pass	461
860	1000	0.1	RMS	874	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1649	-49.55	-13	36.55	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001



16.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	59.22	Pass	2986
30	814	0.1	RMS	813.9	-62.36	-13	49.36	Pass	7841
814	860	0.1	RMS	824.6	18.52	60	41.48	Pass	461
860	1000	0.1	RMS	874.6	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1649	-50.31	-13	37.31	Pass	2001
3000	10000	1	RMS	6800	-45.61	-13	32.61	Pass	7001



16.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.01	-13	60.01	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	2986
30	814	0.1	RMS	814	-65.51	-13	52.51	Pass	7841
814	860	0.1	RMS	832.1	19.36	60	40.64	Pass	461
860	1000	0.1	RMS	881.9	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1664	-48.91	-13	35.91	Pass	2001
3000	10000	1	RMS	6799	-45.63	-13	32.63	Pass	7001



16.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.21	-72.6	-13	59.6	Pass	2986
30	814	0.1	RMS	813.9	-65.62	-13	52.62	Pass	7841
814	860	0.1	RMS	832.1	18.35	60	41.65	Pass	461
860	1000	0.1	RMS	881.7	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1664	-49.76	-13	36.76	Pass	2001
3000	10000	1	RMS	6799	-45.7	-13	32.7	Pass	7001



16.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.31	-13	60.31	Pass	401
0.15	30	0.01	RMS	0.16	-72.58	-13	59.58	Pass	2986
30	814	0.1	RMS	813.8	-65.72	-13	52.72	Pass	7841
814	860	0.1	RMS	839.6	19.38	60	40.62	Pass	461
860	1000	0.1	RMS	886.9	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1679	-49.41	-13	36.41	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001



16.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.16	-72.39	-13	59.39	Pass	2986
30	814	0.1	RMS	810.9	-65.69	-13	52.69	Pass	7841
814	860	0.1	RMS	839.6	18.48	60	41.52	Pass	461
860	1000	0.1	RMS	964.4	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1679	-50.2	-13	37.2	Pass	2001
3000	10000	1	RMS	6798	-45.62	-13	32.62	Pass	7001



16.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.47	-13	60.47	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	58.86	Pass	2986
30	814	0.1	RMS	811.5	-55.57	-13	42.57	Pass	7841
814	860	0.1	RMS	824.8	18.77	60	41.23	Pass	461
860	1000	0.1	RMS	987.3	-65.27	-13	52.27	Pass	1401
1000	3000	1	RMS	1649	-49.4	-13	36.4	Pass	2001
3000	10000	1	RMS	6800	-45.62	-13	32.62	Pass	7001



16.26 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.03	-13	59.03	Pass	401
0.15	30	0.01	RMS	0.16	-72.47	-13	59.47	Pass	2986
30	814	0.1	RMS	811.5	-56.56	-13	43.56	Pass	7841
814	860	0.1	RMS	824.8	17.94	60	42.06	Pass	461
860	1000	0.1	RMS	881.2	-65.25	-13	52.25	Pass	1401
1000	3000	1	RMS	1649	-50.22	-13	37.22	Pass	2001
3000	10000	1	RMS	6802	-45.68	-13	32.68	Pass	7001



16.27 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.22	-72.98	-13	59.98	Pass	2986
30	814	0.1	RMS	814	-62.74	-13	49.74	Pass	7841
814	860	0.1	RMS	829.8	18.71	60	41.29	Pass	461
860	1000	0.1	RMS	883.9	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1659	-49.04	-13	36.04	Pass	2001
3000	10000	1	RMS	6800	-45.61	-13	32.61	Pass	7001



16.28 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.04	-13	59.04	Pass	401
0.15	30	0.01	RMS	0.18	-72.24	-13	59.24	Pass	2986
30	814	0.1	RMS	814	-63.46	-13	50.46	Pass	7841
814	860	0.1	RMS	829.8	17.8	60	42.2	Pass	461
860	1000	0.1	RMS	945.2	-65.4	-13	52.4	Pass	1401
1000	3000	1	RMS	1659	-50.01	-13	37.01	Pass	2001
3000	10000	1	RMS	6805	-45.66	-13	32.66	Pass	7001



16.29 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.17	-72.3	-13	59.3	Pass	2986
30	814	0.1	RMS	811.8	-64.42	-13	51.42	Pass	7841
814	860	0.1	RMS	834.8	18.66	60	41.34	Pass	461
860	1000	0.1	RMS	893	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	1669	-48.76	-13	35.76	Pass	2001
3000	10000	1	RMS	6798	-45.61	-13	32.61	Pass	7001



16.30 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.3	-13	60.3	Pass	401
0.15	30	0.01	RMS	0.17	-72.51	-13	59.51	Pass	2986
30	814	0.1	RMS	811.8	-64.65	-13	51.65	Pass	7841
814	860	0.1	RMS	834.8	17.89	60	42.11	Pass	461
860	1000	0.1	RMS	866.6	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	1669	-49.49	-13	36.49	Pass	2001
3000	10000	1	RMS	6801	-45.6	-13	32.6	Pass	7001



17. LTE_Band26(part90)


17.1 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.08	-13	52.08	Pass	401
0.15	30	0.01	Peak	0.26	-65.44	-13	52.44	Pass	2986
30	809	0.1	Peak	807.6	-54.24	-13	41.24	Pass	7791
809	829	0.1	Peak	814.2	24.24	60	35.76	Pass	401
829	1000	0.1	Peak	999.3	-54.18	-13	41.18	Pass	1711
1000	3000	1	Peak	1629	-38.31	-13	25.31	Pass	2001
3000	10000	1	Peak	7306	-32.23	-13	19.23	Pass	7001




17.2 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.9	-13	53.9	Pass	401
0.15	30	0.01	Peak	0.21	-63.98	-13	50.98	Pass	2986
30	809	0.1	Peak	808.9	-47.99	-13	34.99	Pass	7791
809	829	0.1	Peak	814.25	24.88	60	35.12	Pass	401
829	1000	0.1	Peak	833	-49.98	-13	36.98	Pass	1711
1000	3000	1	Peak	1629	-38.2	-13	25.2	Pass	2001
3000	10000	1	Peak	8464	-32.19	-13	19.19	Pass	7001




17.3 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-66.17	-13	53.17	Pass	401
0.15	30	0.01	Peak	0.33	-64.88	-13	51.88	Pass	2986
30	809	0.1	Peak	771.7	-54.76	-13	41.76	Pass	7791
809	829	0.1	Peak	818.55	24.48	60	35.52	Pass	401
829	1000	0.1	Peak	931.4	-53.99	-13	40.99	Pass	1711
1000	3000	1	Peak	1637	-39.23	-13	26.23	Pass	2001
3000	10000	1	Peak	7716	-32.82	-13	19.82	Pass	7001




**17.4 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4,
Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.25	-13	53.25	Pass	401
0.15	30	0.01	Peak	1.17	-65.21	-13	52.21	Pass	2986
30	809	0.1	Peak	333.9	-54.58	-13	41.58	Pass	7791
809	829	0.1	Peak	818.6	24.42	60	35.58	Pass	401
829	1000	0.1	Peak	956.7	-54.53	-13	41.53	Pass	1711
1000	3000	1	Peak	1637	-39.08	-13	26.08	Pass	2001
3000	10000	1	Peak	8661	-32.31	-13	19.31	Pass	7001




17.5 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.42	-13	53.42	Pass	401
0.15	30	0.01	Peak	0.28	-64.44	-13	51.44	Pass	2986
30	809	0.1	Peak	609.4	-54.88	-13	41.88	Pass	7791
809	829	0.1	Peak	822.9	24.14	60	35.86	Pass	401
829	1000	0.1	Peak	831.9	-45.31	-13	32.31	Pass	1711
1000	3000	1	Peak	1646	-39.2	-13	26.2	Pass	2001
3000	10000	1	Peak	8196	-32.24	-13	19.24	Pass	7001




17.6 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.95	-13	50.95	Pass	401
0.15	30	0.01	Peak	0.19	-64.31	-13	51.31	Pass	2986
30	809	0.1	Peak	807.5	-54.77	-13	41.77	Pass	7791
809	829	0.1	Peak	822.85	24.31	60	35.69	Pass	401
829	1000	0.1	Peak	838.6	-53.61	-13	40.61	Pass	1711
1000	3000	1	Peak	2925	-39.09	-13	26.09	Pass	2001
3000	10000	1	Peak	7469	-31.24	-13	18.24	Pass	7001




**17.7 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.76	-13	52.76	Pass	401
0.15	30	0.01	Peak	0.18	-65.3	-13	52.3	Pass	2986
30	809	0.1	Peak	808.9	-51.58	-13	38.58	Pass	7791
809	829	0.1	Peak	814.2	24.47	60	35.53	Pass	401
829	1000	0.1	Peak	908.9	-54.45	-13	41.45	Pass	1711
1000	3000	1	Peak	1629	-38.69	-13	25.69	Pass	2001
3000	10000	1	Peak	7906	-32.76	-13	19.76	Pass	7001




**17.8 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8,
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.86	-13	51.86	Pass	401
0.15	30	0.01	Peak	0.33	-65.46	-13	52.46	Pass	2986
30	809	0.1	Peak	809	-50.21	-13	37.21	Pass	7791
809	829	0.1	Peak	814.2	24.88	60	35.12	Pass	401
829	1000	0.1	Peak	899.9	-54.48	-13	41.48	Pass	1711
1000	3000	1	Peak	1629	-38.73	-13	25.73	Pass	2001
3000	10000	1	Peak	8680	-32.16	-13	19.16	Pass	7001




**17.9 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9,
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.74	-13	52.74	Pass	401
0.15	30	0.01	Peak	0.35	-64.53	-13	51.53	Pass	2986
30	809	0.1	Peak	782.2	-54.38	-13	41.38	Pass	7791
809	829	0.1	Peak	817.75	24.89	60	35.11	Pass	401
829	1000	0.1	Peak	829.5	-46.61	-13	33.61	Pass	1711
1000	3000	1	Peak	1636	-38.63	-13	25.63	Pass	2001
3000	10000	1	Peak	7306	-32.27	-13	19.27	Pass	7001




17.10 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.78	-13	51.78	Pass	401
0.15	30	0.01	Peak	0.19	-64.9	-13	51.9	Pass	2986
30	809	0.1	Peak	775	-55.06	-13	42.06	Pass	7791
809	829	0.1	Peak	817.7	24.43	60	35.57	Pass	401
829	1000	0.1	Peak	909.7	-53.92	-13	40.92	Pass	1711
1000	3000	1	Peak	2987	-39.31	-13	26.31	Pass	2001
3000	10000	1	Peak	7295	-31.93	-13	18.93	Pass	7001




17.11 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.21	-13	52.21	Pass	401
0.15	30	0.01	Peak	0.21	-64.19	-13	51.19	Pass	2986
30	809	0.1	Peak	795.8	-54.84	-13	41.84	Pass	7791
809	829	0.1	Peak	821.2	24.46	60	35.54	Pass	401
829	1000	0.1	Peak	829.1	-45.61	-13	32.61	Pass	1711
1000	3000	1	Peak	1642	-39.08	-13	26.08	Pass	2001
3000	10000	1	Peak	8259	-32.22	-13	19.22	Pass	7001




17.12 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-66.84	-13	53.84	Pass	401
0.15	30	0.01	Peak	0.17	-63.48	-13	50.48	Pass	2986
30	809	0.1	Peak	418.2	-54.48	-13	41.48	Pass	7791
809	829	0.1	Peak	821.3	24.94	60	35.06	Pass	401
829	1000	0.1	Peak	829	-46.61	-13	33.61	Pass	1711
1000	3000	1	Peak	1643	-39.59	-13	26.59	Pass	2001
3000	10000	1	Peak	8738	-32.23	-13	19.23	Pass	7001




**17.13 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-65.01	-13	52.01	Pass	401
0.15	30	0.01	Peak	0.26	-64.14	-13	51.14	Pass	2986
30	809	0.1	Peak	808.7	-53.26	-13	40.26	Pass	7791
809	829	0.1	Peak	814.35	24.8	60	35.2	Pass	401
829	1000	0.1	Peak	831.5	-53.61	-13	40.61	Pass	1711
1000	3000	1	Peak	1629	-39.04	-13	26.04	Pass	2001
3000	10000	1	Peak	8501	-31.83	-13	18.83	Pass	7001




**17.14 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14,
Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.75	-13	51.75	Pass	401
0.15	30	0.01	Peak	0.17	-64.17	-13	51.17	Pass	2986
30	809	0.1	Peak	809	-53.7	-13	40.7	Pass	7791
809	829	0.1	Peak	814.3	25.05	60	34.95	Pass	401
829	1000	0.1	Peak	889.3	-54.42	-13	41.42	Pass	1711
1000	3000	1	Peak	1629	-40.06	-13	27.06	Pass	2001
3000	10000	1	Peak	8734	-32.47	-13	19.47	Pass	7001




**17.15 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-64.84	-13	51.84	Pass	401
0.15	30	0.01	Peak	0.18	-63.75	-13	50.75	Pass	2986
30	809	0.1	Peak	759.8	-54.46	-13	41.46	Pass	7791
809	829	0.1	Peak	816.85	24.64	60	35.36	Pass	401
829	1000	0.1	Peak	904.3	-53.72	-13	40.72	Pass	1711
1000	3000	1	Peak	1634	-39.59	-13	26.59	Pass	2001
3000	10000	1	Peak	7317	-32.23	-13	19.23	Pass	7001




**17.16 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16,
Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.68	-13	52.68	Pass	401
0.15	30	0.01	Peak	0.16	-63.93	-13	50.93	Pass	2986
30	809	0.1	Peak	712.6	-54.11	-13	41.11	Pass	7791
809	829	0.1	Peak	816.8	24.33	60	35.67	Pass	401
829	1000	0.1	Peak	867.8	-53.95	-13	40.95	Pass	1711
1000	3000	1	Peak	2999	-39.63	-13	26.63	Pass	2001
3000	10000	1	Peak	7472	-32.22	-13	19.22	Pass	7001




**17.17 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.05	-13	53.05	Pass	401
0.15	30	0.01	Peak	0.42	-64.94	-13	51.94	Pass	2986
30	809	0.1	Peak	809	-52.96	-13	39.96	Pass	7791
809	829	0.1	Peak	819.35	24.22	60	35.78	Pass	401
829	1000	0.1	Peak	829.7	-42.12	-13	29.12	Pass	1711
1000	3000	1	Peak	2952	-39.3	-13	26.3	Pass	2001
3000	10000	1	Peak	7486	-32.6	-13	19.6	Pass	7001




**17.18 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.09	-13	53.09	Pass	401
0.15	30	0.01	Peak	0.16	-65.03	-13	52.03	Pass	2986
30	809	0.1	Peak	755.2	-54.2	-13	41.2	Pass	7791
809	829	0.1	Peak	819.3	24.53	60	35.47	Pass	401
829	1000	0.1	Peak	830	-43.59	-13	30.59	Pass	1711
1000	3000	1	Peak	1639	-39.4	-13	26.4	Pass	2001
3000	10000	1	Peak	8560	-32.17	-13	19.17	Pass	7001




**17.19 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-65.47	-13	52.47	Pass	401
0.15	30	0.01	Peak	0.25	-64.56	-13	51.56	Pass	2986
30	809	0.1	Peak	809	-51.91	-13	38.91	Pass	7791
809	829	0.1	Peak	814.6	24.61	60	35.39	Pass	401
829	1000	0.1	Peak	829.9	-40.41	-13	27.41	Pass	1711
1000	3000	1	Peak	1629	-38.5	-13	25.5	Pass	2001
3000	10000	1	Peak	7306	-32.51	-13	19.51	Pass	7001



17.20 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.37	-13	52.37	Pass	401
0.15	30	0.01	Peak	1.06	-65.21	-13	52.21	Pass	2986
30	809	0.1	Peak	805.8	-52.66	-13	39.66	Pass	7791
809	829	0.1	Peak	814.65	24.69	60	35.31	Pass	401
829	1000	0.1	Peak	829.8	-39.69	-13	26.69	Pass	1711
1000	3000	1	Peak	1629	-38.6	-13	25.6	Pass	2001
3000	10000	1	Peak	7639	-32.4	-13	19.4	Pass	7001



18. LTE_Band38


18.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.78	-25	43.78	Pass	401
0.15	30	0.01	RMS	0.15	-68.17	-25	43.17	Pass	2986
30	1000	0.1	RMS	858.006	-61.13	-25	36.13	Pass	9701
1000	2560	1	RMS	2560	-47.51	-25	22.51	Pass	1561
2560	2630	1	RMS	2570.325	22.93	60	37.07	Pass	401
2630	3000	1	RMS	3000	-46.56	-25	21.56	Pass	401
3000	12000	1	RMS	6995	-68.13	-25	43.13	Pass	9002
12000	26500	1	RMS	25504	-50.93	-25	25.93	Pass	14502




18.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.22	-25	43.22	Pass	401
0.15	30	0.01	RMS	0.16	-68.28	-25	43.28	Pass	2986
30	1000	0.1	RMS	907.339	-61.16	-25	36.16	Pass	9701
1000	2560	1	RMS	2560	-47.56	-25	22.56	Pass	1561
2560	2630	1	RMS	2570.325	22.54	60	37.46	Pass	401
2630	3000	1	RMS	3000	-46.59	-25	21.59	Pass	401
3000	12000	1	RMS	7019	-68.2	-25	43.2	Pass	9002
12000	26500	1	RMS	25495	-50.98	-25	25.98	Pass	14502




18.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.58	-25	43.58	Pass	401
0.15	30	0.01	RMS	0.16	-67.71	-25	42.71	Pass	2986
30	1000	0.1	RMS	910.641	-61.12	-25	36.12	Pass	9701
1000	2560	1	RMS	2483	-47.65	-25	22.65	Pass	1561
2560	2630	1	RMS	2592.725	23.77	60	36.23	Pass	401
2630	3000	1	RMS	2997.225	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	3405	-65.72	-25	40.72	Pass	9002
12000	26500	1	RMS	25502	-51.02	-25	26.02	Pass	14502




18.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.5	-25	43.5	Pass	401
0.15	30	0.01	RMS	0.15	-68.72	-25	43.72	Pass	2986
30	1000	0.1	RMS	944.964	-61.03	-25	36.03	Pass	9701
1000	2560	1	RMS	2499	-47.68	-25	22.68	Pass	1561
2560	2630	1	RMS	2592.725	22.25	60	37.75	Pass	401
2630	3000	1	RMS	3000	-46.6	-25	21.6	Pass	401
3000	12000	1	RMS	6982	-68.21	-25	43.21	Pass	9002
12000	26500	1	RMS	25508	-50.99	-25	25.99	Pass	14502




18.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.86	-25	43.86	Pass	401
0.15	30	0.01	RMS	0.15	-68.02	-25	43.02	Pass	2986
30	1000	0.1	RMS	993.396	-60.99	-25	35.99	Pass	9701
1000	2560	1	RMS	2517	-47.61	-25	22.61	Pass	1561
2560	2630	1	RMS	2615.3	23.29	60	36.71	Pass	401
2630	3000	1	RMS	2997.225	-46.58	-25	21.58	Pass	401
3000	12000	1	RMS	7004	-68.17	-25	43.17	Pass	9002
12000	26500	1	RMS	25505	-51.01	-25	26.01	Pass	14502




18.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.66	-25	43.66	Pass	401
0.15	30	0.01	RMS	0.18	-68.45	-25	43.45	Pass	2986
30	1000	0.1	RMS	969.08	-61.14	-25	36.14	Pass	9701
1000	2560	1	RMS	2501	-47.66	-25	22.66	Pass	1561
2560	2630	1	RMS	2615.3	22.68	60	37.32	Pass	401
2630	3000	1	RMS	3000	-46.6	-25	21.6	Pass	401
3000	12000	1	RMS	6978	-68.19	-25	43.19	Pass	9002
12000	26500	1	RMS	25508	-50.98	-25	25.98	Pass	14502




18.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.43	-25	43.43	Pass	401
0.15	30	0.01	RMS	0.15	-67.91	-25	42.91	Pass	2986
30	1000	0.1	RMS	713.6	-43.3	-25	18.3	Pass	9701
1000	2560	1	RMS	2560	-45.31	-25	20.31	Pass	1561
2560	2630	1	RMS	2570.325	22.75	60	37.25	Pass	401
2630	3000	1	RMS	3000	-46.54	-25	21.54	Pass	401
3000	12000	1	RMS	6999	-68.12	-25	43.12	Pass	9002
12000	26500	1	RMS	25502	-50.81	-25	25.81	Pass	14502




18.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.66	-25	43.66	Pass	401
0.15	30	0.01	RMS	0.16	-68.53	-25	43.53	Pass	2986
30	1000	0.1	RMS	923.749	-61.12	-25	36.12	Pass	9701
1000	2560	1	RMS	2560	-45.52	-25	20.52	Pass	1561
2560	2630	1	RMS	2570.675	22.43	60	37.57	Pass	401
2630	3000	1	RMS	2998.15	-46.6	-25	21.6	Pass	401
3000	12000	1	RMS	6976	-68.15	-25	43.15	Pass	9002
12000	26500	1	RMS	25501	-50.92	-25	25.92	Pass	14502



18.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.77	-25	43.77	Pass	401
0.15	30	0.01	RMS	0.17	-68.85	-25	43.85	Pass	2986
30	1000	0.1	RMS	859.607	-61.11	-25	36.11	Pass	9701
1000	2560	1	RMS	2505	-47.64	-25	22.64	Pass	1561
2560	2630	1	RMS	2590.45	23.69	60	36.31	Pass	401
2630	3000	1	RMS	2997.225	-46.57	-25	21.57	Pass	401
3000	12000	1	RMS	6998	-68.15	-25	43.15	Pass	9002
12000	26500	1	RMS	25494	-50.96	-25	25.96	Pass	14502



18.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.38	-25	43.38	Pass	401
0.15	30	0.01	RMS	0.15	-67.65	-25	42.65	Pass	2986
30	1000	0.1	RMS	933.356	-61.18	-25	36.18	Pass	9701
1000	2560	1	RMS	2560	-47.62	-25	22.62	Pass	1561
2560	2630	1	RMS	2590.45	21.99	60	38.01	Pass	401
2630	3000	1	RMS	2964.85	-46.6	-25	21.6	Pass	401
3000	12000	1	RMS	6984	-68.19	-25	43.19	Pass	9002
12000	26500	1	RMS	25499	-50.96	-25	25.96	Pass	14502



18.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.96	-25	43.96	Pass	401
0.15	30	0.01	RMS	0.15	-68	-25	43	Pass	2986
30	1000	0.1	RMS	867.412	-61.12	-25	36.12	Pass	9701
1000	2560	1	RMS	2523	-47.65	-25	22.65	Pass	1561
2560	2630	1	RMS	2618.575	23.97	60	36.03	Pass	401
2630	3000	1	RMS	2994.45	-46.59	-25	21.59	Pass	401
3000	12000	1	RMS	6990	-68.13	-25	43.13	Pass	9002
12000	26500	1	RMS	25509	-50.96	-25	25.96	Pass	14502



18.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.36	-25	43.36	Pass	401
0.15	30	0.01	RMS	0.16	-68.07	-25	43.07	Pass	2986
30	1000	0.1	RMS	854.003	-61.21	-25	36.21	Pass	9701
1000	2560	1	RMS	2556	-47.71	-25	22.71	Pass	1561
2560	2630	1	RMS	2610.575	22.94	60	37.06	Pass	401
2630	3000	1	RMS	2979.65	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	6987	-68.18	-25	43.18	Pass	9002
12000	26500	1	RMS	25503	-50.89	-25	25.89	Pass	14502



18.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.96	-25	43.96	Pass	401
0.15	30	0.01	RMS	0.15	-68.89	-25	43.89	Pass	2986
30	1000	0.1	RMS	970.48	-61.11	-25	36.11	Pass	9701
1000	2560	1	RMS	2559	-42.4	-25	17.4	Pass	1561
2560	2630	1	RMS	2570.675	23.46	60	36.54	Pass	401
2630	3000	1	RMS	2999.075	-46.55	-25	21.55	Pass	401
3000	12000	1	RMS	6983	-68.18	-25	43.18	Pass	9002
12000	26500	1	RMS	25502	-50.95	-25	25.95	Pass	14502



18.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.05	-25	43.05	Pass	401
0.15	30	0.01	RMS	0.17	-67.68	-25	42.68	Pass	2986
30	1000	0.1	RMS	958.773	-61	-25	36	Pass	9701
1000	2560	1	RMS	2544	-42.89	-25	17.89	Pass	1561
2560	2630	1	RMS	2570.675	22.61	60	37.39	Pass	401
2630	3000	1	RMS	2965.775	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	6982	-68.16	-25	43.16	Pass	9002
12000	26500	1	RMS	25500	-50.97	-25	25.97	Pass	14502



18.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.6	-25	42.6	Pass	401
0.15	30	0.01	RMS	0.31	-68.6	-25	43.6	Pass	2986
30	1000	0.1	RMS	851.301	-61.08	-25	36.08	Pass	9701
1000	2560	1	RMS	2504	-47.65	-25	22.65	Pass	1561
2560	2630	1	RMS	2588.175	23.15	60	36.85	Pass	401
2630	3000	1	RMS	2999.075	-46.56	-25	21.56	Pass	401
3000	12000	1	RMS	6991	-68.22	-25	43.22	Pass	9002
12000	26500	1	RMS	25495	-50.97	-25	25.97	Pass	14502



18.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.02	-25	43.02	Pass	401
0.15	30	0.01	RMS	0.16	-67.98	-25	42.98	Pass	2986
30	1000	0.1	RMS	835.2	-61.07	-25	36.07	Pass	9701
1000	2560	1	RMS	2503	-47.61	-25	22.61	Pass	1561
2560	2630	1	RMS	2588.175	22.1	60	37.9	Pass	401
2630	3000	1	RMS	2998.15	-46.55	-25	21.55	Pass	401
3000	12000	1	RMS	6982	-68.04	-25	43.04	Pass	9002
12000	26500	1	RMS	25497	-50.91	-25	25.91	Pass	14502



18.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.77	-25	43.77	Pass	401
0.15	30	0.01	RMS	0.2	-68.32	-25	43.32	Pass	2986
30	1000	0.1	RMS	942.762	-61.09	-25	36.09	Pass	9701
1000	2560	1	RMS	2487	-47.63	-25	22.63	Pass	1561
2560	2630	1	RMS	2605.675	23.1	60	36.9	Pass	401
2630	3000	1	RMS	2631.85	-25.3	-25	0.3	Pass*	401
3000	12000	1	RMS	6988	-68.18	-25	43.18	Pass	9002
12000	26500	1	RMS	25494	-50.99	-25	25.99	Pass	14502



18.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.37	-25	43.37	Pass	401
0.15	30	0.01	RMS	0.36	-68.27	-25	43.27	Pass	2986
30	1000	0.1	RMS	990.894	-61.17	-25	36.17	Pass	9701
1000	2560	1	RMS	2525	-47.6	-25	22.6	Pass	1561
2560	2630	1	RMS	2605.675	22.83	60	37.17	Pass	401
2630	3000	1	RMS	2631.85	-26.35	-25	1.35	Pass*	401
3000	12000	1	RMS	6989	-68.24	-25	43.24	Pass	9002
12000	26500	1	RMS	25506	-50.87	-25	25.87	Pass	14502



18.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.22	-25	43.22	Pass	401
0.15	30	0.01	RMS	0.15	-67.63	-25	42.63	Pass	2986
30	1000	0.1	RMS	891.228	-61.16	-25	36.16	Pass	9701
1000	2560	1	RMS	2559	-41.37	-25	16.37	Pass	1561
2560	2630	1	RMS	2570.85	23.18	60	36.82	Pass	401
2630	3000	1	RMS	3000	-46.56	-25	21.56	Pass	401
3000	12000	1	RMS	6992	-68.09	-25	43.09	Pass	9002
12000	26500	1	RMS	25498	-50.88	-25	25.88	Pass	14502



18.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.84	-25	42.84	Pass	401
0.15	30	0.01	RMS	0.19	-68.25	-25	43.25	Pass	2986
30	1000	0.1	RMS	926.952	-61.04	-25	36.04	Pass	9701
1000	2560	1	RMS	2558	-41.52	-25	16.52	Pass	1561
2560	2630	1	RMS	2571.025	22.27	60	37.73	Pass	401
2630	3000	1	RMS	3000	-46.54	-25	21.54	Pass	401
3000	12000	1	RMS	6986	-68.13	-25	43.13	Pass	9002
12000	26500	1	RMS	25502	-50.94	-25	25.94	Pass	14502



18.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.85	-25	43.85	Pass	401
0.15	30	0.01	RMS	0.19	-68.78	-25	43.78	Pass	2986
30	1000	0.1	RMS	936.958	-61.06	-25	36.06	Pass	9701
1000	2560	1	RMS	2550	-42.52	-25	17.52	Pass	1561
2560	2630	1	RMS	2586.075	23.48	60	36.52	Pass	401
2630	3000	1	RMS	2996.3	-46.55	-25	21.55	Pass	401
3000	12000	1	RMS	6982	-68.14	-25	43.14	Pass	9002
12000	26500	1	RMS	25497	-50.93	-25	25.93	Pass	14502



18.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.83	-25	43.83	Pass	401
0.15	30	0.01	RMS	0.15	-67.6	-25	42.6	Pass	2986
30	1000	0.1	RMS	952.869	-61.07	-25	36.07	Pass	9701
1000	2560	1	RMS	2550	-45.8	-25	20.8	Pass	1561
2560	2630	1	RMS	2585.9	22.18	60	37.82	Pass	401
2630	3000	1	RMS	2998.15	-46.57	-25	21.57	Pass	401
3000	12000	1	RMS	6980	-68.12	-25	43.12	Pass	9002
12000	26500	1	RMS	25905	-50.92	-25	25.92	Pass	14502

