

Modulation	Carrier frequen cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1715	132022	10	1	0	22.64	20.74	0.119
				1	25	22.56	20.66	0.116
				1	49	22.73	20.83	0.121
				25	0	22.77	20.87	0.122
				25	12	22.69	20.79	0.120
				25	25	22.65	20.75	0.119
				50	0	22.68	20.78	0.120
	1755	132422		1	0	22.35	20.45	0.111
				1	25	22.34	20.44	0.111
				1	49	22.34	20.44	0.111
				25	0	22.34	20.44	0.111
				25	12	22.33	20.43	0.110
				25	25	22.33	20.43	0.110
				50	0	22.33	20.43	0.110
	1775	132622		1	0	22.24	20.34	0.108
				1	25	22.20	20.30	0.107
				1	49	22.31	20.41	0.110
				25	0	22.23	20.33	0.108
				25	12	22.35	20.45	0.111
				25	25	22.30	20.40	0.110
				50	0	22.35	20.45	0.111

Modulation	Carrier frequern cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1717.5	132047	15	1	0	24.50	22.60	0.182
				1	37	24.40	22.50	0.178
				1	74	24.34	22.44	0.175
				36	0	23.51	21.61	0.145
				36	29	23.43	21.53	0.142
				36	30	23.58	21.68	0.147
				75	0	23.58	21.68	0.147
	1755	132422		1	0	24.33	22.43	0.175
				1	37	24.25	22.35	0.172
				1	74	24.32	22.42	0.175
				36	0	23.25	21.35	0.136
				36	29	23.14	21.24	0.133
				36	30	23.13	21.23	0.133
				75	0	23.05	21.15	0.130
	1772.5	132597		1	0	24.04	22.14	0.164
				1	37	23.91	22.01	0.159
				1	74	23.92	22.02	0.159
				36	0	23.27	21.37	0.137
				36	29	23.09	21.19	0.132
				36	30	23.07	21.17	0.131
				75	0	23.18	21.28	0.134
16QAM	1717.5	132047	1	0	24.04	22.14	0.164	
			1	37	23.95	22.05	0.160	
			1	74	23.94	22.04	0.160	
			36	0	22.58	20.68	0.117	
			36	29	22.64	20.74	0.119	
			36	30	22.64	20.74	0.119	
			75	0	22.66	20.76	0.119	
	1755	132422	1	0	23.58	21.68	0.147	
			1	37	23.55	21.65	0.146	
			1	74	23.55	21.65	0.146	
			36	0	22.33	20.43	0.110	
			36	29	22.35	20.45	0.111	
			36	30	22.35	20.45	0.111	
			75	0	22.26	20.36	0.109	
	1772.5	132597	1	0	23.52	21.62	0.145	
			1	37	23.42	21.52	0.142	
			1	74	23.45	21.55	0.143	
			36	0	22.25	20.35	0.108	
			36	29	22.20	20.30	0.107	
			36	30	22.20	20.30	0.107	
			75	0	22.17	20.27	0.106	

Modulation	Carrier frequen cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1717.5	132047	15	1	0	22.66	20.76	0.119
				1	37	22.65	20.75	0.119
				1	74	22.65	20.75	0.119
				36	0	22.65	20.75	0.119
				36	29	22.65	20.75	0.119
				36	30	22.64	20.74	0.119
				75	0	22.64	20.74	0.119
	1755	132422		1	0	22.25	20.35	0.108
				1	37	22.25	20.35	0.108
				1	74	22.26	20.36	0.109
				36	0	22.26	20.36	0.109
				36	29	22.26	20.36	0.109
				36	30	22.26	20.36	0.109
				75	0	22.24	20.34	0.108
	1772.5	132597		1	0	22.18	20.28	0.107
				1	37	22.28	20.38	0.109
				1	74	22.28	20.38	0.109
				36	0	22.33	20.43	0.110
				36	29	22.28	20.38	0.109
				36	30	22.28	20.38	0.109
				75	0	22.27	20.37	0.109

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)	
QPSK	1720	132072	20	1	0	24.56	22.66	0.185	
				1	49	24.47	22.57	0.181	
				1	99	24.42	22.52	0.179	
				50	0	23.56	21.66	0.147	
				50	24	23.42	21.52	0.142	
				50	50	23.40	21.50	0.141	
	100	0		23.38	21.48	0.141			
	1755	132422		1	0	24.31	22.41	0.174	
				1	49	24.23	22.33	0.171	
				1	99	24.20	22.30	0.170	
				50	0	23.20	21.30	0.135	
				50	24	23.17	21.27	0.134	
				50	50	23.16	21.26	0.134	
	100	0		23.09	21.19	0.132			
	1770	132572		1	0	24.46	22.56	0.180	
				1	49	24.21	22.31	0.170	
				1	99	24.23	22.33	0.171	
				50	0	23.28	21.38	0.137	
				50	24	23.01	21.11	0.129	
				50	50	23.01	21.11	0.129	
	100	0		23.08	21.18	0.131			
	16QAM	1720		132072	1	0	24.38	22.48	0.177
					1	49	24.26	22.36	0.172
					1	99	24.24	22.34	0.171
50					0	22.65	20.75	0.119	
50					24	22.64	20.74	0.119	
50					50	22.54	20.64	0.116	
100		0		22.64	20.74	0.119			
1755		132422		1	0	23.96	22.06	0.161	
				1	49	23.86	21.96	0.157	
				1	99	23.71	21.81	0.152	
				50	0	22.23	20.33	0.108	
				50	24	22.19	20.29	0.107	
				50	50	22.20	20.30	0.107	
100		0		22.28	20.38	0.109			
1770		132572		1	0	24.05	22.15	0.164	
				1	49	23.97	22.07	0.161	
				1	99	23.81	21.91	0.155	
				50	0	22.31	20.41	0.110	
				50	24	22.19	20.29	0.107	
				50	50	22.19	20.29	0.107	
100		0		22.26	20.36	0.109			

Modulation	Carrier frequen cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1720	132072	20	1	0	22.63	20.73	0.118
				1	49	22.63	20.73	0.118
				1	99	22.62	20.72	0.118
				50	0	22.63	20.73	0.118
				50	24	22.64	20.74	0.119
				50	50	22.64	20.74	0.119
				100	0	22.63	20.73	0.118
	1755	132422		1	0	22.28	20.38	0.109
				1	49	22.28	20.38	0.109
				1	99	22.28	20.38	0.109
				50	0	22.28	20.38	0.109
				50	24	22.28	20.38	0.109
				50	50	22.27	20.37	0.109
				100	0	22.27	20.37	0.109
	1770	132572		1	0	22.27	20.37	0.109
				1	49	22.27	20.37	0.109
				1	99	22.27	20.37	0.109
				50	0	22.27	20.37	0.109
				50	24	22.27	20.37	0.109
				50	50	22.28	20.38	0.109
				100	0	22.27	20.37	0.109