

Intertek Testing Services


RF VOLTAGE

EUT: GBU301
Manuf: IOGEAR
Op Cond: LISN-L
Operator: kaysi
Test Spec: FCC Class B
Comment: EMI RCV:833364/011
120V 60HZ 23°C 60%RH tx at low channel
Date: 17. Jun 02 10:51

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP
Meas Time: 1 s




Intertek Testing Services
RF VOLTAGE

EUT: GBU301
Manuf: IOGEAR
Op Cond: LISN-N
Operator: kaysi
Test Spec: FCC Class B
Comment: EMI RCV:833364/011
120V 60HZ 23°C 60%RH tx at low channel
Date: 17. Jun 02 10:57

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: GBU301
Manuf: IOGEAR
Op Cond: LISN-L
Operator: kaysi
Test Spec: FCC Class B
Comment: EMI RCV:833364/011
120V 60HZ 23°C 60%RH tx at middle channel
Date: 17. Jun 02 11:13

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: GBU301
Manuf: IOGEAR
Op Cond: LISN-N
Operator: kaysi
Test Spec: FCC Class B
Comment: EMI RCV:833364/011
120V 60HZ 23'C 60%RH tx at middle channel
Date: 17. Jun 02 11:04

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----			
Start	Stop	Step	IF BW	Detector	M-Time	Atten Preamp
450k	30M	8k	9k	PK	20ms AUTO	LN OFF

Final Measurement: x QP
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: GBU301
Manuf: IOGEAR
Op Cond: LISN-L
Operator: kaysi
Test Spec: FCC Class B
Comment: EMI RCV:833364/011
120V 60HZ 23°C 60%RH tx at high channel
Date: 17. Jun 02 11:22

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP
Meas Time: 1 s



Intertek Testing Services

RF VOLTAGE

EUT: GBU301
Manuf: IOGEAR
Op Cond: LISN-N
Operator: kaysi
Test Spec: FCC Class B
Comment: EMI RCV:833364/011
120V 60HZ 23°C 60%RH tx at high channel
Date: 17. Jun 02 11:32

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP
Meas Time: 1 s

