


Test Mode	UNII-3_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	37.390	38.000	0.5	Complies
159	5795	37.300	38.000	0.5	Complies

CH151




Date: 11.MAR.2025 15:49:10

CH159
6 dB Bandwidth




Date: 11.MAR.2025 15:59:07

99 % Occupied Bandwidth



Date: 11.MAR.2025 15:48:20




Date: 11.MAR.2025 15:58:16

Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	78.600	77.600	0.5	Complies

CH155 6 dB Bandwidth



Date: 11.MAR.2025 16:23:03

99 % Occupied Bandwidth



Date: 11.MAR.2025 16:22:19

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.78	0.29	19.07	30.00	1.0000	Complies
40	5200	17.67	0.29	17.96	30.00	1.0000	Complies
48	5240	17.94	0.29	18.23	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.77	0.29	19.06	30.00	1.0000	Complies
40	5200	17.81	0.29	18.10	30.00	1.0000	Complies
48	5240	17.59	0.29	17.88	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.92	0.29	18.21	30.00	1.0000	Complies
40	5200	17.81	0.29	18.10	30.00	1.0000	Complies
48	5240	17.91	0.29	18.20	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.58	0.29	17.87	30.00	1.0000	Complies
40	5200	17.76	0.29	18.05	30.00	1.0000	Complies
48	5240	17.45	0.29	17.74	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.20	30.00	1.0000	Complies
40	5200	24.08	30.00	1.0000	Complies
48	5240	24.04	30.00	1.0000	Complies

The maximum direction gain at any elevation angle above 30 degrees as measured from the horizon

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.78	30.00	1.0000	Complies
40	5200	20.53	30.00	1.0000	Complies
48	5240	20.70	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.93	0.16	19.09	30.00	1.0000	Complies
40	5200	18.63	0.16	18.79	30.00	1.0000	Complies
48	5240	18.23	0.16	18.39	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.15	0.16	19.31	30.00	1.0000	Complies
40	5200	18.03	0.16	18.19	30.00	1.0000	Complies
48	5240	18.65	0.16	18.81	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.36	0.16	18.52	30.00	1.0000	Complies
40	5200	18.02	0.16	18.18	30.00	1.0000	Complies
48	5240	17.96	0.16	18.12	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.10	0.16	18.26	30.00	1.0000	Complies
40	5200	18.36	0.16	18.52	30.00	1.0000	Complies
48	5240	18.39	0.16	18.55	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.83	30.00	1.0000	Complies
40	5200	24.44	30.00	1.0000	Complies
48	5240	24.49	30.00	1.0000	Complies

The maximum direction gain at any elevation angle above 30 degrees as measured from the horizon

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.49	30.00	1.0000	Complies
40	5200	20.46	30.00	1.0000	Complies
48	5240	20.59	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.18	0.29	20.47	30.00	1.0000	Complies
46	5230	21.22	0.29	21.51	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.20	0.29	20.49	30.00	1.0000	Complies
46	5230	21.54	0.29	21.83	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.93	0.29	20.22	30.00	1.0000	Complies
46	5230	21.17	0.29	21.46	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.38	0.29	20.67	30.00	1.0000	Complies
46	5230	21.19	0.29	21.48	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	26.48	30.00	1.0000	Complies
46	5230	27.59	30.00	1.0000	Complies

The maximum direction gain at any elevation angle above 30 degrees as measured from the horizon

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.82	30.00	1.0000	Complies
46	5230	20.81	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.62	0.40	20.02	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.97	0.40	20.37	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.12	0.40	19.52	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.01	0.40	19.41	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	25.86	30.00	1.0000	Complies

The maximum direction gain at any elevation angle above 30 degrees as measured from the horizon

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.82	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.49	0.23	19.72	30.00	1.0000	Complies
40	5200	19.45	0.23	19.68	30.00	1.0000	Complies
48	5240	18.46	0.23	18.69	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.98	0.23	20.21	30.00	1.0000	Complies
40	5200	19.89	0.23	20.12	30.00	1.0000	Complies
48	5240	18.42	0.23	18.65	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.13	0.23	19.36	30.00	1.0000	Complies
40	5200	19.06	0.23	19.29	30.00	1.0000	Complies
48	5240	18.65	0.23	18.88	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.05	0.23	19.28	30.00	1.0000	Complies
40	5200	19.13	0.23	19.36	30.00	1.0000	Complies
48	5240	18.26	0.23	18.49	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	25.68	30.00	1.0000	Complies
40	5200	25.65	30.00	1.0000	Complies
48	5240	24.70	30.00	1.0000	Complies

The maximum direction gain at any elevation angle above 30 degrees as measured from the horizon

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.62	30.00	1.0000	Complies
40	5200	20.70	30.00	1.0000	Complies
48	5240	20.65	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.76	0.17	19.93	30.00	1.0000	Complies
46	5230	21.79	0.17	21.96	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.14	0.17	20.31	30.00	1.0000	Complies
46	5230	21.68	0.17	21.85	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.69	0.17	19.86	30.00	1.0000	Complies
46	5230	21.36	0.17	21.53	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.05	0.17	20.22	30.00	1.0000	Complies
46	5230	21.64	0.17	21.81	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	26.11	30.00	1.0000	Complies
46	5230	27.81	30.00	1.0000	Complies

The maximum direction gain at any elevation angle above 30 degrees as measured from the horizon

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.59	30.00	1.0000	Complies
46	5230	20.66	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.14	0.17	19.31	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.83	0.17	20.00	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.92	0.17	19.09	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.45	0.17	19.62	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	25.54	30.00	1.0000	Complies

The maximum direction gain at any elevation angle above 30 degrees as measured from the horizon

Channel	Frequency (MHz)	e.i.r.p. (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.71	30.00	1.0000	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.91	0.29	12.20	23.98	0.2500	Complies
60	5300	12.03	0.29	12.32	23.98	0.2500	Complies
64	5320	11.11	0.29	11.40	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.18	0.29	12.47	23.98	0.2500	Complies
60	5300	12.14	0.29	12.43	23.98	0.2500	Complies
64	5320	11.79	0.29	12.08	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.59	0.29	11.88	23.98	0.2500	Complies
60	5300	11.98	0.29	12.27	23.98	0.2500	Complies
64	5320	11.41	0.29	11.70	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.88	0.29	12.17	23.98	0.2500	Complies
60	5300	11.38	0.29	11.67	23.98	0.2500	Complies
64	5320	11.23	0.29	11.52	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.21	23.98	0.2500	Complies
60	5300	18.20	23.98	0.2500	Complies
64	5320	17.70	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.96	0.16	12.12	23.98	0.2500	Complies
60	5300	11.79	0.16	11.95	23.98	0.2500	Complies
64	5320	11.69	0.16	11.85	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.52	0.16	11.68	23.98	0.2500	Complies
60	5300	11.45	0.16	11.61	23.98	0.2500	Complies
64	5320	11.76	0.16	11.92	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.57	0.16	11.73	23.98	0.2500	Complies
60	5300	11.39	0.16	11.55	23.98	0.2500	Complies
64	5320	11.59	0.16	11.75	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.09	0.16	12.25	23.98	0.2500	Complies
60	5300	11.89	0.16	12.05	23.98	0.2500	Complies
64	5320	11.35	0.16	11.51	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.97	23.98	0.2500	Complies
60	5300	17.81	23.98	0.2500	Complies
64	5320	17.78	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.42	0.29	14.71	23.98	0.2500	Complies
62	5310	14.51	0.29	14.80	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.55	0.29	14.84	23.98	0.2500	Complies
62	5310	14.62	0.29	14.91	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.91	0.29	15.20	23.98	0.2500	Complies
62	5310	14.89	0.29	15.18	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.35	0.29	14.64	23.98	0.2500	Complies
62	5310	14.26	0.29	14.55	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.87	23.98	0.2500	Complies
62	5310	20.89	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.52	0.40	17.92	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.68	0.40	17.08	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.71	0.40	17.11	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.64	0.40	17.04	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	23.32	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.66	0.23	10.89	23.98	0.2500	Complies
60	5300	11.78	0.23	12.01	23.98	0.2500	Complies
64	5320	11.36	0.23	11.59	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.45	0.23	11.68	23.98	0.2500	Complies
60	5300	11.85	0.23	12.08	23.98	0.2500	Complies
64	5320	11.53	0.23	11.76	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.98	0.23	11.21	23.98	0.2500	Complies
60	5300	12.78	0.23	13.01	23.98	0.2500	Complies
64	5320	12.29	0.23	12.52	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	10.79	0.23	11.02	23.98	0.2500	Complies
60	5300	11.73	0.23	11.96	23.98	0.2500	Complies
64	5320	11.33	0.23	11.56	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.23	23.98	0.2500	Complies
60	5300	18.31	23.98	0.2500	Complies
64	5320	17.90	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.67	0.17	14.84	23.98	0.2500	Complies
62	5310	14.86	0.17	15.03	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.19	0.17	15.36	23.98	0.2500	Complies
62	5310	15.01	0.17	15.18	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.63	0.17	14.80	23.98	0.2500	Complies
62	5310	14.56	0.17	14.73	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.30	0.17	14.47	23.98	0.2500	Complies
62	5310	14.28	0.17	14.45	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.90	23.98	0.2500	Complies
62	5310	20.88	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.88	0.17	16.05	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.08	0.17	16.25	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.96	0.17	16.13	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.15	0.17	15.32	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	21.97	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.28	0.29	10.57	23.98	0.2500	Complies
116	5580	9.83	0.29	10.12	23.98	0.2500	Complies
140	5700	9.89	0.29	10.18	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.16	0.29	10.45	23.98	0.2500	Complies
116	5580	9.69	0.29	9.98	23.98	0.2500	Complies
140	5700	9.77	0.29	10.06	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.53	0.29	10.82	23.98	0.2500	Complies
116	5580	10.02	0.29	10.31	23.98	0.2500	Complies
140	5700	10.01	0.29	10.30	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.83	0.29	11.12	23.98	0.2500	Complies
116	5580	10.31	0.29	10.60	23.98	0.2500	Complies
140	5700	10.26	0.29	10.55	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.77	23.98	0.2500	Complies
116	5580	16.28	23.98	0.2500	Complies
140	5700	16.30	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.23	0.16	10.39	23.98	0.2500	Complies
116	5580	9.81	0.16	9.97	23.98	0.2500	Complies
140	5700	9.88	0.16	10.04	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.29	0.16	10.45	23.98	0.2500	Complies
116	5580	9.86	0.16	10.02	23.98	0.2500	Complies
140	5700	9.75	0.16	9.91	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	9.86	0.16	10.02	23.98	0.2500	Complies
116	5580	9.42	0.16	9.58	23.98	0.2500	Complies
140	5700	9.38	0.16	9.54	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.86	0.16	11.02	23.98	0.2500	Complies
116	5580	10.21	0.16	10.37	23.98	0.2500	Complies
140	5700	10.32	0.16	10.48	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.50	23.98	0.2500	Complies
116	5580	16.01	23.98	0.2500	Complies
140	5700	16.02	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.41	0.29	14.70	23.98	0.2500	Complies
110	5550	14.16	0.29	14.45	23.98	0.2500	Complies
134	5670	13.63	0.29	13.92	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.44	0.29	14.73	23.98	0.2500	Complies
110	5550	14.01	0.29	14.30	23.98	0.2500	Complies
134	5670	13.54	0.29	13.83	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.55	0.29	13.84	23.98	0.2500	Complies
110	5550	12.98	0.29	13.27	23.98	0.2500	Complies
134	5670	12.57	0.29	12.86	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.33	0.29	14.62	23.98	0.2500	Complies
110	5550	13.96	0.29	14.25	23.98	0.2500	Complies
134	5670	13.46	0.29	13.75	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.51	23.98	0.2500	Complies
110	5550	20.11	23.98	0.2500	Complies
134	5670	19.63	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.03	0.40	17.43	23.98	0.2500	Complies
122	5610	16.59	0.40	16.99	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.75	0.40	17.15	23.98	0.2500	Complies
122	5610	16.48	0.40	16.88	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.82	0.40	17.22	23.98	0.2500	Complies
122	5610	16.29	0.40	16.69	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.24	0.40	17.64	23.98	0.2500	Complies
122	5610	16.84	0.40	17.24	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	23.38	23.98	0.2500	Complies
122	5610	22.97	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	9.83	0.23	10.06	23.98	0.2500	Complies
116	5580	9.91	0.23	10.14	23.98	0.2500	Complies
140	5700	9.87	0.23	10.10	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	9.92	0.23	10.15	23.98	0.2500	Complies
116	5580	9.88	0.23	10.11	23.98	0.2500	Complies
140	5700	9.79	0.23	10.02	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	9.72	0.23	9.95	23.98	0.2500	Complies
116	5580	9.86	0.23	10.09	23.98	0.2500	Complies
140	5700	9.85	0.23	10.08	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	10.64	0.23	10.87	23.98	0.2500	Complies
116	5580	10.68	0.23	10.91	23.98	0.2500	Complies
140	5700	10.61	0.23	10.84	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.30	23.98	0.2500	Complies
116	5580	16.35	23.98	0.2500	Complies
140	5700	16.30	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.66	0.17	14.83	23.98	0.2500	Complies
110	5550	14.19	0.17	14.36	23.98	0.2500	Complies
134	5670	13.68	0.17	13.85	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.17	0.17	15.34	23.98	0.2500	Complies
110	5550	14.11	0.17	14.28	23.98	0.2500	Complies
134	5670	13.26	0.17	13.43	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.50	0.17	14.67	23.98	0.2500	Complies
110	5550	13.62	0.17	13.79	23.98	0.2500	Complies
134	5670	13.13	0.17	13.30	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.31	0.17	14.48	23.98	0.2500	Complies
110	5550	13.36	0.17	13.53	23.98	0.2500	Complies
134	5670	12.98	0.17	13.15	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.86	23.98	0.2500	Complies
110	5550	20.03	23.98	0.2500	Complies
134	5670	19.46	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.63	0.17	16.80	23.98	0.2500	Complies
122	5610	16.79	0.17	16.96	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.46	0.17	16.63	23.98	0.2500	Complies
122	5610	16.41	0.17	16.58	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.68	0.17	15.85	23.98	0.2500	Complies
122	5610	15.66	0.17	15.83	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.70	0.17	16.87	23.98	0.2500	Complies
122	5610	16.75	0.17	16.92	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	22.58	23.98	0.2500	Complies
122	5610	22.62	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.40	0.29	22.69	30.00	1.0000	Complies
157	5785	22.79	0.29	23.08	30.00	1.0000	Complies
165	5825	22.74	0.29	23.03	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.06	0.29	22.35	30.00	1.0000	Complies
157	5785	22.02	0.29	22.31	30.00	1.0000	Complies
165	5825	22.18	0.29	22.47	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.60	0.29	22.89	30.00	1.0000	Complies
157	5785	22.06	0.29	22.35	30.00	1.0000	Complies
165	5825	22.14	0.29	22.43	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.60	0.29	22.89	30.00	1.0000	Complies
157	5785	22.17	0.29	22.46	30.00	1.0000	Complies
165	5825	22.61	0.29	22.90	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	28.73	30.00	1.0000	Complies
157	5785	28.58	30.00	1.0000	Complies
165	5825	28.74	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.44	0.16	22.60	30.00	1.0000	Complies
157	5785	22.62	0.16	22.78	30.00	1.0000	Complies
165	5825	22.57	0.16	22.73	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.10	0.16	22.26	30.00	1.0000	Complies
157	5785	22.07	0.16	22.23	30.00	1.0000	Complies
165	5825	22.05	0.16	22.21	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.65	0.16	22.81	30.00	1.0000	Complies
157	5785	22.24	0.16	22.40	30.00	1.0000	Complies
165	5825	22.17	0.16	22.33	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.62	0.16	22.78	30.00	1.0000	Complies
157	5785	22.05	0.16	22.21	30.00	1.0000	Complies
165	5825	22.62	0.16	22.78	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	28.63	30.00	1.0000	Complies
157	5785	28.43	30.00	1.0000	Complies
165	5825	28.54	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.41	0.29	22.70	30.00	1.0000	Complies
159	5795	22.41	0.29	22.70	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.11	0.29	22.40	30.00	1.0000	Complies
159	5795	22.17	0.29	22.46	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.02	0.29	22.31	30.00	1.0000	Complies
159	5795	22.26	0.29	22.55	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.31	0.29	22.60	30.00	1.0000	Complies
159	5795	22.08	0.29	22.37	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	28.52	30.00	1.0000	Complies
159	5795	28.54	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.68	0.40	23.08	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.18	0.40	22.58	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.31	0.40	22.71	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.35	0.40	22.75	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	28.80	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.42	0.23	22.65	30.00	1.0000	Complies
157	5785	22.63	0.23	22.86	30.00	1.0000	Complies
165	5825	22.72	0.23	22.95	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.22	0.23	22.45	30.00	1.0000	Complies
157	5785	22.17	0.23	22.40	30.00	1.0000	Complies
165	5825	22.29	0.23	22.52	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.22	0.23	22.45	30.00	1.0000	Complies
157	5785	22.22	0.23	22.45	30.00	1.0000	Complies
165	5825	22.51	0.23	22.74	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.73	0.23	22.96	30.00	1.0000	Complies
157	5785	22.71	0.23	22.94	30.00	1.0000	Complies
165	5825	22.31	0.23	22.54	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	28.66	30.00	1.0000	Complies
157	5785	28.69	30.00	1.0000	Complies
165	5825	28.71	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.60	0.17	22.77	30.00	1.0000	Complies
159	5795	22.68	0.17	22.85	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.11	0.17	22.28	30.00	1.0000	Complies
159	5795	22.30	0.17	22.47	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.34	0.17	22.51	30.00	1.0000	Complies
159	5795	22.10	0.17	22.27	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.72	0.17	22.89	30.00	1.0000	Complies
159	5795	22.28	0.17	22.45	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	28.64	30.00	1.0000	Complies
159	5795	28.54	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.55	0.17	22.72	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.19	0.17	22.36	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.17	0.17	22.34	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.40	0.17	22.57	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	28.52	30.00	1.0000	Complies


Note: Output power = Measure result + Cable loss

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.25	0.29	7.54	13.68	Complies
40	5200	6.87	0.29	7.16	13.68	Complies
48	5240	7.12	0.29	7.41	13.68	Complies


CH36



CH40




CH48




Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.29	0.29	7.58	13.68	Complies
40	5200	7.23	0.29	7.52	13.68	Complies
48	5240	6.83	0.29	7.12	13.68	Complies


CH36



CH40




CH48




Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.12	0.29	7.41	13.68	Complies
40	5200	7.16	0.29	7.45	13.68	Complies
48	5240	6.73	0.29	7.02	13.68	Complies


CH36



CH40




CH48




Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.05	0.29	7.34	13.68	Complies
40	5200	6.43	0.29	6.72	13.68	Complies
48	5240	6.11	0.29	6.40	13.68	Complies


CH36



CH40



CH48




Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.49	13.68	Complies
40	5200	13.25	13.68	Complies
48	5240	13.03	13.68	Complies


Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.12	0.16	7.28	13.68	Complies
40	5200	7.14	0.16	7.30	13.68	Complies
48	5240	7.28	0.16	7.44	13.68	Complies


CH36



CH40




CH48




Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.02	0.16	7.18	13.68	Complies
40	5200	7.29	0.16	7.45	13.68	Complies
48	5240	7.21	0.16	7.37	13.68	Complies


CH36



CH40




CH48




Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.38	0.16	7.54	13.68	Complies
40	5200	7.34	0.16	7.50	13.68	Complies
48	5240	7.38	0.16	7.54	13.68	Complies



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.86	0.16	7.02	13.68	Complies
40	5200	6.07	0.16	6.23	13.68	Complies
48	5240	6.98	0.16	7.14	13.68	Complies




Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.28	13.68	Complies
40	5200	13.17	13.68	Complies
48	5240	13.39	13.68	Complies


Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.86	0.29	7.15	13.68	Complies
46	5230	6.52	0.29	6.81	13.68	Complies

CH38




CH46




Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.27	0.29	7.56	13.68	Complies
46	5230	6.99	0.29	7.28	13.68	Complies

CH38




CH46




Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.70	0.29	6.99	13.68	Complies
46	5230	6.92	0.29	7.21	13.68	Complies

CH38




CH46




Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.54	0.29	6.83	13.68	Complies
46	5230	7.04	0.29	7.33	13.68	Complies

CH38



CH46




Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	13.16	13.68	Complies
46	5230	13.18	13.68	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.47	0.40	4.87	13.68	Complies


CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.15	0.40	5.55	13.68	Complies


CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.68	0.40	5.08	13.68	Complies


CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.91	0.40	5.31	13.68	Complies

CH42




Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	11.23	13.68	Complies


Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.81	0.23	7.04	13.68	Complies
40	5200	6.69	0.23	6.92	13.68	Complies
48	5240	7.35	0.23	7.58	13.68	Complies


CH36



CH40




CH48




Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.39	0.23	7.62	13.68	Complies
40	5200	7.23	0.23	7.46	13.68	Complies
48	5240	7.17	0.23	7.40	13.68	Complies


CH36



CH40




CH48




Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.66	0.23	6.89	13.68	Complies
40	5200	6.38	0.23	6.61	13.68	Complies
48	5240	6.86	0.23	7.09	13.68	Complies



Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.25	0.23	7.48	13.68	Complies
40	5200	7.36	0.23	7.59	13.68	Complies
48	5240	6.63	0.23	6.86	13.68	Complies




Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.29	13.68	Complies
40	5200	13.19	13.68	Complies
48	5240	13.26	13.68	Complies


Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.01	0.17	7.18	13.68	Complies
46	5230	6.59	0.17	6.76	13.68	Complies

CH38




CH46




Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.36	0.17	7.53	13.68	Complies
46	5230	7.13	0.17	7.30	13.68	Complies

CH38




CH46




Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.13	0.17	7.30	13.68	Complies
46	5230	7.02	0.17	7.19	13.68	Complies

CH38




CH46




Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.14	0.17	7.31	13.68	Complies
46	5230	7.01	0.17	7.18	13.68	Complies

CH38



CH46




Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	13.35	13.68	Complies
46	5230	13.13	13.68	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.89	0.17	5.06	13.68	Complies


CH42



Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.87	0.17	6.04	13.68	Complies


CH42



Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.01	0.17	5.18	13.68	Complies


CH42



Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.45	0.17	4.62	13.68	Complies

CH42




Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	11.28	13.68	Complies


Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.70	0.29	0.99	7.28	Complies
60	5300	0.63	0.29	0.92	7.28	Complies
64	5320	0.23	0.29	0.52	7.28	Complies


CH52



CH60




CH64




Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.29	0.29	0.58	7.28	Complies
60	5300	0.95	0.29	1.24	7.28	Complies
64	5320	0.90	0.29	1.19	7.28	Complies


CH52



CH60




CH64




Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.29	0.29	0.58	7.28	Complies
60	5300	0.89	0.29	1.18	7.28	Complies
64	5320	0.48	0.29	0.77	7.28	Complies



Test Mode	UNII-2A_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.84	0.29	1.13	7.28	Complies
60	5300	0.57	0.29	0.86	7.28	Complies
64	5320	-0.66	0.29	-0.37	7.28	Complies



Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.85	7.28	Complies
60	5300	7.08	7.28	Complies
64	5320	6.59	7.28	Complies